

Byung-Joo Park

List of Publications by Citations

Source: <https://exaly.com/author-pdf/9398125/byung-joo-park-publications-by-citations.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

126
papers

2,410
citations

28
h-index

43
g-index

132
ext. papers

2,730
ext. citations

4
avg, IF

4.56
L-index

#	Paper	IF	Citations
126	Gene expression-based recurrence prediction of hepatitis B virus-related human hepatocellular carcinoma. <i>Clinical Cancer Research</i> , 2008 , 14, 2056-64	12.9	131
125	Weight management program for treatment-emergent weight gain in olanzapine-treated patients with schizophrenia or schizoaffective disorder: A 12-week randomized controlled clinical trial. <i>Journal of Clinical Psychiatry</i> , 2006 , 67, 547-53	4.6	108
124	Visceral adipose tissue area is an independent risk factor for hepatic steatosis. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2008 , 23, 900-7	4	106
123	Prevalence and predictors of polypharmacy among Korean elderly. <i>PLoS ONE</i> , 2014 , 9, e98043	3.7	75
122	Outbreak of <i>Mycobacterium massiliense</i> infection associated with intramuscular injections. <i>Journal of Clinical Microbiology</i> , 2007 , 45, 3127-30	9.7	73
121	Intracranial cerebral artery disease as a risk factor for central nervous system complications of coronary artery bypass graft surgery. <i>Stroke</i> , 2001 , 32, 94-9	6.7	71
120	Cardiovascular safety of methylphenidate among children and young people with attention-deficit/hyperactivity disorder (ADHD): nationwide self controlled case series study. <i>BMJ, The</i> , 2016 , 353, i2550	5.9	65
119	Effects of glucose level on early and long-term mortality after intracerebral haemorrhage: the Acute Brain Bleeding Analysis Study. <i>Diabetologia</i> , 2010 , 53, 429-34	10.3	53
118	Phenylpropanolamine contained in cold remedies and risk of hemorrhagic stroke. <i>Neurology</i> , 2007 , 68, 146-9	6.5	53
117	White matter lesions and poor outcome after intracerebral hemorrhage: a nationwide cohort study. <i>Neurology</i> , 2010 , 74, 1502-10	6.5	52
116	Risk of intracranial haemorrhage in antidepressant users with concurrent use of non-steroidal anti-inflammatory drugs: nationwide propensity score matched study. <i>BMJ, The</i> , 2015 , 351, h3517	5.9	50
115	Differential cardiovascular outcomes after dipeptidyl peptidase-4 inhibitor, sulfonylurea, and pioglitazone therapy, all in combination with metformin, for type 2 diabetes: a population-based cohort study. <i>PLoS ONE</i> , 2015 , 10, e0124287	3.7	50
114	The Asian Pharmacoepidemiology Network (AsPEN): promoting multi-national collaboration for pharmacoepidemiologic research in Asia. <i>Pharmacoepidemiology and Drug Safety</i> , 2013 , 22, 700-4	2.6	49
113	Randomized controlled trial comparing gastrectomy plus chemotherapy with chemotherapy alone in advanced gastric cancer with a single non-curable factor: Japan Clinical Oncology Group Study JCOG 0705 and Korea Gastric Cancer Association Study KGCA01. <i>Japanese Journal of Clinical Oncology</i> , 2008 , 38, 504-6	2.8	48
112	Hepatitis B vaccination and reduced risk of primary liver cancer among male adults: a cohort study in Korea. <i>International Journal of Epidemiology</i> , 1998 , 27, 316-9	7.8	48
111	Adherence to antiretroviral therapy and factors affecting low medication adherence among incident HIV-infected individuals during 2009-2016: A nationwide study. <i>Scientific Reports</i> , 2018 , 8, 3133	4.9	45
110	Cardiovascular health metrics and all-cause and cardiovascular disease mortality among middle-aged men in Korea: the Seoul male cohort study. <i>Journal of Preventive Medicine and Public Health</i> , 2013 , 46, 319-28	3.7	45

109	β selectivity of β-blockers and reduced risk of fractures in elderly hypertension patients. <i>Bone</i> , 2012 , 51, 1008-15	4.7	42
108	Multi-country rapid adverse drug event assessment: the Asian Pharmacoepidemiology Network (AsPEN) antipsychotic and acute hyperglycaemia study. <i>Pharmacoepidemiology and Drug Safety</i> , 2013 , 22, 915-24	2.6	42
107	Brief Report: Databases in the Asia-Pacific Region: The Potential for a Distributed Network Approach. <i>Epidemiology</i> , 2015 , 26, 815-20	3.1	41
106	Risk of ischemic stroke with the use of risperidone, quetiapine and olanzapine in elderly patients: a population-based, case-crossover study. <i>Journal of Psychopharmacology</i> , 2013 , 27, 638-44	4.6	38
105	A population-based case-control study: proton pump inhibition and risk of hip fracture by use of bisphosphonate. <i>Journal of Gastroenterology</i> , 2013 , 48, 1016-22	6.9	36
104	Prescription sequence symmetry analysis: assessing risk, temporality, and consistency for adverse drug reactions across datasets in five countries. <i>Pharmacoepidemiology and Drug Safety</i> , 2015 , 24, 858-64	2.6	32
103	Parity and risk of hemorrhagic strokes. <i>Neurology</i> , 2010 , 74, 1424-9	6.5	31
102	Effect of pregnancy and menopause on facial wrinkling in women. <i>Acta Dermato-Venereologica</i> , 2003 , 83, 419-24	2.2	31
101	Variation in Association Between Thiazolidinediones and Heart Failure Across Ethnic Groups: Retrospective analysis of Large Healthcare Claims Databases in Six Countries. <i>Drug Safety</i> , 2015 , 38, 823-31	5.1	28
100	Signal detection of rosuvastatin compared to other statins: data-mining study using national health insurance claims database. <i>Pharmacoepidemiology and Drug Safety</i> , 2010 , 19, 238-46	2.6	28
99	Pharmacovigilance systems and databases in Korea, Japan, and Taiwan. <i>Pharmacoepidemiology and Drug Safety</i> , 2011 , 20, 1237-45	2.6	27
98	Evaluation of hernia repair operation in Child-Turcotte-Pugh class C cirrhosis and refractory ascites. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2007 , 22, 377-82	4	27
97	Proton pump inhibitors and risk of Clostridium difficile infection: a multi-country study using sequence symmetry analysis. <i>Expert Opinion on Drug Safety</i> , 2016 , 15, 1589-1595	4.1	26
96	Phase II trial of gemcitabine combined with cisplatin in patients with inoperable biliary tract carcinomas. <i>Cancer Chemotherapy and Pharmacology</i> , 2008 , 61, 47-52	3.5	26
95	A four-week, randomized, double-blind trial of the efficacy and safety of SKI306X: a herbal anti-arthritic agent versus diclofenac in osteoarthritis of the knee. <i>The American Journal of Chinese Medicine</i> , 2004 , 32, 291-301	6	26
94	Comparison of the safety of seven iodinated contrast media. <i>Journal of Korean Medical Science</i> , 2013 , 28, 1703-10	4.7	25
93	Radiotherapy followed by adjuvant temozolomide with or without neoadjuvant ACNU-CDDP chemotherapy in newly diagnosed glioblastomas: a prospective randomized controlled multicenter phase III trial. <i>Journal of Neuro-Oncology</i> , 2011 , 103, 595-602	4.8	25
92	Three-year follow-up of women with the sole diagnosis of depressive personality disorder: subsequent development of dysthymia and major depression. <i>American Journal of Psychiatry</i> , 2000 , 157, 1966-72	11.9	25

91	Online Registry for Nationwide Database of Current Trend of Helicobacter pylori Eradication in Korea: Interim Analysis. <i>Journal of Korean Medical Science</i> , 2016 , 31, 1246-53	4.7	25
90	Nonaspirin nonsteroidal anti-inflammatory drugs and hemorrhagic stroke risk: the Acute Brain Bleeding Analysis study. <i>Stroke</i> , 2008 , 39, 845-9	6.7	24
89	New initiatives for pharmacovigilance in South Korea: introducing the Korea Institute of Drug Safety and Risk Management (KIDS). <i>Pharmacoepidemiology and Drug Safety</i> , 2014 , 23, 1115-22	2.6	23
88	Contrast-induced nephropathy in patients undergoing intravenous contrast-enhanced computed tomography in Korea: a multi-institutional study in 101487 patients. <i>Korean Journal of Radiology</i> , 2014 , 15, 456-63	6.9	21
87	Overlapping medication associated with healthcare switching among Korean elderly diabetic patients. <i>Journal of Korean Medical Science</i> , 2011 , 26, 1461-8	4.7	21
86	An outbreak of joint and cutaneous infections caused by non-tuberculous mycobacteria after corticosteroid injection. <i>International Journal of Infectious Diseases</i> , 2015 , 36, 62-9	10.5	20
85	Adiposity and the risk of colorectal adenomatous polyps: a meta-analysis. <i>Cancer Causes and Control</i> , 2011 , 22, 1021-35	2.8	20
84	Real world comparison of drug-eluting stents vs bare metal stents in the treatment of unselected patients with acute ST-segment elevation myocardial infarction. <i>Circulation Journal</i> , 2010 , 74, 1111-20	2.9	20
83	Impact of the Health Insurance Coverage Policy on Oral Anticoagulant Prescription among Patients with Atrial Fibrillation in Korea from 2014 to 2016. <i>Journal of Korean Medical Science</i> , 2018 , 33, e163	4.7	19
82	Data-mining for detecting signals of adverse drug reactions of fluoxetine using the Korea Adverse Event Reporting System (KAERS) database. <i>Psychiatry Research</i> , 2017 , 256, 237-242	9.9	18
81	Risk of ischemic stroke associated with the use of antipsychotic drugs in elderly patients: a retrospective cohort study in Korea. <i>PLoS ONE</i> , 2015 , 10, e0119931	3.7	17
80	Caffeine-containing medicines increase the risk of hemorrhagic stroke. <i>Stroke</i> , 2013 , 44, 2139-43	6.7	17
79	Hepatic resection compared to percutaneous ethanol injection for small hepatocellular carcinoma using propensity score matching. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2007 , 22, 1643-9	4	17
78	Added value of coronal reformations for duty radiologists and for referring physicians or surgeons in the CT diagnosis of acute appendicitis. <i>Korean Journal of Radiology</i> , 2006 , 7, 87-96	6.9	17
77	Prevalence of antibiotic use for pediatric acute upper respiratory tract infections in Korea. <i>Journal of Korean Medical Science</i> , 2015 , 30, 617-24	4.7	16
76	Indoor physical activity reduces all-cause and cardiovascular disease mortality among elderly women. <i>Journal of Preventive Medicine and Public Health</i> , 2012 , 45, 21-8	3.7	14
75	Pediatric medication error reports in Korea adverse event reporting system database, 1989-2012: comparing with adult reports. <i>Journal of Korean Medical Science</i> , 2015 , 30, 371-7	4.7	13
74	A population-based case-crossover study of polyethylene glycol use and acute renal failure risk in the elderly. <i>World Journal of Gastroenterology</i> , 2011 , 17, 651-6	5.6	13

73	Drug persistency of cholinesterase inhibitors for patients with dementia of Alzheimer type in Korea. <i>Archives of Pharmacal Research</i> , 2015 , 38, 1255-62	6.1	12
72	Multi-indication carbamazepine and the risk of severe cutaneous adverse drug reactions in Korean elderly patients: a Korean health insurance data-based study. <i>PLoS ONE</i> , 2013 , 8, e83849	3.7	12
71	Strategy for establishing an effective Korean drug utilization review system. <i>Journal of the Korean Medical Association</i> , 2010 , 53, 1130	0.5	12
70	Costs for 5-year lung cancer survivors in a tertiary care hospital in South Korea. <i>Lung Cancer</i> , 2010 , 68, 299-304	5.9	12
69	Natural menopause and risk of stroke in elderly women. <i>Journal of Korean Medical Science</i> , 2005 , 20, 1053-8	4.7	12
68	Signal Detection of Imipenem Compared to Other Drugs from Korea Adverse Event Reporting System Database. <i>Yonsei Medical Journal</i> , 2017 , 58, 564-569	3	11
67	Acute renal failure following oral sodium phosphate bowel preparation: a nationwide case-crossover study. <i>Endoscopy</i> , 2014 , 46, 465-70	3.4	11
66	Gender differences in gastric cancer incidence in elderly former drinkers. <i>Alcohol</i> , 2008 , 42, 363-8	2.7	11
65	Increase in mortality rate following coprescription of cisapride and contraindicated drugs. <i>Annals of Pharmacotherapy</i> , 2007 , 41, 667-73	2.9	11
64	Signal Detection of Adverse Drug Reaction of Amoxicillin Using the Korea Adverse Event Reporting System Database. <i>Journal of Korean Medical Science</i> , 2016 , 31, 1355-61	4.7	11
63	Increased use in propofol and reported patterns of adverse events among anesthetics in Korea. <i>Regulatory Toxicology and Pharmacology</i> , 2015 , 71, 478-83	3.4	10
62	Pemetrexed and cisplatin in patients with advanced gastric cancer: a Korean cancer study group multicenter phase II study. <i>Cancer Chemotherapy and Pharmacology</i> , 2008 , 62, 263-70	3.5	10
61	Online registry for nationwide database of Helicobacter pylori eradication in Korea: Correlation of antibiotic use density with eradication success. <i>Helicobacter</i> , 2019 , 24, e12646	4.9	9
60	Utilization patterns of disease-modifying antirheumatic drugs in elderly rheumatoid arthritis patients. <i>Journal of Korean Medical Science</i> , 2014 , 29, 210-6	4.7	9
59	Perspectives of clinical epidemiology in Korea. <i>Journal of the Korean Medical Association</i> , 2013 , 56, 718	0.5	9
58	Randomized phase II study of gemcitabine plus cisplatin versus etoposide plus cisplatin for the treatment of locally advanced or metastatic non-small cell lung cancer: Korean Cancer Study Group experience. <i>Lung Cancer</i> , 2006 , 52, 75-81	5.9	9
57	A cohort study on the association between psychotropics and hip fracture in Korean elderly women. <i>Journal of Korean Medical Science</i> , 2002 , 17, 65-70	4.7	9
56	A comparison of risperidone and haloperidol for the risk of ischemic stroke in the elderly: a propensity score-matched cohort analysis. <i>Journal of Psychopharmacology</i> , 2015 , 29, 903-9	4.6	8

55	Comparison of the prescribing pattern of bisphosphonate and raloxifene in Korean women with osteoporosis: from a national health insurance claims database. <i>PLoS ONE</i> , 2015 , 10, e0127970	3.7	8
54	Dramatic decrease in fluoroquinolones in the pediatric population in Korea. <i>Pharmacoepidemiology and Drug Safety</i> , 2014 , 23, 1320-4	2.6	8
53	Co-medication of statins with contraindicated drugs. <i>PLoS ONE</i> , 2015 , 10, e0125180	3.7	8
52	Prescribing patterns of the four most commonly used sedatives in endoscopic examination in Korea: propofol, midazolam, diazepam, and lorazepam. <i>Regulatory Toxicology and Pharmacology</i> , 2015 , 71, 565-70	3.4	7
51	Comparison and validation of data-mining indices for signal detection: using the Korean national health insurance claims database. <i>Pharmacoepidemiology and Drug Safety</i> , 2011 , 20, 1278-86	2.6	7
50	Epidemiological Impact of the Korean National Immunization Program on Varicella Incidence. <i>Journal of Korean Medical Science</i> , 2019 , 34, e53	4.7	6
49	Helicobacter pylori eradication on iatrogenic ulcer by endoscopic resection of gastric tumour: a prospective, randomized, placebo-controlled multi-centre trial. <i>Digestive and Liver Disease</i> , 2013 , 45, 385-9	3.3	6
48	Agreement of label information of cardiovascular drugs in pregnancy among Korea, the USA, the UK, and Japan. <i>Regulatory Toxicology and Pharmacology</i> , 2014 , 68, 363-9	3.4	6
47	Thiazolidinedione use in elderly patients with type 2 diabetes: with and without heart failure. <i>Pharmacoepidemiology and Drug Safety</i> , 2011 , 20, 344-50	2.6	6
46	Construction of the Korea Elderly Pharmacoepidemiologic Cohort: drug utilization review of cephalosporins in geriatric inpatients. <i>Pharmacoepidemiology and Drug Safety</i> , 2001 , 10, 487-92	2.6	6
45	Cannabidiol for Treating Lennox-Gastaut Syndrome and Dravet Syndrome in Korea. <i>Journal of Korean Medical Science</i> , 2020 , 35, e427	4.7	6
44	Comparative safety of NSAIDs for gastrointestinal events in Asia-Pacific populations: A multi-database, international cohort study. <i>Pharmacoepidemiology and Drug Safety</i> , 2018 , 27, 1223-1230	2.6	6
43	Duloxetine and cardiovascular adverse events: A systematic review and meta-analysis. <i>Journal of Psychiatric Research</i> , 2020 , 124, 109-114	5.2	5
42	The role of the KIDS for enhancing drug safety and risk management in Korea. <i>Journal of the Korean Medical Association</i> , 2012 , 55, 861	0.5	5
41	Rapid increase of health care utilization and cost due to benign prostatic hyperplasia in Korean men: retrospective population-based analysis using the Health Insurance Review and Assessment service data. <i>Journal of Korean Medical Science</i> , 2015 , 30, 180-5	4.7	4
40	Recent international initiatives of drug safety management. <i>Journal of the Korean Medical Association</i> , 2012 , 55, 819	0.5	4
39	A method to evaluate scientific evidence in clinical preventive medicine. <i>Journal of the Korean Medical Association</i> , 2011 , 54, 1006	0.5	4
38	Predictive accuracy of a health risk appraisal program using mortality risk age in 116,927 Korean men. <i>Journal of Korean Medical Science</i> , 2011 , 26, 159-65	4.7	4

37	The effect of granulocyte-colony stimulating factor on endothelial function in patients with myocardial infarction. <i>Heart</i> , 2009 , 95, 1320-5	5.1	4
36	Comparison of bleeding risks among non-vitamin K antagonist oral anticoagulants using the Korea adverse event reporting system database. <i>Therapeutic Advances in Drug Safety</i> , 2019 , 10, 2042098619876737	3.5	3
35	Regulatory action and moderate decrease in methylphenidate use among ADHD diagnosed patients aged five and under in Korea. <i>Regulatory Toxicology and Pharmacology</i> , 2015 , 72, 244-8	3.4	3
34	Nationwide incidence estimation of lung cancer in Korea. <i>Journal of Korean Medical Science</i> , 1995 , 10, 67-73	4.7	3
33	The role of scientific evidence in the management of high-risk groups using genetic information. <i>Journal of the Korean Medical Association</i> , 2011 , 54, 266	0.5	3
32	Effectiveness and Safety of Clopidogrel Co-administered With Statins and Proton Pump Inhibitors: A Korean National Health Insurance Database Study. <i>Clinical Pharmacology and Therapeutics</i> , 2019 , 106, 182-194	6.1	3
31	The Impact of Green Tea Consumption on the Prevention of Hemorrhagic Stroke. <i>Neuroepidemiology</i> , 2015 , 44, 215-20	5.4	2
30	Prognosis of Patients with Colorectal Cancer with Diabetes According to Medication Adherence: A Population-Based Cohort Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020 , 29, 1120-1127	4	2
29	A comment on The risk of coronary heart disease in type 2 diabetic patients exposed to thiazolidinediones compared to metformin and sulfonylurea therapyS <i>Pharmacoepidemiology and Drug Safety</i> , 2007 , 16, 1072-3; author reply 1073-4	2.6	2
28	Current status of the drug safety monitoring system in Korea. <i>Pharmacoepidemiology and Drug Safety</i> , 2001 , 10, 557-60	2.6	2
27	Rationale for Developing Active Adverse Drug Reaction Surveillance System in Korea. <i>Journal of the Korean Society for Clinical Pharmacology and Therapeutics</i> , 1994 , 2, 105		2
26	Background and Current Status of Drug Utilization Review in the Developed Countries. <i>Journal of the Korean Society for Clinical Pharmacology and Therapeutics</i> , 1999 , 7, 3		2
25	A Planned Prospective, Randomized, Placebo-Controlled Multicenter Trial Assessing the Effect of Helicobacter pylori Eradication on the Healing of Iatrogenic Ulcer after Endoscopic Resection of Gastric Neoplasm. <i>Gut and Liver</i> , 2010 , 4, 514-7	4.8	2
24	Nationwide Incidence of Acute Angle Closure Glaucoma in Korea from 2011 to 2015. <i>Journal of Korean Medical Science</i> , 2019 , 34, e306	4.7	2
23	Fluoxetine and Risk of Bleeding in Patients Aged 60 Years and Older Using the Korea Adverse Event Reporting System Database: A Case/Noncase Study. <i>Journal of Clinical Psychopharmacology</i> , 2019 , 39, 362-366	1.7	2
22	Nonsteroidal Anti-inflammatory Drugs Utilization Patterns among the Elderly with Osteoarthritis at Primary Ambulatory Care Units in Busan Metropolitan City, Korea. <i>Journal of Preventive Medicine and Public Health</i> , 2004 , 37, 150-6	3.7	2
21	Signals of Adverse Drug Reactions of Paliperidone Compared to Other Atypical Antipsychotics Using the Korean Adverse Event Reporting System Database. <i>Clinical Drug Investigation</i> , 2020 , 40, 873-881	3.2	1
20	Application of big data for public health. <i>Journal of the Korean Medical Association</i> , 2014 , 57, 383	0.5	1

19	Use of big data for drug safety monitoring and decision making. <i>Journal of the Korean Medical Association</i> , 2014 , 57, 391	0.5	1
18	Problems and their solutions of the proposed health management service act. <i>Journal of the Korean Medical Association</i> , 2011 , 54, 4	0.5	1
17	Potential bias caused by control selection in secondary data analysis: nonaspirin nonsteroidal anti-inflammatory drugs and hemorrhagic stroke. <i>Pharmacoepidemiology and Drug Safety</i> , 2010 , 19, 604-9	3.6	1
16	Re-examination System for New Drugs in Korea. <i>Journal of the Korean Society for Clinical Pharmacology and Therapeutics</i> , 1998 , 6, 3		1
15	Signal Detection of Adverse Drug Reaction of Zolpidem Using the Korea Adverse Event Reporting System Database. <i>The Journal of Health Technology Assessment</i> , 2018 , 6, 43-49	0.1	1
14	The burden of illness for meconium aspiration syndrome and cost prediction related to surfactant therapy for meconium aspiration syndrome in Korea. <i>Journal of the Korean Medical Association</i> , 2011 , 54, 549	0.5	1
13	Current Status and Preferred Model of Clinical Trial Education and Certification Program for Clinical Trial Pharmacists: A Questionnaire Survey. <i>Journal of the Korean Society for Clinical Pharmacology and Therapeutics</i> , 2005 , 13, 208		1
12	High Level Physical Activity and Prevalence of Cardiovascular Disease Using the Korea National Health and Nutrition Examination Survey Data, 2007-2013. <i>Journal of Preventive Medicine and Public Health</i> , 2017 , 50, 320-327	3.7	1
11	Hypertension Risk with Abacavir Use among HIV-Infected Individuals: A Nationwide Cohort Study. <i>Yonsei Medical Journal</i> , 2018 , 59, 1245-1252	3	1
10	Analysis of Repeated Measured VAS in a Clinical Trial for Evaluating a New NSAID with GEE Method. <i>Journal of Preventive Medicine and Public Health</i> , 2004 , 37, 381-9	3.7	1
9	A comment on the impact of statins, ace inhibitors and gastric acid suppressants on pneumonia mortality in a UK general practice population cohorts <i>Pharmacoepidemiology and Drug Safety</i> , 2009 , 18, 1121-2	2.6	0
8	Comparison of risk of cardiovascular disease related adverse events between selective serotonin reuptake inhibitor users and serotonin norepinephrine reuptake inhibitor users in Korean adult patients with depression: retrospective cohort study. <i>Psychiatry Research</i> , 2021 , 298, 113744	9.9	0
7	Issues on carcinogen contaminated antihypertensive drugs and constructing drug safety management system. <i>Journal of the Korean Medical Association</i> , 2019 , 62, 182	0.5	
6	Vitamin D and Estrogen Receptor Gene Polymorphism and Their Interaction Associated with Bone Mineral Density in Korean Postmenopausal Women. <i>Annals of the New York Academy of Sciences</i> , 2006 , 928, 384-384	6.5	
5	Meta-analysis on the Efficacy Evaluation of Anti-hypertensive Drugs for Coronary Heart Disease. <i>Journal of the Korean Society for Clinical Pharmacology and Therapeutics</i> , 2000 , 8, 80		
4	Introduction of Electronic Adverse Event Reporting System. <i>Journal of the Korean Society for Clinical Pharmacology and Therapeutics</i> , 2004 , 12, 13		
3	Sociodemographic Factors Related to the Self-Medication on Korean Adult Men. <i>Journal of the Korean Society for Clinical Pharmacology and Therapeutics</i> , 1995 , 3, 80		
2	Design and Analysis of Phase II Clinical Trials. <i>Journal of the Korean Society for Clinical Pharmacology and Therapeutics</i> , 1997 , 5, 7		

- 1 Clinical preventive service and scientific evidence. *Journal of the Korean Medical Association*, **2011**, 54, 244 0.5