Byung-Joo Park

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/9398125/byung-joo-park-publications-by-year.pdf

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

126
papers2,410
citations28
h-index43
g-index132
ext. papers2,730
ext. citations4
avg, IF4.56
L-index

#	Paper	IF	Citations
126	Comparison of risk of cardiovascular disease related adverse events between selective serotonin reuptake inhibitor users and serotonin norepinephrine reuptake inhibitor users in Korean adult patients with depression: retrospective cohort study. <i>Psychiatry Research</i> , 2021 , 298, 113744	9.9	O
125	Prognosis of Patients with Colorectal Cancer with Diabetes According to Medication Adherence: A Population-Based Cohort Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020 , 29, 1120-1127	4	2
124	Signals of Adverse Drug Reactions of Paliperidone Compared to Other Atypical Antipsychotics Using the Korean Adverse Event Reporting System Database. <i>Clinical Drug Investigation</i> , 2020 , 40, 873-8	3 8 7	1
123	Duloxetine and cardiovascular adverse events: A systematic review and meta-analysis. <i>Journal of Psychiatric Research</i> , 2020 , 124, 109-114	5.2	5
122	Cannabidiol for Treating Lennox-Gastaut Syndrome and Dravet Syndrome in Korea. <i>Journal of Korean Medical Science</i> , 2020 , 35, e427	4.7	6
121	Comparison of bleeding risks among non-vitamin K antagonist oral anticoagulants using the Korea adverse event reporting system database. <i>Therapeutic Advances in Drug Safety</i> , 2019 , 10, 204209861987	7 67 37	3
120	Issues on carcinogen contaminated antihypertensive drugs and constructing drug safety management system. <i>Journal of the Korean Medical Association</i> , 2019 , 62, 182	0.5	
119	Epidemiological Impact of the Korean National Immunization Program on Varicella Incidence. Journal of Korean Medical Science, 2019 , 34, e53	4.7	6
118	Online registry for nationwide database of Helicobacter pylori eradication in Korea: Correlation of antibiotic use density with eradication success. <i>Helicobacter</i> , 2019 , 24, e12646	4.9	9
117	Nationwide Incidence of Acute Angle Closure Glaucoma in Korea from 2011 to 2015. <i>Journal of Korean Medical Science</i> , 2019 , 34, e306	4.7	2
116	Fluoxetine and Risk of Bleeding in Patients Aged 60 Years and Older Using the Korea Adverse Event Reporting System Database: A Case/Noncase Study. <i>Journal of Clinical Psychopharmacology</i> , 2019 , 39, 362-366	1.7	2
115	Effectiveness and Safety of Clopidogrel Co-administered With Statins and Proton Pump Inhibitors: A Korean National Health Insurance Database Study. <i>Clinical Pharmacology and Therapeutics</i> , 2019 , 106, 182-194	6.1	3
114	Adherence to antiretroviral therapy and factors affecting low medication adherence among incident HIV-infected individuals during 2009-2016: A nationwide study. <i>Scientific Reports</i> , 2018 , 8, 3133	4.9	45
113	Impact of the Health Insurance Coverage Policy on Oral Anticoagulant Prescription among Patients with Atrial Fibrillation in Korea from 2014 to 2016. <i>Journal of Korean Medical Science</i> , 2018 , 33, e163	4.7	19
112	Signal Detection of Adverse Drug Reaction of Zolpidem Using the Korea Adverse Event Reporting System Database. <i>The Journal of Health Technology Assessment</i> , 2018 , 6, 43-49	0.1	1
111	Hypertension Risk with Abacavir Use among HIV-Infected Individuals: A Nationwide Cohort Study. <i>Yonsei Medical Journal</i> , 2018 , 59, 1245-1252	3	1
110	Comparative safety of NSAIDs for gastrointestinal events in Asia-Pacific populations: A multi-database, international cohort study. <i>Pharmacoepidemiology and Drug Safety</i> , 2018 , 27, 1223-1230) ^{2.6}	6

(2015-2017)

109	Data-mining for detecting signals of adverse drug reactions of fluoxetine using the Korea Adverse Event Reporting System (KAERS) database. <i>Psychiatry Research</i> , 2017 , 256, 237-242	9.9	18	
108	Signal Detection of Imipenem Compared to Other Drugs from Korea Adverse Event Reporting System Database. <i>Yonsei Medical Journal</i> , 2017 , 58, 564-569	3	11	
107	High Level Physical Activity and Prevalence of Cardiovascular Disease Using the Korea National Health and Nutrition Examination Survey Data, 2007-2013. <i>Journal of Preventive Medicine and Public Health</i> , 2017 , 50, 320-327	3.7	1	
106	Proton pump inhibitors and risk of Clostridium difficile infection: a multi-country study using sequence symmetry analysis. <i>Expert Opinion on Drug Safety</i> , 2016 , 15, 1589-1595	4.1	26	
105	Cardiovascular safety of methylphenidate among children and young people with attention-deficit/hyperactivity disorder (ADHD): nationwide self controlled case series study. <i>BMJ, The</i> , 2016 , 353, i2550	5.9	65	
104	Online Registry for Nationwide Database of Current Trend of Helicobacter pylori Eradication in Korea: Interim Analysis. <i>Journal of Korean Medical Science</i> , 2016 , 31, 1246-53	4.7	25	
103	Signal Detection of Adverse Drug Reaction of Amoxicillin Using the Korea Adverse Event Reporting System Database. <i>Journal of Korean Medical Science</i> , 2016 , 31, 1355-61	4.7	11	
102	Prescribing patterns of the four most commonly used sedatives in endoscopic examination in Korea: propofol, midazolam, diazepam, and lorazepam. <i>Regulatory Toxicology and Pharmacology</i> , 2015 , 71, 565-70	3.4	7	
101	Increased use in propofol and reported patterns of adverse events among anesthetics in Korea. <i>Regulatory Toxicology and Pharmacology</i> , 2015 , 71, 478-83	3.4	10	
100	Regulatory action and moderate decrease in methylphenidate use among ADHD diagnosed patients aged five and under in Korea. <i>Regulatory Toxicology and Pharmacology</i> , 2015 , 72, 244-8	3.4	3	
99	The Impact of Green Tea Consumption on the Prevention of Hemorrhagic Stroke. <i>Neuroepidemiology</i> , 2015 , 44, 215-20	5.4	2	
98	A comparison of risperidone and haloperidol for the risk of ischemic stroke in the elderly: a propensity score-matched cohort analysis. <i>Journal of Psychopharmacology</i> , 2015 , 29, 903-9	4.6	8	
97	Risk of intracranial haemorrhage in antidepressant users with concurrent use of non-steroidal anti-inflammatory drugs: nationwide propensity score matched study. <i>BMJ, The</i> , 2015 , 351, h3517	5.9	50	
96	Variation in Association Between Thiazolidinediones and Heart Failure Across Ethnic Groups: Retrospective analysis of Large Healthcare Claims Databases in Six Countries. <i>Drug Safety</i> , 2015 , 38, 82	23 ⁻⁵ 3 ⁻¹ 1	28	
95	Drug persistency of cholinesterase inhibitors for patients with dementia of Alzheimer type in Korea. <i>Archives of Pharmacal Research</i> , 2015 , 38, 1255-62	6.1	12	
94	Prescription sequence symmetry analysis: assessing risk, temporality, and consistency for adverse drug reactions across datasets in five countries. <i>Pharmacoepidemiology and Drug Safety</i> , 2015 , 24, 858-	64 ^{.6}	32	
93	Brief Report: Databases in the Asia-Pacific Region: The Potential for a Distributed Network Approach. <i>Epidemiology</i> , 2015 , 26, 815-20	3.1	41	
92	Prevalence of antibiotic use for pediatric acute upper respiratory tract infections in Korea. <i>Journal of Korean Medical Science</i> , 2015 , 30, 617-24	4.7	16	

91	Pediatric medication error reports in Korea adverse event reporting system database, 1989-2012: comparing with adult reports. <i>Journal of Korean Medical Science</i> , 2015 , 30, 371-7	4.7	13
90	Risk of ischemic stroke associated with the use of antipsychotic drugs in elderly patients: a retrospective cohort study in Korea. <i>PLoS ONE</i> , 2015 , 10, e0119931	3.7	17
89	Differential cardiovascular outcomes after dipeptidyl peptidase-4 inhibitor, sulfonylurea, and pioglitazone therapy, all in combination with metformin, for type 2 diabetes: a population-based cohort study. <i>PLoS ONE</i> , 2015 , 10, e0124287	3.7	50
88	Comparison of the prescribing pattern of bisphosphonate and raloxifene in Korean women with osteoporosis: from a national health insurance claims database. <i>PLoS ONE</i> , 2015 , 10, e0127970	3.7	8
87	Rapid increase of health care utilization and cost due to benign prostatic hyperplasia in Korean men: retrospective population-based analysis using the Health Insurance Review and Assessment service data. <i>Journal of Korean Medical Science</i> , 2015 , 30, 180-5	4.7	4
86	An outbreak of joint and cutaneous infections caused by non-tuberculous mycobacteria after corticosteroid injection. <i>International Journal of Infectious Diseases</i> , 2015 , 36, 62-9	10.5	20
85	Co-medication of statins with contraindicated drugs. <i>PLoS ONE</i> , 2015 , 10, e0125180	3.7	8
84	Application of big data for public health. <i>Journal of the Korean Medical Association</i> , 2014 , 57, 383	0.5	1
83	Use of big data for drug safety monitoring and decision making. <i>Journal of the Korean Medical Association</i> , 2014 , 57, 391	0.5	1
82	Prevalence and predictors of polypharmacy among Korean elderly. <i>PLoS ONE</i> , 2014 , 9, e98043	3.7	75
81	Utilization patterns of disease-modifying antirheumatic drugs in elderly rheumatoid arthritis patients. <i>Journal of Korean Medical Science</i> , 2014 , 29, 210-6	4.7	9
80	Contrast-induced nephropathy in patients undergoing intravenous contrast-enhanced computed tomography in Korea: a multi-institutional study in 101487 patients. <i>Korean Journal of Radiology</i> , 2014 , 15, 456-63	6.9	21
79	Dramatic decrease in fluoroquinolones in the pediatric population in Korea. <i>Pharmacoepidemiology and Drug Safety</i> , 2014 , 23, 1320-4	2.6	8
78	New initiatives for pharmacovigilance in South Korea: introducing the Korea Institute of Drug Safety and Risk Management (KIDS). <i>Pharmacoepidemiology and Drug Safety</i> , 2014 , 23, 1115-22	2.6	23
77	Acute renal failure following oral sodium phosphate bowel preparation: a nationwide case-crossover study. <i>Endoscopy</i> , 2014 , 46, 465-70	3.4	11
76	Agreement of label information of cardiovascular drugs in pregnancy among Korea, the USA, the UK, and Japan. <i>Regulatory Toxicology and Pharmacology</i> , 2014 , 68, 363-9	3.4	6
75	Helicobacter pylori eradication on iatrogenic ulcer by endoscopic resection of gastric tumour: a prospective, randomized, placebo-controlled multi-centre trial. <i>Digestive and Liver Disease</i> , 2013 , 45, 385-9	3.3	6
74	A population-based case-control study: proton pump inhibition and risk of hip fracture by use of bisphosphonate. <i>Journal of Gastroenterology</i> , 2013 , 48, 1016-22	6.9	36

(2011-2013)

73	The Asian Pharmacoepidemiology Network (AsPEN): promoting multi-national collaboration for pharmacoepidemiologic research in Asia. <i>Pharmacoepidemiology and Drug Safety</i> , 2013 , 22, 700-4	2.6	49
72	Caffeine-containing medicines increase the risk of hemorrhagic stroke. <i>Stroke</i> , 2013 , 44, 2139-43	6.7	17
71	Multi-country rapid adverse drug event assessment: the Asian Pharmacoepidemiology Network (AsPEN) antipsychotic and acute hyperglycaemia study. <i>Pharmacoepidemiology and Drug Safety</i> , 2013 , 22, 915-24	2.6	42
70	Risk of ischemic stroke with the use of risperidone, quetiapine and olanzapine in elderly patients: a population-based, case-crossover study. <i>Journal of Psychopharmacology</i> , 2013 , 27, 638-44	4.6	38
69	Perspectives of clinical epidemiology in Korea. <i>Journal of the Korean Medical Association</i> , 2013 , 56, 718	0.5	9
68	Multi-indication carbamazepine and the risk of severe cutaneous adverse drug reactions in Korean elderly patients: a Korean health insurance data-based study. <i>PLoS ONE</i> , 2013 , 8, e83849	3.7	12
67	Comparison of the safety of seven iodinated contrast media. <i>Journal of Korean Medical Science</i> , 2013 , 28, 1703-10	4.7	25
66	Cardiovascular health metrics and all-cause and cardiovascular disease mortality among middle-aged men in Korea: the Seoul male cohort study. <i>Journal of Preventive Medicine and Public Health</i> , 2013 , 46, 319-28	3.7	45
65	I selectivity of Eblockers and reduced risk of fractures in elderly hypertension patients. <i>Bone</i> , 2012 , 51, 1008-15	4.7	42
64	Indoor physical activity reduces all-cause and cardiovascular disease mortality among elderly women. <i>Journal of Preventive Medicine and Public Health</i> , 2012 , 45, 21-8	3.7	14
63	Recent international initiatives of drug safety management. <i>Journal of the Korean Medical Association</i> , 2012 , 55, 819	0.5	4
62	The role of the KIDS for enhancing drug safety and risk management in Korea. <i>Journal of the Korean Medical Association</i> , 2012 , 55, 861	0.5	5
61	Problems and their solutions of the proposed health management service act. <i>Journal of the Korean Medical Association</i> , 2011 , 54, 4	0.5	1
60	Overlapping medication associated with healthcare switching among Korean elderly diabetic patients. <i>Journal of Korean Medical Science</i> , 2011 , 26, 1461-8	4.7	21
59	A method to evaluate scientific evidence in clinical preventive medicine. <i>Journal of the Korean Medical Association</i> , 2011 , 54, 1006	0.5	4
58	Predictive accuracy of a health risk appraisal program using mortality risk age in 116,927 Korean men. <i>Journal of Korean Medical Science</i> , 2011 , 26, 159-65	4.7	4
57	Adiposity and the risk of colorectal adenomatous polyps: a meta-analysis. <i>Cancer Causes and Control</i> , 2011 , 22, 1021-35	2.8	20
56	Radiotherapy followed by adjuvant temozolomide with or without neoadjuvant ACNU-CDDP chemotherapy in newly diagnosed glioblastomas: a prospective randomized controlled multicenter phase III trial. <i>Journal of Neuro-Oncology</i> , 2011 , 103, 595-602	4.8	25

55	Thiazolidinedione use in elderly patients with type 2 diabetes: with and without heart failure. <i>Pharmacoepidemiology and Drug Safety</i> , 2011 , 20, 344-50	2.6	6
54	Comparison and validation of data-mining indices for signal detection: using the Korean national health insurance claims database. <i>Pharmacoepidemiology and Drug Safety</i> , 2011 , 20, 1278-86	2.6	7
53	Pharmacovigilance systems and databases in Korea, Japan, and Taiwan. <i>Pharmacoepidemiology and Drug Safety</i> , 2011 , 20, 1237-45	2.6	27
52	A population-based case-crossover study of polyethylene glycol use and acute renal failure risk in the elderly. <i>World Journal of Gastroenterology</i> , 2011 , 17, 651-6	5.6	13
51	The burden of illness for meconium aspiration syndrome and cost prediction related to surfactant therapy for meconium aspiration syndrome in Korea. <i>Journal of the Korean Medical Association</i> , 2011 , 54, 549	0.5	1
50	The role of scientific evidence in the management of high-risk groups using genetic information. <i>Journal of the Korean Medical Association</i> , 2011 , 54, 266	0.5	3
49	Clinical preventive service and scientific evidence. <i>Journal of the Korean Medical Association</i> , 2011 , 54, 244	0.5	
48	Strategy for establishing an effective Korean drug utilization review system. <i>Journal of the Korean Medical Association</i> , 2010 , 53, 1130	0.5	12
47	Parity and risk of hemorrhagic strokes. <i>Neurology</i> , 2010 , 74, 1424-9	6.5	31
46	White matter lesions and poor outcome after intracerebral hemorrhage: a nationwide cohort study. <i>Neurology</i> , 2010 , 74, 1502-10	6.5	52
45	Costs for 5-year lung cancer survivors in a tertiary care hospital in South Korea. <i>Lung Cancer</i> , 2010 , 68, 299-304	5.9	12
44	Real worldScomparison of drug-eluting stents vs bare metal stents in the treatment of unselected patients with acute ST-segment elevation myocardial infarction. <i>Circulation Journal</i> , 2010 , 74, 1111-20	2.9	20
43	Effects of glucose level on early and long-term mortality after intracerebral haemorrhage: the Acute Brain Bleeding Analysis Study. <i>Diabetologia</i> , 2010 , 53, 429-34	10.3	53
42	Signal detection of rosuvastatin compared to other statins: data-mining study using national health insurance claims database. <i>Pharmacoepidemiology and Drug Safety</i> , 2010 , 19, 238-46	2.6	28
41	Potential bias caused by control selection in secondary data analysis: nonaspirin nonsteroidal anti-inflammatory drugs and hemorrhagic stroke. <i>Pharmacoepidemiology and Drug Safety</i> , 2010 , 19, 604	1- 3 .6	1
40	A Planned Prospective, Randomized, Placebo-Controlled Multicenter Trial Assessing the Effect of Helicobacter pylori Eradication on the Healing of Iatrogenic Ulcer after Endoscopic Resection of Gastric Neoplasm. <i>Gut and Liver</i> , 2010 , 4, 514-7	4.8	2
39	The effect of granulocyte-colony stimulating factor on endothelial function in patients with myocardial infarction. <i>Heart</i> , 2009 , 95, 1320-5	5.1	4
38	A comment on She impact of statins, ace inhibitors and gastric acid suppressants on pneumonia mortality in a UK general practice population cohortS <i>Pharmacoepidemiology and Drug Safety</i> , 2009 , 18, 1121-2	2.6	Ο

(2005-2008)

37	Visceral adipose tissue area is an independent risk factor for hepatic steatosis. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2008 , 23, 900-7	4	106
36	Randomized controlled trial comparing gastrectomy plus chemotherapy with chemotherapy alone in advanced gastric cancer with a single non-curable factor: Japan Clinical Oncology Group Study JCOG 0705 and Korea Gastric Cancer Association Study KGCA01. <i>Japanese Journal of Clinical</i>	2.8	48
35	Gene expression-based recurrence prediction of hepatitis B virus-related human hepatocellular carcinoma. <i>Clinical Cancer Research</i> , 2008 , 14, 2056-64	12.9	131
34	Nonaspirin nonsteroidal anti-inflammatory drugs and hemorrhagic stroke risk: the Acute Brain Bleeding Analysis study. <i>Stroke</i> , 2008 , 39, 845-9	6.7	24
33	Phase II trial of gemcitabine combined with cisplatin in patients with inoperable biliary tract carcinomas. <i>Cancer Chemotherapy and Pharmacology</i> , 2008 , 61, 47-52	3.5	26
32	Pemetrexed and cisplatin in patients with advanced gastric cancer: a Korean cancer study group multicenter phase II study. <i>Cancer Chemotherapy and Pharmacology</i> , 2008 , 62, 263-70	3.5	10
31	Gender differences in gastric cancer incidence in elderly former drinkers. <i>Alcohol</i> , 2008 , 42, 363-8	2.7	11
30	A comment on £ he risk of coronary heart disease in type 2 diabetic patients exposed to thiazolidinediones compared to metformin and sulfonylurea therapyS <i>Pharmacoepidemiology and Drug Safety</i> , 2007 , 16, 1072-3; author reply 1073-4	2.6	2
29	Evaluation of hernia repair operation in Child-Turcotte-Pugh class C cirrhosis and refractory ascites. Journal of Gastroenterology and Hepatology (Australia), 2007 , 22, 377-82	4	27
28	Hepatic resection compared to percutaneous ethanol injection for small hepatocellular carcinoma using propensity score matching. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2007 , 22, 164.	3- 9	17
27	Outbreak of Mycobacterium massiliense infection associated with intramuscular injections. <i>Journal of Clinical Microbiology</i> , 2007 , 45, 3127-30	9.7	73
26	Phenylpropanolamine contained in cold remedies and risk of hemorrhagic stroke. <i>Neurology</i> , 2007 , 68, 146-9	6.5	53
25	Increase in mortality rate following coprescription of cisapride and contraindicated drugs. <i>Annals of Pharmacotherapy</i> , 2007 , 41, 667-73	2.9	11
24	Randomized phase II study of gemcitabine plus cisplatin versus etoposide plus cisplatin for the treatment of locally advanced or metastatic non-small cell lung cancer: Korean Cancer Study Group experience. <i>Lung Cancer</i> , 2006 , 52, 75-81	5.9	9
23	Added value of coronal reformations for duty radiologists and for referring physicians or surgeons in the CT diagnosis of acute appendicitis. <i>Korean Journal of Radiology</i> , 2006 , 7, 87-96	6.9	17
22	Vitamin D and Estrogen Receptor Gene Polymorphism and Their Interaction Associated with Bone Mineral Density in Korean Postmenopausal Women. <i>Annals of the New York Academy of Sciences</i> , 2006 , 928, 384-384	6.5	
21	Weight management program for treatment-emergent weight gain in olanzapine-treated patients with schizophrenia or schizoaffective disorder: A 12-week randomized controlled clinical trial. <i>Journal of Clinical Psychiatry</i> , 2006 , 67, 547-53	4.6	108
20	Natural menopause and risk of stroke in elderly women. <i>Journal of Korean Medical Science</i> , 2005 , 20, 1053-8	4.7	12

19	Current Status and Preferred Model of Clinical Trial Education and Certification Program for Clinical Trial Pharmacists: A Questionnaire Survey. <i>Journal of the Korean Society for Clinical Pharmacology and Therapeutics</i> , 2005 , 13, 208		1
18	A four-week, randomized, double-blind trial of the efficacy and safety of SKI306X: a herbal anti-arthritic agent versus diclofenac in osteoarthritis of the knee. <i>The American Journal of Chinese Medicine</i> , 2004 , 32, 291-301	6	26
17	Introduction of Electronic Adverse Event Reporting System. <i>Journal of the Korean Society for Clinical Pharmacology and Therapeutics</i> , 2004 , 12, 13		
16	Analysis of Repeated Measured VAS in a Clinical Trial for Evaluating a New NSAID with GEE Method. Journal of Preventive Medicine and Public Health, 2004 , 37, 381-9	3.7	1
15	Nonsteroidal Anti-inflammatory Drugs Utilization Patterns among the Elderly with Osteoarthritis at Primary Ambulatory Care Units in Busan Metropolitan City, Korea. <i>Journal of Preventive Medicine and Public Health</i> , 2004 , 37, 150-6	3.7	2
14	Effect of pregnancy and menopause on facial wrinkling in women. <i>Acta Dermato-Venereologica</i> , 2003 , 83, 419-24	2.2	31
13	A cohort study on the association between psychotropics and hip fracture in Korean elderly women. <i>Journal of Korean Medical Science</i> , 2002 , 17, 65-70	4.7	9
12	Intracranial cerebral artery disease as a risk factor for central nervous system complications of coronary artery bypass graft surgery. <i>Stroke</i> , 2001 , 32, 94-9	6.7	71
11	Current status of the drug safety monitoring system in Korea. <i>Pharmacoepidemiology and Drug Safety</i> , 2001 , 10, 557-60	2.6	2
10	Construction of the Korea Elderly Pharmacoepidemiologic Cohort: drug utilization review of cephalosporins in geriatric inpatients. <i>Pharmacoepidemiology and Drug Safety</i> , 2001 , 10, 487-92	2.6	6
9	Three-year follow-up of women with the sole diagnosis of depressive personality disorder: subsequent development of dysthymia and major depression. <i>American Journal of Psychiatry</i> , 2000 , 157, 1966-72	11.9	25
8	Meta-analysis on the Efficacy Evaluation of Anti-hypertensive Drugs for Coronary Heart Disease. Journal of the Korean Society for Clinical Pharmacology and Therapeutics, 2000 , 8, 80		
7	Background and Current Status of Drug Utilization Review in the Developed Countries. <i>Journal of the Korean Society for Clinical Pharmacology and Therapeutics</i> , 1999 , 7, 3		2
6	Hepatitis B vaccination and reduced risk of primary liver cancer among male adults: a cohort study in Korea. <i>International Journal of Epidemiology</i> , 1998 , 27, 316-9	7.8	48
5	Re-examination System for New Drugs in Korea. <i>Journal of the Korean Society for Clinical Pharmacology and Therapeutics</i> , 1998 , 6, 3		1
4	Design and Analysis of Phase II Clinical Trials. <i>Journal of the Korean Society for Clinical Pharmacology and Therapeutics</i> , 1997 , 5, 7		
3	Nationwide incidence estimation of lung cancer in Korea. <i>Journal of Korean Medical Science</i> , 1995 , 10, 67-73	4.7	3
2	Sociodemographic Factors Related to the Self-Medication on Korean Adult Men. <i>Journal of the Korean Society for Clinical Pharmacology and Therapeutics</i> , 1995 , 3, 80		

Rationale for Developing Active Adverse Drug Reaction Surveillance System in Korea. *Journal of the Korean Society for Clinical Pharmacology and Therapeutics*, **1994**, 2, 105

2