
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9398947/publications.pdf Version: 2024-02-01



Ιοςà Ο Γιμς Ρμερλ

#	Article	IF	CITATIONS
1	Episcomitra angelesae (Mollusca: Gastropoda: Mitridae), a new species from an exceptional deep habitat in the Alboran Sea. Mediterranean Marine Science, 2022, 23, 14.	1.6	0
2	Morphosedimentary, Structural and Benthic Characterization of Carbonate Mound Fields on the Upper Continental Slope of the Northern Alboran Sea (Western Mediterranean). Geosciences (Switzerland), 2022, 12, 111.	2.2	5
3	Variability of deep-sea megabenthic assemblages along the western pathway of the Mediterranean outflow water. Deep-Sea Research Part I: Oceanographic Research Papers, 2022, 185, 103791.	1.4	5
4	Deep-sea habitat characterization using acoustic data and underwater imagery in Gazul mud volcano (Gulf of Cádiz, NE Atlantic). Deep-Sea Research Part I: Oceanographic Research Papers, 2021, 169, 103458.	1.4	8
5	Marine Protected Areas and Key Biodiversity Areas of the Alboran Sea and Adjacent Areas. , 2021, , 819-923.		3
6	Benthic Fauna of Littoral and Deep-Sea Habitats of the Alboran Sea: A Hotspot of Biodiversity. , 2021, , 285-358.		12
7	North Atlantic Basin-Scale Multi-Criteria Assessment Database to Inform Effective Management and Protection of Vulnerable Marine Ecosystems. Frontiers in Marine Science, 2021, 8, .	2.5	7
8	The Interactive Role of Hydrocarbon Seeps, Hydrothermal Vents and Intermediate Antarctic/Mediterranean Water Masses on the Distribution of Some Vulnerable Deep-Sea Habitats in Mid Latitude NE Atlantic Ocean. Oceans, 2021, 2, 351-385.	1.3	8
9	A relict oasis of living deep-sea mussels Bathymodiolus and microbial-mediated seep carbonates at newly-discovered active cold seeps in the Gulf of Cádiz, NE Atlantic Ocean. Palaontologische Zeitschrift, 2021, 95, 793-807.	1.6	2
10	Habitat distribution and associated biota in different geomorphic features within a fluid venting area of the Gulf of Cádiz (Southwestern Iberian Peninsula, Northeast Atlantic Ocean). , 2020, , 847-861.		0
11	Bottom trawling activity, main fishery resources and associated benthic and demersal fauna in a mud volcano field of the Gulf of Cádiz (southwestern Iberian Peninsula). Regional Studies in Marine Science, 2020, 33, 100985.	0.7	3
12	Assessing the environmental status of selected North Atlantic deep-sea ecosystems. Ecological Indicators, 2020, 119, 106624.	6.3	23
13	Multiprocess interaction shaping geoforms and controlling substrate types and benthic community distribution in the Gulf of CA¡diz. Marine Geology, 2020, 423, 106139.	2.1	13
14	Bryozoans from Chella Bank (Seco de los Olivos), with the description of a new species and some new records for the Mediterranean Sea. Marine Biodiversity, 2020, 50, 1.	1.0	3
15	Export of bathyal benthos to the Atlantic through the Mediterranean outflow: Sponges from the mud volcanoes of the Gulf of Cadiz as a case study. Deep-Sea Research Part I: Oceanographic Research Papers, 2020, 163, 103326.	1.4	4
16	Bryozoa from deep-sea habitats of the northern Gulf of Cádiz (Northeastern Atlantic). Zootaxa, 2020, 4768, zootaxa.4768.4.1.	0.5	5
17	Climateâ€induced changes in the suitable habitat of coldâ€water corals and commercially important deepâ€sea fishes in the North Atlantic. Global Change Biology, 2020, 26, 2181-2202.	9.5	109
18	Composition, structure and distribution of epibenthic communities within a mud volcano field of the northern Gulf of Cádiz in relation to environmental variables and trawling activity. Journal of Sea Research, 2020, 160-161, 101892.	1.6	7

#	Article	IF	CITATIONS
19	Influence of Water Masses on the Biodiversity and Biogeography of Deep-Sea Benthic Ecosystems in the North Atlantic. Frontiers in Marine Science, 2020, 7, .	2.5	43
20	Molluscs from benthic habitats of the Gazul mud volcano (Gulf of Cádiz). Scientia Marina, 2020, 84, 273.	0.6	7
21	Decapod crustaceans Eucalliacidae in chemoautotrophic bathyal bottoms of the Gulf of Cadiz (Atlantic Ocean), environmental characteristics and associated communities. Journal of the Marine Biological Association of the United Kingdom, 2019, 99, 437-444.	0.8	5
22	Effects of mechanized dredging targeting <i>Chamelea gallina</i> , striped venus clams, on the associated discards in the northern Alboran Sea (Western Mediterranean Sea). Journal of the Marine Biological Association of the United Kingdom, 2019, 99, 575-585.	0.8	7
23	24 Cold-Water Corals in Fluid Venting Submarine Structures. Coral Reefs of the World, 2019, , 261-263.	0.7	1
24	29 Cold-Water Coral Associated Fauna in the Mediterranean Sea and Adjacent Areas. Coral Reefs of the World, 2019, , 295-333.	0.7	37
25	Biodiversity and spatio-temporal changes of benthic and demersal assemblages of circalittoral soft bottoms of the Bay of Málaga (northern Alboran Sea). Journal of the Marine Biological Association of the United Kingdom, 2019, 99, 1709-1720.	0.8	4
26	First Macro-Colonizers and Survivors Around Tagoro Submarine Volcano, Canary Islands, Spain. Geosciences (Switzerland), 2019, 9, 52.	2.2	13
27	Spatio-temporal patterns of macrourid fish species in the northern Mediterranean Sea. Scientia Marina, 2019, 83, 117.	0.6	4
28	Populations of Commercial Molluscs within a Highly Biodiverse Marine Protected Area of the Northern Alboran Sea (W Mediterranean): Preferential Habitats, Seasonal Dynamics and Importance for Artisanal Fisheries. Thalassas, 2018, 34, 349-359.	0.5	3
29	Three species of Reteporella (Bryozoa: Cheilostomata) in a diapiric and mud volcano field of the Gulf of Cádiz, with the description of Reteporella victori n. sp Zootaxa, 2018, 4375, 90-104.	0.5	5
30	Exploitation status and stock assessment of the smooth clam Callista chione (Linnaeus, 1758) in the northern Alboran Sea (GSA01-W Mediterranean Sea). Mediterranean Marine Science, 2018, 19, 1.	1.6	4
31	Biodiversity and biogeographical patterns of molluscan assemblages in vegetated and unvegetated habitats in the northern Alboran Sea (W Mediterranean Sea). Marine Biodiversity, 2017, 47, 187-201.	1.0	16
32	Discard analysis and damage assessment in the wedge clam mechanized dredging fisheries of the northern Alboran Sea (W Mediterranean Sea). Fisheries Research, 2017, 187, 58-67.	1.7	20
33	Crustacean decapod assemblages associated with fragmented <i>Posidonia oceanica</i> meadows in the Alboran Sea (Western Mediterranean Sea): composition, temporal dynamics and influence of meadow structure. Marine Ecology, 2016, 37, 344-358.	1.1	12
34	Multidisciplinary study of mud volcanoes and diapirs and their relationship to seepages and bottom currents in the Gulf of Cádiz continental slope (northeastern sector). Marine Geology, 2016, 378, 196-212.	2.1	48
35	From chemosynthesis-based communities to cold-water corals: Vulnerable deep-sea habitats of the Gulf of Cádiz. Marine Biodiversity, 2016, 46, 473-482.	1.0	31

 $_{36}$ Seasonality and trophic diversity in molluscan assemblages from the Bay of Tunis (southern) Tj ETQq0 0 0 rgBT /Overlock 10 $\frac{10}{5}$ f 50 62 Tc

#	Article	IF	CITATIONS
37	Spatial distribution of ichthyofauna in the northern Alboran Sea (western Mediterranean). Journal of Natural History, 2015, 49, 1191-1224.	0.5	9
38	Sublittoral soft bottom assemblages within a Marine Protected Area of the northern Alboran Sea. Journal of the Marine Biological Association of the United Kingdom, 2015, 95, 871-884.	0.8	9
39	Solenogastres (Mollusca) from expeditions off the South Iberian Peninsula, with the description of a new species. Journal of Natural History, 2014, 48, 2985-3006.	0.5	13
40	Potential seasonal calibration for palaeoenvironmental reconstruction using skeletal microstructures and strontium measurements from the coldâ€water coral <i>Lophelia pertusa</i> . Journal of Quaternary Science, 2014, 29, 803-814.	2.1	8
41	Feeding ecology of the seagrass-grazing nerite Smaragdia souverbiana (Montrouzier, 1863) in subtropical seagrass beds of eastern Australia. Journal of Molluscan Studies, 2014, 80, 139-147.	1.2	14
42	Mollusca from a species-rich deep-water Leptometra community in the Alboran Sea. Scientia Marina, 2014, 78, 537-553.	0.6	18
43	Highly diverse molluscan assemblages of Posidonia oceanica meadows in northwestern Alboran Sea (W Mediterranean): Seasonal dynamics and environmental drivers. Estuarine, Coastal and Shelf Science, 2013, 117, 136-147.	2.1	41
44	Seasonal variation of molluscan assemblages in different strata of photophilous algae in the Alboran Sea (western Mediterranean). Journal of Sea Research, 2013, 83, 83-93.	1.6	30
45	Seasonal dynamics of molluscan assemblages associated with littoral soft bottoms of the NW Alboran Sea (Western Mediterranean Sea). Marine Biology Research, 2013, 9, 645-660.	0.7	8
46	Spatial characterization of megabenthic epifauna of soft bottoms around mud volcanoes in the Gulf of Cádiz. Journal of Natural History, 2013, 47, 1803-1831.	0.5	9
47	Temporal variation of the algae-associated molluscan assemblage of artificial substrata in Bay of Tunis (Tunisia). Mediterranean Marine Science, 2013, 14, 390.	1.6	18
48	Fluid Venting Through the Seabed in the Gulf of Cadiz (SE Atlantic Ocean, Western Iberian Peninsula). , 2012, , 831-841.		11
49	The periostracum of Digitaria digitaria (Bivalvia: Astartidae): formation and structure. Journal of Molluscan Studies, 2012, 78, 34-43.	1.2	16
50	A species-rich molluscan assemblage in a coralligenous bottom of the Alboran Sea (south-western) Tj ETQq0 0 0 Biological Association of the United Kingdom, 2012, 92, 665-677.	rgBT /Ove 0.8	rlock 10 Tf 50 15
51	Composition and structure of the molluscan assemblage associated with a Cymodocea nodosa bed in south-eastern Spain: seasonal and diel variation. Helgoland Marine Research, 2012, 66, 585-599.	1.3	17
52	Caribbean Seagrasses as a Food Source for the Emerald NeritidSmaragdia viridis. American Malacological Bulletin, 2011, 29, 63-67.	0.2	9
53	First record of Hacelia superba (Echinodermata: Asteroidea) on the European continental margin. Marine Biodiversity Records, 2011, 4, .	1.2	3
54	Reproductive Cycles in Atlantic and Mediterranean Populations of <i>Venus nux</i> Gmelin, 1791 (Bivalvia: Veneridae), from Southern Spain, Journal of Shellfish Research, 2011, 30, 813-820	0.9	9

#	Article	IF	CITATIONS
55	Contrasting shell morphology, ingestion and grazing preferences in the neritid gastropod Smaragdia viridis (L.) on two seagrass species. Journal of Sea Research, 2011, 66, 222-230.	1.6	5
56	Differences in the Feeding Ecology of Two Seagrass-Associated Snails. Estuaries and Coasts, 2011, 34, 1140-1149.	2.2	16
57	First records of Posidonia oceanica flowering at its westernmost distributional limit (Málaga,) Tj ETQq1 1 0.7843	814 rgBT /0 1.2	Overlock 10
58	Molluscan assemblages in littoral soft bottoms of the Alboran Sea (Western Mediterranean Sea). Marine Biology Research, 2011, 7, 27-42.	0.7	28
59	A new record of the giant deep-sea oyster Neopycnodonte zibrowii in the Gulf of Cadiz (south-western Iberian Peninsula). Marine Biodiversity Records, 2010, 3, .	1.2	7
60	Herbivory on Zostera marina by the gastropod Smaragdia viridis. Aquatic Botany, 2009, 90, 253-260.	1.6	24
61	Changes in the composition and structure of a molluscan assemblage due to eelgrass loss in southern Spain (Alboran Sea). Journal of the Marine Biological Association of the United Kingdom, 2009, 89, 1319-1330.	0.8	22
62	A highly diverse molluscan assemblage associated with eelgrass beds (<i>Zostera marina</i>) Tj ETQqQ Scientia Marina, 2009, 73, 679-700.	0 0 rgBT 0.6	Overlock 10 68
63	Diel and seasonal variation of a molluscan taxocoenosis associated with a Zostera marina bed in southern Spain (Alboran Sea). Helgoland Marine Research, 2008, 62, 227-240.	1.3	25
64	Molluscs associated with a subtidal Zostera marina L. bed in southern Spain: Linking seasonal changes of fauna and environmental variables. Estuarine, Coastal and Shelf Science, 2008, 79, 157-167.	2.1	34
65	Seasonal variation in a deep subtidal <i>Zostera marina</i> L. bed in southern Spain (western) Tj ETQq1 1 0.7843	814 rgBT /0 1.2	Overlock 10
66	Jujubinus striatus (Linnaeus, 1758) (Gastropoda:Trochidae) from a deep Zostera marina bed in southern Spain (Alboran Sea): aspects of ecology and biology. Journal of Molluscan Studies, 2008, 74, 345-354.	1.2	7
67	Trophic dependence of the emerald neritid Smaragdia viridis (Linnaeus, 1758) on two seagrasses from European coasts. Journal of Molluscan Studies, 2007, 73, 211-214.	1.2	31
68	Temporal changes of mollusc populations from a Zostera marina bed in southern Spain (Alboran Sea), with biogeographic considerations. Marine Ecology, 2006, 27, 417-430.	1.1	32
69	A growth model of the cockle (Cerastoderma edule L.) tested in the Oosterschelde estuary (The) Tj ETQq1 1 0.78	4314 rgB ⁻ 1.6	「 /Qyerlock 」
70	Variation of the physiological energetics of the bivalve Spisula subtruncata (da Costa, 1778) within an annual cycle. Journal of Experimental Marine Biology and Ecology, 2004, 301, 141-157.	1.5	40
71	Seasonal variation of a molluscan assemblage living in a Caulerpa prolifera meadow within the inner Bay of Cádiz (SW Spain). Estuarine, Coastal and Shelf Science, 2003, 57, 909-918.	2.1	50
72	Title is missing!. Hydrobiologia, 2002, 475/476, 505-511.	2.0	7

#	Article	IF	CITATIONS
73	Seasonality in a taxocoenosis of molluscs from soft bottoms in the Bay of Cádiz (southern Spain). Journal of the Marine Biological Association of the United Kingdom, 2001, 81, 903-912.	0.8	32