

James M Slauch

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9400279/publications.pdf>

Version: 2024-02-01

64
papers

4,632
citations

125106

35
h-index

139680

61
g-index

67
all docs

67
docs citations

67
times ranked

4787
citing authors

#	ARTICLE	IF	CITATIONS
1	The Small RNA MicC Downregulates <i>hilD</i> Translation To Control the Salmonella Pathogenicity Island 1 Type III Secretion System in Salmonella enterica Serovar Typhimurium. Journal of Bacteriology, 2022, 204, JB0037821.	1.0	4
2	PaeA (YtfL) protects from cadaverine and putrescine stress in <i>Salmonella</i> Typhimurium and <i>E. coli</i> . Molecular Microbiology, 2021, 115, 1379-1394.	1.2	8
3	HilE is required for synergistic activation of SPI-1 gene expression in Salmonella enterica serovar Typhimurium. BMC Microbiology, 2021, 21, 49.	1.3	4
4	Brd4 regulates NLRC4 inflammasome activation by facilitating IRF8-mediated transcription of <i>Naip5</i> . Journal of Cell Biology, 2021, 220, .	2.3	13
5	Long-Distance Effects of H-NS Binding in the Control of <i>hilD</i> Expression in the Salmonella SPI1 Locus. Journal of Bacteriology, 2021, 203, e0030821.	1.0	9
6	Envelope Stress and Regulation of the <i>Salmonella</i> Pathogenicity Island 1 Type III Secretion System. Journal of Bacteriology, 2020, 202, .	1.0	8
7	HilD, HilC, and RtsA Form Homodimers and Heterodimers To Regulate Expression of the <i>Salmonella</i> Pathogenicity Island I Type III Secretion System. Journal of Bacteriology, 2020, 202, .	1.0	23
8	Oxygen-dependent regulation of SPI1 type three secretion system by small RNAs in <i>Salmonella enterica</i> serovar Typhimurium. Molecular Microbiology, 2019, 111, 570-587.	1.2	20
9	Environment-Friendly Antibiofouling Superhydrophobic Coatings. ACS Sustainable Chemistry and Engineering, 2019, 7, 14509-14520.	3.2	75
10	Metal-independent variants of phosphoglycerate mutase promote resistance to nutritional immunity and retention of glycolysis during infection. PLoS Pathogens, 2019, 15, e1007971.	2.1	23
11	The Small RNA PinT Contributes to PhoP-Mediated Regulation of the <i>Salmonella</i> Pathogenicity Island 1 Type III Secretion System in Salmonella enterica Serovar Typhimurium. Journal of Bacteriology, 2019, 201, .	1.0	35
12	PhoP-Mediated Repression of the SPI1 Type 3 Secretion System in Salmonella enterica Serovar Typhimurium. Journal of Bacteriology, 2019, 201, .	1.0	29
13	HilE Regulates HilD by Blocking DNA Binding in Salmonella enterica Serovar Typhimurium. Journal of Bacteriology, 2018, 200, .	1.0	23
14	Cytoplasmic Copper Detoxification in Salmonella Can Contribute to SodC Metalation but Is Dispensable during Systemic Infection. Journal of Bacteriology, 2017, 199, .	1.0	21
15	Mechanisms of <i>Salmonella</i> pathogenesis in animal models. Human and Ecological Risk Assessment (HERA), 2017, 23, 1877-1892.	1.7	30
16	Controlled Activity of the <i>Salmonella</i> Invasion-Associated Injectisome Reveals Its Intracellular Role in the Cytosolic Population. MBio, 2017, 8, .	1.8	16
17	Intestinal Long-Chain Fatty Acids Act as a Direct Signal To Modulate Expression of the <i>Salmonella</i> Pathogenicity Island 1 Type III Secretion System. MBio, 2016, 7, e02170-15.	1.8	75
18	Periplasmic superoxide dismutase <i>SodCI</i> of <i>Salmonella</i> binds peptidoglycan to remain tethered within the periplasm. Molecular Microbiology, 2015, 97, 832-843.	1.2	19

#	ARTICLE	IF	CITATIONS
19	Immunomagnetic separation combined with RT-qPCR for determining the efficacy of disinfectants against human noroviruses. <i>Journal of Infection and Public Health</i> , 2015, 8, 145-154.	1.9	13
20	Phagocyte Roulette in Salmonella Killing. <i>Cell Host and Microbe</i> , 2014, 15, 7-8.	5.1	17
21	Twinâ€arginine translocation system (<i><scp>tat</scp></i>) mutants of <i><scp>S</scp>almonella</i> are attenuated due to envelope defects, not respiratory defects. <i>Molecular Microbiology</i> , 2013, 89, 887-902.	1.2	49
22	The intestinal fatty acid propionate inhibits <i><scp>S</scp>almonella</i> invasion through the postâ€translational control of <scp><scp>HilD</scp></scp>. <i>Molecular Microbiology</i> , 2013, 87, 1045-1060.	1.2	134
23	Antigen-Specific Bacterial Vaccine Combined with Anti-PD-L1 Rescues Dysfunctional Endogenous T Cells to Reject Long-Established Cancer. <i>Cancer Immunology Research</i> , 2013, 1, 123-133.	1.6	61
24	Integrating Global Regulatory Input Into the<i>Salmonella</i>Pathogenicity Island 1 Type III Secretion System. <i>Genetics</i> , 2012, 190, 79-90.	1.2	124
25	How does the oxidative burst of macrophages kill bacteria? Still an open question. <i>Molecular Microbiology</i> , 2011, 80, 580-583.	1.2	337
26	Either periplasmic tethering or protease resistance is sufficient to allow a SodC to protect <i>Salmonella enterica</i> serovar Typhimurium from phagocytic superoxide. <i>Molecular Microbiology</i> , 2011, 82, 952-963.	1.2	16
27	Protecting against Antimicrobial Effectors in the Phagosome Allows SodCII To Contribute to Virulence in <i>Salmonella enterica</i> Serovar Typhimurium. <i>Journal of Bacteriology</i> , 2010, 192, 2140-2149.	1.0	28
28	FliZ Regulates Expression of the<i>Salmonella</i>Pathogenicity Island 1 Invasion Locus by Controlling HilD Protein Activity in<i>Salmonella enterica</i>Serovar Typhimurium. <i>Journal of Bacteriology</i> , 2010, 192, 6261-6270.	1.0	92
29	Role of Cross Talk in Regulating the Dynamic Expression of the Flagellar<i>Salmonella</i>Pathogenicity Island 1 and Type 1 Fimbrial Genes. <i>Journal of Bacteriology</i> , 2010, 192, 5767-5777.	1.0	80
30	The Role of Coupled Positive Feedback in the Expression of the SPI1 Type Three Secretion System in <i>Salmonella</i> . <i>PLoS Pathogens</i> , 2010, 6, e1001025.	2.1	89
31	Heterogeneity of Vaginal Microbial Communities within Individuals. <i>Journal of Clinical Microbiology</i> , 2009, 47, 1181-1189.	1.8	156
32	DsbL and DsbI contribute to periplasmic disulfide bond formation in <i>Salmonella enterica</i> serovar Typhimurium. <i>Microbiology (United Kingdom)</i> , 2009, 155, 4014-4024.	0.7	28
33	Proteolytic inactivation of tissue factor pathway inhibitor by bacterial ompTins. <i>Blood</i> , 2009, 113, 1139-1148.	0.6	34
34	Phagocytic Superoxide Specifically Damages an Extracytoplasmic Target to Inhibit or Kill <i>Salmonella</i> . <i>PLoS ONE</i> , 2009, 4, e4975.	1.1	80
35	Fur Regulates Expression of the <i>Salmonella</i> Pathogenicity Island 1 Type III Secretion System through HilD. <i>Journal of Bacteriology</i> , 2008, 190, 476-486.	1.0	138
36	The <i>Salmonella</i> SPI1 Type Three Secretion System Responds to Periplasmic Disulfide Bond Status via the Flagellar Apparatus and the RcsCDB System. <i>Journal of Bacteriology</i> , 2008, 190, 87-97.	1.0	84

#	ARTICLE	IF	CITATIONS
37	SdiA, an N-Acylhomoserine Lactone Receptor, Becomes Active during the Transit of Salmonella enterica through the Gastrointestinal Tract of Turtles. PLoS ONE, 2008, 3, e2826.	1.1	82
38	Structural Properties of Periplasmic SodCI That Correlate with Virulence in Salmonella enterica Serovar Typhimurium. Journal of Bacteriology, 2007, 189, 4343-4352.	1.0	33
39	Adaptation to the host environment: regulation of the SPI1 type III secretion system in Salmonella enterica serovar Typhimurium. Current Opinion in Microbiology, 2007, 10, 24-29.	2.3	249
40	Bacterial Omptins Proteolytically Inactivate Tissue Factor Pathway Inhibitor (TFPI).. Blood, 2007, 110, 1739-1739.	0.6	2
41	Salmonella enterica Serovar Typhimurium Periplasmic Superoxide Dismutase SodCI Is a Member of the PhoPQ Regulon and Is Induced in Macrophages. Journal of Bacteriology, 2006, 188, 7853-7861.	1.0	36
42	The Genus Salmonella. , 2006, , 123-158.		38
43	HilD, HilC and RtsA constitute a feed forward loop that controls expression of the SPI1 type three secretion system regulator hilA in Salmonella enterica serovar Typhimurium. Molecular Microbiology, 2005, 57, 691-705.	1.2	218
44	Resolvase-In Vivo Expression Technology Analysis of the Salmonella enterica Serovar Typhimurium PhoP and PmrA Regulons in BALB/c Mice. Journal of Bacteriology, 2005, 187, 7407-7416.	1.0	76
45	Transcriptional Regulation of sitABCD of Salmonella enterica Serovar Typhimurium by MntR and Fur. Journal of Bacteriology, 2005, 187, 912-922.	1.0	82
46	RtsA Coordinately Regulates DsbA and the Salmonella Pathogenicity Island 1 Type III Secretion System. Journal of Bacteriology, 2004, 186, 68-79.	1.0	43
47	Differences in Enzymatic Properties Allow SodCI but Not SodCII To Contribute to Virulence in Salmonella enterica Serovar Typhimurium Strain 14028. Journal of Bacteriology, 2004, 186, 5230-5238.	1.0	56
48	RtsA and RtsB Coordinately Regulate Expression of the Invasion and Flagellar Genes in Salmonella enterica Serovar Typhimurium. Journal of Bacteriology, 2003, 185, 5096-5108.	1.0	154
49	SitABCD Is the Alkaline Mn 2+ Transporter of Salmonella enterica Serovar Typhimurium. Journal of Bacteriology, 2002, 184, 3159-3166.	1.0	159
50	Identification of GtgE, a Novel Virulence Factor Encoded on the Gifsy-2 Bacteriophage of Salmonella enterica Serovar Typhimurium. Journal of Bacteriology, 2002, 184, 5234-5239.	1.0	94
51	Regulation of Salmonella enterica Serovar Typhimurium mntH Transcription by H ₂ O ₂ , Fe ²⁺ , and Mn ²⁺ . Journal of Bacteriology, 2002, 184, 3151-3158.	1.0	139
52	Construction of targeted single copy lac fusions using λ Red and FLP-mediated site-specific recombination in bacteria. Gene, 2002, 290, 153-161.	1.0	291
53	Characterization of grvA, an Antivirulence Gene on the Gifsy-2 Phage in Salmonella enterica Serovar Typhimurium. Journal of Bacteriology, 2001, 183, 611-620.	1.0	65
54	OmpC Is the Receptor for Gifsy-1 and Gifsy-2 Bacteriophages of Salmonella. Journal of Bacteriology, 2001, 183, 1495-1498.	1.0	50

#	ARTICLE	IF	CITATIONS
55	The putative iron transport system SitABCD encoded on SPI1 is required for full virulence of Salmonella typhimurium. <i>Molecular Microbiology</i> , 2000, 35, 1146-1155.	1.2	206
56	Tissue-Specific Gene Expression Identifies a Gene in the Lysogenic Phage Gifsy-1 That Affects Salmonella enterica Serovar Typhimurium Survival in Peyer's Patches. <i>Journal of Bacteriology</i> , 2000, 182, 4406-4413.	1.0	127
57	[5] IVET and RIVET: Use of gene fusions to identify bacterial virulence factors specifically induced in host tissues. <i>Methods in Enzymology</i> , 2000, 326, 73-96.	0.4	62
58	Effect of acetylation (O-factor 5) on the polyclonal antibody response to Salmonella typhimurium O-antigen. <i>FEMS Immunology and Medical Microbiology</i> , 1999, 26, 83-92.	2.7	28
59	Transduction of Low-Copy Number Plasmids by Bacteriophage P22. <i>Genetics</i> , 1997, 146, 447-456.	1.2	44
60	The Porin Regulon: A Paradigm for the Two-Component Regulatory Systems. , 1996, , 383-417.		16
61	[38] In vivo expression technology for selection of bacterial genes specifically induced in host Tissues. <i>Methods in Enzymology</i> , 1994, 235, 481-492.	0.4	83
62	Mutations that Affect Separate Functions of OmpR the Phosphorylated Regulator of Porin Transcription in Escherichia coli. <i>Journal of Molecular Biology</i> , 1993, 231, 261-273.	2.0	80
63	Genetic analysis of the switch that controls porin gene expression in Escherichia coli K-12. <i>Journal of Molecular Biology</i> , 1989, 210, 281-292.	2.0	123
64	Genetic Analysis of Bacterial Pathogenesis. , 0, , 1-33.		0