

Stephen J Fuller

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9401580/publications.pdf>

Version: 2024-02-01

43
papers

1,971
citations

279487

23
h-index

315357

38
g-index

43
all docs

43
docs citations

43
times ranked

2401
citing authors

#	ARTICLE	IF	CITATIONS
1	Inhibiting the P2Y13 receptor reduces IL-33 and HMGB1 lung concentrations and inflammatory cell infiltration in a murine model of asthma. <i>Purinergic Signalling</i> , 2022, , 1.	1.1	0
2	Purinergic Signalling in Allogeneic Haematopoietic Stem Cell Transplantation and Graft-versus-Host Disease. <i>International Journal of Molecular Sciences</i> , 2021, 22, 8343.	1.8	9
3	Differential Levels of mRNAs in Normal B Lymphocytes, Monoclonal B Lymphocytosis and Chronic Lymphocytic Leukemia Cells from the Same Family Identify Susceptibility Genes. <i>Oncology and Therapy</i> , 2021, 9, 621-634.	1.0	1
4	A <i>P2RX7</i> single nucleotide polymorphism haplotype promotes exon 7 and 8 skipping and disrupts receptor function. <i>FASEB Journal</i> , 2020, 34, 3884-3901.	0.2	10
5	Increased P2X7 expression in the gastrointestinal tract and skin in a humanised mouse model of graft-versus-host disease. <i>Clinical Science</i> , 2020, 134, 207-223.	1.8	19
6	Chronic leukaemias in the community. <i>Australian Prescriber</i> , 2020, 43, 126-130.	0.5	1
7	Scurvy. <i>Mayo Clinic Proceedings</i> , 2019, 94, 2594-2597.	1.4	4
8	In Vivo Assessment of Intracellular Dynamics Comparing Injection Versus Oral Azacitidine in a Phase IIb Investigator Initiated Clinical Trial. <i>Blood</i> , 2019, 134, 4247-4247.	0.6	0
9	Radiotherapy for breast cancer associated with a cutaneous presentation of systemic mastocytosis—a case report and literature review. <i>Journal of Surgical Case Reports</i> , 2018, 2018, rjy317.	0.2	4
10	The Effect of Antidepressants on Mesenchymal Stem Cell Differentiation. <i>Journal of Bone Metabolism</i> , 2018, 25, 43.	0.5	9
11	The P2X7 receptor is not essential for development of imiquimod-induced psoriasis-like inflammation in mice. <i>Purinergic Signalling</i> , 2017, 13, 405-415.	1.1	11
12	Pharmacological Evaluation of Novel Bioisosteres of an Adamantanyl Benzamide P2X ₇ Receptor Antagonist. <i>ACS Chemical Neuroscience</i> , 2017, 8, 2374-2380.	1.7	30
13	Quiz Page January 2016. <i>American Journal of Kidney Diseases</i> , 2016, 67, A18-A21.	2.1	2
14	Paroxetine suppresses recombinant human P2X7 responses. <i>Purinergic Signalling</i> , 2015, 11, 481-490.	1.1	26
15	IL-10 Potentiates Differentiation of Human Induced Regulatory T Cells via STAT3 and Foxo1. <i>Journal of Immunology</i> , 2015, 195, 3665-3674.	0.4	219
16	Lack of a Functioning P2X7 Receptor Leads to Increased Susceptibility to Toxoplasmic Ileitis. <i>PLoS ONE</i> , 2015, 10, e0129048.	1.1	27
17	Probenecid Blocks Human P2X7 Receptor-Induced Dye Uptake via a Pannexin-1 Independent Mechanism. <i>PLoS ONE</i> , 2014, 9, e93058.	1.1	63
18	Quantitative real-time PCR eliminates false-positives in colony screening PCR. <i>Journal of Microbiological Methods</i> , 2014, 96, 99-100.	0.7	4

#	ARTICLE	IF	CITATIONS
19	A quantitative method for measuring innate phagocytosis by human monocytes using real-time flow cytometry. <i>Cytometry Part A: the Journal of the International Society for Analytical Cytology</i> , 2014, 85, 313-321.	1.1	24
20	A rare functional haplotype of the <i>P2RX4</i> and <i>P2RX7</i> genes leads to loss of innate phagocytosis and confers increased risk of age-related macular degeneration. <i>FASEB Journal</i> , 2013, 27, 1479-1487.	0.2	61
21	Single-nucleotide polymorphisms in the <i>P2X7</i> receptor gene are associated with post-menopausal bone loss and vertebral fractures. <i>European Journal of Human Genetics</i> , 2012, 20, 675-681.	1.4	63
22	Multiple Intraabdominal Purulent Collections Demonstrated on FDG PET/CT in Staging of Non-Hodgkin Lymphoma. <i>Clinical Nuclear Medicine</i> , 2012, 37, 210-213.	0.7	0
23	New Insights into the Pathogenesis, Diagnosis, and Management of Mastocytosis. <i>Hematology/Oncology Clinics of North America</i> , 2012, 26, 1143-1168.	0.9	22
24	Dysregulation of the inflammatory response to the parasite, <i>Toxoplasma gondii</i> , in <i>P2X7</i> receptor-deficient mice. <i>International Journal for Parasitology</i> , 2011, 41, 301-308.	1.3	35
25	The Role of the <i>P2X7</i> Receptor in Infectious Diseases. <i>PLoS Pathogens</i> , 2011, 7, e1002212.	2.1	121
26	Functional significance of <i>P2RX7</i> polymorphisms associated with affective mood disorders. <i>Journal of Psychiatric Research</i> , 2010, 44, 1116-1117.	1.5	14
27	Two haplotypes of the <i>P2X7</i> receptor containing the Ala348 to Thr polymorphism exhibit a gain-of-function effect and enhanced interleukin-1 β secretion. <i>FASEB Journal</i> , 2010, 24, 2916-2927.	0.2	155
28	<i>P2X7</i> Receptor-Mediated Killing of an Intracellular Parasite, <i>Toxoplasma gondii</i> , by Human and Murine Macrophages. <i>Journal of Immunology</i> , 2010, 184, 7040-7046.	0.4	124
29	Genetics of the <i>P2X7</i> receptor and human disease. <i>Purinergic Signalling</i> , 2009, 5, 257-262.	1.1	114
30	Clinical Impact of Unregulated Terminal Complement Activity in Never-Transfused Patients with Paroxysmal Nocturnal Hemoglobinuria. <i>Blood</i> , 2009, 114, 4029-4029.	0.6	3
31	Analysis of a large multi-generational family provides insight into the genetics of chronic lymphocytic leukemia. <i>British Journal of Haematology</i> , 2008, 142, 238-245.	1.2	26
32	Insight into the pathogenesis of chronic lymphocytic leukemia (CLL) through analysis of <i>IgVH</i> gene usage and mutation status in familial CLL. <i>Blood</i> , 2008, 111, 5691-5693.	0.6	30
33	Intracerebral hemorrhage after thrombolytic therapy managed with ventricular drainage. <i>Journal of Clinical Neuroscience</i> , 2007, 14, 898-900.	0.8	0
34	A high-density SNP genome-wide linkage search of 206 families identifies susceptibility loci for chronic lymphocytic leukemia. <i>Blood</i> , 2007, 110, 3326-3333.	0.6	79
35	A quantitative method for routine measurement of cell surface <i>P2X7</i> receptor function in leucocyte subsets by two-colour time-resolved flow cytometry. <i>Journal of Immunological Methods</i> , 2007, 325, 67-77.	0.6	27
36	A Thr357 to Ser Polymorphism in Homozygous and Compound Heterozygous Subjects Causes Absent or Reduced <i>P2X7</i> Function and Impairs ATP-induced Mycobacterial Killing by Macrophages. <i>Journal of Biological Chemistry</i> , 2006, 281, 2079-2086.	1.6	152

#	ARTICLE	IF	CITATIONS
37	Human Epidermal and Monocyte-Derived Langerhans Cells Express Functional P2X7 Receptors. <i>Journal of Investigative Dermatology</i> , 2005, 125, 482-490.	0.3	45
38	A High-Density SNP Genomewide Linkage Scan for Chronic Lymphocytic Leukemiaâ€“Susceptibility Loci. <i>American Journal of Human Genetics</i> , 2005, 77, 420-429.	2.6	65
39	A 5â€² intronic splice site polymorphism leads to a null allele of the P2X7 gene in 1-2% of the Caucasian population. <i>FEBS Letters</i> , 2005, 579, 2675-2678.	1.3	55
40	An Arg307 to Gln Polymorphism within the ATP-binding Site Causes Loss of Function of the Human P2X7 Receptor. <i>Journal of Biological Chemistry</i> , 2004, 279, 31287-31295.	1.6	125
41	Association of the 1513C polymorphism in the P2X7 gene with familial forms of chronic lymphocytic leukaemia. <i>British Journal of Haematology</i> , 2004, 125, 815-817.	1.2	31
42	CXCR4 but not CXCR3 expression correlates with lymphocyte counts in B-cell chronic lymphocytic leukemia. <i>Annals of Hematology</i> , 2004, 83, 326-327.	0.8	7
43	An Ile-568 to Asn Polymorphism Prevents Normal Trafficking and Function of the Human P2X7 Receptor. <i>Journal of Biological Chemistry</i> , 2003, 278, 17108-17113.	1.6	154