

# Bin Xu

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/9402166/bin-xu-publications-by-year.pdf>

**Version:** 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

143  
papers

6,782  
citations

38  
h-index

80  
g-index

155  
ext. papers

8,739  
ext. citations

6  
avg, IF

5.94  
L-index

#	Paper	IF	Citations
143	Upregulation of IFN $\gamma$ -mediated chemokines dominate the immune transcriptome of muscle-invasive urothelial carcinoma.. <i>Scientific Reports</i> , <b>2022</b> , 12, 716	4.9	0
142	Prolonged survival of anaplastic thyroid carcinoma is associated with resectability, low tumor-infiltrating neutrophils/myeloid-derived suppressor cells, and low peripheral neutrophil-to-lymphocyte ratio.. <i>Endocrine</i> , <b>2022</b> , 1	4	1
141	Primary Mesenchymal Tumors of the Thyroid Gland: A Modern Retrospective Cohort Including the First Case of TFE3-Translocated Malignant Perivascular Epithelioid Cell Tumor (PEComa).. <i>Head and Neck Pathology</i> , <b>2022</b> , 1	3.3	0
140	Overview of the 2022 WHO Classification of Thyroid Neoplasms.. <i>Endocrine Pathology</i> , <b>2022</b> , 33, 27	4.2	21
139	American Head and Neck Society Endocrine Surgery Section and International Thyroid Oncology Group consensus statement on mutational testing in thyroid cancer: Defining advanced thyroid cancer and its targeted treatment.. <i>Head and Neck</i> , <b>2022</b> ,	4.2	2
138	International Medullary Thyroid Carcinoma Grading System: A Validated Grading System for Medullary Thyroid Carcinoma. <i>Journal of Clinical Oncology</i> , <b>2021</b> , JCO2101329	2.2	5
137	Triple-Positive Breast Carcinoma: Histopathologic Features and Response to Neoadjuvant Chemotherapy. <i>Archives of Pathology and Laboratory Medicine</i> , <b>2021</b> , 145, 728-735	5	0
136	Genomic and Transcriptomic Correlates of Thyroid Carcinoma Evolution after BRAF Inhibitor Therapy. <i>Molecular Cancer Research</i> , <b>2021</b> ,	6.6	2
135	Depth of invasion versus tumour thickness in early oral tongue squamous cell carcinoma: which measurement is the most practical and predictive of outcome?. <i>Histopathology</i> , <b>2021</b> , 79, 325-337	7.3	1
134	Polymorphous Adenocarcinoma. <i>Surgical Pathology Clinics</i> , <b>2021</b> , 14, 127-136	3.9	1
133	The prognostic role of histologic grade, worst pattern of invasion, and tumor budding in early oral tongue squamous cell carcinoma: a comparative study. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , <b>2021</b> , 479, 597-606	5.1	7
132	Myoepithelial Carcinoma. <i>Surgical Pathology Clinics</i> , <b>2021</b> , 14, 67-73	3.9	7
131	Clinicopathologic Characteristics of Young Patients with Oral Squamous Cell Carcinoma. <i>Head and Neck Pathology</i> , <b>2021</b> , 15, 1099-1108	3.3	0
130	Diagnostic discrepancy in second opinion reviews of primary epithelial neoplasms involving salivary gland: An 11-year experience from a tertiary referral center focusing on useful pathologic approaches and potential clinical impacts. <i>Head and Neck</i> , <b>2021</b> , 43, 2497-2509	4.2	
129	Head and neck rhabdomyosarcoma with TFCP2 fusions and ALK overexpression: a clinicopathological and molecular analysis of 11 cases. <i>Histopathology</i> , <b>2021</b> , 79, 347-357	7.3	13
128	Clinicopathologic features and outcome of head and neck mucosal spindle cell squamous cell carcinoma. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , <b>2021</b> , 479, 729-739	5.1	1
127	Histologic evaluation of host immune microenvironment and its prognostic significance in oral tongue squamous cell carcinoma: a comparative study on lymphocytic host response (LHR) and tumor infiltrating lymphocytes (TILs). <i>Pathology Research and Practice</i> , <b>2021</b> , 228, 153473	3.4	2

126	Mucoacinar Carcinoma: A Rare Variant of Mucoepidermoid Carcinoma. <i>American Journal of Surgical Pathology</i> , <b>2021</b> , 45, 1028-1037	6.7	3
125	Immune gene expression profiles in high-grade urothelial carcinoma of the bladder: a NanoString study. <i>Journal of Clinical Pathology</i> , <b>2021</b> , 74, 53-57	3.9	4
124	Nodal characteristics associated with adverse prognosis in oral cavity cancer are linked to host immune status. <i>Journal of Surgical Oncology</i> , <b>2021</b> , 123, 141-148	2.8	2
123	Data set for reporting carcinoma of the thyroid: recommendations from the International Collaboration on Cancer Reporting. <i>Human Pathology</i> , <b>2021</b> , 110, 62-72	3.7	10
122	Cribriform architecture prostatic adenocarcinoma in needle biopsies is a strong independent predictor for lymph node metastases in radical prostatectomy. <i>European Journal of Cancer</i> , <b>2021</b> , 148, 432-439	7.5	2
121	The impact of pre-analytical parameters on class II biomarkers by immunohistochemistry: concordance across four tissue processing protocols. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , <b>2021</b> , 478, 985-993	5.1	
120	SWI/SNF Complex Mutations Promote Thyroid Tumor Progression and Insensitivity to Redifferentiation Therapies. <i>Cancer Discovery</i> , <b>2021</b> , 11, 1158-1175	24.4	16
119	Metastasis to the thyroid gland: a single-institution 16-year experience. <i>Histopathology</i> , <b>2021</b> , 78, 508-519	7.3	5
118	IDH2 R172 Mutations Across Poorly Differentiated Sinonasal Tract Malignancies: Forty Molecularly Homogenous and Histologically Variable Cases With Favorable Outcome. <i>American Journal of Surgical Pathology</i> , <b>2021</b> , 45, 1190-1204	6.7	9
117	Primary high-grade non-anaplastic thyroid carcinoma: a retrospective study of 364 cases. <i>Histopathology</i> , <b>2021</b> ,	7.3	3
116	NRAS Q61R immunohistochemical staining in thyroid pathology: sensitivity, specificity and utility. <i>Histopathology</i> , <b>2021</b> , 79, 650-660	7.3	0
115	The impact of MYC gene amplification on the clinicopathological features and prognosis of radiation-associated angiosarcomas of the breast. <i>Histopathology</i> , <b>2021</b> , 79, 836-846	7.3	2
114	Expanding the spectrum of thyroid carcinoma with somatic DICER1 mutation: a survey of 829 thyroid carcinomas using MSK-IMPACT next-generation sequencing platform. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , <b>2021</b> , 1	5.1	2
113	HPV-related head and neck cancers: Pathology and biology. <i>Journal of Surgical Oncology</i> , <b>2021</b> , 124, 923-930	7.3	0
112	Histologic Classification and Molecular Signature of Polymorphous Adenocarcinoma (PAC) and Cribriform Adenocarcinoma of Salivary Gland (CASG): An International Interobserver Study. <i>American Journal of Surgical Pathology</i> , <b>2020</b> , 44, 545-552	6.7	15
111	Poorly differentiated thyroid carcinoma. <i>Seminars in Diagnostic Pathology</i> , <b>2020</b> , 37, 243-247	4.3	7
110	Novel role of ASH1L histone methyltransferase in anaplastic thyroid carcinoma. <i>Journal of Biological Chemistry</i> , <b>2020</b> , 295, 8834-8845	5.4	12
109	Interpretable multimodal deep learning for real-time pan-tissue pan-disease pathology search on social media. <i>Modern Pathology</i> , <b>2020</b> , 33, 2169-2185	9.8	14

108	Undifferentiated round cell sarcoma with BCOR internal tandem duplications (ITD) or YWHAE fusions: a clinicopathologic and molecular study. <i>Modern Pathology</i> , <b>2020</b> , 33, 1669-1677	9.8	8
107	Validation of a digital pathology system including remote review during the COVID-19 pandemic. <i>Modern Pathology</i> , <b>2020</b> , 33, 2115-2127	9.8	52
106	Detection and assessment of capsular invasion, vascular invasion and lymph node metastasis volume in thyroid carcinoma using microCT scanning of paraffin tissue blocks (3D whole block imaging): a proof of concept. <i>Modern Pathology</i> , <b>2020</b> , 33, 2449-2457	9.8	7
105	Noninvasive Follicular Thyroid Neoplasm with Papillary-Like Nuclear Features (NIFTP): An Update. <i>Head and Neck Pathology</i> , <b>2020</b> , 14, 303-310	3.3	7
104	Correlation of mismatch repair protein deficiency, PD-L1 and CD8 expression in high-grade urothelial carcinoma of the bladder. <i>Journal of Clinical Pathology</i> , <b>2020</b> , 73, 519-522	3.9	3
103	Grading of medullary thyroid carcinoma on the basis of tumor necrosis and high mitotic rate is an independent predictor of poor outcome. <i>Modern Pathology</i> , <b>2020</b> , 33, 1690-1701	9.8	12
102	Head and Neck Mesenchymal Neoplasms With GLI1 Gene Alterations: A Pathologic Entity With Distinct Histologic Features and Potential for Distant Metastasis. <i>American Journal of Surgical Pathology</i> , <b>2020</b> , 44, 729-737	6.7	17
101	Histologic spectrum of polymorphous adenocarcinoma of the salivary gland harbor genetic alterations affecting PRKD genes. <i>Modern Pathology</i> , <b>2020</b> , 33, 65-73	9.8	14
100	Metastasis to gastrostomy sites from upper aerodigestive tract malignancies: a systematic review and meta-analysis. <i>Gastrointestinal Endoscopy</i> , <b>2020</b> , 91, 1005-1014.e17	5.2	10
99	Predictors of Outcome in Mammary Adenoid Cystic Carcinoma: A Multi-Institutional Study. <i>American Journal of Surgical Pathology</i> , <b>2020</b> , 44, 214-223	6.7	14
98	Genetic basis of SMARCB1 protein loss in 22 sinonasal carcinomas. <i>Human Pathology</i> , <b>2020</b> , 104, 105-116	3.7	5
97	Can immune markers help identify fast relapse in patients with muscle invasive bladder cancer?. <i>Pathology Research and Practice</i> , <b>2020</b> , 216, 153200	3.4	1
96	Commonwealth Neuroendocrine Tumour Research Collaboration and the North American Neuroendocrine Tumor Society Guidelines for the Diagnosis and Management of Patients With Lung Neuroendocrine Tumors: An International Collaborative Endorsement and Update of the 2015	8.9	26
95	European Neuroendocrine Tumor Society Expert Consensus Guidelines. Reassessment of p53 immunohistochemistry thresholds in invasive high grade bladder cancer shows a better correlation with TP53 and FGFR3 mutations. <i>Pathology Research and Practice</i> , <b>2020</b> , 216, 153186	3.4	4
94	Should multifocality be an indication for completion thyroidectomy in papillary thyroid carcinoma?. <i>Surgery</i> , <b>2020</b> , 167, 10-17	3.6	15
93	Prognostic stratification of clinical and molecular epithelioid hemangioendothelioma subsets. <i>Modern Pathology</i> , <b>2020</b> , 33, 591-602	9.8	46
92	Inter- and intraobserver agreement of programmed death ligand 1 scoring in head and neck squamous cell carcinoma, urothelial carcinoma and breast carcinoma. <i>Histopathology</i> , <b>2020</b> , 76, 191-200	7.3	23
91	Pan-Trk immunohistochemistry is a sensitive and specific ancillary tool for diagnosing secretory carcinoma of the salivary gland and detecting ETV6-NTRK3 fusion. <i>Histopathology</i> , <b>2020</b> , 76, 375-382	7.3	28

90	Evaluation of cancer testis antigen (CT10, PRAME) and MHC I expression in high-grade urothelial carcinoma of the bladder. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , <b>2020</b> , 476, 535-542	5.1	5
89	Dissecting Anaplastic Thyroid Carcinoma: A Comprehensive Clinical, Histologic, Immunophenotypic, and Molecular Study of 360 Cases. <i>Thyroid</i> , <b>2020</b> , 30, 1505-1517	6.2	51
88	How Many Papillae in Conventional Papillary Carcinoma? A Clinical Evidence-Based Pathology Study of 235 Unifocal Encapsulated Papillary Thyroid Carcinomas, with Emphasis on the Diagnosis of Noninvasive Follicular Thyroid Neoplasm with Papillary-Like Nuclear Features. <i>Thyroid</i> , <b>2019</b> , 29, 1792-1803	6.2	15
87	Androgen receptor immunohistochemistry in salivary duct carcinoma: a retrospective study of 188 cases focusing on tumoral heterogeneity and temporal concordance. <i>Human Pathology</i> , <b>2019</b> , 93, 30-36	3.7	14
86	Outcome and molecular characteristics of non-invasive encapsulated follicular variant of papillary thyroid carcinoma with oncocytic features. <i>Endocrine</i> , <b>2019</b> , 64, 97-108	4	20
85	The immune microenvironment and expression of PD-L1, PD-1, PRAME and MHC I in salivary duct carcinoma. <i>Histopathology</i> , <b>2019</b> , 75, 672-682	7.3	20
84	Early squamous cell carcinoma of the oral tongue with histologically benign lymph nodes: A model predicting local control and vetting of the eighth edition of the American Joint Committee on Cancer pathologic T stage. <i>Cancer</i> , <b>2019</b> , 125, 3198-3207	6.4	16
83	Gleason grade patterns in nodal metastasis and corresponding prostatectomy specimens: impact on patient outcome. <i>Histopathology</i> , <b>2019</b> , 75, 715-722	7.3	8
82	DNA methylation-based classification of sinonasal undifferentiated carcinoma. <i>Modern Pathology</i> , <b>2019</b> , 32, 1447-1459	9.8	33
81	Identification of prognostic molecular biomarkers in 157 HPV-positive and HPV-negative squamous cell carcinomas of the oropharynx. <i>International Journal of Cancer</i> , <b>2019</b> , 145, 3152-3162	7.5	24
80	The repertoire of genetic alterations in salivary duct carcinoma including a novel HNRNP3-ALK rearrangement. <i>Human Pathology</i> , <b>2019</b> , 88, 66-77	3.7	21
79	International Endocervical Adenocarcinoma Criteria and Classification: Validation and Interobserver Reproducibility. <i>American Journal of Surgical Pathology</i> , <b>2019</b> , 43, 75-83	6.7	32
78	Critical Prognostic Parameters in the Anatomic Pathology Reporting of Differentiated Follicular Cell-Derived Thyroid Carcinoma. <i>Cancers</i> , <b>2019</b> , 11,	6.6	6
77	The transcription factor NKX1-2 promotes adipogenesis and may contribute to a balance between adipocyte and osteoblast differentiation. <i>Journal of Biological Chemistry</i> , <b>2019</b> , 294, 18408-18420	5.4	4
76	Cytologic evaluation of p16 staining in head and neck squamous cell carcinoma in CytoLyt versus formalin-fixed material. <i>Cancer Cytopathology</i> , <b>2019</b> , 127, 750-756	3.9	10
75	Molecular Alterations in Thyroid Carcinoma. <i>Surgical Pathology Clinics</i> , <b>2019</b> , 12, 921-930	3.9	20
74	Misinterpreted Myoepithelial Carcinoma of Salivary Gland: A Challenging and Potentially Significant Pitfall. <i>American Journal of Surgical Pathology</i> , <b>2019</b> , 43, 601-609	6.7	25
73	The role of a monoclonal antibody 11C8B1 as a diagnostic marker of IDH2-mutated sinonasal undifferentiated carcinoma. <i>Modern Pathology</i> , <b>2019</b> , 32, 205-215	9.8	16

72	Interinstitutional variation in predictive value of the ThyroSeq v2 genomic classifier for cytologically indeterminate thyroid nodules. <i>Surgery</i> , <b>2019</b> , 165, 17-24	3.6	23
71	Vemurafenib Redifferentiation of BRAF Mutant, RAI-Refractory Thyroid Cancers. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2019</b> , 104, 1417-1428	5.6	80
70	The contribution of molecular pathology to the classification of thyroid tumors. <i>Diagnostic Histopathology</i> , <b>2018</b> , 24, 87-94	0.7	3
69	Patterns of recurrence in oral tongue cancer with perineural invasion. <i>Head and Neck</i> , <b>2018</b> , 40, 1287-1295	4.2	42
68	Evolving concepts and new entities in the 2017 WHO classification of salivary gland tumors. <i>Diagnostic Histopathology</i> , <b>2018</b> , 24, 172-179	0.7	2
67	Salivary gland neoplasms: diagnostic approach with focus on patterns of recognition and useful ancillary tools. <i>Diagnostic Histopathology</i> , <b>2018</b> , 24, 180-188	0.7	1
66	Fibroepithelial lesions of the breast: a comprehensive morphological and outcome analysis of a large series. <i>Modern Pathology</i> , <b>2018</b> , 31, 1073-1084	9.8	19
65	Salivary gland epithelial neoplasms in pediatric population: a single-institute experience with a focus on the histologic spectrum and clinical outcome-reply. <i>Human Pathology</i> , <b>2018</b> , 73, 194	3.7	
64	Sinonasal Secretory Carcinoma of Salivary Gland with High Grade Transformation: A Case Report of this Under-Recognized Diagnostic Entity with Prognostic and Therapeutic Implications. <i>Head and Neck Pathology</i> , <b>2018</b> , 12, 274-278	3.3	14
63	Basal-subtype bladder tumours show a distinct immunophenotype. <i>Histopathology</i> , <b>2018</b> , 73, 748-757	7.3	22
62	Reproducibility of PD-L1 immunohistochemistry interpretation across various types of genitourinary and head/neck carcinomas, antibody clones, and tissue types. <i>Human Pathology</i> , <b>2018</b> , 82, 131-139	3.7	34
61	PD-L1 Immunohistochemistry Assay Concordance in Urothelial Carcinoma of the Bladder and Hypopharyngeal Squamous Cell Carcinoma. <i>American Journal of Surgical Pathology</i> , <b>2018</b> , 42, 1059-1066	6.7	57
60	Retraction Note to: Noninvasive Follicular Thyroid Neoplasm with Papillary-Like Nuclear Features: Historical Context, Diagnosis, and Future Challenges. <i>Endocrine Pathology</i> , <b>2018</b> , 29, 300	4.2	
59	Should subcentimeter non-invasive encapsulated, follicular variant of papillary thyroid carcinoma be included in the noninvasive follicular thyroid neoplasm with papillary-like nuclear features category?. <i>Endocrine</i> , <b>2018</b> , 59, 143-150	4	37
58	Tumour front inflammation and necrosis are independent prognostic predictors in high-grade urothelial carcinoma of the bladder. <i>Journal of Clinical Pathology</i> , <b>2018</b> , 71, 154-160	3.9	14
57	Crucial parameters in thyroid carcinoma reporting - challenges, controversies and clinical implications. <i>Histopathology</i> , <b>2018</b> , 72, 32-39	7.3	9
56	PLAG1 immunohistochemistry is a sensitive marker for pleomorphic adenoma: a comparative study with PLAG1 genetic abnormalities. <i>Histopathology</i> , <b>2018</b> , 72, 285-293	7.3	43
55	Immune infiltrates and PD-L1 expression in treatment-naïve acinar prostatic adenocarcinoma: an exploratory analysis. <i>Journal of Clinical Pathology</i> , <b>2018</b> , 71, 1023-1027	3.9	10

54	Outcome of Large Noninvasive Follicular Thyroid Neoplasm with Papillary-Like Nuclear Features. <i>Thyroid</i> , <b>2017</b> , 27, 512-517	6.2	81
53	A Proposal to Redefine Close Surgical Margins in Squamous Cell Carcinoma of the Oral Tongue. <i>JAMA Otolaryngology - Head and Neck Surgery</i> , <b>2017</b> , 143, 555-560	3.9	75
52	Patients with Multifocal Macroscopic Papillary Thyroid Carcinoma Have a Low Risk of Recurrence at Early Follow-Up after Total Thyroidectomy and Radioactive Iodine Treatment. <i>European Thyroid Journal</i> , <b>2017</b> , 6, 31-39	4.2	4
51	Frequent IDH2 R172 mutations in undifferentiated and poorly-differentiated sinonasal carcinomas. <i>Journal of Pathology</i> , <b>2017</b> , 242, 400-408	9.4	57
50	Genomic Alterations in Fatal Forms of Non-Anaplastic Thyroid Cancer: Identification of and as Novel Thyroid Cancer Genes Associated with Tumor Virulence. <i>Clinical Cancer Research</i> , <b>2017</b> , 23, 5970-5980	12.8	64
49	Transposon mutagenesis identifies chromatin modifiers cooperating with in thyroid tumorigenesis and detects as a cancer gene. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2017</b> , 114, E4951-E4960	11.5	9
48	Metastatic thyroid carcinoma without identifiable primary tumor within the thyroid gland: a retrospective study of a rare phenomenon. <i>Human Pathology</i> , <b>2017</b> , 65, 133-139	3.7	22
47	Noninvasive Follicular Thyroid Neoplasm with Papillary-Like Nuclear Features: Historical Context, Diagnosis, and Future Challenges. <i>Endocrine Pathology</i> , <b>2017</b> , 28, 128-138	4.2	25
46	p53 immunohistochemistry in high-grade urothelial carcinoma of the bladder is prognostically significant. <i>Histopathology</i> , <b>2017</b> , 71, 296-304	7.3	20
45	Primary Thyroid Carcinoma with Low-Risk Histology and Distant Metastases: Clinicopathologic and Molecular Characteristics. <i>Thyroid</i> , <b>2017</b> , 27, 632-640	6.2	44
44	Predictors of Outcome in Adenoid Cystic Carcinoma of Salivary Glands: A Clinicopathologic Study With Correlation Between MYB Fusion and Protein Expression. <i>American Journal of Surgical Pathology</i> , <b>2017</b> , 41, 1422-1432	6.7	42
43	Salivary gland epithelial neoplasms in pediatric population: a single-institute experience with a focus on the histologic spectrum and clinical outcome. <i>Human Pathology</i> , <b>2017</b> , 67, 37-44	3.7	37
42	Molecular-based classification algorithm for endometrial carcinoma categorizes ovarian endometrioid carcinoma into prognostically significant groups. <i>Modern Pathology</i> , <b>2017</b> , 30, 1748-1759	9.8	44
41	The History of the Follicular Variant of Papillary Thyroid Carcinoma. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2017</b> , 102, 15-22	5.6	73
40	A proportion of primary squamous cell carcinomas of the parotid gland harbour high-risk human papillomavirus. <i>Histopathology</i> , <b>2016</b> , 69, 921-929	7.3	14
39	Predictors of Outcome in the Phenotypic Spectrum of Polymorphous Low-grade Adenocarcinoma (PLGA) and Cribriform Adenocarcinoma of Salivary Gland (CASG): A Retrospective Study of 69 Patients. <i>American Journal of Surgical Pathology</i> , <b>2016</b> , 40, 1526-1537	6.7	36
38	ERG Is a Useful Immunohistochemical Marker to Distinguish Leukemia Cutis From Nonneoplastic Leukocytic Infiltrates in the Skin. <i>American Journal of Dermatopathology</i> , <b>2016</b> , 38, 672-7	0.9	7
37	Metastatic solid tumors to the jaw and oral soft tissue: A retrospective clinical analysis of 44 patients from a single institution. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , <b>2016</b> , 44, 1047-53	3.6	29

36	Mammary analog secretory carcinoma of the thyroid gland: A primary thyroid adenocarcinoma harboring ETV6-NTRK3 fusion. <i>Modern Pathology</i> , <b>2016</b> , 29, 985-95	9.8	62
35	Pediatric Differentiated Thyroid Carcinoma of Follicular Cell Origin: Prognostic Significance of Histologic Subtypes. <i>Thyroid</i> , <b>2016</b> , 26, 219-26	6.2	38
34	Genomic and transcriptomic hallmarks of poorly differentiated and anaplastic thyroid cancers. <i>Journal of Clinical Investigation</i> , <b>2016</b> , 126, 1052-66	15.9	576
33	Genomic Landscape of poorly Differentiated and Anaplastic Thyroid Carcinoma. <i>Endocrine Pathology</i> , <b>2016</b> , 27, 205-12	4.2	109
32	The utility of p16 immunostaining in fine needle aspiration in p16-positive head and neck squamous cell carcinoma. <i>Human Pathology</i> , <b>2016</b> , 54, 193-200	3.7	41
31	Nomenclature Revision for Encapsulated Follicular Variant of Papillary Thyroid Carcinoma: A Paradigm Shift to Reduce Overtreatment of Indolent Tumors. <i>JAMA Oncology</i> , <b>2016</b> , 2, 1023-9	13.4	895
30	Clinicopathologic Features of Fatal Non-Anaplastic Follicular Cell-Derived Thyroid Carcinomas. <i>Thyroid</i> , <b>2016</b> , 26, 1588-1597	6.2	34
29	de Quervain's thyroiditis: A review of experience with surgery. <i>American Journal of Otolaryngology - Head and Neck Medicine and Surgery</i> , <b>2016</b> , 37, 534-537	2.8	13
28	Encapsulated Thyroid Carcinoma of Follicular Cell Origin. <i>Endocrine Pathology</i> , <b>2015</b> , 26, 191-9	4.2	29
27	Prognostic value of vascular invasion in well-differentiated papillary thyroid carcinoma. <i>Thyroid</i> , <b>2015</b> , 25, 503-8	6.2	22
26	Urine cytology: does the number of atypical urothelial cells matter? A qualitative and quantitative study of 112 cases. <i>Journal of the American Society of Cytopathology</i> , <b>2015</b> , 4, 232-238	2.4	7
25	Prognostic impact of extent of vascular invasion in low-grade encapsulated follicular cell-derived thyroid carcinomas: a clinicopathologic study of 276 cases. <i>Human Pathology</i> , <b>2015</b> , 46, 1789-98	3.7	42
24	Evaluation of RNA-binding motif protein 3 expression in urothelial carcinoma of the bladder: an immunohistochemical study. <i>World Journal of Surgical Oncology</i> , <b>2015</b> , 13, 317	3.4	9
23	Neuroendocrine neoplasms of the head and neck: some suggestions for the new WHO classification of head and neck tumors. <i>Head and Neck Pathology</i> , <b>2014</b> , 8, 24-32	3.3	38
22	Biopsy characteristics in men with a preoperative diagnosis of prostatic adenocarcinoma with high Gleason score (8-10) predict pathologic outcome in radical prostatectomy. <i>Human Pathology</i> , <b>2014</b> , 45, 2006-13	3.7	2
21	The prognostic role of ERG immunopositivity in prostatic acinar adenocarcinoma: a study including 454 cases and review of the literature. <i>Human Pathology</i> , <b>2014</b> , 45, 488-97	3.7	26
20	Inflammatory myofibroblastic tumor of the aortic valves causing sudden cardiac death: a case report and review of the literature. <i>Pediatric and Developmental Pathology</i> , <b>2014</b> , 17, 231-9	2.2	8
19	The significance of dynamin 2 expression for prostate cancer progression, prognostication, and therapeutic targeting. <i>Cancer Medicine</i> , <b>2014</b> , 3, 14-24	4.8	17



18	Diagnostic and prognostic role of immunohistochemical expression of napsin-A aspartic peptidase in clear cell and papillary renal cell carcinoma: a study including 233 primary and metastatic cases. <i>Applied Immunohistochemistry and Molecular Morphology</i> , <b>2014</b> , 22, 206-12	1.9	10
17	Selumetinib-enhanced radioiodine uptake in advanced thyroid cancer. <i>New England Journal of Medicine</i> , <b>2013</b> , 368, 623-32	59.2	524
16	Exomic sequencing of medullary thyroid cancer reveals dominant and mutually exclusive oncogenic mutations in RET and RAS. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2013</b> , 98, E364-9	5.6	157
15	Immunohistochemical detection of mutated BRAF V600E supports the clonal origin of BRAF-induced thyroid cancers along the spectrum of disease progression. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2013</b> , 98, E1414-21	5.6	66
14	Frequent somatic TERT promoter mutations in thyroid cancer: higher prevalence in advanced forms of the disease. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2013</b> , 98, E1562-6	5.6	299
13	Relief of feedback inhibition of HER3 transcription by RAF and MEK inhibitors attenuates their antitumor effects in BRAF-mutant thyroid carcinomas. <i>Cancer Discovery</i> , <b>2013</b> , 3, 520-33	24.4	266
12	Enhancer of zeste homolog 2 expression is associated with metastasis and adverse clinical outcome in clear cell renal cell carcinoma: a comparative study and review of the literature. <i>Archives of Pathology and Laboratory Medicine</i> , <b>2013</b> , 137, 1326-36	5	15
11	The dual role of the X-linked FoxP3 gene in human cancers. <i>Molecular Oncology</i> , <b>2011</b> , 5, 156-63	7.9	19
10	Molecular genotyping of papillary thyroid carcinoma follicular variant according to its histological subtypes (encapsulated vs infiltrative) reveals distinct BRAF and RAS mutation patterns. <i>Modern Pathology</i> , <b>2010</b> , 23, 1191-200	9.8	265
9	Encapsulated thyroid tumors of follicular cell origin with high grade features (high mitotic rate/tumor necrosis): a clinicopathologic and molecular study. <i>Human Pathology</i> , <b>2010</b> , 41, 172-80	3.7	49
8	Dax-1 and steroid receptor RNA activator (SRA) function as transcriptional coactivators for steroidogenic factor 1 in steroidogenesis. <i>Molecular and Cellular Biology</i> , <b>2009</b> , 29, 1719-34	4.8	92
7	Encapsulated papillary thyroid carcinoma: a clinico-pathologic study of 106 cases with emphasis on its morphologic subtypes (histologic growth pattern). <i>Thyroid</i> , <b>2009</b> , 19, 119-27	6.2	106
6	Increased density of tumor-associated macrophages is associated with decreased survival in advanced thyroid cancer. <i>Endocrine-Related Cancer</i> , <b>2008</b> , 15, 1069-74	5.7	266
5	Histopathologic characterization of radioactive iodine-refractory fluorodeoxyglucose-positron emission tomography-positive thyroid carcinoma. <i>Cancer</i> , <b>2008</b> , 113, 48-56	6.4	147
4	Poorly differentiated thyroid carcinomas defined on the basis of mitosis and necrosis: a clinicopathologic study of 58 patients. <i>Cancer</i> , <b>2006</b> , 106, 1286-95	6.4	201
3	Prognostic factors of recurrence in encapsulated Hurthle cell carcinoma of the thyroid gland: a clinicopathologic study of 50 cases. <i>Cancer</i> , <b>2006</b> , 106, 1669-76	6.4	88
2	Follicular variant of papillary thyroid carcinoma: a clinicopathologic study of a problematic entity. <i>Cancer</i> , <b>2006</b> , 107, 1255-64	6.4	307
1	Interpretable multimodal deep learning for real-time pan-tissue pan-disease pathology search on social media		1

