

Sergiy Vorogushyn

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9402544/sergiy-vorogushyn-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

72
papers

2,502
citations

26
h-index

49
g-index

102
ext. papers

3,018
ext. citations

5.1
avg, IF

5.11
L-index

#	Paper	IF	Citations
72	Do small and large floods have the same drivers of change? A regional attribution analysis in Europe. <i>Hydrology and Earth System Sciences</i> , 2021 , 25, 1347-1364	5.5	10
71	Comprehensive evaluation of an improved large-scale multi-site weather generator for Germany. <i>International Journal of Climatology</i> , 2021 , 41, 4933-4956	3.5	2
70	Causes, impacts and patterns of disastrous river floods. <i>Nature Reviews Earth & Environment</i> , 2021 , 2, 592-609	30.2	26
69	Process-Based Flood Risk Assessment for Germany. <i>Earth's Future</i> , 2021 , 9, e2021EF002259	7.9	1
68	Comparative evaluation of two types of stochastic weather generators for synthetic precipitation in the Rhine basin. <i>Journal of Hydrology</i> , 2021 , 601, 126544	6	1
67	Biases in national and continental flood risk assessments by ignoring spatial dependence. <i>Scientific Reports</i> , 2020 , 10, 19387	4.9	4
66	Comparative analysis of scalar upper tail indicators. <i>Hydrological Sciences Journal</i> , 2020 , 65, 1625-1639	3.5	3
65	Climate informed seasonal forecast of water availability in Central Asia: State-of-the-art and decision making context. <i>Water Security</i> , 2020 , 10, 100061	3.8	4
64	The role of spatial dependence for large-scale flood risk estimation. <i>Natural Hazards and Earth System Sciences</i> , 2020 , 20, 967-979	3.9	15
63	Event generation for probabilistic flood risk modelling: multi-site peak flow dependence model vs. weather-generator-based approach. <i>Natural Hazards and Earth System Sciences</i> , 2020 , 20, 1689-1703	3.9	4
62	Levee Breaching: A New Extension to the LISFLOOD-FP Model. <i>Water (Switzerland)</i> , 2020 , 12, 942	3	6
61	Joint Trends in Flood Magnitudes and Spatial Extents Across Europe.. <i>Geophysical Research Letters</i> , 2020 , 47, e2020GL087464	4.9	36
60	Comparing Bayesian and traditional end-member mixing approaches for hydrograph separation in a glaciated basin. <i>Hydrology and Earth System Sciences</i> , 2020 , 24, 3289-3309	5.5	6
59	Large-scale stochastic flood hazard analysis applied to the Po River. <i>Natural Hazards</i> , 2020 , 104, 2027-2049	3.9	4
58	The role of flood wave superposition in the severity of large floods. <i>Hydrology and Earth System Sciences</i> , 2020 , 24, 1633-1648	5.5	7
57	Variability of the Cold Season Climate in Central Asia. Part II: Hydroclimatic Predictability. <i>Journal of Climate</i> , 2019 , 32, 6015-6033	4.4	10
56	The Value of Empirical Data for Estimating the Parameters of a Sociohydrological Flood Risk Model. <i>Water Resources Research</i> , 2019 , 55, 1312-1336	5.4	22

55	A continuous modelling approach for design flood estimation on sub-daily time scale. <i>Hydrological Sciences Journal</i> , 2019 , 64, 539-554	3.5	19
54	Stochastic generation of spatially coherent river discharge peaks for continental event-based flood risk assessment. <i>Natural Hazards and Earth System Sciences</i> , 2019 , 19, 1041-1053	3.9	20
53	Constraining hydrological model parameters using water isotopic compositions in a glacierized basin, Central Asia. <i>Journal of Hydrology</i> , 2019 , 571, 332-348	6	15
52	Causative classification of river flood events. <i>Wiley Interdisciplinary Reviews: Water</i> , 2019 , 6, e1353	5.7	45
51	Impacts of Climate Change in Central Asia 2018 , 195-203		6
50	Do Changing Weather Types Explain Observed Climatic Trends in the Rhine Basin? An Analysis of Within- and Between-Type Changes. <i>Journal of Geophysical Research D: Atmospheres</i> , 2018 , 123, 1562-1584	4.4	8
49	Evolutionary leap in large-scale flood risk assessment needed. <i>Wiley Interdisciplinary Reviews: Water</i> , 2018 , 5, e1266	5.7	38
48	The Value of Hydrograph Partitioning Curves for Calibrating Hydrological Models in Glacierized Basins. <i>Water Resources Research</i> , 2018 , 54, 2336-2361	5.4	13
47	Spatial coherence of flood-rich and flood-poor periods across Germany. <i>Journal of Hydrology</i> , 2018 , 559, 813-826	6	22
46	From Precipitation to Damage. <i>Geophysical Monograph Series</i> , 2018 , 169-183	1.1	0
45	How do changes along the risk chain affect flood risk?. <i>Natural Hazards and Earth System Sciences</i> , 2018 , 18, 3089-3108	3.9	19
44	Hess Opinions: An interdisciplinary research agenda to explore the unintended consequences of structural flood protection. <i>Hydrology and Earth System Sciences</i> , 2018 , 22, 5629-5637	5.5	50
43	Multi-hazard fragility analysis for fluvial dikes in earthquake- and flood-prone areas. <i>Natural Hazards and Earth System Sciences</i> , 2018 , 18, 2345-2354	3.9	6
42	Statistical forecast of seasonal discharge in Central Asia using observational records: development of a generic linear modelling tool for operational water resource management. <i>Hydrology and Earth System Sciences</i> , 2018 , 22, 2225-2254	5.5	21
41	Variability of the Cold Season Climate in Central Asia. Part I: Weather Types and Their Tropical and Extratropical Drivers. <i>Journal of Climate</i> , 2018 , 31, 7185-7207	4.4	19
40	Re-establishing glacier monitoring in Kyrgyzstan and Uzbekistan, Central Asia. <i>Geoscientific Instrumentation, Methods and Data Systems</i> , 2017 , 6, 397-418	1.5	19
39	Re-establishing glacier monitoring in Kyrgyzstan and Uzbekistan, Central Asia 2017 ,		2
38	Adaptation to flood risk: Results of international paired flood event studies. <i>Earth's Future</i> , 2017 , 5, 953-965	9.65	111

37	MODSNOW-Tool: an operational tool for daily snow cover monitoring using MODIS data. <i>Environmental Earth Sciences</i> , 2016 , 75, 1	2.9	20
36	Continuous, large-scale simulation model for flood risk assessments: proof-of-concept. <i>Journal of Flood Risk Management</i> , 2016 , 9, 3-21	3.1	62
35	Harmonizing and comparing single-type natural hazard risk estimations. <i>Annals of Geophysics</i> , 2016 , 59,	1.1	3
34	Large-scale flood risk assessment using a coupled model chain. <i>E3S Web of Conferences</i> , 2016 , 7, 11005	0.5	2
33	A statistically based seasonal precipitation forecast model with automatic predictor selection and its application to central and south Asia. <i>Hydrology and Earth System Sciences</i> , 2016 , 20, 4605-4623	5.5	20
32	Can local climate variability be explained by weather patterns? A multi-station evaluation for the Rhine basin. <i>Hydrology and Earth System Sciences</i> , 2016 , 20, 4283-4306	5.5	13
31	Projections for headwater catchments of the Tarim River reveal glacier retreat and decreasing surface water availability but uncertainties are large. <i>Environmental Research Letters</i> , 2016 , 11, 054024	6.2	44
30	Temporal clustering of floods in Germany: Do flood-rich and flood-poor periods exist?. <i>Journal of Hydrology</i> , 2016 , 541, 824-838	6	32
29	Spatially coherent flood risk assessment based on long-term continuous simulation with a coupled model chain. <i>Journal of Hydrology</i> , 2015 , 524, 182-193	6	95
28	Substantial glacier mass loss in the Tien Shan over the past 50 years. <i>Nature Geoscience</i> , 2015 , 8, 716-722	8.3	260
27	Analysis of changes in climate and river discharge with focus on seasonal runoff predictability in the Aksu River Basin. <i>Environmental Earth Sciences</i> , 2015 , 73, 501-516	2.9	41
26	Identification of coherent flood regions across Europe by using the longest streamflow records. <i>Journal of Hydrology</i> , 2015 , 528, 341-360	6	65
25	Attribution of streamflow trends in snow and glacier melt-dominated catchments of the Tarim River, Central Asia. <i>Water Resources Research</i> , 2015 , 51, 4727-4750	5.4	110
24	Charting unknown waters On the role of surprise in flood risk assessment and management. <i>Water Resources Research</i> , 2015 , 51, 6399-6416	5.4	52
23	Snow-cover reconstruction methodology for mountainous regions based on historic in situ observations and recent remote sensing data. <i>Cryosphere</i> , 2015 , 9, 451-463	5.5	24
22	The value of satellite-derived snow cover images for calibrating a hydrological model in snow-dominated catchments in Central Asia. <i>Water Resources Research</i> , 2014 , 50, 2002-2021	5.4	52
21	Changes in glacierisation, climate and runoff in the second half of the 20th century in the Naryn basin, Central Asia. <i>Global and Planetary Change</i> , 2013 , 110, 51-61	4.2	67
20	What do we know about past changes in the water cycle of Central Asian headwaters? A review. <i>Global and Planetary Change</i> , 2013 , 110, 4-25	4.2	166

19	Evaluation of remotely sensed snow cover product in Central Asia 2013 , 44, 506-522		24
18	Hydraulic model evaluation for large-scale flood risk assessments. <i>Hydrological Processes</i> , 2013 , 27, 1331-1340	5.5	47
17	Evaluation of areal precipitation estimates based on downscaled reanalysis and station data by hydrological modelling. <i>Hydrology and Earth System Sciences</i> , 2013 , 17, 2415-2434	5.5	55
16	Probabilistic flood hazard mapping: effects of uncertain boundary conditions. <i>Hydrology and Earth System Sciences</i> , 2013 , 17, 3127-3140	5.5	73
15	Flood trends along the Rhine: the role of river training. <i>Hydrology and Earth System Sciences</i> , 2013 , 17, 3871-3884	5.5	38
14	Analysis of a detention basin impact on dike failure probabilities and flood risk for a channel-dike-floodplain system along the river Elbe, Germany. <i>Journal of Hydrology</i> , 2012 , 436-437, 120-131	6	72
13	HESS Opinions "More efforts and scientific rigour are needed to attribute trends in flood time series". <i>Hydrology and Earth System Sciences</i> , 2012 , 16, 1379-1387	5.5	141
12	Drivers of flood risk change in residential areas. <i>Natural Hazards and Earth System Sciences</i> , 2012 , 12, 1641-1657	3.9	70
11	The impact of the uncertainty of dike breach development time on flood hazard. <i>Physics and Chemistry of the Earth</i> , 2011 , 36, 319-323	3	16
10	The benefits of gravimeter observations for modelling water storage changes at the field scale. <i>Hydrology and Earth System Sciences</i> , 2010 , 14, 1715-1730	5.5	26
9	A new methodology for flood hazard assessment considering dike breaches. <i>Water Resources Research</i> , 2010 , 46,	5.4	97
8	Development of dike fragility curves for piping and micro-instability breach mechanisms. <i>Natural Hazards and Earth System Sciences</i> , 2009 , 9, 1383-1401	3.9	69
7	CEDIM Risk Explorer a map server solution in the project "Risk Map Germany". <i>Natural Hazards and Earth System Sciences</i> , 2006 , 6, 711-720	3.9	17
6	Statistical forecast of seasonal discharge in Central Asia for water resources management: development of a generic linear modelling tool for operational use		2
5	Hess Opinions: An interdisciplinary research agenda to explore the unintended consequences of structural flood protection		2
4	Evaluation of areal precipitation estimates based on downscaled reanalysis and station data by hydrological modelling		7
3	What drives flood trends along the Rhine River: climate or river training?		1
2	Effects of rating-curve uncertainty on probabilistic flood mapping		2

- 1 Estimating parameter values of a socio-hydrological flood model. *Proceedings of the International Association of Hydrological Sciences*, 379, 193-198