

# Shohei Yoshiya

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9403845/publications.pdf>

Version: 2024-02-01

54  
papers

1,124  
citations

430442

18  
h-index

414034

32  
g-index

54  
all docs

54  
docs citations

54  
times ranked

1890  
citing authors

#	ARTICLE	IF	CITATIONS
1	Impact of Capicua on Pancreatic Cancer Progression. <i>Annals of Surgical Oncology</i> , 2021, 28, 3198-3207.	0.7	5
2	ASO Author Reflections: A New Prognostic Factor for Pancreatic Cancer. <i>Annals of Surgical Oncology</i> , 2021, 28, 3208-3208.	0.7	0
3	Simultaneous splenectomy improves outcomes after adult living donor liver transplantation. <i>Journal of Hepatology</i> , 2021, 74, 372-379.	1.8	33
4	The Significant Prognostic Factors in Prolonged Intensive/High Care Unit Stay After Living Donor Liver Transplantation. <i>Transplantation Proceedings</i> , 2021, 53, 1630-1638.	0.3	3
5	Risk factors for the metabolic syndrome components of hypertension, diabetes mellitus, and dyslipidemia after living donor liver transplantation. <i>Hpb</i> , 2020, 22, 511-520.	0.1	16
6	Prognostic Impact of Osteopenia in Patients Who Underwent Living Donor Liver Transplantation for Hepatocellular Carcinoma. <i>World Journal of Surgery</i> , 2020, 44, 258-267.	0.8	24
7	Efficacy of Neoadjuvant Chemotherapy in Distal Pancreatectomy with En Bloc Celiac Axis Resection (DP-CAR) for Locally Advanced Pancreatic Cancer. <i>Journal of Gastrointestinal Surgery</i> , 2020, 24, 1605-1611.	0.9	29
8	Prognostic nutritional index is superior as a predictor of prognosis among various inflammation-based prognostic scores in patients with hepatocellular carcinoma after curative resection. <i>Hepatology Research</i> , 2020, 50, 101-109.	1.8	25
9	Predictor of outcome after living donor liver transplantation for patients with hepatocellular carcinoma beyond the Japan criteria. <i>Annals of Gastroenterological Surgery</i> , 2020, 4, 413-421.	1.2	5
10	Mitochondrial expression of the DNA repair enzyme OGG1 improves the prognosis of pancreatic ductal adenocarcinoma. <i>Pancreatology</i> , 2020, 20, 1175-1182.	0.5	2
11	The Effect of Prone Positioning as Postoperative Physiotherapy to Prevent Atelectasis After Hepatectomy. <i>World Journal of Surgery</i> , 2020, 44, 3893-3900.	0.8	1
12	Prognostic impact of 8-hydroxydeoxyguanosine and its repair enzyme 8-hydroxydeoxyguanosine DNA glycosylase in hepatocellular carcinoma. <i>Pathology International</i> , 2020, 70, 533-541.	0.6	8
13	Impact of middle hepatic artery reconstruction after living donor liver transplantation using the left lobe. <i>Clinical Transplantation</i> , 2020, 34, e13850.	0.8	6
14	Living-Donor Liver Transplantation for Patients With Extrahepatic Malignancy: A Series of 14 Patients in a Single Institution. <i>Transplantation Proceedings</i> , 2020, 52, 889-893.	0.3	2
15	Impact of Immune Response on Outcomes in Hepatocellular Carcinoma: Association With Vascular Formation. <i>Hepatology</i> , 2020, 72, 1987-1999.	3.6	78
16	Anastomosis of the Common Hepatic Artery and Round Ligament as Portal Vein Arterialization for Hepatic Artery Occlusion After Deceased Donor Liver Transplantation: A Case Report. <i>Transplantation Proceedings</i> , 2020, 52, 641-643.	0.3	5
17	Surgical Indications for Hepatocellular Carcinoma with Non-hypervascular Hypointense Nodules Detected by Gd-EOB-DTPA-Enhanced MRI. <i>Annals of Surgical Oncology</i> , 2020, 27, 3344-3353.	0.7	6
18	Usability of Intraoperative Fluorescence Imaging with Indocyanine Green During Laparoscopic Cholecystectomy After Percutaneous Transhepatic Gallbladder Drainage. <i>World Journal of Surgery</i> , 2019, 43, 127-133.	0.8	20

#	ARTICLE	IF	CITATIONS
19	Extensive Thrombectomy as a Legitimate Strategy in Living Donor Liver Transplantation With Advanced Portal Vein Thrombosis. <i>Liver Transplantation</i> , 2019, 25, 1768-1777.	1.3	11
20	Solitary fibrous tumor in the liver: case report and literature review. <i>Surgical Case Reports</i> , 2019, 5, 68.	0.2	23
21	Elevation of Mac-2 binding protein glycosylation isomer after hepatectomy is associated with post-hepatectomy liver failure, total Pringle time, and renal dysfunction. <i>Annals of Gastroenterological Surgery</i> , 2019, 3, 515-522.	1.2	4
22	Skeletal muscle mass predicts the prognosis of patients with intrahepatic cholangiocarcinoma. <i>American Journal of Surgery</i> , 2019, 218, 952-958.	0.9	34
23	Electrohydraulic lithotripsy and rendezvous nasal endoscopic cholangiography for common bile duct stone: A case report. <i>World Journal of Clinical Cases</i> , 2019, 7, 1149-1154.	0.3	2
24	Laparoscopic Left Hepatectomy for Ruptured Hepatocellular Carcinoma Controlled After Transcatheter Arterial Embolization: Case Report and Review of the Literature. <i>In Vivo</i> , 2018, 32, 659-662.	0.6	8
25	p62 Promotes Amino Acid Sensitivity of mTOR Pathway and Hepatic Differentiation in Adult Liver Stem/Progenitor Cells. <i>Journal of Cellular Physiology</i> , 2017, 232, 2112-2124.	2.0	18
26	One-step venous reconstruction using the donor's round ligament in right-lobe living-donor liver transplantation. <i>Surgery Today</i> , 2015, 45, 522-525.	0.7	14
27	Blockade of the apelin-APJ system promotes mouse liver regeneration by activating Kupffer cells after partial hepatectomy. <i>Journal of Gastroenterology</i> , 2015, 50, 573-582.	2.3	31
28	Prognostic impact of programmed cell death 1 ligand 1 expression in human leukocyte antigen class I-positive hepatocellular carcinoma after curative hepatectomy. <i>Journal of Gastroenterology</i> , 2015, 50, 65-75.	2.3	85
29	Impact of epidermal growth factor single-nucleotide polymorphism on recurrence of hepatocellular carcinoma after hepatectomy in patients with chronic hepatitis C virus infection. <i>Cancer Science</i> , 2014, 105, 646-650.	1.7	7
30	Clinical significance of gastrointestinal bleeding after living donor liver transplantation. <i>Transplant International</i> , 2014, 27, 705-711.	0.8	11
31	A high MELD score, combined with the presence of hepatitis C, is associated with a poor prognosis in living donor liver transplantation. <i>Surgery Today</i> , 2014, 44, 233-240.	0.7	11
32	Portal Vein Thrombosis After Hepatectomy. <i>World Journal of Surgery</i> , 2014, 38, 1491-1497.	0.8	56
33	Fairly rare de novo inflammatory pseudotumor in a graft after living donor liver transplantation. <i>Liver Transplantation</i> , 2014, 20, 616-618.	1.3	5
34	Three-dimensional computed tomography analysis of variations in the middle hepatic vein tributaries: proposed new classification. <i>Surgery Today</i> , 2014, 44, 2077-2085.	0.7	3
35	Effect of Body Composition on Outcomes after Hepatic Resection for Hepatocellular Carcinoma. <i>Annals of Surgical Oncology</i> , 2014, 21, 3063-3068.	0.7	110
36	Autophagy enhances hepatocellular carcinoma progression by activation of mitochondrial $\beta$ -oxidation. <i>Journal of Gastroenterology</i> , 2014, 49, 907-916.	2.3	57

#	ARTICLE	IF	CITATIONS
37	One-step reconstruction of the right inferior hepatic veins using auto-venous grafts in living donor liver transplantation. <i>Surgery Today</i> , 2013, 43, 769-776.	0.7	20
38	Strategies for Successful Left-Lobe Living Donor Liver Transplantation in 250 Consecutive Adult Cases in a Single Center. <i>Journal of the American College of Surgeons</i> , 2013, 216, 353-362.	0.2	52
39	Nutrition Support and Infections Associated With Hepatic Resection and Liver Transplantation in Patients With Chronic Liver Disease. <i>Journal of Parenteral and Enteral Nutrition</i> , 2013, 37, 318-326.	1.3	30
40	A rare point mutation in the Ras oncogene in hepatocellular carcinoma. <i>Surgery Today</i> , 2013, 43, 289-292.	0.7	23
41	Hepatic interferon- $\gamma$ -induced protein-10 expression is more strongly associated with liver fibrosis than interleukin-28B single nucleotide polymorphisms in hepatocellular carcinoma resected patients with chronic hepatitis C. <i>Hepatology Research</i> , 2013, 43, 1139-1147.	1.8	5
42	Impact of tumor size, number of tumors and neutrophil-to-lymphocyte ratio in liver transplantation for recurrent hepatocellular carcinoma. <i>Hepatology Research</i> , 2013, 43, 709-716.	1.8	74
43	Rendezvous Ductoplasty for Biliary Anastomotic Stricture After Living-Donor Liver Transplantation. <i>Transplantation</i> , 2013, 95, 1278-1283.	0.5	14
44	Neither <i>MICA</i> Nor <i>DEPDC5</i> Genetic Polymorphisms Correlate with Hepatocellular Carcinoma Recurrence following Hepatectomy. <i>HPB Surgery</i> , 2012, 2012, 1-6.	2.2	14
45	The Causes, Risk Factors, and Outcomes of Early Relaparotomy After Living-Donor Liver Transplantation. <i>Transplantation</i> , 2012, 94, 947-952.	0.5	24
46	Factors linked to longterm survival of patients with hepatocellular carcinoma accompanied by tumour thrombus in the major portal vein after surgical resection. <i>Hpb</i> , 2012, 14, 247-253.	0.1	20
47	Outcome of hepatectomy for hepatocellular carcinoma in patients with renal dysfunction. <i>Hpb</i> , 2012, 14, 317-324.	0.1	15
48	Localized pleural amyloidosis: report of a case. <i>Surgery Today</i> , 2012, 42, 597-600.	0.7	3
49	Bacterial Sepsis after Living Donor Liver Transplantation: The Impact of Early Enteral Nutrition. <i>Journal of the American College of Surgeons</i> , 2012, 214, 288-295.	0.2	60
50	En Bloc Stapling Division of the Gastroesophageal Vessels Controlling Portal Hemodynamic Status in Living Donor Liver Transplantation. <i>Journal of the American College of Surgeons</i> , 2012, 214, e53-e56.	0.2	11
51	Impact of up-to-seven criteria and neutrophil-to-lymphocyte ratio in liver transplantation for patients who received pretreatment for hepatocellular carcinoma.. <i>Journal of Clinical Oncology</i> , 2012, 30, e14536-e14536.	0.8	0
52	Surgical resection and its relationship to survival for recurrent hepatocellular carcinoma after living donor liver transplantation.. <i>Journal of Clinical Oncology</i> , 2012, 30, e14602-e14602.	0.8	0
53	Preoperative diagnostic value of single-balloon enteroscopy for successful surgical treatment of three independent-origin gastrointestinal malignant tumors: Report of a case. <i>Surgery Today</i> , 2011, 41, 1007-1010.	0.7	1
54	Increased Levels of Platelet-Associated Immunoglobulin G in a Patient With Pulmonary Adenocarcinoma. <i>Annals of Thoracic Surgery</i> , 2010, 89, 1272-1274.	0.7	0