Chun-Lei Wang

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9403948/publications.pdf Version: 2024-02-01

Version. 20210201



CHUN-LEI WANC

#	Article	IF	CITATIONS
1	Nitric Oxide Enhances Salt Tolerance in Tomato Seedlings by Regulating Endogenous S-nitrosylation Levels. Journal of Plant Growth Regulation, 2023, 42, 275-293.	2.8	15
2	Hydrogen Peroxide is Involved in Salicylic Acid-Induced Adventitious Rooting in Cucumber Under Cadmium Stress. Journal of Plant Biology, 2022, 65, 43-52.	0.9	10
3	Strigolactone is involved in nitric oxide-enhanced the salt resistance in tomato seedlings. Journal of Plant Research, 2022, 135, 337-350.	1.2	29
4	A sorbitol transporter gene plays specific role in the occurrence of watercore by modulating the level of intercellular sorbitol in pear. Plant Science, 2022, 317, 111179.	1.7	6
5	Genome-wide identification and expression analysis of serine hydroxymethyltransferase (<i>SHMT</i>) gene family in tomato (<i>Solanum lycopersicum</i>). PeerJ, 2022, 10, e12943.	0.9	9
6	Transcriptome and Metabolite Conjoint Analysis Reveals the Seed Dormancy Release Process in Callery Pear. International Journal of Molecular Sciences, 2022, 23, 2186.	1.8	8
7	An optimized method toÂobtain high-quality RNA from different tissues in Lilium davidii var. unicolor. Scientific Reports, 2022, 12, 2825.	1.6	8
8	Nitric Oxide Enhanced Salt Stress Tolerance in Tomato Seedlings, Involving Phytohormone Equilibrium and Photosynthesis. International Journal of Molecular Sciences, 2022, 23, 4539.	1.8	22
9	Watercore Pear Fruit Respiration Changed and Accumulated Î ³ -Aminobutyric Acid (GABA) in Response to Inner Hypoxia Stress. Genes, 2022, 13, 977.	1.0	3
10	Hydrogen Sulfide Improves the Vase Life and Quality of Cut Roses and Chrysanthemums. Journal of Plant Growth Regulation, 2021, 40, 2532-2547.	2.8	18
11	Genome-wide identification and expression analysis of the trehalose-6-phosphate synthase (<i>TPS</i>) gene family in cucumber (<i>Cucumis sativus</i> L.). PeerJ, 2021, 9, e11398.	0.9	28
12	Methaneâ€rich water induces bulblet formation of scale cuttings in <i>Lilium davidii</i> var. <i>unicolor</i> by regulating the signal transduction of phytohormones and their levels. Physiologia Plantarum, 2021, 172, 1919-1930.	2.6	11
13	Transcriptome and Metabolome Analyses Provide Insights into the Watercore Disorder on "Akibae― Pear Fruit. International Journal of Molecular Sciences, 2021, 22, 4911.	1.8	12
14	An integrated metabolic and transcriptomic analysis reveals the mechanism through which fruit bagging alleviates exocarp semi-russeting in pear fruit. Tree Physiology, 2021, 41, 1306-1318.	1.4	15
15	Hydrogen-rich water promotes the formation of bulblets in Lilium davidii var. unicolor through regulating sucrose and starch metabolism. Planta, 2021, 254, 106.	1.6	19
16	Turnover of diacylglycerol kinase 4 by cytoplasmic acidification induces vacuole morphological change and nuclear DNA degradation in the early stage of pear selfâ€incompatibility response. Journal of Integrative Plant Biology, 2021, 63, 2123-2135.	4.1	9
17	Hydrogen Sulfide in Plants: Crosstalk with Other Signal Molecules in Response to Abiotic Stresses. International Journal of Molecular Sciences, 2021, 22, 12068.	1.8	34
18	Deciphering Codon Usage Patterns in Genome of Cucumis sativus in Comparison with Nine Species of Cucurbitaceae. Agronomy, 2021, 11, 2289.	1.3	7

CHUN-LEI WANG

#	Article	IF	CITATIONS
19	Recent progress in the knowledge on the alleviating effect of nitric oxide on heavy metal stress in plants. Plant Physiology and Biochemistry, 2020, 147, 161-171.	2.8	50
20	Hydrogen gas alleviates postharvest senescence of cut rose â€~Movie star' by antagonizing ethylene. Plant Molecular Biology, 2020, 102, 271-285.	2.0	39
21	Sucrose synthase is involved in the carbohydrate metabolism-based regulation of seed dormancy release in Pyrus calleryana Decne. Journal of Horticultural Science and Biotechnology, 2020, 95, 590-599.	0.9	5
22	NO is involved in H2-induced adventitious rooting in cucumber by regulating the expression and interaction of plasma membrane H+-ATPase and 14-3-3. Planta, 2020, 252, 9.	1.6	20
23	Roles of nitric oxide in heavy metal stress in plants: Cross-talk with phytohormones and protein S-nitrosylation. Environmental Pollution, 2020, 259, 113943.	3.7	52
24	The role and proteomic analysis of ethylene in hydrogen gas-induced adventitious rooting development in cucumber (<i>Cucumis sativus</i> L.) explants. PeerJ, 2020, 8, e8896.	0.9	9
25	Roles of Small-Molecule Compounds in Plant Adventitious Root Development. Biomolecules, 2019, 9, 420.	1.8	20
26	Recent Progress in Protein <i>S</i> -Nitrosylation in Phytohormone Signaling. Plant and Cell Physiology, 2019, 60, 494-502.	1.5	18
27	Peroxisomal β-oxidation regulates histone acetylation and DNA methylation in <i>Arabidopsis</i> . Proceedings of the National Academy of Sciences of the United States of America, 2019, 116, 10576-10585.	3.3	32
28	SCR-22 of pollen-dominant S haplotype class is recessive to SCR-44 of pollen-recessive S haplotype class in Brassica rapa. Horticulture Research, 2019, 6, 25.	2.9	3
29	Protein S-nitrosylation in programmed cell death in plants. Cellular and Molecular Life Sciences, 2019, 76, 1877-1887.	2.4	17
30	Hydrogen gas promotes the adventitious rooting in cucumber under cadmium stress. PLoS ONE, 2019, 14, e0212639.	1.1	21
31	Research Progress on the Functions of Gasotransmitters in Plant Responses to Abiotic Stresses. Plants, 2019, 8, 605.	1.6	39
32	Comparative Proteomic Analysis during the Involvement of Nitric Oxide in Hydrogen Gas-Improved Postharvest Freshness in Cut Lilies. International Journal of Molecular Sciences, 2018, 19, 3955.	1.8	21
33	Hydrogen Sulfide: A Gaseous Molecule in Postharvest Freshness. Frontiers in Plant Science, 2018, 9, 1172.	1.7	75
34	SNF1-Related Protein Kinase (SnRK) 1 Involved in the Regulation of Raffinose Family Oligosaccharide Metabolism in Cucumber (Cucumis sativus L.) Calli. Journal of Plant Growth Regulation, 2016, 35, 851-864.	2.8	17
35	Effects of ALA on Photosynthesis, Antioxidant Enzyme Activity, and Gene Expression, and Regulation of Proline Accumulation in Tomato Seedlings Under NaCl Stress. Journal of Plant Growth Regulation, 2015, 34, 637-650.	2.8	49
36	Identification of a gene controlling variation in the salt tolerance of rapeseed (Brassica napus L.). Planta, 2015, 242, 313-326.	1.6	45

CHUN-LEI WANG

#	Article	IF	CITATIONS
37	Low temperature inhibits pollen tube growth by disruption of both tip-localized reactive oxygen species and endocytosis in Pyrus bretschneideri Rehd Plant Physiology and Biochemistry, 2014, 74, 255-262.	2.8	30
38	The genome of the pear (<i>Pyrus bretschneideri</i> Rehd.). Genome Research, 2013, 23, 396-408.	2.4	832
39	S genotyping in Japanese plum and sweet cherry by allele-specific hybridization using streptavidin-coated magnetic beads. Plant Cell Reports, 2013, 32, 567-576.	2.8	3
40	Molecular Determinants and Mechanisms of Gametophytic Self-Incompatibility in Fruit Trees of Rosaceae. Critical Reviews in Plant Sciences, 2013, 32, 53-68.	2.7	39
41	A cascade signal pathway occurs in self-incompatibility of <i>Pyrus pyrifolia</i> . Plant Signaling and Behavior, 2011, 6, 420-421.	1.2	17
42	S-RNase disrupts tip-localized reactive oxygen species and induces nuclear DNA degradation in in in incompatible pollen tubes of <i>Pyrus pyrifolia</i> . Journal of Cell Science, 2010, 123, 4301-4309.	1.2	116
43	Sâ€RNase triggers mitochondrial alteration and DNA degradation in the incompatible pollen tube of <i>Pyrus pyrifolia in vitro</i> . Plant Journal, 2009, 57, 220-229.	2.8	73