

Silvia Florescu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9406019/publications.pdf>

Version: 2024-02-01

59
papers

8,935
citations

172207

29
h-index

138251

58
g-index

59
all docs

59
docs citations

59
times ranked

13082
citing authors

#	ARTICLE	IF	CITATIONS
1	Childhood adversities and adult psychopathology in the WHO World Mental Health Surveys. <i>British Journal of Psychiatry</i> , 2010, 197, 378-385.	1.7	1,854
2	Trauma and PTSD in the WHO World Mental Health Surveys. <i>Hälgre Utbildning</i> , 2017, 8, 1353383.	1.4	801
3	Undertreatment of people with major depressive disorder in 21 countries. <i>British Journal of Psychiatry</i> , 2017, 210, 119-124.	1.7	664
4	Cross-National Analysis of the Associations among Mental Disorders and Suicidal Behavior: Findings from the WHO World Mental Health Surveys. <i>PLoS Medicine</i> , 2009, 6, e1000123.	3.9	592
5	Twelve-Month Prevalence of and Risk Factors for Suicide Attempts in the World Health Organization World Mental Health Surveys. <i>Journal of Clinical Psychiatry</i> , 2010, 71, 1617-1628.	1.1	566
6	The descriptive epidemiology of DSM-IV Adult ADHD in the World Health Organization World Mental Health Surveys. <i>ADHD Attention Deficit and Hyperactivity Disorders</i> , 2017, 9, 47-65.	1.7	507
7	Psychotic Experiences in the General Population. <i>JAMA Psychiatry</i> , 2015, 72, 697.	6.0	387
8	Association of Mental Disorders With Subsequent Chronic Physical Conditions. <i>JAMA Psychiatry</i> , 2016, 73, 150.	6.0	372
9	Treatment gap for anxiety disorders is global: Results of the World Mental Health Surveys in 21 countries. <i>Depression and Anxiety</i> , 2018, 35, 195-208.	2.0	318
10	Cross-sectional Comparison of the Epidemiology of <i>DSM-5</i> Generalized Anxiety Disorder Across the Globe. <i>JAMA Psychiatry</i> , 2017, 74, 465.	6.0	274
11	The cross-national epidemiology of social anxiety disorder: Data from the World Mental Health Survey Initiative. <i>BMC Medicine</i> , 2017, 15, 143.	2.3	258
12	Parent psychopathology and offspring mental disorders: Results from the WHO World Mental Health Surveys. <i>British Journal of Psychiatry</i> , 2012, 200, 290-299.	1.7	201
13	Gender differences in mental disorders and suicidality in Europe: Results from a large cross-sectional population-based study. <i>Journal of Affective Disorders</i> , 2015, 173, 245-254.	2.0	181
14	The Bidirectional Associations Between Psychotic Experiences and DSM-IV Mental Disorders. <i>American Journal of Psychiatry</i> , 2016, 173, 997-1006.	4.0	176
15	Estimating treatment coverage for people with substance use disorders: an analysis of data from the World Mental Health Surveys. <i>World Psychiatry</i> , 2017, 16, 299-307.	4.8	160
16	â€˜Are The Times Aâ€™Changinâ€™? Trends in adolescent substance use in Europe. <i>Addiction</i> , 2018, 113, 1317-1332	2.7	121
17	Associations between Lifetime Traumatic Events and Subsequent Chronic Physical Conditions: A Cross-National, Cross-Sectional Study. <i>PLoS ONE</i> , 2013, 8, e80573.	1.1	119
18	Childhood adversities and post-traumatic stress disorder: evidence for stress sensitisation in the World Mental Health Surveys. <i>British Journal of Psychiatry</i> , 2017, 211, 280-288.	1.7	118

#	ARTICLE	IF	CITATIONS
19	Associations between mental disorders and subsequent onset of hypertension. <i>General Hospital Psychiatry</i> , 2014, 36, 142-149.	1.2	102
20	Pediatric-Onset and Adult-Onset Separation Anxiety Disorder Across Countries in the World Mental Health Survey. <i>American Journal of Psychiatry</i> , 2015, 172, 647-656.	4.0	100
21	Age of Onset and Lifetime Projected Risk of Psychotic Experiences: Cross-National Data From the World Mental Health Survey. <i>Schizophrenia Bulletin</i> , 2016, 42, 933-941.	2.3	94
22	Trauma and psychotic experiences: transnational data from the World Mental Health Survey. <i>British Journal of Psychiatry</i> , 2017, 211, 373-380.	1.7	82
23	Suicidal thoughts and behaviors among college students and same-aged peers: results from the World Health Organization World Mental Health Surveys. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2018, 53, 279-288.	1.6	79
24	Association Between Psychotic Experiences and Subsequent Suicidal Thoughts and Behaviors. <i>JAMA Psychiatry</i> , 2017, 74, 1136.	6.0	75
25	Drop out from out-patient mental healthcare in the World Health Organization's World Mental Health Survey initiative. <i>British Journal of Psychiatry</i> , 2013, 202, 42-49.	1.7	67
26	Are there gender differences in service use for mental disorders across countries in the European Union? Results from the EU-World Mental Health survey. <i>Journal of Epidemiology and Community Health</i> , 2014, 68, 649-656.	2.0	57
27	The associations between psychotic experiences and substance use and substance use disorders: findings from the World Health Organization World Mental Health surveys. <i>Addiction</i> , 2018, 113, 924-934.	1.7	56
28	Findings From World Mental Health Surveys of the Perceived Helpfulness of Treatment for Patients With Major Depressive Disorder. <i>JAMA Psychiatry</i> , 2020, 77, 830.	6.0	53
29	A Cross-national Examination of Differences in Classification of Lifetime Alcohol Use Disorder Between DSM-IV and DSM-5: Findings from the World Mental Health Survey. <i>Alcoholism: Clinical and Experimental Research</i> , 2016, 40, 1728-1736.	1.4	35
30	Post-traumatic stress disorder associated with life-threatening motor vehicle collisions in the WHO World Mental Health Surveys. <i>BMC Psychiatry</i> , 2016, 16, 257.	1.1	34
31	Posttraumatic stress disorder associated with unexpected death of a loved one: Cross-national findings from the world mental health surveys. <i>Depression and Anxiety</i> , 2017, 34, 315-326.	2.0	33
32	Previous Mental Disorders and Subsequent Onset of Chronic Back or Neck Pain: Findings From 19 Countries. <i>Journal of Pain</i> , 2018, 19, 99-110.	0.7	32
33	The Associations Between Preexisting Mental Disorders and Subsequent Onset of Chronic Headaches: A Worldwide Epidemiologic Perspective. <i>Journal of Pain</i> , 2015, 16, 42-52.	0.7	29
34	Psychotic experiences and general medical conditions: a cross-national analysis based on 28 002 respondents from 16 countries in the WHO World Mental Health Surveys. <i>Psychological Medicine</i> , 2018, 48, 2730-2739.	2.7	27
35	Cross-national patterns of substance use disorder treatment and associations with mental disorder comorbidity in the WHO World Mental Health Surveys. <i>Addiction</i> , 2019, 114, 1446-1459.	1.7	27
36	Disability Mediates the Impact of Common Conditions on Perceived Health. <i>PLoS ONE</i> , 2013, 8, e65858.	1.1	27

#	ARTICLE	IF	CITATIONS
37	Childhood generalized specific phobia as an early marker of internalizing psychopathology across the lifespan: results from the World Mental Health Surveys. <i>BMC Medicine</i> , 2019, 17, 101.	2.3	24
38	Toward measuring effective treatment coverage: critical bottlenecks in quality- and user-adjusted coverage for major depressive disorder. <i>Psychological Medicine</i> , 2022, 52, 1948-1958.	2.7	23
39	A comparison of <i>DSM</i> 5 and <i>DSM</i> IV agoraphobia in the World Mental Health Surveys. <i>Depression and Anxiety</i> , 2019, 36, 499-510.	2.0	22
40	Under-reporting bipolar disorder in large-scale epidemiologic studies. <i>Journal of Affective Disorders</i> , 2014, 159, 147-154.	2.0	21
41	Patterns of care and dropout rates from outpatient mental healthcare in low-, middle- and high-income countries from the World Health Organization's World Mental Health Survey Initiative. <i>Psychological Medicine</i> , 2021, 51, 2104-2116.	2.7	21
42	The association between psychotic experiences and health-related quality of life: a cross-national analysis based on World Mental Health Surveys. <i>Schizophrenia Research</i> , 2018, 201, 46-53.	1.1	20
43	Patterns and correlates of patient-reported helpfulness of treatment for common mental and substance use disorders in the <sc>WHO</sc> World Mental Health Surveys. <i>World Psychiatry</i> , 2022, 21, 272-286.	4.8	16
44	Alcohol abuse in developed and developing countries in the World Mental Health Surveys: Socially defined consequences or psychiatric disorder?. <i>American Journal on Addictions</i> , 2014, 23, 145-155.	1.3	15
45	Substance dependence among those without symptoms of substance abuse in the World Mental Health Survey. <i>International Journal of Methods in Psychiatric Research</i> , 2017, 26, .	1.1	13
46	Gender differences in common mental disorders: a comparison of social risk factors across four European welfare regimes. <i>European Journal of Public Health</i> , 2019, 29, 481-487.	0.1	13
47	Associations between DSM-IV mental disorders and subsequent COPD diagnosis. <i>Journal of Psychosomatic Research</i> , 2015, 79, 333-339.	1.2	12
48	Perceived helpfulness of treatment for generalized anxiety disorder: a World Mental Health Surveys report. <i>BMC Psychiatry</i> , 2021, 21, 392.	1.1	10
49	Perceived helpfulness of treatment for specific phobia: Findings from the World Mental Health Surveys. <i>Journal of Affective Disorders</i> , 2021, 288, 199-209.	2.0	9
50	Antidepressant use in low- middle- and high-income countries: a World Mental Health Surveys report. <i>Psychological Medicine</i> , 2023, 53, 1583-1591.	2.7	8
51	Perceived helpfulness of treatment for social anxiety disorder: findings from the WHO World Mental Health Surveys. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2022, 57, 2079-2095.	1.6	7
52	Associations between DSM-IV mental disorders and subsequent onset of arthritis. <i>Journal of Psychosomatic Research</i> , 2016, 82, 11-16.	1.2	6
53	Health conditions and role limitation in three European Regions: a public-health perspective. <i>Gaceta Sanitaria</i> , 2017, 31, 2-10.	0.6	6
54	Perceived helpfulness of treatment for alcohol use disorders: Findings from the World Mental Health Surveys. <i>Drug and Alcohol Dependence</i> , 2021, 229, 109158.	1.6	3

#	ARTICLE	IF	CITATIONS
55	Previous disorders and depression outcomes in individuals with 12-month major depressive disorder in the World Mental Health surveys. <i>Epidemiology and Psychiatric Sciences</i> , 2021, 30, e70.	1.8	3
56	Perceived helpfulness of service sectors used for mental and substance use disorders: Findings from the WHO World Mental Health Surveys. <i>International Journal of Mental Health Systems</i> , 2022, 16, 6.	1.1	3
57	Transdiagnostic development of internalizing psychopathology throughout the life course up to age 45: a World Mental Health Surveys report. <i>Psychological Medicine</i> , 2020, , 1-10.	2.7	1
58	Determinants of effective treatment coverage for major depressive disorder in the WHO World Mental Health Surveys. <i>International Journal of Mental Health Systems</i> , 2022, 16, .	1.1	1
59	Psychotic Experiences. , 0, , 286-296.		0