
Jonas Bjerring Olesen

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9406367/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Validation of risk stratification schemes for predicting stroke and thromboembolism in patients with atrial fibrillation: nationwide cohort study. BMJ: British Medical Journal, 2011, 342, d124-d124.	2.4	1,143
2	Stroke and Bleeding in Atrial Fibrillation with Chronic Kidney Disease. New England Journal of Medicine, 2012, 367, 625-635.	13.9	795
3	The value of the CHA2DS2-VASc score for refining stroke risk stratification in patients with atrial fibrillation with a CHADS2 score 0–1: A nationwide cohort study. Thrombosis and Haemostasis, 2012, 107, 1172-1179.	1.8	414
4	Risks of thromboembolism and bleeding with thromboprophylaxis in patients with atrial fibrillation: A net clinical benefit analysis using a â€real world' nationwide cohort study. Thrombosis and Haemostasis, 2011, 106, 739-749.	1.8	393
5	Bleeding After Initiation of Multiple Antithrombotic Drugs, Including Triple Therapy, in Atrial Fibrillation Patients Following Myocardial Infarction and Coronary Intervention. Circulation, 2012, 126, 1185-1193.	1.6	381
6	Duration of Treatment With Nonsteroidal Anti-Inflammatory Drugs and Impact on Risk of Death and Recurrent Myocardial Infarction in Patients With Prior Myocardial Infarction. Circulation, 2011, 123, 2226-2235.	1.6	291
7	Net Clinical Benefit of Antithrombotic Therapy inÂPatients With Atrial Fibrillation and ChronicÂKidney Disease. Journal of the American College of Cardiology, 2014, 64, 2471-2482.	1.2	259
8	Non-vitamin K antagonist oral anticoagulation agents in anticoagulant naive atrial fibrillation patients: Danish nationwide descriptive data 2011-2013. Europace, 2015, 17, 187-193.	0.7	152
9	Increased use of oral anticoagulants in patients with atrial fibrillation: temporal trends from 2005 to 2015 in Denmark. European Heart Journal, 2017, 38, ehw658.	1.0	142
10	Major Bleeding Complications and Persistence With Oral Anticoagulation in Nonâ€Valvular Atrial Fibrillation: Contemporary Findings in Realâ€Life Danish Patients. Journal of the American Heart Association, 2017, 6, .	1.6	109
11	Long-Term Cardiovascular Risk of Nonsteroidal Anti-Inflammatory Drug Use According to Time Passed After First-Time Myocardial Infarction. Circulation, 2012, 126, 1955-1963.	1.6	102
12	Thromboembolic risk in 16 274 atrial fibrillation patients undergoing direct current cardioversion with and without oral anticoagulant therapy. Europace, 2015, 17, 18-23.	0.7	102
13	Risk Factors for Stroke and Thromboembolism in Relation to Age Among Patients With Atrial Fibrillation. Chest, 2012, 141, 147-153.	0.4	96
14	Effects of epilepsy and selected antiepileptic drugs on risk of myocardial infarction, stroke, and death in patients with or without previous stroke: a nationwide cohort study. Pharmacoepidemiology and Drug Safety, 2011, 20, 964-971.	0.9	82
15	Relation of Nonsteroidal Anti-inflammatory Drugs to Serious Bleeding and Thromboembolism Risk in Patients With Atrial Fibrillation Receiving Antithrombotic Therapy. Annals of Internal Medicine, 2014, 161, 690.	2.0	81
16	Ischaemic and haemorrhagic stroke associated with non-vitamin K antagonist oral anticoagulants and warfarin use in patients with atrial fibrillation: a nationwide cohort study. European Heart Journal, 2016, 38, ehw496.	1.0	74
17	Vascular Disease and Stroke Risk in Atrial Fibrillation: A Nationwide Cohort Study. American Journal of Medicine, 2012, 125, 826.e13-826.e23.	0.6	73
18	Risk of Myocardial Infarction in Anticoagulated Patients With AtrialÂFibrillation. Journal of the American College of Cardiology, 2018, 72, 17-26.	1.2	47

#	Article	IF	CITATIONS
19	Renal Function and the Risk of Stroke and Bleeding in Patients With Atrial Fibrillation. Stroke, 2016, 47, 2707-2713.	1.0	45
20	Atrial fibrillation and risk of stroke: a nationwide cohort study. Europace, 2016, 18, 1689-1697.	0.7	45
21	Combining Oral Anticoagulants With Platelet Inhibitors in Patients With AtrialÂFibrillation and Coronary Disease. Journal of the American College of Cardiology, 2018, 72, 1790-1800.	1.2	41
22	Osteoporotic Fractures in Patients With Atrial Fibrillation Treated With Conventional Versus Direct Anticoagulants. Journal of the American College of Cardiology, 2019, 74, 2150-2158.	1.2	37
23	Temporal trends in initiation of VKA, rivaroxaban, apixaban and dabigatran for the treatment of venous thromboembolism - A Danish nationwide cohort study. Scientific Reports, 2017, 7, 3347.	1.6	36
24	Cardioversion and Risk of Adverse Events with Dabigatran versus Warfarin—A Nationwide Cohort Study. PLoS ONE, 2015, 10, e0141377.	1.1	31
25	Oral anticoagulation among atrial fibrillation patients with anaemia: an observational cohort study. European Heart Journal, 2019, 40, 3782-3790.	1.0	29
26	Risk of gastrointestinal adverse effects of dabigatran compared with warfarin among patients with atrial fibrillation: a nationwide cohort study. Europace, 2015, 17, 1215-1222.	0.7	28
27	Resumption of oral anticoagulation following traumatic injury and risk of stroke and bleeding in patients with atrial fibrillation: a nationwide cohort study. European Heart Journal, 2018, 39, 1698-1705a.	1.0	28
28	Atrial Fibrillation and Vascular Disease—A Bad Combination. Clinical Cardiology, 2012, 35, 15-20.	0.7	27
29	Dialysis-Requiring Acute Kidney Injury in Denmark 2000-2012: Time Trends of Incidence and Prevalence of Risk Factors—A Nationwide Study. PLoS ONE, 2016, 11, e0148809.	1.1	27
30	One-year outcomes in atrial fibrillation presenting during infections: a nationwide registry-based study. European Heart Journal, 2020, 41, 1112-1119.	1.0	27
31	Prestroke and Poststroke Antithrombotic Therapy in Patients With Atrial Fibrillation. JAMA Network Open, 2018, 1, e180171.	2.8	25
32	Shifting to a non-vitamin K antagonist oral anticoagulation agent from vitamin K antagonist in atrial fibrillation. Europace, 2018, 20, e78-e86.	0.7	22
33	Renal Function, Time in Therapeutic Range and Outcomes in Warfarin-Treated Atrial Fibrillation Patients: A Retrospective Analysis of Nationwide Registries. Thrombosis and Haemostasis, 2017, 117, 2291-2299.	1.8	21
34	Risk of incident atrial fibrillation in patients presenting with retinal artery or vein occlusion: a nationwide cohort study. BMC Cardiovascular Disorders, 2018, 18, 91.	0.7	21
35	Rivaroxaban Versus Apixaban for Stroke Prevention in Atrial Fibrillation. Circulation: Cardiovascular Quality and Outcomes, 2020, 13, e006058.	0.9	21
36	Symptomatic Venous Thromboembolism Following Fractures Distal to the Knee. Journal of Bone and Joint Surgery - Series A, 2015, 97, 470-477.	1.4	20

#	Article	IF	CITATIONS
37	Safety and effectiveness of rivaroxaban and apixaban in patients with venous thromboembolism: a nationwide study. European Heart Journal - Cardiovascular Pharmacotherapy, 2018, 4, 220-227.	1.4	20
38	Risk of gastrointestinal bleeding associated with oral anticoagulation and non-steroidal anti-inflammatory drugs in patients with atrial fibrillation: a nationwide study. European Heart Journal - Cardiovascular Pharmacotherapy, 2020, 6, 292-300.	1.4	20
39	Antithrombotic Therapy and FirstÂMyocardialÂInfarction in PatientsÂWithÂAtrialÂFibrillation. Journal of the American College of Cardiology, 2017, 69, 2901-2909.	1.2	19
40	Safety and efficacy of direct oral anticoagulants compared to warfarin for extended treatment of venous thromboembolism -a systematic review and meta-analysis. Thrombosis Research, 2015, 136, 732-738.	0.8	18
41	Outcomes Among Patients With AtrialÂFibrillation and Appropriate Anticoagulation Control. Journal of the American College of Cardiology, 2018, 72, 1357-1365.	1.2	18
42	Trends in One-Year Outcomes of Dialysis-Requiring Acute Kidney Injury in Denmark 2005-2012: A Population-Based Nationwide Study. PLoS ONE, 2016, 11, e0159944.	1.1	18
43	Use of oral anticoagulants in combination with antiplatelet(s) in atrial fibrillation. Heart, 2018, 104, 912-920.	1.2	16
44	All-cause mortality, stroke, and bleeding in patients with atrial fibrillation and valvular heart disease. European Heart Journal - Cardiovascular Pharmacotherapy, 2021, 7, f93-f100.	1.4	16
45	Non-vitamin K antagonist oral anticoagulants vs. vitamin-K antagonists in patients with atrial fibrillation and chronic kidney disease: a nationwide cohort study. Thrombosis Journal, 2019, 17, 21.	0.9	14
46	Assessing absolute stroke risk in patients with atrial fibrillation using a risk factor-based approach. European Heart Journal - Cardiovascular Pharmacotherapy, 2021, 7, f3-f10.	1.4	13
47	Substantial differences in initiation of oral anticoagulant therapy and clinical outcome among non-valvular atrial fibrillation patients treated in inpatient and outpatient settings. Europace, 2016, 18, 492-500.	0.7	11
48	Dose reduction of non-vitamin K antagonist oral anticoagulants in patients with atrial fibrillation: A Danish nationwide cohort study. Thrombosis Research, 2019, 178, 101-109.	0.8	11
49	Comparative thromboembolic risk in atrial fibrillation with and without a secondary precipitant—Danish nationwide cohort study. BMJ Open, 2019, 9, e028468.	0.8	11
50	Outcomes Associated With Familial Versus Nonfamilial Atrial Fibrillation: A Matched Nationwide Cohort Study. Journal of the American Heart Association, 2016, 5, .	1.6	10
51	Comparison of antiplatelet regimens in secondary stroke prevention: a nationwide cohort study. BMC Neurology, 2015, 15, 225.	0.8	9
52	The importance of time in therapeutic range in switching from vitamin K antagonist to non-vitamin K antagonist oral anticoagulants in atrial fibrillation. Europace, 2019, 21, 572-580.	0.7	9
53	Benefit of Clopidogrel Therapy in Patients With Myocardial Infarction and Chronic Kidney Disease—A Danish Nationâ€Wide Cohort Study. Journal of the American Heart Association, 2014, 3, .	1.6	6
54	Effect of government interventions to contain the COVID-19 pandemic on incidence of pulmonary embolism - A Danish nationwide register-based cohort study. Thrombosis Research, 2021, 199, 97-100.	0.8	6

#	Article	IF	CITATIONS
55	Risk and benefit of dual antiplatelet treatment among non-revascularized myocardial infarction patients in different age groups. European Heart Journal: Acute Cardiovascular Care, 2017, 6, 511-521.	0.4	5
56	Comparative thromboembolic risk in atrial fibrillation patients with and without a concurrent infection. American Heart Journal, 2018, 204, 43-51.	1.2	4
57	Validation of registration of pharmacological treatment in the Danish Hip and Knee Arthroplasty Registers. Basic and Clinical Pharmacology and Toxicology, 2021, 128, 455-462.	1.2	4
58	Switching from vitamin K antagonist to dabigatran in atrial fibrillation: differences according to dose. European Heart Journal - Cardiovascular Pharmacotherapy, 2021, 7, 20-30.	1.4	4
59	The atrial fibrillation epidemic: a validated diagnosis, or not?. Europace, 2014, 16, 1701-1702.	0.7	3
60	Predicted risk of stroke and bleeding and use of oral anticoagulants in atrial fibrillation: Danish nationwide temporal trends 2011–2016. Thrombosis Research, 2017, 160, 19-26.	0.8	3
61	Discontinuation of direct oral anticoagulants among patients with atrial fibrillation according to gender and cohabitation status: a nationwide cohort study. European Heart Journal - Cardiovascular Pharmacotherapy, 2022, 8, 353-362.	1.4	3
62	Thromboembolic and bleeding complications following primary total knee arthroplasty. Bone and Joint Journal, 2021, 103-B, 1571-1577.	1.9	3
63	Risk of Ischemic Stroke, Hemorrhagic Stroke, Bleeding, and Death in Patients Switching from Vitamin K Antagonist to Dabigatran after an Ablation. PLoS ONE, 2016, 11, e0161768.	1.1	2
64	Familial Clustering of Venous Thromboembolism – A Danish Nationwide Cohort Study. PLoS ONE, 2016, 11, e0169055.	1.1	1
65	Real-world effectiveness and safety of pharmacological thromboprophylaxis in patients undergoing primary total hip and knee arthroplasty: A narrative review. Journal of Orthopaedics, 2020, 19, 166-173.	0.6	1
66	SaO028BONE FRACTURES IN PATIENTS ON RENAL REPLACEMENT THERAPY: DOES DIABETES INCREASE THE RISK?. Nephrology Dialysis Transplantation, 2019, 34, .	0.4	0
67	Secondary stroke prophylaxis in atrial fibrillation patients with chronic kidney disease: a nationwide cohort study. Europace, 2020, 22, 716-723.	0.7	0
68	When Oral Anticoagulation BecomesÂDifficult. Journal of the American College of Cardiology, 2020, 75, 1309-1310.	1.2	0
69	MO503SAFETY AND EFFICACY OF ANTICOAGULATION IN PATIENTS WITH EGFR<30 ML/MIN/1.73 M2 AND ATRIAL FIBRILLATION. Nephrology Dialysis Transplantation, 2021, 36, .	0.4	0
70	MO483CHA2DS2-VASC SCORE IN PATIENTS WITH EGFR<30 ML/MIN/1.73 M2 AND ATRIAL FIBRILLATION*. Nephrology Dialysis Transplantation, 2021, 36, .	0.4	0
71	Diabetes increases the risk of bone fractures in patients on kidney replacement therapy: A Danish national cohort study. Bone, 2021, 153, 116158.	1.4	0