

Kunihiko Hayashi

List of Publications by Citations

Source: <https://exaly.com/author-pdf/9406641/kunihiko-hayashi-publications-by-citations.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

105
papers

2,531
citations

29
h-index

47
g-index

112
ext. papers

3,019
ext. citations

3.6
avg, IF

4.65
L-index

#	Paper	IF	Citations
105	An epidemiological survey of overactive bladder symptoms in Japan. <i>BJU International</i> , 2005 , 96, 1314-8	5.6	161
104	Epidemiologic survey of lower urinary tract symptoms in Japan. <i>Urology</i> , 2006 , 68, 560-4	1.6	132
103	A randomized, placebo-controlled clinical trial of tacrolimus ophthalmic suspension 0.1% in severe allergic conjunctivitis. <i>Journal of Ocular Pharmacology and Therapeutics</i> , 2010 , 26, 165-74	2.6	111
102	Age at natural menopause and risk of incident cardiovascular disease: a pooled analysis of individual patient data. <i>Lancet Public Health</i> , 2019 , 4, e553-e564	22.4	106
101	Factors associated with premature ovarian failure, early menopause and earlier onset of menopause in Japanese women. <i>Maturitas</i> , 2012 , 72, 249-55	5	99
100	Sarpogrelate-Aspirin Comparative Clinical Study for Efficacy and Safety in Secondary Prevention of Cerebral Infarction (S-ACCESS): A randomized, double-blind, aspirin-controlled trial. <i>Stroke</i> , 2008 , 39, 1827-33	6.7	95
99	Effects of the CYP2D6 genotype on the steady-state plasma concentrations of haloperidol and reduced haloperidol in Japanese schizophrenic patients. <i>Pharmacogenetics and Genomics</i> , 1997 , 7, 415-8		82
98	Early menarche, nulliparity and the risk for premature and early natural menopause. <i>Human Reproduction</i> , 2017 , 32, 679-686	5.7	80
97	Effect of home exercise of quadriceps on knee osteoarthritis compared with nonsteroidal antiinflammatory drugs: a randomized controlled trial. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2008 , 87, 258-69	2.6	60
96	Changes in attitudes toward interprofessional health care teams and education in the first- and third-year undergraduate students. <i>Journal of Interprofessional Care</i> , 2012 , 26, 100-7	2.7	59
95	Effect of electrical stimulation on musculoskeletal systems; a meta-analysis of controlled clinical trials. <i>Bioelectromagnetics</i> , 2002 , 23, 132-43	1.6	59
94	Independent association between age at natural menopause and hypercholesterolemia, hypertension, and diabetes mellitus: Japan nurses' health study. <i>Journal of Atherosclerosis and Thrombosis</i> , 2013 , 20, 161-9	4	56
93	Multicenter randomized controlled trial to evaluate the effect of home-based exercise on patients with chronic low back pain: the Japan low back pain exercise therapy study. <i>Spine</i> , 2010 , 35, E811-9	3.3	55
92	Evaluation of a Japanese version of the Mini-Mental State Examination in elderly persons. <i>Geriatrics and Gerontology International</i> , 2012 , 12, 310-6	2.9	53
91	Intra-articular hyaluronic acid injection versus oral non-steroidal anti-inflammatory drug for the treatment of knee osteoarthritis: a multi-center, randomized, open-label, non-inferiority trial. <i>Arthritis Research and Therapy</i> , 2014 , 16, R18	5.7	52
90	Cerebral hypoperfusion and hypometabolism with altered striatal signal intensity in chorea-acanthocytosis: a combined PET and MRI study. <i>Movement Disorders</i> , 1998 , 13, 100-7	7	49
89	Secular trends in age at menarche and time to establish regular menstrual cycling in Japanese women born between 1930 and 1985. <i>BMC Women's Health</i> , 2012 , 12, 19	2.9	48

88	Comparison of risk factors for placental abruption and placenta previa: case-cohort study. <i>Journal of Obstetrics and Gynaecology Research</i> , 2011 , 37, 538-46	1.9	48
87	Blood pressure-lowering effect of Shinrin-yoku (Forest bathing): a systematic review and meta-analysis. <i>BMC Complementary and Alternative Medicine</i> , 2017 , 17, 409	4.7	46
86	Survival of multiple myeloma patients aged 65-70 years in the era of novel agents and autologous stem cell transplantation. A multicenter retrospective collaborative study of the Japanese Society of Myeloma and the European Myeloma Network. <i>Acta Haematologica</i> , 2014 , 132, 211-9	2.7	43
85	Design of the Japan Nurses' Health Study: a prospective occupational cohort study of women's health in Japan. <i>Industrial Health</i> , 2007 , 45, 679-86	2.5	43
84	Smoking during pregnancy increases risks of various obstetric complications: a case-cohort study of the Japan Perinatal Registry Network database. <i>Journal of Epidemiology</i> , 2011 , 21, 61-6	3.4	42
83	Relationships between intensity, duration, cumulative dose, and timing of smoking with age at menopause: A pooled analysis of individual data from 17 observational studies. <i>PLoS Medicine</i> , 2018 , 15, e1002704	11.6	42
82	Obstetrical Complications in Women with Endometriosis: A Cohort Study in Japan. <i>PLoS ONE</i> , 2016 , 11, e0168476	3.7	41
81	Effects of glucosamine in patients with osteoarthritis of the knee: a systematic review and meta-analysis. <i>Clinical Rheumatology</i> , 2018 , 37, 2479-2487	3.9	33
80	Attitudes toward interprofessional healthcare teams: a comparison between undergraduate students and alumni. <i>Journal of Interprofessional Care</i> , 2013 , 27, 261-8	2.7	33
79	Is endometriosis really associated with pain?. <i>Gynecologic and Obstetric Investigation</i> , 2002 , 54 Suppl 1, 18-21; discussion 21-3	2.5	31
78	InterLACE: A New International Collaboration for a Life Course Approach to Women's Reproductive Health and Chronic Disease Events. <i>Maturitas</i> , 2013 , 74, 235-40	5	30
77	Impact of maternal age on the incidence of obstetrical complications in Japan. <i>Journal of Obstetrics and Gynaecology Research</i> , 2011 , 37, 1409-14	1.9	30
76	Combined eating behaviors and overweight: Eating quickly, late evening meals, and skipping breakfast. <i>Eating Behaviors</i> , 2016 , 21, 84-8	3	29
75	Prevalence of locomotive syndrome in Japan: a nationwide, cross-sectional Internet survey. <i>Journal of Orthopaedic Science</i> , 2014 , 19, 792-7	1.6	29
74	Electrical stimulation as an adjunct to spinal fusion: a meta-analysis of controlled clinical trials. <i>Bioelectromagnetics</i> , 2002 , 23, 496-504	1.6	26
73	Effects of Coffee and Tea Consumption on Glucose Metabolism: A Systematic Review and Network Meta-Analysis. <i>Nutrients</i> , 2018 , 11,	6.7	26
72	Impact of birth weight on adult-onset diabetes mellitus in relation to current body mass index: The Japan Nurses' Health Study. <i>Journal of Epidemiology</i> , 2017 , 27, 428-434	3.4	24
71	Association of endometriosis-related infertility with age at menopause. <i>Maturitas</i> , 2011 , 69, 279-83	5	24

70	Premenopausal cardiovascular disease and age at natural menopause: a pooled analysis of over 170,000 women. <i>European Journal of Epidemiology</i> , 2019 , 34, 235-246	12.1	23
69	Pregnancy-induced hypertension is associated with maternal history and a risk of cardiovascular disease in later life: Japanese cross-sectional study. <i>Maturitas</i> , 2013 , 75, 227-31	5	23
68	Clinical characteristics of patients in Japan with ovarian cancer presumably arising from ovarian endometrioma. <i>Gynecologic and Obstetric Investigation</i> , 2014 , 77, 104-10	2.5	23
67	Subjective quality of life and positive appraisal of care among Japanese family caregivers of older adults. <i>Quality of Life Research</i> , 2004 , 13, 207-21	3.7	22
66	Smoking cessation in pregnancy: psychosocial interventions and patient-focused perspectives. <i>International Journal of Women's Health</i> , 2015 , 7, 415-27	2.8	21
65	The InterLACE study: Design, data harmonization and characteristics across 20 studies on women's health. <i>Maturitas</i> , 2016 , 92, 176-185	5	21
64	The effect of balneotherapy on pain relief, stiffness, and physical function in patients with osteoarthritis of the knee: a meta-analysis. <i>Clinical Rheumatology</i> , 2017 , 36, 1839-1847	3.9	20
63	The Internalized Stigma of Mental Illness (ISMI) scale: validation of the Japanese version. <i>BMC Psychiatry</i> , 2016 , 16, 116	4.2	20
62	Acute kidney injury and edaravone in acute ischemic stroke: the Fukuoka Stroke Registry. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2013 , 22, e470-6	2.8	20
61	Abbey Pain Scale: development and validation of the Japanese version. <i>Geriatrics and Gerontology International</i> , 2010 , 10, 145-53	2.9	20
60	Ovarian infertility is associated with cardiovascular disease risk factors in later life: A Japanese cross-sectional study. <i>Maturitas</i> , 2016 , 83, 33-9	5	19
59	Adverse obstetrical outcomes for women with endometriosis and adenomyosis: A large cohort of the Japan Environment and Children's Study. <i>PLoS ONE</i> , 2019 , 14, e0220256	3.7	19
58	Methylation status of fragile histidine triad (FHIT) gene and its clinical impact on prognosis of patients with multiple myeloma. <i>European Journal of Haematology</i> , 2005 , 75, 505-10	3.8	19
57	Disease history and risk of comorbidity in women's life course: a comprehensive analysis of the Japan Nurses' Health Study baseline survey. <i>BMJ Open</i> , 2015 , 5, e006360	3	18
56	Comparison of risk factors for major obstetric complications between Western countries and Japan: a case-cohort study. <i>Journal of Obstetrics and Gynaecology Research</i> , 2011 , 37, 1447-54	1.9	17
55	Randomized trial comparing low-dose hormone replacement therapy and HRT plus 1alpha-OH-vitamin D3 (alfacalcidol) for treatment of postmenopausal bone loss. <i>Journal of Bone and Mineral Metabolism</i> , 2006 , 24, 11-5	2.9	17
54	Prevalence of diseases and statistical power of the Japan Nurses' Health Study. <i>Industrial Health</i> , 2007 , 45, 687-94	2.5	16
53	Japanese and American reports of randomized trials: differences in the reporting of adverse effects. <i>Contemporary Clinical Trials</i> , 1996 , 17, 99-110		16

52	Effects of dietary habits and CYP1A1 polymorphisms on blood dioxin concentrations in Japanese men. <i>Chemosphere</i> , 2003 , 52, 213-9	8.4	15
51	Effects of genetically determined S-mephenytoin 4-hydroxylation status and cigarette smoking on the single-dose pharmacokinetics of oral alprazolam. <i>Neuropsychopharmacology</i> , 1997 , 16, 8-14	8.7	13
50	Is the national nutrition survey in Japan representative of the entire Japanese population?. <i>Nutrition</i> , 2005 , 21, 964-6	4.8	13
49	Risk profiles for endometriosis in Japanese women: results from a repeated survey of self-reports. <i>Journal of Epidemiology</i> , 2015 , 25, 194-203	3.4	12
48	Development of a Japanese quality of life instrument for older adults experiencing dementia (QLDJ). <i>International Journal of Aging and Human Development</i> , 2002 , 55, 71-95	1.8	12
47	Sleepiness during shift work in Japanese nurses: A comparison study using JESS, SSS, and actigraphy. <i>Sleep and Biological Rhythms</i> , 2012 , 10, 109-117	1.3	11
46	Factors of positive appraisal of care among Japanese family caregivers of older adults. <i>Research in Nursing and Health</i> , 2003 , 26, 337-50	2	11
45	Association between cancer screening behavior and family history among Japanese women. <i>Preventive Medicine</i> , 2013 , 56, 293-8	4.3	8
44	Optimal cut-off value for equol-producing status in women: The Japan Nurses' Health Study urinary isoflavone concentration survey. <i>PLoS ONE</i> , 2018 , 13, e0201318	3.7	8
43	Prevalence of pain among residents in Japanese nursing homes: a descriptive study. <i>Pain Management Nursing</i> , 2013 , 14, e1-9	2.5	7
42	Association Between Reproductive Life Span and Incident Nonfatal Cardiovascular Disease: A Pooled Analysis of Individual Patient Data From 12 Studies. <i>JAMA Cardiology</i> , 2020 , 5, 1410-1418	16.2	7
41	Identification of therapy-sensitive and therapy-resistant neuroblastoma subtypes in stages III, IVs and IV. <i>Cancer Letters</i> , 2011 , 306, 27-33	9.9	6
40	Secular trends in neuroblastoma mortality before and after the cessation of national mass screening in Japan. <i>Journal of Epidemiology</i> , 2009 , 19, 266-70	3.4	6
39	Being underweight in adolescence is independently associated with adult-onset diabetes among women: The Japan Nurses' Health Study. <i>Journal of Diabetes Investigation</i> , 2019 , 10, 827-836	3.9	6
38	Gastroduodenal Ulcers and ABO Blood Group: the Japan Nurses' Health Study (JNHS). <i>Journal of Epidemiology</i> , 2018 , 28, 34-40	3.4	5
37	Association between FSH, E1, and E2 levels in urine and serum in premenopausal and postmenopausal women. <i>Clinical Biochemistry</i> , 2019 , 73, 105-108	3.5	5
36	Validation of the Accuracy of Self-Reported ABO Blood Types in the Japan Nurses' Health Study. <i>Asian Pacific Journal of Cancer Prevention</i> , 2019 , 20, 789-793	1.7	4
35	Prevalence of rear seat belt use among pregnant women in a suburban area of Japan. <i>Journal of Obstetrics and Gynaecology Research</i> , 2018 , 44, 117-123	1.9	4

34	Evaluating pressure ulcer care by home healthcare nurses. <i>International Journal of Older People Nursing</i> , 2011 , 6, 201-15	2.3	3
33	Urologic morbidity and its influence on global satisfaction with treatment outcome after radical prostatectomy for prostate cancer. <i>International Journal of Urology</i> , 1998 , 5, 556-61	2.3	3
32	Re: Soy, isoflavones, and breast cancer risk in Japan. <i>Journal of the National Cancer Institute</i> , 2003 , 95, 1881-2; author reply 1881-2	9.7	3
31	An application of meta-analysis techniques in the evaluation of adverse experiences with antihypertensive agents. <i>Pharmacoepidemiology and Drug Safety</i> , 1999 , 8, 169-77	2.6	3
30	Effects of Kamishoyosan, a Traditional Japanese Medicine, on Menopausal Symptoms: A Randomized, Placebo-Controlled, Double-Blind Clinical Trial. <i>Evidence-based Complementary and Alternative Medicine</i> , 2020 , 2020, 9285317	2.3	3
29	Association of trajectory of body mass index with knee pain risk in Japanese middle-aged women in a prospective cohort study: the Japan Nurses' Health Study. <i>BMJ Open</i> , 2020 , 10, e033853	3	3
28	Prevalence of osteoporosis and osteopenia assessed by densitometry in Japanese puerperal women. <i>Journal of Obstetrics and Gynaecology Research</i> , 2021 , 47, 1388-1396	1.9	3
27	Uterine leiomyomata: a retrospective study of correlations with hypertension and diabetes mellitus from the Japan Nurses' Health Study. <i>Journal of Obstetrics and Gynaecology</i> , 2018 , 38, 1128-1134	1.3	2
26	Evaluation of a Short-Form of the Food Frequency Questionnaire for Japanese Working Women. <i>Kitakanto Medical Journal</i> , 2015 , 65, 29-38	0	2
25	Effect of stamped reply envelopes and timing of newsletter delivery on response rates of mail survey: a randomised controlled trial in a prospective cohort study. <i>BMJ Open</i> , 2012 , 2,	3	2
24	Unintentional Weight Loss in the Elderly at a Nursing Home in Japan :. <i>Kitakanto Medical Journal</i> , 2011 , 61, 471-478	0	2
23	Changes in smoking and dietary habits among Japanese female nurses based on the Gunma Nurses' Health Study. <i>[Minzoku Eisei] Race Hygiene</i> , 2011 , 77, 135-148		2
22	Validity of Self-Reported Diagnosis of Osteoporosis in Japan Nurses' Health Study. <i>Clinical Epidemiology</i> , 2021 , 13, 237-244	5.9	2
21	Immediate effect of mechanical lumbar traction in patients with chronic low back pain: A crossover, repeated measures, randomized controlled trial. <i>Journal of Orthopaedic Science</i> , 2021 , 26, 953-961	1.6	2
20	How do health behaviours relate to dietary practice patterns among Japanese adults?. <i>Asia Pacific Journal of Clinical Nutrition</i> , 2017 , 26, 351-357	1	2
19	A proper reference metabolic equivalent value to assess physical activity intensity in Japanese female nurses. <i>Women's Midlife Health</i> , 2019 , 5, 4	2.3	1
18	High-dose chemotherapy and autologous peripheral blood stem cell transplantation in high-risk multiple myeloma. <i>European Journal of Haematology</i> , 2004 , 73, 169-73	3.8	1
17	Prevalence of the Use of Oral Contraceptives and Hormone Replacement Therapy in Japan: the Japan Nurses' Health Study. <i>Journal of Epidemiology</i> , 2020 ,	3.4	1

16	Difficult motions among nurses with knee pain or low back pain. <i>Japanese Journal of Health and Human Ecology</i> , 2017 , 83, 113-125	0.1	1
15	Variation of urinary follicle-stimulating hormone level after menopause : From the results of Japan Nurses' Health Study. <i>Journal of Medical Investigation</i> , 2019 , 66, 297-302	1.2	1
14	The association of urinary estrogen levels with urinary isoflavone levels: Difference between premenopausal women and postmenopausal women. <i>Maturitas</i> , 2019 , 121, 41-47	5	1
13	Effect and usability of anti-inflammatory drug plasters for knee osteoarthritis: A crossover, double-blind, repeated measures, randomized controlled trial. <i>Journal of Orthopaedic Science</i> , 2021 , 26, 421-429	1.6	1
12	Factors that Associate Japanese University Students' Use of Rear Seat Belts on General Roads and Expressways. <i>Journal of Community Health</i> , 2021 , 46, 603-608	4	1
11	Optimal timing of elective repeat cesarean deliveries of term singleton pregnancies: A multicenter cross-sectional study.. <i>Taiwanese Journal of Obstetrics and Gynecology</i> , 2022 , 61, 317-322	1.6	0
10	Associations between Lifestyle Patterns and Working Women's Characteristics:. <i>Kitakanto Medical Journal</i> , 2015 , 65, 21-28	0	
9	Principles and methods of pharmacoepidemiology: A framework for the pharmacoepidemiologic decision-making process.. <i>Japanese Journal of Clinical Pharmacology and Therapeutics</i> , 1989 , 20, 783-794 ^O		
8	Health-related Quality of Life and Potential Barriers to Adequate Nutrition among Japanese Hemodialysis Patients. <i>Kitakanto Medical Journal</i> , 2017 , 67, 291-298	0	
7	Novel Agents and Autologous Stem Cell Transplantation Improve Survival of Multiple Myeloma Patients with Ages 65-70 Years: A Multicenter Retrospective Collaborative Study Between Japanese Society of Myeloma and European Myeloma Network. <i>Blood</i> , 2012 , 120, 5030-5030	2.2	
6	Parity and Number of Teeth in Japanese Women: Results from the Japan Nurses' Health Study. <i>Women S Health Reports</i> , 2020 , 1, 366-374	0.5	
5	Low Birth Weight and Prematurity Are Associated with Hypertensive Disorder of Pregnancy in Later Life: A Cross-Sectional Study in Japan. <i>American Journal of Perinatology</i> , 2021 , 38, 1096-1102	3.3	
4	Validity of self-reported diagnoses of gynaecological and breast cancers in a prospective cohort study: the Japan Nurses' Health Study. <i>BMJ Open</i> , 2021 , 11, e045491	3	
3	Prevalence and Characteristics of Front Seatbelt Use in Mongolia among Hospital Workers. <i>Kitakanto Medical Journal</i> , 2021 , 71, 27-35	0	
2	Prevalence of Premenstrual Syndrome and Premenstrual Dysphoric Disorder among Mongolian College Students. <i>Kitakanto Medical Journal</i> , 2022 , 72, 43-48	0	
1	Validation of Identifying Cancer Diagnosis Based on Self-Reported Information in the Japan Nurses' Health Study.. <i>Asian Pacific Journal of Cancer Prevention</i> , 2022 , 23, 651-657	1.7	