
Monika K Duda

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9407318/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Cardiac and renal upregulation of Nox2 and NF- <i>κ</i> B and repression of Nox4 and Nrf2 in season- and diabetes-mediated models of vascular oxidative stress in guinea-pig and rat. Physiological Reports, 2017, 5, e13474.	1.7	14
2	Omegaâ€3 Fatty Acids Do Not Protect Against Arrhythmias in Acute Nonreperfused Myocardial Infarction Despite Some Antiarrhythmic Effects. Journal of Cellular Biochemistry, 2016, 117, 2570-2582.	2.6	7
3	Ivabradine Protects Against Ventricular Arrhythmias in Acute Myocardial Infarction in the Rat. Journal of Cellular Physiology, 2014, 229, 813-823.	4.1	31
4	Preserved cardiomyocyte function and altered desmin pattern in transgenic mouse model of dilated cardiomyopathy. Journal of Molecular and Cellular Cardiology, 2012, 52, 978-987.	1.9	20
5	Â-3 polyunsaturated fatty acid supplementation for the treatment of heart failure: mechanisms and clinical potential. Cardiovascular Research, 2009, 84, 33-41.	3.8	88
6	The Cardioprotective Effects of Fish Oil During Pressure Overload Are Blocked by High Fat Intake. Hypertension, 2009, 54, 605-611.	2.7	39
7	Fish oil, but not flaxseed oil, decreases inflammation and prevents pressure overload-induced cardiac dysfunction. Cardiovascular Research, 2009, 81, 319-327.	3.8	162
8	Low-Carbohydrate/High-Fat Diet Attenuates Pressure Overload–Induced Ventricular Remodeling and Dysfunction. Journal of Cardiac Failure, 2008, 14, 327-335.	1.7	42
9	High-sugar diets increase cardiac dysfunction and mortality in hypertension compared to low-carbohydrate or high-starch diets. Journal of Hypertension, 2008, 26, 1402-1410.	0.5	48
10	Potential impact of carbohydrate and fat intake on pathological left ventricular hypertrophy. Cardiovascular Research, 2007, 73, 257-268.	3.8	59
11	Dietary supplementation with ω-3 PUFA increases adiponectin and attenuates ventricular remodeling and dysfunction with pressure overload. Cardiovascular Research, 2007, 76, 303-310.	3.8	93
12	Low-density lipoprotein reduction by simvastatin is accompanied by angiotensin II type 1 receptor downregulation, reduced oxidative stress, and improved endothelial function in patients with stable coronary artery disease. Coronary Artery Disease, 2007, 18, 201-209.	0.7	10
13	Preconditioning protects endothelium by preventing ET-1-induced activation of NADPH oxidase and xanthine oxidase in post-ischemic heart. Journal of Molecular and Cellular Cardiology, 2007, 42, 400-410.	1.9	44
14	High Fructose Diet Increases Mortality in Hypertensive Rats Compared to a Complex Carbohydrate or High Fat Diet. American Journal of Hypertension, 2007, 20, 403-409.	2.0	53
15	Effect of classic preconditioning and diazoxide on endothelial function and O2â^' and NO generation in the post-ischemic guinea-pig heart. Cardiovascular Research, 2004, 63, 118-129.	3.8	32