

Beate Sodeik

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9407561/beate-sodeik-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

86
papers

5,596
citations

35
h-index

74
g-index

95
ext. papers

6,159
ext. citations

6.7
avg, IF

5.4
L-index

#	Paper	IF	Citations
86	Assembly of infectious Kaposi's sarcoma-associated herpesvirus progeny requires formation of a pORF19 pentamer. <i>PLoS Biology</i> , 2021 , 19, e3001423	9.7	1
85	Human IFITM3 restricts chikungunya virus and Mayaro virus infection and is susceptible to virus-mediated counteraction. <i>Life Science Alliance</i> , 2021 , 4,	5.8	3
84	Free human DNA attenuates the activity of antimicrobial peptides in atopic dermatitis. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2021 , 76, 3145-3154	9.3	1
83	The journey of herpesvirus capsids and genomes to the host cell nucleus. <i>Current Opinion in Virology</i> , 2021 , 50, 147-158	7.5	0
82	Infection-induced chromatin modifications facilitate translocation of herpes simplex virus capsids to the inner nuclear membrane.. <i>PLoS Pathogens</i> , 2021 , 17, e1010132	7.6	0
81	Acid ceramidase of macrophages traps herpes simplex virus in multivesicular bodies and protects from severe disease. <i>Nature Communications</i> , 2020 , 11, 1338	17.4	17
80	RNase 7 Promotes Sensing of Self-DNA by Human Keratinocytes and Activates an Antiviral Immune Response. <i>Journal of Investigative Dermatology</i> , 2020 , 140, 1589-1598.e3	4.3	8
79	Disturbed gut microbiota and bile homeostasis in -infected mice contributes to metabolic dysregulation and growth impairment. <i>Science Translational Medicine</i> , 2020 , 12,	17.5	12
78	Herpes Simplex Virus 2 Counteracts Neurite Outgrowth Repulsion during Infection in a Nerve Growth Factor-Dependent Manner. <i>Journal of Virology</i> , 2020 , 94,	6.6	3
77	Absence of cGAS-mediated type I IFN responses in HIV-1-infected T cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020 , 117, 19475-19486	11.5	9
76	HSV1 VP1-2 deubiquitinates STING to block type I interferon expression and promote brain infection. <i>Journal of Experimental Medicine</i> , 2020 , 217,	16.6	23
75	The Proteome and Secretome of Cortical Brain Cells Infected With Herpes Simplex Virus. <i>Frontiers in Neurology</i> , 2020 , 11, 844	4.1	5
74	Characterization of the Filovirus-Resistant Cell Line SH-SY5Y Reveals Redundant Role of Cell Surface Entry Factors. <i>Viruses</i> , 2019 , 11,	6.2	6
73	Herpes Simplex Virus Type 1 Propagation, Titration and Single-step Growth Curves. <i>Bio-protocol</i> , 2019 , 9, e3441	0.9	9
72	Quantitative Microscopy Reveals Stepwise Alteration of Chromatin Structure during Herpesvirus Infection. <i>Viruses</i> , 2019 , 11,	6.2	10
71	HSV-1 triggers paracrine fibroblast growth factor response from cortical brain cells via immediate-early protein ICP0. <i>Journal of Neuroinflammation</i> , 2019 , 16, 248	10.1	7
70	Autophagic degradation of lamins facilitates the nuclear egress of herpes simplex virus type 1. <i>Journal of Cell Biology</i> , 2019 , 218, 508-523	7.3	17

69	RNase 7 Strongly Promotes TLR9-Mediated DNA Sensing by Human Plasmacytoid Dendritic Cells. <i>Journal of Investigative Dermatology</i> , 2018 , 138, 872-881	4.3	26
68	Importin β is required for nuclear import of herpes simplex virus proteins and capsid assembly in fibroblasts and neurons. <i>PLoS Pathogens</i> , 2018 , 14, e1006823	7.6	22
67	Entry of Herpes Simplex Virus 1 into Epidermis and Dermal Fibroblasts Is Independent of the Scavenger Receptor MARCO. <i>Journal of Virology</i> , 2018 , 92,	6.6	4
66	The ATP-Dependent RNA Helicase DDX3X Modulates Herpes Simplex Virus 1 Gene Expression. <i>Journal of Virology</i> , 2017 , 91,	6.6	20
65	A screening assay for the identification of host cell requirements and antiviral targets for hepatitis D virus infection. <i>Antiviral Research</i> , 2017 , 141, 116-123	10.8	6
64	Vertex-Specific Proteins pUL17 and pUL25 Mechanically Reinforce Herpes Simplex Virus Capsids. <i>Journal of Virology</i> , 2017 , 91,	6.6	23
63	Varicella zoster virus glycoprotein C increases chemokine-mediated leukocyte migration. <i>PLoS Pathogens</i> , 2017 , 13, e1006346	7.6	11
62	Herpes simplex virus 1 interferes with autophagy of murine dendritic cells and impairs their ability to stimulate CD8 T lymphocytes. <i>European Journal of Immunology</i> , 2017 , 47, 1819-1834	6.1	21
61	The M25 gene products are critical for the cytopathic effect of mouse cytomegalovirus. <i>Scientific Reports</i> , 2017 , 7, 15588	4.9	6
60	A Therapeutic Antiviral Antibody Inhibits the Anterograde Directed Neuron-to-Cell Spread of Herpes Simplex Virus and Protects against Ocular Disease. <i>Frontiers in Microbiology</i> , 2017 , 8, 2115	5.7	17
59	Inner tegument proteins of Herpes Simplex Virus are sufficient for intracellular capsid motility in neurons but not for axonal targeting. <i>PLoS Pathogens</i> , 2017 , 13, e1006813	7.6	20
58	The Essential Human Cytomegalovirus Proteins pUL77 and pUL93 Are Structural Components Necessary for Viral Genome Encapsidation. <i>Journal of Virology</i> , 2016 , 90, 5860-5875	6.6	26
57	Conserved Tryptophan Motifs in the Large Tegument Protein pUL36 Are Required for Efficient Secondary Envelopment of Herpes Simplex Virus Capsids. <i>Journal of Virology</i> , 2016 , 90, 5368-5383	6.6	17
56	HVint: A Strategy for Identifying Novel Protein-Protein Interactions in Herpes Simplex Virus Type 1. <i>Molecular and Cellular Proteomics</i> , 2016 , 15, 2939-53	7.6	12
55	Recombinant herpes simplex virus type 1 strains with targeted mutations relevant for aciclovir susceptibility. <i>Scientific Reports</i> , 2016 , 6, 29903	4.9	12
54	Herpes simplex encephalitis is linked with selective mitochondrial damage; a post-mortem and in vitro study. <i>Acta Neuropathologica</i> , 2016 , 132, 433-51	14.3	15
53	Remodeling nuclear architecture allows efficient transport of herpesvirus capsids by diffusion. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015 , 112, E5725-33	11.5	42
52	Prevention of herpes simplex virus induced stromal keratitis by a glycoprotein B-specific monoclonal antibody. <i>PLoS ONE</i> , 2015 , 10, e0116800	3.7	18

51	The Herpes Simplex Virus Protein pUL31 Escorts Nucleocapsids to Sites of Nuclear Egress, a Process Coordinated by Its N-Terminal Domain. <i>PLoS Pathogens</i> , 2015 , 11, e1004957	7.6	52
50	Primary biliary acids inhibit hepatitis D virus (HDV) entry into human hepatoma cells expressing the sodium-taurocholate cotransporting polypeptide (NTCP). <i>PLoS ONE</i> , 2015 , 10, e0117152	3.7	21
49	Herpes simplex virus internalization into epithelial cells requires Na ⁺ /H ⁺ exchangers and p21-activated kinases but neither clathrin- nor caveolin-mediated endocytosis. <i>Journal of Virology</i> , 2014 , 88, 13378-95	6.6	42
48	The interaction of the HSV-1 tegument proteins pUL36 and pUL37 is essential for secondary envelopment during viral egress. <i>Virology</i> , 2014 , 454-455, 67-77	3.6	28
47	Targeting of viral capsids to nuclear pores in a cell-free reconstitution system. <i>Traffic</i> , 2014 , 15, 1266-81	5.7	10
46	A precipitation-based assay to analyze interactions of viral particles with cytosolic host factors. <i>Methods in Molecular Biology</i> , 2014 , 1144, 191-208	1.4	4
45	Construction and characterization of bacterial artificial chromosomes (BACs) containing herpes simplex virus full-length genomes. <i>Methods in Molecular Biology</i> , 2014 , 1144, 43-62	1.4	14
44	Live-cell imaging of Marburg virus-infected cells uncovers actin-dependent transport of nucleocapsids over long distances. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013 , 110, 14402-7	11.5	65
43	A proteomic perspective of inbuilt viral protein regulation: pUL46 tegument protein is targeted for degradation by ICP0 during herpes simplex virus type 1 infection. <i>Molecular and Cellular Proteomics</i> , 2013 , 12, 3237-52	7.6	29
42	Cytosolic herpes simplex virus capsids not only require binding inner tegument protein pUL36 but also pUL37 for active transport prior to secondary envelopment. <i>Cellular Microbiology</i> , 2013 , 15, 248-69	3.9	66
41	A herpes simplex virus-derived replicative vector expressing LIF limits experimental demyelinating disease and modulates autoimmunity. <i>PLoS ONE</i> , 2013 , 8, e64200	3.7	22
40	Pseudotype-independent nonspecific uptake of gammaretroviral and lentiviral particles in human cells. <i>Human Gene Therapy</i> , 2012 , 23, 274-86	4.8	11
39	Improper tagging of the non-essential small capsid protein VP26 impairs nuclear capsid egress of herpes simplex virus. <i>PLoS ONE</i> , 2012 , 7, e44177	3.7	26
38	The C terminus of the large tegument protein pUL36 contains multiple capsid binding sites that function differently during assembly and cell entry of herpes simplex virus. <i>Journal of Virology</i> , 2012 , 86, 3682-700	6.6	65
37	Single-cell analysis of population context advances RNAi screening at multiple levels. <i>Molecular Systems Biology</i> , 2012 , 8, 579	12.2	124
36	Uncoupling uncoating of herpes simplex virus genomes from their nuclear import and gene expression. <i>Journal of Virology</i> , 2011 , 85, 4271-83	6.6	24
35	Cryo electron tomography of herpes simplex virus during axonal transport and secondary envelopment in primary neurons. <i>PLoS Pathogens</i> , 2011 , 7, e1002406	7.6	48
34	Plus- and minus-end directed microtubule motors bind simultaneously to herpes simplex virus capsids using different inner tegument structures. <i>PLoS Pathogens</i> , 2010 , 6, e1000991	7.6	158

33	Contribution of direct and cross-presentation to CTL immunity against herpes simplex virus 1. <i>Journal of Immunology</i> , 2009 , 182, 283-92	5.3	30
32	Early, active, and specific localization of herpes simplex virus type 1 gM to nuclear membranes. <i>Journal of Virology</i> , 2009 , 83, 12984-97	6.6	18
31	Scaffold expulsion and genome packaging trigger stabilization of herpes simplex virus capsids. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009 , 106, 9673-8	11.5	105
30	Photophysics of new water-soluble terrylenediimide derivatives and applications in biology. <i>ChemPhysChem</i> , 2009 , 10, 180-90	3.2	41
29	Native 3D intermediates of membrane fusion in herpes simplex virus 1 entry. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008 , 105, 10559-64	11.5	131
28	Nuclear egress and envelopment of herpes simplex virus capsids analyzed with dual-color fluorescence HSV1(17+). <i>Journal of Virology</i> , 2008 , 82, 3109-24	6.6	66
27	The essential human cytomegalovirus gene UL52 is required for cleavage-packaging of the viral genome. <i>Journal of Virology</i> , 2008 , 82, 2065-78	6.6	40
26	Eclipse phase of herpes simplex virus type 1 infection: Efficient dynein-mediated capsid transport without the small capsid protein VP26. <i>Journal of Virology</i> , 2006 , 80, 8211-24	6.6	109
25	Mutations in neutrophil elastase causing congenital neutropenia lead to cytoplasmic protein accumulation and induction of the unfolded protein response. <i>Blood</i> , 2006 , 108, 493-500	2.2	166
24	Viral interactions with the cytoskeleton: a hitchhiker's guide to the cell. <i>Cellular Microbiology</i> , 2006 , 8, 387-400	3.9	292
23	The inner tegument promotes herpes simplex virus capsid motility along microtubules in vitro. <i>Traffic</i> , 2006 , 7, 227-37	5.7	132
22	The role of the cytoskeleton during viral infection. <i>Current Topics in Microbiology and Immunology</i> , 2005 , 285, 67-108	3.3	110
21	Viral stop-and-go along microtubules: taking a ride with dynein and kinesins. <i>Trends in Microbiology</i> , 2005 , 13, 320-7	12.4	177
20	Herpes simplex virus type 1 infection of polarized epithelial cells requires microtubules and access to receptors present at cell-cell contact sites. <i>Journal of General Virology</i> , 2004 , 85, 775-786	4.9	42
19	c-Myb protein interacts with Rcd-1, a component of the CCR4 transcription mediator complex. <i>Biochemistry</i> , 2004 , 43, 8152-9	3.2	19
18	Unchain my heart, baby let me go--the entry and intracellular transport of HIV. <i>Journal of Cell Biology</i> , 2002 , 159, 393-5	7.3	34
17	Intact microtubules support adenovirus and herpes simplex virus infections. <i>Journal of Virology</i> , 2002 , 76, 9962-71	6.6	136
16	Function of dynein and dynactin in herpes simplex virus capsid transport. <i>Molecular Biology of the Cell</i> , 2002 , 13, 2795-809	3.5	264

15	Assembly of vaccinia virus revisited: de novo membrane synthesis or acquisition from the host?. <i>Trends in Microbiology</i> , 2002 , 10, 15-24	12.4	147
14	Herpes simplex virus type 1 entry into host cells: reconstitution of capsid binding and uncoating at the nuclear pore complex in vitro. <i>Molecular and Cellular Biology</i> , 2000 , 20, 4922-31	4.8	199
13	Mechanisms of viral transport in the cytoplasm. <i>Trends in Microbiology</i> , 2000 , 8, 465-72	12.4	247
12	Phosphorylation-dependent binding of hepatitis B virus core particles to the nuclear pore complex. <i>Journal of Cell Biology</i> , 1999 , 145, 45-55	7.3	192
11	Intracellular traffic of herpes simplex virus glycoprotein gE: characterization of the sorting signals required for its trans-Golgi network localization. <i>Journal of Virology</i> , 1999 , 73, 377-87	6.6	81
10	Microtubule-mediated transport of incoming herpes simplex virus 1 capsids to the nucleus. <i>Journal of Cell Biology</i> , 1997 , 136, 1007-21	7.3	546
9	In vitro reconstitution of an intermediate assembly stage of vaccinia virus. <i>Virology</i> , 1997 , 235, 218-27	3.6	11
8	A vaccinia virus core protein, p39, is membrane associated. <i>Journal of Virology</i> , 1996 , 70, 6909-21	6.6	45
7	Assembly of vaccinia virus: incorporation of p14 and p32 into the membrane of the intracellular mature virus. <i>Journal of Virology</i> , 1995 , 69, 3560-74	6.6	46
6	Assembly of vaccinia virus: the second wrapping cisterna is derived from the trans Golgi network. <i>Journal of Virology</i> , 1994 , 68, 130-47	6.6	294
5	Assembly of vaccinia virus: effects of rifampin on the intracellular distribution of viral protein p65. <i>Journal of Virology</i> , 1994 , 68, 1103-14	6.6	103
4	Assembly of vaccinia virus: role of the intermediate compartment between the endoplasmic reticulum and the Golgi stacks. <i>Journal of Cell Biology</i> , 1993 , 121, 521-41	7.3	265
3	CD11c/CD18 on neutrophils recognizes a domain at the N terminus of the A alpha chain of fibrinogen. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1991 , 88, 1044-8	11.5	228
2	Role of the intermediate compartment between the rough ER and Golgi in the biogenesis of vaccinia virus. <i>Micron and Microscopica Acta</i> , 1991 , 22, 87-88		
1	Sequestration of microinjected molecular probes from the cytoplasm of <i>Amoeba proteus</i> . <i>European Journal of Protistology</i> , 1989 , 25, 75-84	3.6	