

Terje Svingen

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9407788/terje-svingen-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

82
papers

1,907
citations

24
h-index

41
g-index

88
ext. papers

2,336
ext. citations

4.6
avg, IF

5.12
L-index

#	Paper	IF	Citations
82	Developmental exposure to the DE-71 mixture of polybrominated diphenyl ether (PBDE) flame retardants induce a complex pattern of endocrine disrupting effects in rats.. <i>PeerJ</i> , 2022 , 10, e12738	3.1	2
81	AOP Key Event Relationship report: Linking decreased retinoic acid levels with disrupted meiosis in developing oocytes.. <i>Current Research in Toxicology</i> , 2022 , 3, 100069	2.7	1
80	Anogenital Distance: Features, Measures, and Uses as a Biomarker for Toxicity In Utero. <i>Biomarkers in Disease</i> , 2022 , 1-13		
79	Functional Analysis of Mmd2 and Related PAQR Genes During Sex Determination in Mice.. <i>Sexual Development</i> , 2022 , 1-13	1.6	0
78	Using alternative test methods to predict endocrine disruption and reproductive adverse outcomes: do we have enough knowledge?. <i>Environmental Pollution</i> , 2022 , 119242	9.3	2
77	PFOS-induced thyroid hormone system disrupted rats display organ-specific changes in their transcriptomes.. <i>Environmental Pollution</i> , 2022 , 119340	9.3	3
76	Azole Fungicides and Their Endocrine Disrupting Properties: Perspectives on Sex Hormone-Dependent Reproductive Development.. <i>Frontiers in Toxicology</i> , 2022 , 4, 883254	1.6	1
75	Endocrine Disruptors in a New Era of Predictive Toxicology and Dealing With the Challenge.. <i>Frontiers in Toxicology</i> , 2022 , 4, 900479	1.6	0
74	Environmental Impacts on Male Reproductive Development: Lessons from Experimental Models. <i>Hormone Research in Paediatrics</i> , 2021 ,	3.3	2
73	On the Use and Interpretation of Areola/Nipple Retention as a Biomarker for Anti-androgenic Effects in Rat Toxicity Studies.. <i>Frontiers in Toxicology</i> , 2021 , 3, 730752	1.6	5
72	Perinatal exposure to the thyroperoxidase inhibitors methimazole and amitrole perturbs thyroid hormone system signaling and alters motor activity in rat offspring. <i>Toxicology Letters</i> , 2021 , 354, 44-55	4.4	2
71	Adult female rats perinatally exposed to perfluorohexane sulfonate (PFHxS) and a mixture of endocrine disruptors display increased body/fat weights without a transcriptional footprint in fat cells. <i>Toxicology Letters</i> , 2021 , 339, 78-87	4.4	2
70	Classical toxicity endpoints in female rats are insensitive to the human endocrine disruptors diethylstilbestrol and ketoconazole. <i>Reproductive Toxicology</i> , 2021 , 101, 9-17	3.4	4
69	Effects of the Hedgehog Signaling Inhibitor Itraconazole on Developing Rat Ovaries. <i>Toxicological Sciences</i> , 2021 , 182, 60-69	4.4	1
68	Perinatal exposure to known endocrine disruptors alters ovarian development and systemic steroid hormone profile in rats. <i>Toxicology</i> , 2021 , 458, 152821	4.4	4
67	Human-relevant concentrations of the antifungal drug clotrimazole disrupt maternal and fetal steroid hormone profiles in rats. <i>Toxicology and Applied Pharmacology</i> , 2021 , 422, 115554	4.6	2
66	Transcriptome analysis of fetal rat testis following intrauterine exposure to the azole fungicides triticonazole and flusilazole reveals subtle changes despite adverse endocrine effects. <i>Chemosphere</i> , 2021 , 264, 128468	8.4	7

65	A putative adverse outcome pathway network for disrupted female pubertal onset to improve testing and regulation of endocrine disrupting chemicals. <i>Neuroendocrinology</i> , 2021 ,	5.6	2
64	Testing for heterotopia formation in rats after developmental exposure to selected in vitro inhibitors of thyroperoxidase. <i>Environmental Pollution</i> , 2021 , 283, 117135	9.3	4
63	A Pragmatic Approach to Adverse Outcome Pathway Development and Evaluation. <i>Toxicological Sciences</i> , 2021 , 184, 183-190	4.4	6
62	Developmental effects of PFOS, PFOA and GenX in a 3D human induced pluripotent stem cell differentiation model. <i>Chemosphere</i> , 2021 , 279, 130624	8.4	0
61	Safeguarding Female Reproductive Health against Endocrine Disrupting Chemicals-The FREIA Project. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	8
60	Evaluating thyroid hormone disruption: investigations of long-term neurodevelopmental effects in rats after perinatal exposure to perfluorohexane sulfonate (PFHxS). <i>Scientific Reports</i> , 2020 , 10, 2672	4.9	18
59	Developmental biology meets toxicology: contributing reproductive mechanisms to build adverse outcome pathways. <i>Molecular Human Reproduction</i> , 2020 , 26, 111-116	4.4	6
58	Removing Critical Gaps in Chemical Test Methods by Developing New Assays for the Identification of Thyroid Hormone System-Disrupting Chemicals-The ATHENA Project. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	17
57	Calretinin is a novel candidate marker for adverse ovarian effects of early life exposure to mixtures of endocrine disruptors in the rat. <i>Archives of Toxicology</i> , 2020 , 94, 1241-1250	5.8	2
56	Intrauterine exposure to diethylhexyl phthalate disrupts gap junctions in the fetal rat testis. <i>Current Research in Toxicology</i> , 2020 , 1, 5-11	2.7	7
55	Hedgehog signal disruption, gonadal dysgenesis and reproductive disorders: Is there a link to endocrine disrupting chemicals?. <i>Current Research in Toxicology</i> , 2020 , 1, 116-123	2.7	4
54	Bisphenols B, E, F, and S and 4-cumylphenol induce lipid accumulation in mouse adipocytes similarly to bisphenol A. <i>Environmental Toxicology</i> , 2020 , 35, 543-552	4.2	19
53	Putative adverse outcome pathways for female reproductive disorders to improve testing and regulation of chemicals. <i>Archives of Toxicology</i> , 2020 , 94, 3359-3379	5.8	15
52	Quantitative to Extrapolation (QIVIVE) for Predicting Reduced Anogenital Distance Produced by Anti-Androgenic Pesticides in a Rodent Model for Male Reproductive Disorders. <i>Environmental Health Perspectives</i> , 2020 , 128, 117005	8.4	7
51	Using assessment criteria for pesticides to evaluate the endocrine disrupting potential of non-pesticide chemicals: Case butylparaben. <i>Environment International</i> , 2020 , 144, 105996	12.9	5
50	Distinct Transcriptional Profiles of the Female, Male, and Finasteride-Induced Feminized Male Anogenital Region in Rat Fetuses. <i>Toxicological Sciences</i> , 2019 , 169, 303-311	4.4	6
49	In vitro and in vivo endocrine disrupting effects of the azole fungicides triticonazole and flusilazole. <i>Environmental Pollution</i> , 2019 , 255, 113309	9.3	21
48	Validation of endogenous reference genes in rat cerebral cortex for RT-qPCR analyses in developmental toxicity studies. <i>PeerJ</i> , 2019 , 7, e7181	3.1	6

47	Anogenital distance as a toxicological or clinical marker for fetal androgen action and risk for reproductive disorders. <i>Archives of Toxicology</i> , 2019 , 93, 253-272	5.8	67
46	A pragmatic approach for human risk assessment of chemical mixtures. <i>Current Opinion in Toxicology</i> , 2019 , 15, 1-7	4.4	15
45	Effects on metabolic parameters in young rats born with low birth weight after exposure to a mixture of pesticides. <i>Scientific Reports</i> , 2018 , 8, 305	4.9	11
44	Plastics 2018 , 619-623		1
43	Transcriptomic analysis of mRNA expression and alternative splicing during mouse sex determination. <i>Molecular and Cellular Endocrinology</i> , 2018 , 478, 84-96	4.4	21
42	Exploiting advances in transcriptomics to improve on human-relevant toxicology. <i>Current Opinion in Toxicology</i> , 2018 , 11-12, 43-50	4.4	3
41	Exposure to a glyphosate-based herbicide formulation, but not glyphosate alone, has only minor effects on adult rat testis. <i>Reproductive Toxicology</i> , 2018 , 82, 25-31	3.4	18
40	Environmental influences on ovarian dysgenesis - developmental windows sensitive to chemical exposures. <i>Nature Reviews Endocrinology</i> , 2017 , 13, 400-414	15.2	62
39	An effect-directed strategy for characterizing emerging chemicals in food contact materials made from paper and board. <i>Food and Chemical Toxicology</i> , 2017 , 106, 250-259	4.7	30
38	Enniatin B and beauvericin are common in Danish cereals and show high hepatotoxicity on a high-content imaging platform. <i>Environmental Toxicology</i> , 2017 , 32, 1658-1664	4.2	28
37	Intrauterine Exposure to Paracetamol and Aniline Impairs Female Reproductive Development by Reducing Follicle Reserves and Fertility. <i>Toxicological Sciences</i> , 2016 , 150, 178-89	4.4	43
36	Juvenile Male Rats Exposed to a Low-Dose Mixture of Twenty-Seven Environmental Chemicals Display Adverse Health Effects. <i>PLoS ONE</i> , 2016 , 11, e0162027	3.7	9
35	Comments on Li et al. Effects of in Utero Exposure to Dicyclohexyl Phthalate on Rat Fetal Leydig Cells. <i>Int. J. Environ. Res. Public Health</i> 2016 , 13, 246. <i>International Journal of Environmental Research and Public Health</i> , 2016 , 13,	4.6	1
34	Fluorinated alkyl substances and technical mixtures used in food paper-packaging exhibit endocrine-related activity in vitro. <i>Andrology</i> , 2016 , 4, 662-72	4.2	55
33	Perinatal exposure to mixtures of endocrine disrupting chemicals reduces female rat follicle reserves and accelerates reproductive aging. <i>Reproductive Toxicology</i> , 2016 , 61, 186-94	3.4	50
32	Multiple Endocrine Disrupting Effects in Rats Perinatally Exposed to Butylparaben. <i>Toxicological Sciences</i> , 2016 , 152, 244-56	4.4	51
31	SOX9 regulates expression of the male fertility gene Ets variant factor 5 (ETV5) during mammalian sex development. <i>International Journal of Biochemistry and Cell Biology</i> , 2016 , 79, 41-51	5.6	12
30	Female-to-male sex reversal in mice caused by transgenic overexpression of Dmrt1. <i>Development (Cambridge)</i> , 2015 , 142, 1083-8	6.6	69

29	Testes Embryology: Cellular Molecular Changes 2015 , 664-669		
28	Exposure to perfluorononanoic acid combined with a low-dose mixture of 14 human-relevant compounds disturbs energy/lipid homeostasis in rats. <i>Metabolomics</i> , 2015 , 11, 1451-1464	4.7	2
27	Cell context-specific expression of primary cilia in the human testis and ciliary coordination of Hedgehog signalling in mouse Leydig cells. <i>Scientific Reports</i> , 2015 , 5, 10364	4.9	24
26	Selection of reference genes for quantitative RT-PCR (RT-qPCR) analysis of rat tissues under physiological and toxicological conditions. <i>PeerJ</i> , 2015 , 3, e855	3.1	65
25	Primary cilia function regulates the length of the embryonic trunk axis and urogenital field in mice. <i>Developmental Biology</i> , 2014 , 395, 342-54	3.1	16
24	Expression pattern of clinically relevant markers in paediatric germ cell- and sex-cord stromal tumours is similar to adult testicular tumours. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2014 , 465, 567-77	5.1	10
23	Validation of endogenous normalizing genes for expression analyses in adult human testis and germ cell neoplasms. <i>Molecular Human Reproduction</i> , 2014 , 20, 709-18	4.4	24
22	Building the mammalian testis: origins, differentiation, and assembly of the component cell populations. <i>Genes and Development</i> , 2013 , 27, 2409-26	12.6	231
21	SOX9 regulates microRNA miR-202-5p/3p expression during mouse testis differentiation. <i>Biology of Reproduction</i> , 2013 , 89, 34	3.9	79
20	Three-dimensional imaging of Prox1-EGFP transgenic mouse gonads reveals divergent modes of lymphangiogenesis in the testis and ovary. <i>PLoS ONE</i> , 2012 , 7, e52620	3.7	35
19	Loss of Wnt5a disrupts primordial germ cell migration and male sexual development in mice. <i>Biology of Reproduction</i> , 2012 , 86, 1-12	3.9	59
18	Expansion of the Ago gene family in the teleost clade. <i>Development Genes and Evolution</i> , 2011 , 221, 95-108	10.8	8
17	Antagonistic regulation of Cyp26b1 by transcription factors SOX9/SF1 and FOXL2 during gonadal development in mice. <i>FASEB Journal</i> , 2011 , 25, 3561-9	0.9	72
16	Prokr2-deficient mice display vascular dysmorphology of the fetal testes: potential implications for Kallmann syndrome aetiology. <i>Sexual Development</i> , 2011 , 5, 294-303	1.6	9
15	Defective survival of proliferating Sertoli cells and androgen receptor function in a mouse model of the ATR-X syndrome. <i>Human Molecular Genetics</i> , 2011 , 20, 2213-24	5.6	51
14	Protein tyrosine kinase 2 beta (PTK2B), but not focal adhesion kinase (FAK), is expressed in a sexually dimorphic pattern in developing mouse gonads. <i>Developmental Dynamics</i> , 2010 , 239, 2735-41	2.9	6
13	Sox9-dependent expression of Gstm6 in Sertoli cells during testis development in mice. <i>Reproduction</i> , 2009 , 137, 481-6	3.8	6
12	Sox7 and Sox17 are strain-specific modifiers of the lymphangiogenic defects caused by Sox18 dysfunction in mice. <i>Development (Cambridge)</i> , 2009 , 136, 2385-91	6.6	69

11	Ex vivo magnetofection: a novel strategy for the study of gene function in mouse organogenesis. <i>Developmental Dynamics</i> , 2009 , 238, 956-64	2.9	16
10	Identification of suitable normalizing genes for quantitative real-time RT-PCR analysis of gene expression in fetal mouse gonads. <i>Sexual Development</i> , 2009 , 3, 194-204	1.6	59
9	The rhox homeobox gene family shows sexually dimorphic and dynamic expression during mouse embryonic gonad development. <i>Biology of Reproduction</i> , 2008 , 79, 468-74	3.9	24
8	Aard is specifically up-regulated in Sertoli cells during mouse testis differentiation. <i>International Journal of Developmental Biology</i> , 2007 , 51, 255-8	1.9	13
7	Involvement of homeobox genes in mammalian sexual development. <i>Sexual Development</i> , 2007 , 1, 12-23	1.6	25
6	Sex-specific expression of a novel gene Tmem184a during mouse testis differentiation. <i>Reproduction</i> , 2007 , 133, 983-9	3.8	16
5	Comparative proteomic analysis to study molecular events during gonad development in mice. <i>Genesis</i> , 2006 , 44, 168-76	1.9	17
4	The tert-butylhydroquinone-mediated activation of the human thioredoxin gene reveals a novel promoter structure. <i>Biochemical Journal</i> , 2006 , 398, 269-77	3.8	15
3	Hox transcription factors and their elusive mammalian gene targets. <i>Heredity</i> , 2006 , 97, 88-96	3.6	123
2	Altered HOX gene expression in human skin and breast cancer cells. <i>Cancer Biology and Therapy</i> , 2003 , 2, 518-23	4.6	42
1	Novel PEX1 mutations and genotype-phenotype correlations in Australasian peroxisome biogenesis disorder patients. <i>Human Mutation</i> , 2002 , 20, 342-51	4.7	25