

# Somenath Ganguly

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/9408146/somenath-ganguly-publications-by-citations.pdf>

**Version:** 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

31  
papers

147  
citations

7  
h-index

9  
g-index

32  
ext. papers

181  
ext. citations

3.3  
avg, IF

3.63  
L-index

#	Paper	IF	Citations
31	Displacement of Cr(III)-Partially Hydrolyzed Polyacrylamide Gelling Solution in a Fracture in Porous Media. <i>Transport in Porous Media</i> , <b>2010</b> , 84, 201-218	3.1	12
30	Rupture of Polyacrylamide Gel in a Tube in Response to Aqueous Pressure Gradients. <i>Soft Materials</i> , <b>2009</b> , 7, 37-53	1.7	11
29	Alginate-chitosan composite hydrogel film with macrovoids in the inner layer for biomedical applications. <i>Journal of Applied Polymer Science</i> , <b>2019</b> , 136, 47599	2.9	11
28	Electrospray of Precursor Sol on Carbon Paper and in Situ Carbonization for Making Supercapacitor Electrodes. <i>Industrial &amp; Engineering Chemistry Research</i> , <b>2016</b> , 55, 10073-10083	3.9	10
27	N-doped porous carbon film electrodes for electrochemical capacitor, made by electrospray of sol precursors. <i>Carbon</i> , <b>2019</b> , 154, 33-41	10.4	9
26	Diffusion in and around alginate and chitosan films with embedded sub-millimeter voids. <i>Materials Science and Engineering C</i> , <b>2016</b> , 59, 61-69	8.3	7
25	Bubble formation in complex fluids using an orifice in throat arrangement. <i>Experimental Thermal and Fluid Science</i> , <b>2015</b> , 64, 62-69	3	7
24	Leak-off During Placement of Cr(III)-Partially Hydrolyzed Polyacrylamide Gelling Solution in Fractured Porous Media. <i>Transport in Porous Media</i> , <b>2010</b> , 81, 443-460	3.1	7
23	Mixed metal oxides in synergy at nanoscale: Electrospray induced porosity of in situ grown film electrode for use in electrochemical capacitor. <i>Electrochimica Acta</i> , <b>2020</b> , 347, 136277	6.7	7
22	Charge transport in activated carbon electrodes: the behaviour of three electrolytes vis-à-vis their specific conductance. <i>Ionics</i> , <b>2017</b> , 23, 2037-2044	2.7	6
21	Drying stresses in precursor gel: effect on pore connectivity in carbonized form, and resulting performance in a supercapacitor electrode. <i>Journal of Sol-Gel Science and Technology</i> , <b>2018</b> , 88, 395-406	2.3	6
20	N-Doping in Precursor Sol: Some Observations in Reference to In Situ-Grown Carbon Film Electrodes for Supercapacitor Applications. <i>Energy Technology</i> , <b>2020</b> , 8, 1901479	3.5	5
19	Mechanical behaviour of a hydrogel film with embedded voids under the tensile load. <i>Journal of Sol-Gel Science and Technology</i> , <b>2018</b> , 87, 665-675	2.3	5
18	A novel carbon film electrode for supercapacitor by deposition of precursor sol on the current collector, followed by carbonization and activation in situ. <i>Ionics</i> , <b>2019</b> , 25, 2373-2382	2.7	5
17	Growth of Film Electrodes through Electrospray Coating of Precursor Sol for Use in Asymmetric Supercapacitor. <i>Industrial &amp; Engineering Chemistry Research</i> , <b>2020</b> , 59, 4428-4436	3.9	4
16	Use of orifice-in-throat device to make alginate scaffolds with embedded voids of sub-millimeter tunable dimensions. <i>Microsystem Technologies</i> , <b>2014</b> , 20, 1359-1364	1.7	4
15	Drying characteristics and evolution of the pore space in alginate scaffold with embedded sub-millimeter voids. <i>Journal of Sol-Gel Science and Technology</i> , <b>2013</b> , 68, 254-260	2.3	4

14	Electrospray of Carbon Precursor Sol on Supercapacitor Current Collector: Effect of Fast Evaporation of Solvent. <i>ECS Transactions</i> , <b>2017</b> , 80, 431-439	1	4
13	Diffusion of Moisture from Hydrogel Scaffold with Induced Porosity from Self-Assembled Bubbles. <i>Drying Technology</i> , <b>2015</b> , 33, 336-345	2.6	4
12	In Situ Combustion of Light Oil: Stoichiometric, Kinetic, and Thermodynamic Analyses from the Flow Experiments. <i>Combustion Science and Technology</i> , <b>2015</b> , 187, 1542-1561	1.5	4
11	Alginate-gelatin blend with embedded voids for controlled release applications. <i>Journal of Applied Polymer Science</i> , <b>2017</b> , 134,	2.9	3
10	Effect of pressure pulsing on concentration boundary layer over membrane numerical investigation. <i>Asia-Pacific Journal of Chemical Engineering</i> , <b>2013</b> , 8, 519-526	1.3	3
9	Mechanical behaviour of alginate film with embedded voids under compression-decompression cycles. <i>Scientific Reports</i> , <b>2019</b> , 9, 13193	4.9	2
8	Charge transport in carbon electrodes made by electrospray of precursor sol and subsequent carbonization in situ. <i>Journal of Solid State Electrochemistry</i> , <b>2018</b> , 22, 2149-2157	2.6	2
7	Activated Xerogel Nanoporous-materials For Energy Storage Applications. <i>Materials Today: Proceedings</i> , <b>2018</b> , 5, 9754-9759	1.4	2
6	Vertically aligned MnO <sub>2</sub> nanosheet electrode of controllable mass loading, counter to nanoparticulate carbon film electrode for use in supercapacitor. <i>Journal of Energy Storage</i> , <b>2020</b> , 32, 101851	7.8	2
5	Bubble pinch-off in a cross-flowing biopolymer stream. <i>Microfluidics and Nanofluidics</i> , <b>2015</b> , 19, 767-776	2.8	1
4	Distribution of microencapsulated phase change material on a plate, and inhibited build-up of temperature in response to a constant heat flux. <i>International Journal of Energy Research</i> , <b>2021</b> , 45, 11237-11244	4.5	0.4
3	Behavior of alginate-gelatin blended gel with embedded macrovoids: Stress-induced changes and the solute release characteristics. <i>Journal of Applied Polymer Science</i> , <b>2020</b> , 137, 49035	2.9	
2	Fluidic embedding of additional macroporosity in alginate-gelatin composite structure for biomimetic application. <i>Journal of Biomaterials Science, Polymer Edition</i> , <b>2020</b> , 31, 2396-2417	3.5	
1	Production of light oil by injection of hot inert gas. <i>Heat and Mass Transfer</i> , <b>2016</b> , 52, 1071-1080	2.2	