
## Alessandro Di Filippo

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9409229/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Dexmedetomidine: the most versatile and multitasking of anesthetics. Minerva Anestesiologica, 2021, 87, 968-970.	0.6	2
2	Risk factors for difficult Laryngeal Mask Airway LMA-Supremeâ,,¢ (LMAS) placement in adults: a multicentric prospective observational study in an Italian population. Minerva Anestesiologica, 2021, 87, 533-540.	0.6	9
3	Enhanced recovery after gynecological surgery: comparison between intrathecal and intravenous morphine multimodal analgesia. Minerva Obstetrics and Gynecology, 2021, , .	0.5	0
4	Use of Fluoride as a Marker Solute to Quantify the Current Effective Delivered Dose in Continuous Renal Replacement Therapy: An "in vitro―Study. Blood Purification, 2020, 49, 685-691.	0.9	1
5	Use of the CompuFlo® system to identify the epidural space in obstetric-gynecological area. A single-center retrospective study. Minerva Anestesiologica, 2020, 86, 98-99.	0.6	3
6	Postoperative pain after vitreo-retinal surgery is influenced by surgery duration and anesthesia conduction. Minerva Anestesiologica, 2019, 85, 731-737.	0.6	7
7	Effects of prolonged ischemia on human skeletal muscle microcirculation as assessed by near-infrared spectroscopy. Journal of Clinical Monitoring and Computing, 2017, 31, 581-588.	0.7	6
8	Pregnancy in fanconi anaemia with bone marrow failure: a case report and review of the literature. BMC Pregnancy and Childbirth, 2017, 17, 53.	0.9	7
9	Changes in ceftriaxone pharmacokinetics/pharmacodynamics during the early phase of sepsis: a prospective, experimental study in the rat. Journal of Translational Medicine, 2016, 14, 316.	1.8	8
10	Postoperative analgesia in patients older than 75Âyears undergoing intervention for per-trochanteric hip fracture: a single centre retrospective cohort study. Aging Clinical and Experimental Research, 2015, 27, 281-285.	1.4	8
11	Infection prevention in the intensive care unit: Review of the recent literature on the management of invasive devices. Scandinavian Journal of Infectious Diseases, 2011, 43, 243-250.	1.5	6
12	Out-of-hospital asystole caused by hanging treated with endovascular mild therapeutic hypothermia: a case report. Internal and Emergency Medicine, 2009, 4, 445-447.	1.0	9
13	Low central venous saturation predicts poor outcome in patients with brain injury after major trauma: a prospective observational study. Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine, 2009, 17, 23.	1.1	17
14	Bedside diagnostic laparoscopy to diagnose intraabdominal pathology in the intensive care unit. Critical Care, 2009, 13, R25.	2.5	31
15	Low-Dose Dopamine in Kidney Transplantation. Transplantation Proceedings, 2009, 41, 4165-4168.	0.3	34
16	Rapid Sequence Intubation: A Review of Recent Evidences. Reviews on Recent Clinical Trials, 2009, 4, 175-178.	0.4	18
17	Pneumopericardium After Major Trauma. Journal of Trauma, 2009, 66, 1260.	2.3	4
18	Altered pharmacology in the intensive care unit patient. Fundamental and Clinical Pharmacology, 2008, 22, 493-501.	1.0	28

Alessandro Di Filippo

#	Article	IF	CITATIONS
19	Skin Temperature during Sympathetic Block: A Clinical Comparison of Bupivacaine 0.5% and Ropivacaine 0.5% or 0.75%. Anaesthesia and Intensive Care, 2006, 34, 334-337.	0.2	10
20	Intraoperative Positive Fluid Balance Improves Tissue Diffusion of Ceftizoxime. Chemotherapy, 2005, 51, 51-56.	0.8	3
21	Bilirubin influence on oxidative lung damage and surfactant surface tension properties. Pediatric Pulmonology, 2004, 38, 179-185.	1.0	15
22	Perfluorocarbons attenuate oxidative lung damage. Pediatric Pulmonology, 2003, 36, 322-329.	1.0	15
23	Device-Related Infections in Critically III Patients. Part II: Prevention of Ventilator-Associated Pneumonia and Urinary Tract Infections. Journal of Chemotherapy, 2003, 15, 536-542.	0.7	14
24	EEG signal processing in anaesthesia. Use of a neural network technique for monitoring depth of anaesthesia. British Journal of Anaesthesia, 2002, 88, 644-648.	1.5	65
25	Sevoflurane low-flow anaesthesia: best strategy to reduce Compound A concentration. Acta Anaesthesiologica Scandinavica, 2002, 46, 1017-1020.	0.7	6
26	Glomerular permeability and trauma: A correlation between microalbuminuria and Injury Severity Score. Critical Care Medicine, 1999, 27, 2105-2108.	0.4	49
27	Continuous Infusion of Vancomycin in Methicillin- Resistant Staphylococcus Infection. Chemotherapy, 1998, 44, 63-68.	0.8	62