

Gemma Navarro

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9409413/gemma-navarro-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

95
papers

3,493
citations

36
h-index

56
g-index

101
ext. papers

4,188
ext. citations

5.9
avg, IF

5.22
L-index

#	Paper	IF	Citations
95	Adenosine Receptor Antagonists to Combat Cancer and to Boost Anti-Cancer Chemotherapy and Immunotherapy. <i>Cells</i> , 2021 , 10,	7.9	3
94	Genes Implicated in Familial Parkinson's Disease Provide a Dual Picture of Nigral Dopaminergic Neurodegeneration with Mitochondria Taking Center Stage. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	6
93	Microglial Adenosine Receptors: From Preconditioning to Modulating the M1/M2 Balance in Activated Cells. <i>Cells</i> , 2021 , 10,	7.9	7
92	Antioxidant Supplements versus Health Benefits of Brief/Intermittent Exposure to Potentially Toxic Physical or Chemical Agents. <i>Current Issues in Molecular Biology</i> , 2021 , 43, 650-664	2.9	2
91	Dopamine in Health and Disease: Much More Than a Neurotransmitter. <i>Biomedicines</i> , 2021 , 9,	4.8	20
90	Cuprizone-Induced Neurotoxicity in Human Neural Cell Lines Is Mediated by a Reversible Mitochondrial Dysfunction: Relevance for Demyelination Models. <i>Brain Sciences</i> , 2021 , 11,	3.4	3
89	Identification of the Ghrelin and Cannabinoid CB Receptor Heteromer Functionality and Marked Upregulation in Striatal Neurons from Offspring of Mice under a High-Fat Diet. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	1
88	Functional Complexes of Angiotensin-Converting Enzyme 2 and Renin-Angiotensin System Receptors: Expression in Adult but Not Fetal Lung Tissue. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	5
87	Adenosine A Receptor Antagonists Affects NMDA Glutamate Receptor Function. Potential to Address Neurodegeneration in Alzheimer's Disease. <i>Cells</i> , 2020 , 9,	7.9	20
86	Expression of Melatonin and Dopamine D Receptor Heteromers in Eye Ciliary Body Epithelial Cells and Negative Correlation with Ocular Hypertension. <i>Cells</i> , 2020 , 9,	7.9	8
85	A and A adenosine receptors: The extracellular loop 2 determines high (A) or low affinity (A) for adenosine. <i>Biochemical Pharmacology</i> , 2020 , 172, 113718	6	16
84	SARS-CoV-2 as a Factor to Disbalance the Renin-Angiotensin System: A Suspect in the Case of Exacerbated IL-6 Production. <i>Journal of Immunology</i> , 2020 , 205, 1198-1206	5.3	16
83	Adenosine A and A Receptors Are Able to Interact with Each Other. A Further Piece in the Puzzle of Adenosine Receptor-Mediated Signaling. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	2
82	Discovery of Homobivalent Bitopic Ligands of the Cannabinoid CB Receptor*. <i>Chemistry - A European Journal</i> , 2020 , 26, 15839-15842	4.8	12
81	Targeting CB and GPR55 Endocannabinoid Receptors as a Potential Neuroprotective Approach for Parkinson's Disease. <i>Molecular Neurobiology</i> , 2019 , 56, 5900-5910	6.2	15
80	Increased expression of cannabinoid CB and serotonin 5-HT heteroreceptor complexes in a model of newborn hypoxic-ischemic brain damage. <i>Neuropharmacology</i> , 2019 , 152, 58-66	5.5	16
79	Cocaine Blocks Effects of Hunger Hormone, Ghrelin, Via Interaction with Neuronal Sigma-1 Receptors. <i>Molecular Neurobiology</i> , 2019 , 56, 1196-1210	6.2	10

78	Differential effect of amphetamine over the corticotropin-releasing factor CRF receptor, the orexin OX receptor and the CRF-OX heteroreceptor complex. <i>Neuropharmacology</i> , 2019 , 152, 102-111	5.5	7
77	Alterations in Gene and Protein Expression of Cannabinoid CB and GPR55 Receptors in the Dorsolateral Prefrontal Cortex of Suicide Victims. <i>Neurotherapeutics</i> , 2018 , 15, 796-806	6.4	27
76	Orexin A/Hypocretin Modulates Leptin Receptor-Mediated Signaling by Allosteric Modulations Mediated by the Ghrelin GHS-R1A Receptor in Hypothalamic Neurons. <i>Molecular Neurobiology</i> , 2018 , 55, 4718-4730	6.2	11
75	Receptor-heteromer mediated regulation of endocannabinoid signaling in activated microglia. Role of CB and CB receptors and relevance for Alzheimer's disease and levodopa-induced dyskinesia. <i>Brain, Behavior, and Immunity</i> , 2018 , 67, 139-151	16.6	65
74	Methods to Identify the Signature of Trimers Formed by Three G Protein-Coupled Receptors or by Two G Protein-Coupled and One Ionotropic Receptor with Special Emphasis in the Functional Role in the Central Nervous System. <i>Neuromethods</i> , 2018 , 187-203	0.4	1
73	Essential Control of the Function of the Striatopallidal Neuron by Pre-coupled Complexes of Adenosine A-Dopamine D Receptor Heterotetramers and Adenylyl Cyclase. <i>Frontiers in Pharmacology</i> , 2018 , 9, 243	5.6	45
72	Cannabigerol Action at Cannabinoid CB and CB Receptors and at CB-CB Heteroreceptor Complexes. <i>Frontiers in Pharmacology</i> , 2018 , 9, 632	5.6	58
71	Adenosine A Receptor Antagonists in Neurodegenerative Diseases: Huge Potential and Huge Challenges. <i>Frontiers in Psychiatry</i> , 2018 , 9, 68	5	34
70	Neuronal Calcium and cAMP Cross-Talk Mediated by Cannabinoid CB Receptor and EF-Hand Calcium Sensor Interactions. <i>Frontiers in Cell and Developmental Biology</i> , 2018 , 6, 67	5.7	7
69	Glucocerebrosidase Mutations and Synucleinopathies. Potential Role of Sterylglucosides and Relevance of Studying Both GBA1 and GBA2 Genes. <i>Frontiers in Neuroanatomy</i> , 2018 , 12, 52	3.6	15
68	Understanding the Role of Adenosine A2AR Heteroreceptor Complexes in Neurodegeneration and Neuroinflammation. <i>Frontiers in Neuroscience</i> , 2018 , 12, 43	5.1	31
67	Cocaine Effects on Dopaminergic Transmission Depend on a Balance between Sigma-1 and Sigma-2 Receptor Expression. <i>Frontiers in Molecular Neuroscience</i> , 2018 , 11, 17	6.1	8
66	Cross-communication between G and G in a G-protein-coupled receptor heterotetramer guided by a receptor C-terminal domain. <i>BMC Biology</i> , 2018 , 16, 24	7.3	45
65	Evidence for functional pre-coupled complexes of receptor heteromers and adenylyl cyclase. <i>Nature Communications</i> , 2018 , 9, 1242	17.4	76
64	Molecular and functional interaction between GPR18 and cannabinoid CB G-protein-coupled receptors. Relevance in neurodegenerative diseases. <i>Biochemical Pharmacology</i> , 2018 , 157, 169-179	6	33
63	Usefulness of identifying G-protein-coupled receptor dimers for diagnosis and therapy of neurodegenerative diseases and of gliomas. <i>Histology and Histopathology</i> , 2018 , 33, 909-917	1.4	1
62	Detection, Analysis, and Quantification of GPCR Homo- and Heteroreceptor Complexes in Specific Neuronal Cell Populations Using the In Situ Proximity Ligation Assay. <i>Neuromethods</i> , 2018 , 299-315	0.4	3
61	Adenosine A receptor ligand recognition and signaling is blocked by A receptors. <i>Oncotarget</i> , 2018 , 9, 13593-13611	3.3	55

60	Biased receptor functionality versus biased agonism in G-protein-coupled receptors. <i>Biomolecular Concepts</i> , 2018 , 9, 143-154	3.7	23
59	Identification of a Tool Compound to Study the Mechanisms of Functional Selectivity between D2 and D3 Dopamine Receptors. <i>ACS Omega</i> , 2018 , 3, 17368-17375	3.9	1
58	-Methyl-D-Aspartate Receptor Link to the MAP Kinase Pathway in Cortical and Hippocampal Neurons and Microglia Is Dependent on Calcium Sensors and Is Blocked by β Synuclein, Tau, and Phospho-Tau in Non-transgenic and Transgenic APP Mice. <i>Frontiers in Molecular Neuroscience</i> , 2018 , 11, 273	6.1	10
57	Cannabidiol skews biased agonism at cannabinoid CB and CB receptors with smaller effect in CB-CB heteroreceptor complexes. <i>Biochemical Pharmacology</i> , 2018 , 157, 148-158	6	51
56	Resveratrol and Related Stilbenoids, Nutraceutical/Dietary Complements with Health-Promoting Actions: Industrial Production, Safety, and the Search for Mode of Action. <i>Comprehensive Reviews in Food Science and Food Safety</i> , 2018 , 17, 808-826	16.4	29
55	Heteroreceptor Complexes Formed by Dopamine D, Histamine H, and N-Methyl-D-Aspartate Glutamate Receptors as Targets to Prevent Neuronal Death in Alzheimer's Disease. <i>Molecular Neurobiology</i> , 2017 , 54, 4537-4550	6.2	28
54	Potential of GPCRs to modulate MAPK and mTOR pathways in Alzheimer's disease. <i>Progress in Neurobiology</i> , 2017 , 149-150, 21-38	10.9	30
53	A genomics approach identifies selective effects of trans-resveratrol in cerebral cortex neuron and glia gene expression. <i>PLoS ONE</i> , 2017 , 12, e0176067	3.7	9
52	Heteroreceptor Complexes Implicated in Parkinson's Disease 2017 , 477-501		1
51	Binding and Signaling Studies Disclose a Potential Allosteric Site for Cannabidiol in Cannabinoid CB Receptors. <i>Frontiers in Pharmacology</i> , 2017 , 8, 744	5.6	93
50	The Epigenetic Cytocin Pathway to the Nucleus. Epigenetic Factors, Epigenetic Mediators, and Epigenetic Traits. A Biochemist Perspective. <i>Frontiers in Genetics</i> , 2017 , 8, 179	4.5	4
49	Adenosine deaminase regulates Treg expression in autologous T cell-dendritic cell cocultures from patients infected with HIV-1. <i>Journal of Leukocyte Biology</i> , 2016 , 99, 349-59	6.5	15
48	Purinergic signaling in Parkinson's disease. Relevance for treatment. <i>Neuropharmacology</i> , 2016 , 104, 161-8	5.5	46
47	Quaternary structure of a G-protein-coupled receptor heterotetramer in complex with Gi and Gs. <i>BMC Biology</i> , 2016 , 14, 26	7.3	88
46	Chromenopyrazole, a Versatile Cannabinoid Scaffold with in Vivo Activity in a Model of Multiple Sclerosis. <i>Journal of Medicinal Chemistry</i> , 2016 , 59, 6753-6771	8.3	24
45	Allosteric mechanisms within the adenosine A2A-dopamine D2 receptor heterotetramer. <i>Neuropharmacology</i> , 2016 , 104, 154-60	5.5	66
44	Hints on the Lateralization of Dopamine Binding to D1 Receptors in Rat Striatum. <i>Molecular Neurobiology</i> , 2016 , 53, 5436-45	6.2	5
43	Targeting Cannabinoid CB2 Receptors in the Central Nervous System. Medicinal Chemistry Approaches with Focus on Neurodegenerative Disorders. <i>Frontiers in Neuroscience</i> , 2016 , 10, 406	5.1	79

42	Basic Pharmacological and Structural Evidence for Class A G-Protein-Coupled Receptor Heteromerization. <i>Frontiers in Pharmacology</i> , 2016 , 7, 76	5.6	82
41	Two Affinity Sites of the Cannabinoid Subtype 2 Receptor Identified by a Novel Homogeneous Binding Assay. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2016 , 358, 580-7	4.7	17
40	A Significant Role of the Truncated Ghrelin Receptor GHS-R1b in Ghrelin-induced Signaling in Neurons. <i>Journal of Biological Chemistry</i> , 2016 , 291, 13048-62	5.4	32
39	Evidence for the heterotetrameric structure of the adenosine A2A-dopamine D2 receptor complex. <i>Biochemical Society Transactions</i> , 2016 , 44, 595-600	5.1	26
38	Disruption of a dopamine receptor complex amplifies the actions of cocaine. <i>European Neuropsychopharmacology</i> , 2016 , 26, 1366-1377	1.2	25
37	Allosteric interactions between agonists and antagonists within the adenosine A2A receptor-dopamine D2 receptor heterotetramer. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015 , 112, E3609-18	11.5	107
36	Orexin-corticotropin-releasing factor receptor heteromers in the ventral tegmental area as targets for cocaine. <i>Journal of Neuroscience</i> , 2015 , 35, 6639-53	6.6	50
35	Stronger Dopamine D1 Receptor-Mediated Neurotransmission in Dyskinesia. <i>Molecular Neurobiology</i> , 2015 , 52, 1408-1420	6.2	36
34	Structures for G-Protein-Coupled Receptor Tetramers in Complex with G Proteins. <i>Trends in Biochemical Sciences</i> , 2015 , 40, 548-551	10.3	50
33	Functional Divergence in the Role of N-Linked Glycosylation in Smoothed Signaling. <i>PLoS Genetics</i> , 2015 , 11, e1005473	6	31
32	Dopamine D2 and angiotensin II type 1 receptors form functional heteromers in rat striatum. <i>Biochemical Pharmacology</i> , 2015 , 96, 131-42	6	44
31	Cognitive Impairment Induced by Delta9-tetrahydrocannabinol Occurs through Heteromers between Cannabinoid CB1 and Serotonin 5-HT2A Receptors. <i>PLoS Biology</i> , 2015 , 13, e1002194	9.7	122
30	CB1 and GPR55 receptors are co-expressed and form heteromers in rat and monkey striatum. <i>Experimental Neurology</i> , 2014 , 261, 44-52	5.7	60
29	Functional selectivity of allosteric interactions within G protein-coupled receptor oligomers: the dopamine D1-D3 receptor heterotetramer. <i>Molecular Pharmacology</i> , 2014 , 86, 417-29	4.3	93
28	Cocaine disrupts histamine H3 receptor modulation of dopamine D1 receptor signaling: α -D1-H3 receptor complexes as key targets for reducing cocaine's effects. <i>Journal of Neuroscience</i> , 2014 , 34, 3545-58	6.6	52
27	CCR5/CD4/CXCR4 oligomerization prevents HIV-1 gp120IIIB binding to the cell surface. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014 , 111, E1960-9	11.5	37
26	Potential of caveolae in the therapy of cardiovascular and neurological diseases. <i>Frontiers in Physiology</i> , 2014 , 5, 370	4.6	13
25	Intracellular calcium levels determine differential modulation of allosteric interactions within G protein-coupled receptor heteromers. <i>Chemistry and Biology</i> , 2014 , 21, 1546-56		37

24	G-protein-coupled receptor heteromers as key players in the molecular architecture of the central nervous system. <i>CNS Neuroscience and Therapeutics</i> , 2014 , 20, 703-9	6.8	17
23	A1R-A2AR heteromers coupled to Gs and G i/o proteins modulate GABA transport into astrocytes. <i>Purinergic Signalling</i> , 2013 , 9, 433-49	3.8	93
22	Cocaine inhibits dopamine D2 receptor signaling via sigma-1-D2 receptor heteromers. <i>PLoS ONE</i> , 2013 , 8, e61245	3.7	96
21	NCS-1 associates with adenosine A(2A) receptors and modulates receptor function. <i>Frontiers in Molecular Neuroscience</i> , 2012 , 5, 53	6.1	25
20	A new D1 dopamine receptor agonist allosterically modulates A(2A) adenosine receptor signalling by interacting with the A(2A)/D1 receptor heteromer. <i>Cellular Signalling</i> , 2012 , 24, 951-60	4.9	14
19	Modulation of GABA transport by adenosine A1R-A2AR heteromers, which are coupled to both Gs- and G(i/o)-proteins. <i>Journal of Neuroscience</i> , 2011 , 31, 15629-39	6.6	15
18	Real-time G-protein-coupled receptor imaging to understand and quantify receptor dynamics. <i>Scientific World Journal, The</i> , 2011 , 11, 1995-2010	2.2	2
17	Adenosine A(2A) Receptors and A(2A) Receptor Heteromers as Key Players in Striatal Function. <i>Frontiers in Neuroanatomy</i> , 2011 , 5, 36	3.6	39
16	Production of functional recombinant G-protein coupled receptors for heteromerization studies. <i>Journal of Neuroscience Methods</i> , 2011 , 199, 258-64	3	7
15	Post-translational membrane insertion of tail-anchored transmembrane EF-hand Ca ²⁺ sensor calneurons requires the TRC40/Asna1 protein chaperone. <i>Journal of Biological Chemistry</i> , 2011 , 286, 36762-76	5.4	22
14	Dopamine D1-histamine H3 receptor heteromers provide a selective link to MAPK signaling in GABAergic neurons of the direct striatal pathway. <i>Journal of Biological Chemistry</i> , 2011 , 286, 5846-54	5.4	98
13	Adenosine-cannabinoid receptor interactions. Implications for striatal function. <i>British Journal of Pharmacology</i> , 2010 , 160, 443-53	8.6	90
12	Direct involvement of sigma-1 receptors in the dopamine D1 receptor-mediated effects of cocaine. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010 , 107, 18676-81	11.5	135
11	Interactions between intracellular domains as key determinants of the quaternary structure and function of receptor heteromers. <i>Journal of Biological Chemistry</i> , 2010 , 285, 27346-27359	5.4	86
10	Calcium-mediated modulation of the quaternary structure and function of adenosine A2A-dopamine D2 receptor heteromers. <i>Current Opinion in Pharmacology</i> , 2010 , 10, 67-72	5.1	20
9	Cocaine produces D2R-mediated conformational changes in the adenosine A(2A)R-dopamine D2R heteromer. <i>Biochemical and Biophysical Research Communications</i> , 2010 , 394, 988-92	3.4	23
8	G protein-coupled receptor heteromers as new targets for drug development. <i>Progress in Molecular Biology and Translational Science</i> , 2010 , 91, 41-52	4	40
7	Interactions between calmodulin, adenosine A2A, and dopamine D2 receptors. <i>Journal of Biological Chemistry</i> , 2009 , 284, 28058-28068	5.4	53

6	Dynamic regulation of CXCR1 and CXCR2 homo- and heterodimers. <i>Journal of Immunology</i> , 2009 , 183, 7337-46	5.3	37
5	Detection of heteromerization of more than two proteins by sequential BRET-FRET. <i>Nature Methods</i> , 2008 , 5, 727-33	21.6	241
4	Detection of heteromers formed by cannabinoid CB1, dopamine D2, and adenosine A2A G-protein-coupled receptors by combining bimolecular fluorescence complementation and bioluminescence energy transfer. <i>Scientific World Journal, The</i> , 2008 , 8, 1088-97	2.2	85
3	Increase in A2A receptors in the nucleus accumbens after extended cocaine self-administration and its disappearance after cocaine withdrawal. <i>Brain Research</i> , 2007 , 1143, 208-20	3.7	45
2	The meaning of the Michaelis-Menten constant: Km describes a steady-state		3
1	Adrenergic-melatonin heteroreceptor complexes are key in controlling ion homeostasis and intraocular eye pressure and their disruption contributes to hypertensive glaucoma		1