
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9410094/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | CoN4 active sites in locally distorted carbon structure for efficient oxygen reduction reaction via regulating coordination environment. Chemical Engineering Journal, 2022, 429, 132119. | 6.6 | 14 |
| 2 | Graphitic Carbon Nitride for Photoelectrochemical Detection of Environmental Pollutants. ACS ES&T Engineering, 2022, 2, 140-157. | 3.7 | 41 |
| 3 | Highly efficient and stable indium single-atom catalysts for electrocatalytic reduction of CO ₂ to formate. Chemical Communications, 2022, 58, 3007-3010. | 2.2 | 23 |
| 4 | Tuning Active Species in N-Doped Carbon with Fe/Fe ₃ C Nanoparticles for Efficient Oxygen Reduction Reaction. Inorganic Chemistry, 2022, 61, 3166-3175. | 1.9 | 13 |
| 5 | Accelerating CO ₂ Electroreduction to Multicarbon Products via Synergistic Electric–Thermal Field on Copper Nanoneedles. Journal of the American Chemical Society, 2022, 144, 3039-3049. | 6.6 | 147 |
| 6 | Ligand Engineering in Nickel Phthalocyanine to Boost the Electrocatalytic Reduction of CO ₂ . Advanced Functional Materials, 2022, 32, . | 7.8 | 80 |
| 7 | Ultra-thin carbon nitride nanosheets for efficient photocatalytic hydrogen evolution. Chemical Engineering Journal, 2022, 442, 136115. | 6.6 | 48 |
| 8 | Cu(II)-Grafted Carbon Nitride Quantum Dots with High Crystallinity for Photoelectrochemical Detection Application. Industrial & Engineering Chemistry Research, 2022, 61, 6301-6310. | 1.8 | 10 |
| 9 | Trash to treasure: Converting red mud into efficient catalysts for the hydrogenation of p-nitrobenzene compounds. Journal of Environmental Chemical Engineering, 2022, 10, 108161. | 3.3 | 3 |
| 10 | Surface hydroxyl groups functionalized graphite carbon nitride for high efficient removal of diquat dibromide from water. Journal of Colloid and Interface Science, 2021, 582, 70-80. | 5.0 | 32 |
| 11 | An "on-off-super on―photoelectrochemical sensor based on quenching by Cu-induced surface exciton trapping and signal amplification of copper sulfide/porous carbon nitride heterojunction. Chemosphere, 2021, 267, 129218. | 4.2 | 13 |
| 12 | Insights into the development of Cu-based photocathodes for carbon dioxide (CO ₂) conversion. Green Chemistry, 2021, 23, 3207-3240. | 4.6 | 26 |
| 13 | Efficient upcycling electroplating sludge and waste PET into Ni-MOF nanocrystals for the effective photoreduction of CO ₂ . Environmental Science: Nano, 2021, 8, 390-398. | 2.2 | 19 |
| 14 | Defect-Induced Ce-Doped Bi ₂ WO ₆ for Efficient Electrocatalytic N ₂ Reduction. ACS Applied Materials & Interfaces, 2021, 13, 19864-19872. | 4.0 | 59 |
| 15 | Tuning Charge Distribution of FeN ₄ via External N for Enhanced Oxygen Reduction Reaction. ACS Catalysis, 2021, 11, 6304-6315. | 5.5 | 114 |
| 16 | Hydroxyl/amino and Fe(III) co-grafted graphite carbon nitride for photocatalytic removal of volatile organic compounds. Environmental Research, 2021, 197, 111044. | 3.7 | 19 |
| 17 | Dual Inorganic Sacrificial Template Synthesis of Hierarchically Porous Carbon with Specific N Sites for Efficient Oxygen Reduction. ACS Applied Materials & Interfaces, 2021, 13, 28140-28149. | 4.0 | 12 |
| 18 | Atomically Dispersed sâ€Block Magnesium Sites for Electroreduction of CO ₂ to CO. Angewandte Chemie, 2021, 133, 25445-25449. | 1.6 | 22 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Atomically Dispersed sâ€Block Magnesium Sites for Electroreduction of CO ₂ to CO. Angewandte Chemie - International Edition, 2021, 60, 25241-25245. | 7.2 | 104 |
| 20 | Efficient three-phase electrocatalytic CO ₂ reduction to formate on superhydrophobic Bi–C interfaces. Chemical Communications, 2021, 57, 6011-6014. | 2.2 | 10 |
| 21 | A highly efficient photoelectrochemical sensor for detection of chlorpyrifos based on 2D/2D β-Bi ₂ O ₃ /g-C ₃ N ₄ heterojunctions. Environmental Science: Nano, 2021, 8, 773-783. | 2.2 | 33 |
| 22 | Machine Learning in Screening High Performance Electrocatalysts for CO ₂ Reduction. Small Methods, 2021, 5, e2100987. | 4.6 | 60 |
| 23 | Product selectivity of photocatalytic CO2 reduction reactions. Materials Today, 2020, 32, 222-243. | 8.3 | 719 |
| 24 | Surfactant-assisted controlled synthesis of a metal-organic framework on Fe2O3 nanorod for boosted photoelectrochemical water oxidation. Chemical Engineering Journal, 2020, 379, 122256. | 6.6 | 64 |
| 25 | Metallic MoO ₂ â€Modified Graphitic Carbon Nitride Boosting Photocatalytic CO ₂ Reduction via Schottky Junction. Solar Rrl, 2020, 4, 1900416. | 3.1 | 59 |
| 26 | Co single-atoms on ultrathin N-doped porous carbon <i>via</i> a biomass complexation strategy for high performance metal–air batteries. Journal of Materials Chemistry A, 2020, 8, 2131-2139. | 5.2 | 68 |
| 27 | Transition Metal Selenides for Electrocatalytic Hydrogen Evolution Reaction. ChemElectroChem, 2020, 7, 31-54. | 1.7 | 103 |
| 28 | Z‑Scheme cathodic photoelectrochemical sensors for detection of hydrogen sulfide based on AgCl-Ag coupled with porous carbon nitride. Applied Surface Science, 2020, 532, 147424. | 3.1 | 10 |
| 29 | Modulating Charge Transfer Efficiency of Hematite Photoanode with Hybrid Dualâ€Metal–Organic Frameworks for Boosting Photoelectrochemical Water Oxidation. Advanced Science, 2020, 7, 2002563. | 5.6 | 56 |
| 30 | Copper Isolated Sites on N-Doped Carbon Nanoframes for Efficient Oxygen Reduction. ACS Sustainable Chemistry and Engineering, 2020, 8, 14030-14038. | 3.2 | 27 |
| 31 | Bismuth(III)-Doped NaYbF ₄ :Tm ³⁺ Fluorides with Highly Efficient Upconversion Emission under Low Irradiance. Inorganic Chemistry, 2020, 59, 7752-7760. | 1.9 | 8 |
| 32 | An innovative inÂvitro assay to study the effects of aromatic pollutants on porphyrin systems. Environmental Pollution, 2020, 264, 114606. | 3.7 | 3 |
| 33 | A regenerative photoelectrochemical sensor based on functional porous carbon nitride for Cu2+ detection. Microchemical Journal, 2020, 156, 104922. | 2.3 | 26 |
| 34 | Stabilizing CuGaS ₂ by crystalline CdS through an interfacial Z-scheme charge transfer for enhanced photocatalytic CO ₂ reduction under visible light. Nanoscale, 2020, 12, 8693-8700. | 2.8 | 39 |
| 35 | Plasma-treatment induced H2O dissociation for the enhancement of photocatalytic CO2 reduction to CH4 over graphitic carbon nitride. Applied Surface Science, 2020, 508, 145173. | 3.1 | 44 |
| 36 | Cobalt Nanoparticles Encapsulated in Nitrogen-Doped Carbon Shells: Efficient and Stable Catalyst for Nitrobenzene Reduction. Industrial & Engineering Chemistry Research, 2020, 59, 4367-4376. | 1.8 | 55 |

XIAOQING QIU

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 37 | Photoelectrochemical detection of breast cancer biomarker based on hexagonal carbon nitride tubes. Analytical and Bioanalytical Chemistry, 2019, 411, 6889-6897. | 1.9 | 21 |
| 38 | Graphitic Carbon Nitride with Dopant Induced Charge Localization for Enhanced Photoreduction of CO ₂ to CH ₄ . Advanced Science, 2019, 6, 1900796. | 5.6 | 251 |
| 39 | Quantum-Dot-Derived Catalysts for CO2 Reduction Reaction. Joule, 2019, 3, 1703-1718. | 11.7 | 106 |
| 40 | Composition Engineering Boosts Voltage Windows for Advanced Sodium-Ion Batteries. ACS Nano, 2019, 13, 10787-10797. | 7.3 | 90 |
| 41 | Defect-rich and ultrathin N doped carbon nanosheets as advanced trifunctional metal-free electrocatalysts for the ORR, OER and HER. Energy and Environmental Science, 2019, 12, 322-333. | 15.6 | 1,078 |
| 42 | Low-temperature route to prepare rare earth fluorides in a molten NH4NO3 system: a systematic study on the effects of NaF/Ln ratio and the reaction temperature and time. CrystEngComm, 2019, 21, 182-189. | 1.3 | 5 |
| 43 | Oneâ€Pot Synthesis of Novel B, N Co–Doped Carbon Materials for Highâ€Performance Sodiumâ€ŀon Batteries. ChemistrySelect, 2019, 4, 6445-6450. | 0.7 | 17 |
| 44 | Plasmonic MoO3-x nanosheets with tunable oxygen vacancies as efficient visible light responsive photocatalyst. Applied Surface Science, 2019, 490, 395-402. | 3.1 | 86 |
| 45 | In situ synthesis of g-C3N4/TiO2 with {001} and {101} facets coexposed for water remediation. Applied Surface Science, 2019, 487, 322-334. | 3.1 | 27 |
| 46 | Ag1.69Sb2.27O6.25 coupled carbon nitride photocatalyst with high redox potential for efficient multifunctional environmental applications. Applied Surface Science, 2019, 487, 82-90. | 3.1 | 14 |
| 47 | Recent advances in different-dimension electrocatalysts for carbon dioxide reduction. Journal of Colloid and Interface Science, 2019, 550, 17-47. | 5.0 | 26 |
| 48 | Untying thioether bond structures enabled by "voltage-scissors―for stable room temperature sodium–sulfur batteries. Nanoscale, 2019, 11, 5967-5973. | 2.8 | 66 |
| 49 | In Situ Formation of WO ₃ -Based Heterojunction Photoanodes with Abundant Oxygen Vacancies via a Novel Microbattery Method. ACS Applied Materials & Interfaces, 2019, 11, 15467-15477. | 4.0 | 39 |
| 50 | Bismuth vanadate single crystal particles modified with tungsten for efficient photoeletrochemical water oxidation. Catalysis Today, 2019, 335, 511-519. | 2.2 | 12 |
| 51 | A porous carbon nitride modified with cobalt phosphide as an efficient visible-light harvesting nanocomposite for photoelectrochemical enzymatic sensing of glucose. Mikrochimica Acta, 2019, 186, 856. | 2.5 | 10 |
| 52 | Enhancement of photocatalytic activities in hierarchical BiOBr microï¬,owers induced by oxygen vacancies. Catalysis Today, 2019, 335, 193-199. | 2.2 | 58 |
| 53 | Chemoselective hydrogenation of nitrobenzenes activated with tuned Au/h-BN. Journal of Catalysis, 2019, 370, 55-60. | 3.1 | 48 |
| 54 | Solution evaporation processed high quality perovskite films. Science Bulletin, 2018, 63, 1591-1596. | 4.3 | 34 |

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 55 | Nanorod-assembled NiCo ₂ O ₄ hollow microspheres assisted by an ionic liquid as advanced electrode materials for supercapacitors. RSC Advances, 2017, 7, 11123-11128. | 1.7 | 26 |
| 56 | High-rate sodium ion anodes assisted by N-doped carbon sheets. Sustainable Energy and Fuels, 2017, 1, 1130-1136. | 2.5 | 23 |
| 57 | Magnetically recyclable Ni@h-BN composites for efficient hydrolysis of ammonia borane. International Journal of Hydrogen Energy, 2017, 42, 16003-16011. | 3.8 | 46 |
| 58 | Oxygen Vacancies Evoked Blue TiO ₂ (B) Nanobelts with Efficiency Enhancement in Sodium Storage Behaviors. Advanced Functional Materials, 2017, 27, 1700856. | 7.8 | 212 |
| 59 | Enhanced stability and catalytic activity of bismuth nanoparticles by modified with porous silica. Journal of Physics and Chemistry of Solids, 2017, 110, 9-14. | 1.9 | 22 |
| 60 | Hollow-sphere ZnSe wrapped around carbon particles as a cycle-stable and high-rate anode material for reversible Li-ion batteries. New Journal of Chemistry, 2017, 41, 6693-6699. | 1.4 | 40 |
| 61 | Carbon Anode Materials for Advanced Sodiumâ€lon Batteries. Advanced Energy Materials, 2017, 7, 1602898. | 10.2 | 858 |
| 62 | Constructing hierarchical sulfur-doped nitrogenous carbon nanosheets for sodium-ion storage. Nanotechnology, 2017, 28, 445604. | 1.3 | 13 |
| 63 | Antimony Anchored with Nitrogen-Doping Porous Carbon as a High-Performance Anode Material for Na-Ion Batteries. ACS Applied Materials & amp; Interfaces, 2017, 9, 26118-26125. | 4.0 | 55 |
| 64 | Nanoâ€confined Mo ₂ C Particles Embedded in a Porous Carbon Matrix: A Promising Anode for Ultraâ€stable Na Storage. ChemElectroChem, 2017, 4, 2669-2676. | 1.7 | 17 |
| 65 | One-step synthesis of magnetically recyclable Co@BN core–shell nanocatalysts for catalytic reduction of nitroarenes. RSC Advances, 2017, 7, 35451-35459. | 1.7 | 29 |
| 66 | Layerâ€Tunable Phosphorene Modulated by the Cation Insertion Rate as a Sodiumâ€Storage Anode. Advanced Materials, 2017, 29, 1702372. | 11.1 | 162 |
| 67 | Controllable Interlayer Spacing of Sulfurâ€Doped Graphitic Carbon Nanosheets for Fast Sodiumâ€lon Batteries. Small, 2017, 13, 1700762. | 5.2 | 144 |
| 68 | Visible light photocatalytic activity induced by Rh(III) modification on the surface of BiOCl. Applied Surface Science, 2016, 387, 45-50. | 3.1 | 38 |
| 69 | The release of hydrogen from ammonia borane over copper/hexagonal boron nitride composites. RSC Advances, 2016, 6, 106211-106217. | 1.7 | 31 |
| 70 | Hydrogenation of nitroarenes into aromatic amines over Ag@BCN colloidal catalysts. Journal of Colloid and Interface Science, 2016, 477, 131-137. | 5.0 | 25 |
| 71 | Visible-Light-Sensitive Photocatalysts: Nanocluster-Grafted Titanium Dioxide for Indoor Environmental Remediation. Journal of Physical Chemistry Letters, 2016, 7, 75-84. | 2.1 | 138 |
| 72 | Boron nitride encapsulated copper nanoparticles: a facile one-step synthesis and their effect on thermal decomposition of ammonium perchlorate. Scientific Reports, 2015, 5, 16736. | 1.6 | 46 |

| # | Article | IF | CITATIONS |
|----|--|--------------------------|-----------|
| 73 | Electronic structure and photocatalytic activities of (Bi2â^Y)Sn2O7 solid solution. Applied Surface Science, 2015, 357, 2364-2371. | 3.1 | 9 |
| 74 | Hierarchical BiOCl microflowers with improved visible-light-driven photocatalytic activity by Fe(III) modification. Applied Catalysis B: Environmental, 2015, 174-175, 105-112. | 10.8 | 155 |
| 75 | Porous cubic bismuth oxide nanospheres: A facile synthesis and their conversion to bismuth during the reduction of nitrobenzenes. Chemical Engineering Science, 2015, 131, 155-161. | 1.9 | 28 |
| 76 | Mesoporous Iron Trifluoride Microspheres as Cathode Materials for Li-ion Batteries. Electrochimica Acta, 2015, 151, 355-362. | 2.6 | 22 |
| 77 | Iodine Modified Carbon Nitride Semiconductors as Visible Light Photocatalysts for Hydrogen Evolution. Advanced Materials, 2014, 26, 805-809. | 11.1 | 1,033 |
| 78 | Cu(<scp>ii</scp>) nanocluster-grafted, Nb-doped TiO ₂ as an efficient visible-light-sensitive photocatalyst based on energy-level matching between surface and bulk states. Journal of Materials Chemistry A, 2014, 2, 13571-13579. | 5.2 | 49 |
| 79 | A facile one-pot synthesis of Cu–Cu ₂ O concave cube hybrid architectures. CrystEngComm, 2014, 16, 4967-4972. | 1.3 | 25 |
| 80 | Dispersed Cu ₂ 0 Octahedrons on h-BN Nanosheets for <i>p</i> -Nitrophenol Reduction. ACS Applied Materials & Interfaces, 2014, 6, 14469-14476. | 4.0 | 234 |
| 81 | Insights into the photosensitivity activity of BiOCl under visible light irradiation. Applied Catalysis B: Environmental, 2014, 158-159, 182-189. | 10.8 | 181 |
| 82 | Enhanced Photoactivity with Nanocluster-Grafted Titanium Dioxide Photocatalysts. ACS Nano, 2014, 8, 7229-7238. | 7.3 | 120 |
| 83 | Stable colloidal boron nitride nanosheet dispersion and its potential application in catalysis. Journal of Materials Chemistry A, 2013, 1, 12192. | 5.2 | 151 |
| 84 | Enhanced photocatalytic activity of Bi2O3 under visible light irradiation by Cu(II) clusters modification. Applied Catalysis B: Environmental, 2013, 142-143, 598-603. | 10.8 | 118 |
| 85 | Energy-Level Matching of Fe(III) Ions Grafted at Surface and Doped in Bulk for Efficient Visible-Light Photocatalysts. Journal of the American Chemical Society, 2013, 135, 10064-10072. | 6.6 | 263 |
| 86 | Hybrid Cu _{<i>x</i>} O/TiO ₂ Nanocomposites As Risk-Reduction Materials in Indoor Environments. ACS Nano, 2012, 6, 1609-1618. | 7.3 | 387 |
| 87 | Reaction mechanism of visible-light responsive Cu(II)-grafted Mo-doped SrTiO3 photocatalyst studied by means of ESR spectroscopy and chemiluminescence photometry. Applied Catalysis B: Environmental, 2012, 111-112, 636-640. | 10.8 | 30 |
| 88 | Cu(II) Oxide Amorphous Nanoclusters Grafted Ti ³⁺ Self-Doped TiO ₂ : An Efficient Visible Light Photocatalyst. Chemistry of Materials, 2011, 23, 5282-5286. | 3.2 | 262 |
| 89 | Visible-Light-Driven Cu(II)â [^] (Sr _{1â[^] <i>y</i>} Na _{<i>y</i>})(Ti _{1â[^] <i>x</i>} Mo _{<i>x</i>Photocatalysts Based on Conduction Band Control and Surface Ion Modification. Journal of the American Chemical Society. 2010. 132. 15259-15267.} | •)O _{3 6.6} | 3 |
| 90 | ZnO Twin-Cones: Synthesis, Photoluminescence, and Catalytic Decomposition of Ammonium Perchlorate. Inorganic Chemistry, 2008, 47, 4146-4152. | 1.9 | 131 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 91 | Origin of the Enhanced Photocatalytic Activities of Semiconductors: A Case Study of ZnO Doped with Mg ²⁺ . Journal of Physical Chemistry C, 2008, 112, 12242-12248. | 1.5 | 229 |
| 92 | Doping effects of Co ²⁺ ions on ZnO nanorods and their photocatalytic properties. Nanotechnology, 2008, 19, 215703. | 1.3 | 104 |
| 93 | Inheriting morphology and photoluminescence properties of MgO nanoplates. Journal of Materials Research, 2007, 22, 908-912. | 1.2 | 12 |
| 94 | Nature of the abnormal band gap narrowing in highly crystalline Zn1â^'xCoxO nanorods. Applied Physics Letters, 2006, 88, 114103. | 1.5 | 56 |
| 95 | Correlation between size-induced lattice variations and yellow emission shift in ZnO nanostructures. Applied Physics Letters, 2005, 87, 124101. | 1.5 | 42 |