

Hans-Ulrich Häring

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9410340/publications.pdf>

Version: 2024-02-01

231
papers

17,802
citations

15880

67
h-index

18944

123
g-index

235
all docs

235
docs citations

235
times ranked

25052
citing authors

#	ARTICLE	IF	CITATIONS
1	Metabolic implications of pancreatic fat accumulation. <i>Nature Reviews Endocrinology</i> , 2022, 18, 43-54.	4.3	46
2	Empagliflozin Improves Insulin Sensitivity of the Hypothalamus in Humans With Prediabetes: A Randomized, Double-Blind, Placebo-Controlled, Phase 2 Trial. <i>Diabetes Care</i> , 2022, 45, 398-406.	4.3	43
3	The German Gestational Diabetes Study (PREG), a prospective multicentre cohort study: rationale, methodology and design. <i>BMJ Open</i> , 2022, 12, e058268.	0.8	5
4	Incretin Hypersecretion in Gestational Diabetes Mellitus. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2022, 107, e2425-e2430.	1.8	10
5	Pathophysiology-based subphenotyping of individuals at elevated risk for type 2 diabetes. <i>Nature Medicine</i> , 2021, 27, 49-57.	15.2	203
6	Liver-targeting drugs and their effect on blood glucose and hepatic lipids. <i>Diabetologia</i> , 2021, 64, 1461-1479.	2.9	21
7	Pancreatic fat cells of humans with type 2 diabetes display reduced adipogenic and lipolytic activity. <i>American Journal of Physiology - Cell Physiology</i> , 2021, 320, C1000-C1012.	2.1	10
8	Determinants of hepatic insulin clearance – Results from a Mendelian Randomization study. <i>Metabolism: Clinical and Experimental</i> , 2021, 119, 154776.	1.5	2
9	Different Effects of Lifestyle Intervention in High- and Low-Risk Prediabetes: Results of the Randomized Controlled Prediabetes Lifestyle Intervention Study (PLIS). <i>Diabetes</i> , 2021, 70, 2785-2795.	0.3	35
10	Detection of diabetes from whole-body MRI using deep learning. <i>JCI Insight</i> , 2021, 6, .	2.3	10
11	Exercise prevents fatty liver by modifying the compensatory response of mitochondrial metabolism to excess substrate availability. <i>Molecular Metabolism</i> , 2021, 54, 101359.	3.0	11
12	Elevated circulating follistatin associates with an increased risk of type 2 diabetes. <i>Nature Communications</i> , 2021, 12, 6486.	5.8	31
13	TGF- β 2 Induction of miR-143/145 Is Associated to Exercise Response by Influencing Differentiation and Insulin Signaling Molecules in Human Skeletal Muscle. <i>Cells</i> , 2021, 10, 3443.	1.8	10
14	Metabolomic Characteristics of Fatty Pancreas. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2020, 128, 804-810.	0.6	14
15	Insulin Action in the Hypothalamus Increases Second-Phase Insulin Secretion in Humans. <i>Neuroendocrinology</i> , 2020, 110, 929-937.	1.2	23
16	Normalized Indices Derived from Visceral Adipose Mass Assessed by Magnetic Resonance Imaging and Their Correlation with Markers for Insulin Resistance and Prediabetes. <i>Nutrients</i> , 2020, 12, 2064.	1.7	17
17	Increased Expressions of Matrix Metalloproteinases (MMPs) in Prostate Cancer Tissues of Men with Type 2 Diabetes. <i>Biomedicines</i> , 2020, 8, 507.	1.4	5
18	Pancreatic Steatosis Associates With Impaired Insulin Secretion in Genetically Predisposed Individuals. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020, 105, 3518-3525.	1.8	37

#	ARTICLE	IF	CITATIONS
19	Increased mitochondrial respiration of adipocytes from metabolically unhealthy obese compared to healthy obese individuals. <i>Scientific Reports</i> , 2020, 10, 12407.	1.6	26
20	Characterization of Hormone-Dependent Pathways in Six Human Prostate-Cancer Cell Lines: A Gene-Expression Study. <i>Genes</i> , 2020, 11, 1174.	1.0	4
21	Ectopic fat accumulation in human astrocytes impairs insulin action. <i>Royal Society Open Science</i> , 2020, 7, 200701.	1.1	7
22	Transcript Levels of Aldo-Keto Reductase Family 1 Subfamily C (AKR1C) Are Increased in Prostate Tissue of Patients with Type 2 Diabetes. <i>Journal of Personalized Medicine</i> , 2020, 10, 124.	1.1	5
23	Lack of GLI2 proteins in adipocytes attenuates diet-induced obesity. <i>Molecular Metabolism</i> , 2020, 40, 101029.	3.0	10
24	Human Prostate Cancer Is Characterized by an Increase in Urea Cycle Metabolites. <i>Cancers</i> , 2020, 12, 1814.	1.7	37
25	Brain insulin sensitivity is linked to adiposity and body fat distribution. <i>Nature Communications</i> , 2020, 11, 1841.	5.8	81
26	Central nervous pathways of insulin action in the control of metabolism and food intake. <i>Lancet Diabetes and Endocrinology</i> , 2020, 8, 524-534.	5.5	126
27	Fully Automated and Standardized Segmentation of Adipose Tissue Compartments via Deep Learning in 3D Whole-Body MRI of Epidemiologic Cohort Studies. <i>Radiology: Artificial Intelligence</i> , 2020, 2, e200010.	3.0	30
28	Identification of the Secreted Proteins Originated from Primary Human Hepatocytes and HepG2 Cells. <i>Nutrients</i> , 2019, 11, 1795.	1.7	26
29	Generation of a human induced pluripotent stem cell line (HMGUi002-A) from a healthy male individual. <i>Stem Cell Research</i> , 2019, 39, 101531.	0.3	1
30	Glucose Measurements at Various Time Points During the OGTT and Their Role in Capturing Glucose Response Patterns. <i>Diabetes Care</i> , 2019, 42, e56-e57.	4.3	8
31	Sex-Specific Associations of Testosterone With Metabolic Traits. <i>Frontiers in Endocrinology</i> , 2019, 10, 90.	1.5	13
32	What role do fat cells play in pancreatic tissue?. <i>Molecular Metabolism</i> , 2019, 25, 1-10.	3.0	52
33	The Gly385(388)Arg Polymorphism of the FGFR4 Receptor Regulates Hepatic Lipogenesis Under Healthy Diet. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019, 104, 2041-2053.	1.8	8
34	Gene x Gene Interactions Highlight the Role of Incretin Resistance for Insulin Secretion. <i>Frontiers in Endocrinology</i> , 2019, 10, 72.	1.5	5
35	Point mutations in the PDX1 transactivation domain impair human β -cell development and function. <i>Molecular Metabolism</i> , 2019, 24, 80-97.	3.0	58
36	Potential effects of reduced red meat compared with increased fiber intake on glucose metabolism and liver fat content: a randomized and controlled dietary intervention study. <i>American Journal of Clinical Nutrition</i> , 2019, 109, 288-296.	2.2	15

#	ARTICLE	IF	CITATIONS
37	Visceral Adiposity Index as an Independent Marker of Subclinical Atherosclerosis in Individuals Prone to Diabetes Mellitus. <i>Journal of Atherosclerosis and Thrombosis</i> , 2019, 26, 821-834.	0.9	36
38	A Polygenic Risk Score of Lipolysis-Increasing Alleles Determines Visceral Fat Mass and Proinsulin Conversion. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019, 104, 1090-1098.	1.8	10
39	Non-alcoholic fatty liver disease: causes, diagnosis, cardiometabolic consequences, and treatment strategies. <i>Lancet Diabetes and Endocrinology</i> , 2019, 7, 313-324.	5.5	566
40	Nasal insulin administration does not affect hepatic glucose production at systemic fasting insulin levels. <i>Diabetes, Obesity and Metabolism</i> , 2019, 21, 993-1000.	2.2	7
41	ADAMTS9 Regulates Skeletal Muscle Insulin Sensitivity Through Extracellular Matrix Alterations. <i>Diabetes</i> , 2019, 68, 502-514.	0.3	20
42	Genome-Wide and Abdominal MRI Data Provide Evidence That a Genetically Determined Favorable Adiposity Phenotype Is Characterized by Lower Ectopic Liver Fat and Lower Risk of Type 2 Diabetes, Heart Disease, and Hypertension. <i>Diabetes</i> , 2019, 68, 207-219.	0.3	72
43	Preadipocytes of obese humans display gender-specific bioenergetic responses to glucose and insulin. <i>Molecular Metabolism</i> , 2019, 20, 28-37.	3.0	14
44	Safety of intranasal human insulin: A review. <i>Diabetes, Obesity and Metabolism</i> , 2018, 20, 1563-1577.	2.2	70
45	Effects of resveratrol supplementation on liver fat content in overweight and insulin-resistant subjects: A randomized, double-blind, placebo-controlled clinical trial. <i>Diabetes, Obesity and Metabolism</i> , 2018, 20, 1793-1797.	2.2	66
46	Genome-wide analysis of PDX1 target genes in human pancreatic progenitors. <i>Molecular Metabolism</i> , 2018, 9, 57-68.	3.0	67
47	Higher prevalence of lymph node metastasis in prostate cancer in patients with diabetes. <i>Endocrine-Related Cancer</i> , 2018, 25, L19-L22.	1.6	19
48	Dose-Dependent Effects of Intranasal Insulin on Resting-State Brain Activity. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2018, 103, 253-262.	1.8	47
49	Leptin Replacement Reestablishes Brain Insulin Action in the Hypothalamus in Congenital Leptin Deficiency. <i>Diabetes Care</i> , 2018, 41, 907-910.	4.3	11
50	Androgen receptor overexpression in prostate cancer in type 2 diabetes. <i>Molecular Metabolism</i> , 2018, 8, 158-166.	3.0	22
51	A computational biology approach of a genome-wide screen connected miRNAs to obesity and type 2 diabetes. <i>Molecular Metabolism</i> , 2018, 11, 145-159.	3.0	48
52	Metabolically healthy obesity: the low-hanging fruit in obesity treatment?. <i>Lancet Diabetes and Endocrinology</i> , 2018, 6, 249-258.	5.5	221
53	The hepatokines fetuin-A and fetuin-B are upregulated in the state of hepatic steatosis and may differently impact on glucose homeostasis in humans. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2018, 314, E266-E273.	1.8	56
54	Genetic variation in TCF7L2 rs7903146 and history of GDM negatively and independently impact on diabetes-associated metabolic traits. <i>Diabetes Research and Clinical Practice</i> , 2018, 146, 251-257.	1.1	11

#	ARTICLE	IF	CITATIONS
55	Dissociation of Fatty Liver and Insulin Resistance in I148M PNPLA3 Carriers: Differences in Diacylglycerol (DAG) FA18:1 Lipid Species as a Possible Explanation. <i>Nutrients</i> , 2018, 10, 1314.	1.7	33
56	cGMP-dependent protein kinase I (cGKI) modulates human hepatic stellate cell activation. <i>Metabolism: Clinical and Experimental</i> , 2018, 88, 22-30.	1.5	18
57	Single Nucleotide Polymorphisms in the G-Protein Coupled Receptor Kinase 5 (GRK5) Gene are associated with Plasma LDL-Cholesterol Levels in Humans. <i>Scientific Reports</i> , 2018, 8, 7745.	1.6	3
58	Palmitate and insulin counteract glucose-induced thioredoxin interacting protein (TXNIP) expression in insulin secreting cells via distinct mechanisms. <i>PLoS ONE</i> , 2018, 13, e0198016.	1.1	14
59	Prediction of Glucose Tolerance without an Oral Glucose Tolerance Test. <i>Frontiers in Endocrinology</i> , 2018, 9, 82.	1.5	13
60	A Vitamin E-Enriched Antioxidant Diet Interferes with the Acute Adaptation of the Liver to Physical Exercise in Mice. <i>Nutrients</i> , 2018, 10, 547.	1.7	9
61	Chronic d-serine supplementation impairs insulin secretion. <i>Molecular Metabolism</i> , 2018, 16, 191-202.	3.0	29
62	Integrative network analysis highlights biological processes underlying GLP-1 stimulated insulin secretion: A DIRECT study. <i>PLoS ONE</i> , 2018, 13, e0189886.	1.1	9
63	Unusual high blood glucose in ketoacidosis as first presentation of type 1 diabetes mellitus. <i>Endocrinology, Diabetes and Metabolism Case Reports</i> , 2018, 2018, .	0.2	3
64	Soluble urokinase receptor (suPAR) predicts microalbuminuria in patients at risk for type 2 diabetes mellitus. <i>Scientific Reports</i> , 2017, 7, 40627.	1.6	40
65	ALCAM a novel biomarker in patients with type 2 diabetes mellitus complicated with diabetic nephropathy. <i>Journal of Diabetes and Its Complications</i> , 2017, 31, 1058-1065.	1.2	14
66	Hypothalamic and Striatal Insulin Action Suppresses Endogenous Glucose Production and May Stimulate Glucose Uptake During Hyperinsulinemia in Lean but Not in Overweight Men. <i>Diabetes</i> , 2017, 66, 1797-1806.	0.3	87
67	Bezafibrate ameliorates diabetes via reduced steatosis and improved hepatic insulin sensitivity in diabetic TallyHo mice. <i>Molecular Metabolism</i> , 2017, 6, 256-266.	3.0	27
68	Impact of end-stage renal disease on glucose metabolism—a matched cohort analysis. <i>Nephrology Dialysis Transplantation</i> , 2017, 32, 670-676.	0.4	22
69	Sunitinib specifically augments glucose-induced insulin secretion. <i>Cellular Signalling</i> , 2017, 36, 91-97.	1.7	13
70	Genetic determination of body fat distribution and the attributive influence on metabolism. <i>Obesity</i> , 2017, 25, 1277-1283.	1.5	15
71	Hypothalamic insulin responsiveness is associated with pancreatic insulin secretion in humans. <i>Physiology and Behavior</i> , 2017, 176, 134-138.	1.0	27
72	Nonsuppressed Glucagon After Glucose Challenge as a Potential Predictor for Glucose Tolerance. <i>Diabetes</i> , 2017, 66, 1373-1379.	0.3	25

#	ARTICLE	IF	CITATIONS
73	Dynamics of Glucose Metabolism After Kidney Transplantation. <i>Kidney and Blood Pressure Research</i> , 2017, 42, 598-607.	0.9	16
74	Non-alcoholic fatty liver disease and impaired proinsulin conversion as newly identified predictors of the long-term non-response to a lifestyle intervention for diabetes prevention: results from the TULIP study. <i>Diabetologia</i> , 2017, 60, 2341-2351.	2.9	24
75	Causes, Characteristics, and Consequences of Metabolically Unhealthy Normal Weight in Humans. <i>Cell Metabolism</i> , 2017, 26, 292-300.	7.2	388
76	Point mutation of Ffar1 abrogates fatty acid-dependent insulin secretion, but protects against HFD-induced glucose intolerance. <i>Molecular Metabolism</i> , 2017, 6, 1304-1312.	3.0	19
77	Metabolic crosstalk between fatty pancreas and fatty liver: effects on local inflammation and insulin secretion. <i>Diabetologia</i> , 2017, 60, 2240-2251.	2.9	100
78	Elevated hepatic DPP4 activity promotes insulin resistance and non-alcoholic fatty liver disease. <i>Molecular Metabolism</i> , 2017, 6, 1254-1263.	3.0	109
79	Excessive fuel availability amplifies the FTO-mediated obesity risk: results from the TUEF and Whitehall II studies. <i>Scientific Reports</i> , 2017, 7, 15486.	1.6	5
80	Diagnostic Accuracy of a Novel Chromogenic Direct Thrombin Inhibitor Assay: Clinical Experiences for Dabigatran Monitoring. <i>Thrombosis and Haemostasis</i> , 2017, 117, 2369-2375.	1.8	11
81	Influence of common polymorphisms in the SLC5A2 gene on metabolic traits in subjects at increased risk of diabetes and on response to empagliflozin treatment in patients with diabetes. <i>Pharmacogenetics and Genomics</i> , 2017, 27, 135-142.	0.7	39
82	DPP4 gene variation affects GLP-1 secretion, insulin secretion, and glucose tolerance in humans with high body adiposity. <i>PLoS ONE</i> , 2017, 12, e0181880.	1.1	12
83	Obesity and renal disease: not all fat is created equal and not all obesity is harmful to the kidneys. <i>Nephrology Dialysis Transplantation</i> , 2016, 31, 726-730.	0.4	40
84	Sustained Treatment with Insulin Detemir in Mice Alters Brain Activity and Locomotion. <i>PLoS ONE</i> , 2016, 11, e0162124.	1.1	7
85	TGF- β 2 Contributes to Impaired Exercise Response by Suppression of Mitochondrial Key Regulators in Skeletal Muscle. <i>Diabetes</i> , 2016, 65, 2849-2861.	0.3	62
86	FTO Genotype Interacts with Improvement in Aerobic Fitness on Body Weight Loss During Lifestyle Intervention. <i>Obesity Facts</i> , 2016, 9, 174-181.	1.6	6
87	Interaction between the obesity-risk gene FTO and the dopamine D2 receptor gene ANKK1/TaqIA on insulin sensitivity. <i>Diabetologia</i> , 2016, 59, 2622-2631.	2.9	39
88	Generation of a human induced pluripotent stem cell (iPSC) line from a patient carrying a P33T mutation in the PDX1 gene. <i>Stem Cell Research</i> , 2016, 17, 273-276.	0.3	12
89	Generation of a human induced pluripotent stem cell (iPSC) line from a patient with family history of diabetes carrying a C18R mutation in the PDX1 gene. <i>Stem Cell Research</i> , 2016, 17, 292-295.	0.3	12
90	Lysophosphatidylcholines activate PPAR γ and protect human skeletal muscle cells from lipotoxicity. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2016, 1861, 1980-1992.	1.2	38

#	ARTICLE	IF	CITATIONS
91	Genetic Variation in the 11 β -hydroxysteroid-dehydrogenase 1 Gene Determines NAFLD and Visceral Obesity. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016, 101, 4743-4751.	1.8	20
92	Brain Insulin Resistance at the Crossroads of Metabolic and Cognitive Disorders in Humans. <i>Physiological Reviews</i> , 2016, 96, 1169-1209.	13.1	384
93	Genome-Wide Association Study of the Modified Stumvoll Insulin Sensitivity Index Identifies <i>BCL2</i> and <i>FAM19A2</i> as Novel Insulin Sensitivity Loci. <i>Diabetes</i> , 2016, 65, 3200-3211.	0.3	67
94	Relationship of Serum Trimethylamine N-Oxide (TMAO) Levels with early Atherosclerosis in Humans. <i>Scientific Reports</i> , 2016, 6, 26745.	1.6	224
95	Muscle and liver-specific alterations in lipid and acylcarnitine metabolism after a single bout of exercise in mice. <i>Scientific Reports</i> , 2016, 6, 22218.	1.6	17
96	Granulocyte colony-stimulating factor (G-CSF): A saturated fatty acid-induced myokine with insulin-desensitizing properties in humans. <i>Molecular Metabolism</i> , 2016, 5, 305-316.	3.0	17
97	Neuronal Food Reward Activity in Patients With Type 2 Diabetes With Improved Glycemic Control After Bariatric Surgery. <i>Diabetes Care</i> , 2016, 39, 1311-1317.	4.3	25
98	Phenotypes of prediabetes and stratification of cardiometabolic risk. <i>Lancet Diabetes and Endocrinology</i> , 2016, 4, 789-798.	5.5	164
99	Novel phenotypes of prediabetes?. <i>Diabetologia</i> , 2016, 59, 1806-1818.	2.9	43
100	Exercise and diabetes: relevance and causes for response variability. <i>Endocrine</i> , 2016, 51, 390-401.	1.1	65
101	Specific white matter tissue microstructure changes associated with obesity. <i>NeuroImage</i> , 2016, 125, 36-44.	2.1	106
102	The Medically Complex Living Kidney Donor: Glucose Metabolism as Principal Cause of Donor Declination. <i>Annals of Transplantation</i> , 2016, 21, 39-45.	0.5	11
103	The Genetic Variant I148M in <i>PNPLA3</i> Is Associated With Increased Hepatic Retinyl-Palmitate Storage in Humans. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015, 100, E1568-E1574.	1.8	52
104	Dissociation of GLP-1 and insulin association with food processing in the brain: GLP-1 sensitivity despite insulin resistance in obese humans. <i>Molecular Metabolism</i> , 2015, 4, 971-976.	3.0	25
105	Ketoacidosis in a non-diabetic woman who was fasting during lactation. <i>Nutrition Journal</i> , 2015, 14, 117.	1.5	19
106	Urinary Neutrophil Gelatinase-Associated Lipocalin (NGAL) and proteinuria predict severity of acute kidney injury in Puumala virus infection. <i>BMC Infectious Diseases</i> , 2015, 15, 464.	1.3	22
107	Identification of Four Mouse Diabetes Candidate Genes Altering β -Cell Proliferation. <i>PLoS Genetics</i> , 2015, 11, e1005506.	1.5	37
108	Diabetes Mellitus and Prediabetes on Kidney Transplant Waiting List- Prevalence, Metabolic Phenotyping and Risk Stratification Approach. <i>PLoS ONE</i> , 2015, 10, e0134971.	1.1	16

#	ARTICLE	IF	CITATIONS
109	Effects of Intranasal Insulin on Hepatic Fat Accumulation and Energy Metabolism in Humans. <i>Diabetes</i> , 2015, 64, 1966-1975.	0.3	70
110	Type 2 diabetes alters metabolic and transcriptional signatures of glucose and amino acid metabolism during exercise and recovery. <i>Diabetologia</i> , 2015, 58, 1845-1854.	2.9	79
111	Fibroblast growth factor 21 is elevated in metabolically unhealthy obesity and affects lipid deposition, adipogenesis, and adipokine secretion of human abdominal subcutaneous adipocytes. <i>Molecular Metabolism</i> , 2015, 4, 519-527.	3.0	60
112	Selective Insulin Resistance in Homeostatic and Cognitive Control Brain Areas in Overweight and Obese Adults. <i>Diabetes Care</i> , 2015, 38, 1044-1050.	4.3	126
113	Gestational Diabetes Impairs Human Fetal Postprandial Brain Activity. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015, 100, 4029-4036.	1.8	52
114	A high-risk phenotype associates with reduced improvement in glycaemia during a lifestyle intervention in prediabetes. <i>Diabetologia</i> , 2015, 58, 2877-2884.	2.9	56
115	Impaired insulin action in the human brain: causes and metabolic consequences. <i>Nature Reviews Endocrinology</i> , 2015, 11, 701-711.	4.3	204
116	The Brain Response to Peripheral Insulin Declines with Age: A Contribution of the Blood-Brain Barrier?. <i>PLoS ONE</i> , 2015, 10, e0126804.	1.1	80
117	Cinnamon Extract Improves Insulin Sensitivity in the Brain and Lowers Liver Fat in Mouse Models of Obesity. <i>PLoS ONE</i> , 2014, 9, e92358.	1.1	80
118	Common Genetic Variation in the Human CTF1 Locus, Encoding Cardiostrophin-1, Determines Insulin Sensitivity. <i>PLoS ONE</i> , 2014, 9, e100391.	1.1	4
119	Impact of Type 2 Diabetes Susceptibility Variants on Quantitative Glycemic Traits Reveals Mechanistic Heterogeneity. <i>Diabetes</i> , 2014, 63, 2158-2171.	0.3	297
120	Antihyperglycaemic therapies and cancer risk. <i>Diabetes and Vascular Disease Research</i> , 2014, 11, 371-389.	0.9	30
121	Comment on Hedderson et al. Prepregnancy SHBG Concentrations and Risk for Subsequently Developing Gestational Diabetes Mellitus. <i>Diabetes Care</i> 2014;37:1296-1303. <i>Diabetes Care</i> , 2014, 37, e278-e279.	4.3	1
122	Central Insulin Administration Improves Whole-Body Insulin Sensitivity via Hypothalamus and Parasympathetic Outputs in Men. <i>Diabetes</i> , 2014, 63, 4083-4088.	0.3	135
123	Reduced cortical thickness associated with visceral fat and BMI. <i>NeuroImage: Clinical</i> , 2014, 6, 307-311.	1.4	96
124	Lower Plasma Creatinine and Urine Albumin in Individuals at Increased Risk of Type 2 Diabetes with Factor V Leiden Mutation. <i>Isrn Endocrinology</i> , 2014, 2014, 1-3.	2.0	6
125	Secretome profiling of primary human skeletal muscle cells. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2014, 1844, 1011-1017.	1.1	138
126	Mechanisms Explaining the Relationship Between Metabolically Healthy Obesity and Cardiovascular Risk. <i>Journal of the American College of Cardiology</i> , 2014, 63, 2748-2749.	1.2	9

#	ARTICLE	IF	CITATIONS
127	Polymorphism rs3123554 in <i>CNR2</i> reveals gender-specific effects on body weight and affects loss of body weight and cerebral insulin action. <i>Obesity</i> , 2014, 22, 925-931.	1.5	29
128	Maternal insulin sensitivity is associated with oral glucose-induced changes in fetal brain activity. <i>Diabetologia</i> , 2014, 57, 1192-1198.	2.9	50
129	Untangling the interplay of genetic and metabolic influences on beta-cell function: Examples of potential therapeutic implications involving TCF7L2 and FFAR1. <i>Molecular Metabolism</i> , 2014, 3, 261-267.	3.0	28
130	Integrated enrichment analysis and pathway-centered visualization of metabolomics, proteomics, transcriptomics, and genomics data by using the InCroMAP software. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2014, 966, 77-82.	1.2	44
131	Empagliflozin as Add-On to Metformin in Patients With Type 2 Diabetes: A 24-Week, Randomized, Double-Blind, Placebo-Controlled Trial. <i>Diabetes Care</i> , 2014, 37, 1650-1659.	4.3	321
132	The lipid profile of brown adipose tissue is sex-specific in mice. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2014, 1841, 1563-1570.	1.2	52
133	PNPLA3 variant I148M is associated with altered hepatic lipid composition in humans. <i>Diabetologia</i> , 2014, 57, 2103-2107.	2.9	41
134	Fetuin-A influences vascular cell growth and production of proinflammatory and angiogenic proteins by human perivascular fat cells. <i>Diabetologia</i> , 2014, 57, 1057-1066.	2.9	44
135	Peroxisome proliferator-activated receptor gamma (PPARC) modulates free fatty acid receptor 1 (FFAR1) dependent insulin secretion in humans. <i>Molecular Metabolism</i> , 2014, 3, 676-680.	3.0	10
136	Inhibition of 11 β -HSD1 with RO5093151 for non-alcoholic fatty liver disease: a multicentre, randomised, double-blind, placebo-controlled trial. <i>Lancet Diabetes and Endocrinology</i> , 2014, 2, 406-416.	5.5	98
137	Variation in the obesity risk gene FTO determines the postprandial cerebral processing of food stimuli in the prefrontal cortex. <i>Molecular Metabolism</i> , 2014, 3, 109-113.	3.0	44
138	Clinical and non-targeted metabolomic profiling of homozygous carriers of Transcription Factor 7-like 2 variant rs7903146. <i>Scientific Reports</i> , 2014, 4, 5296.	1.6	17
139	Impact of the Adipokine Adiponectin and the Hepatokine Fetuin-A on the Development of Type 2 Diabetes: Prospective Cohort- and Cross-Sectional Phenotyping Studies. <i>PLoS ONE</i> , 2014, 9, e92238.	1.1	63
140	Metabolic Signatures of Cultured Human Adipocytes from Metabolically Healthy versus Unhealthy Obese Individuals. <i>PLoS ONE</i> , 2014, 9, e93148.	1.1	47
141	Circulating Lysophosphatidylcholines Are Markers of a Metabolically Benign Nonalcoholic Fatty Liver. <i>Diabetes Care</i> , 2013, 36, 2331-2338.	4.3	100
142	Metabolically healthy obesity: epidemiology, mechanisms, and clinical implications. <i>Lancet Diabetes and Endocrinology</i> , 2013, 1, 152-162.	5.5	594
143	The genetic influence on body fat distribution. <i>Drug Discovery Today Disease Mechanisms</i> , 2013, 10, e5-e13.	0.8	8
144	Intranasal Insulin Modulates Intrinsic Reward and Prefrontal Circuitry of the Human Brain in Lean Women. <i>Neuroendocrinology</i> , 2013, 97, 176-182.	1.2	93

#	ARTICLE	IF	CITATIONS
145	Nor-1, a novel incretin-responsive regulator of insulin genes and insulin secretion. <i>Molecular Metabolism</i> , 2013, 2, 243-255.	3.0	17
146	The role of hepatokines in metabolism. <i>Nature Reviews Endocrinology</i> , 2013, 9, 144-152.	4.3	411
147	Simultaneous extraction of metabolome and lipidome with methyl tert-butyl ether from a single small tissue sample for ultra-high performance liquid chromatography/mass spectrometry. <i>Journal of Chromatography A</i> , 2013, 1298, 9-16.	1.8	173
148	Reevaluation of Fatty Acid Receptor 1 as a Drug Target for the Stimulation of Insulin Secretion in Humans. <i>Diabetes</i> , 2013, 62, 2106-2111.	0.3	64
149	Circulating fetuin-A and free fatty acids interact to predict insulin resistance in humans. <i>Nature Medicine</i> , 2013, 19, 394-395.	15.2	134
150	The <i>CTRB1/2</i> Locus Affects Diabetes Susceptibility and Treatment via the Incretin Pathway. <i>Diabetes</i> , 2013, 62, 3275-3281.	0.3	96
151	Cytokine response of primary human myotubes in an in vitro exercise model. <i>American Journal of Physiology - Cell Physiology</i> , 2013, 305, C877-C886.	2.1	105
152	Empagliflozin as Add-on to Metformin Plus Sulfonylurea in Patients With Type 2 Diabetes. <i>Diabetes Care</i> , 2013, 36, 3396-3404.	4.3	319
153	Long-Term Stabilization Effects of Leptin on Brain Functions in a Leptin-Deficient Patient. <i>PLoS ONE</i> , 2013, 8, e65893.	1.1	29
154	Common Genetic Variation in the Human FNDC5 Locus, Encoding the Novel Muscle-Derived "Browning"™ Factor Irisin, Determines Insulin Sensitivity. <i>PLoS ONE</i> , 2013, 8, e61903.	1.1	83
155	Dietary Fiber Intake Modulates the Association Between Variants in <i>TCF7L2</i> and Weight Loss During a Lifestyle Intervention. <i>Diabetes Care</i> , 2012, 35, e24-e24.	4.3	32
156	Leptin Affects Insulin Action in Astrocytes and Impairs Insulin-mediated Physical Activity. <i>Cellular Physiology and Biochemistry</i> , 2012, 30, 238-246.	1.1	22
157	Urinary Neutrophil Gelatinase-Associated Lipocalin Accurately Detects Acute Allograft Rejection Among Other Causes of Acute Kidney Injury in Renal Allograft Recipients. <i>Transplantation</i> , 2012, 93, 1252-1257.	0.5	34
158	High Hepatic SCD1 Activity Is Associated with Low Liver Fat Content in Healthy Subjects under a Lipogenic Diet. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012, 97, E2288-E2292.	1.8	66
159	Polymorphism rs11085226 in the Gene Encoding Polypyrimidine Tract-Binding Protein 1 Negatively Affects Glucose-Stimulated Insulin Secretion. <i>PLoS ONE</i> , 2012, 7, e46154.	1.1	8
160	Extracorporeal light chain elimination: high cut-off (HCO) hemodialysis parallel to chemotherapy allows for a high proportion of renal recovery in multiple myeloma patients with dialysis-dependent acute kidney injury. <i>Annals of Hematology</i> , 2012, 91, 729-735.	0.8	39
161	Association of Common Genetic Variants in the MAP4K4 Locus with Prediabetic Traits in Humans. <i>PLoS ONE</i> , 2012, 7, e47647.	1.1	27
162	Insulin Receptor Isoforms A and B as well as Insulin Receptor Substrates-1 and -2 Are Differentially Expressed in Prostate Cancer. <i>PLoS ONE</i> , 2012, 7, e50953.	1.1	59

#	ARTICLE	IF	CITATIONS
163	Inflammatory response of human coronary artery endothelial cells to saturated long-chain fatty acids. <i>Microvascular Research</i> , 2011, 81, 52-59.	1.1	40
164	New type 2 diabetes risk genes provide new insights in insulin secretion mechanisms. <i>Diabetes Research and Clinical Practice</i> , 2011, 93, S9-S24.	1.1	62
165	Insulin sensitivity of the human brain. <i>Diabetes Research and Clinical Practice</i> , 2011, 93, S47-S51.	1.1	47
166	Insulin Promotes Glycogen Storage and Cell Proliferation in Primary Human Astrocytes. <i>PLoS ONE</i> , 2011, 6, e21594.	1.1	124
167	Variants in the <i>CD36</i> Gene Locus Determine Whole-Body Adiposity, but Have No Independent Effect on Insulin Sensitivity. <i>Obesity</i> , 2011, 19, 1004-1009.	1.5	25
168	Genetic variation within the NR1H2 gene encoding liver X receptor β associates with insulin secretion in subjects at increased risk for type 2 diabetes. <i>Journal of Molecular Medicine</i> , 2011, 89, 75-81.	1.7	21
169	Leptin Therapy in a Congenital Leptin-Deficient Patient Leads to Acute and Long-Term Changes in Homeostatic, Reward, and Food-Related Brain Areas. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2011, 96, E1283-E1287.	1.8	51
170	The Metabolically Benign and Malignant Fatty Liver. <i>Diabetes</i> , 2011, 60, 2011-2017.	0.3	158
171	Cardiorespiratory fitness determines the reduction in blood pressure and insulin resistance during lifestyle intervention. <i>Journal of Hypertension</i> , 2011, 29, 1220-1227.	0.3	28
172	Glucose-Raising Genetic Variants in MADD and ADCY5 Impair Conversion of Proinsulin to Insulin. <i>PLoS ONE</i> , 2011, 6, e23639.	1.1	38
173	Enforced expression of protein kinase C in skeletal muscle causes physical inactivity, fatty liver and insulin resistance in the brain. <i>Journal of Cellular and Molecular Medicine</i> , 2010, 14, 903-913.	1.6	16
174	Pancreatic fat is negatively associated with insulin secretion in individuals with impaired fasting glucose and/or impaired glucose tolerance: a nuclear magnetic resonance study. <i>Diabetes/Metabolism Research and Reviews</i> , 2010, 26, 200-205.	1.7	212
175	Novel Obesity Risk Loci Do Not Determine Distribution of Body Fat Depots: A Whole-Body MRI/MRS study. <i>Obesity</i> , 2010, 18, 1212-1217.	1.5	30
176	Evaluation of Fasting State-/Oral Glucose Tolerance Test-Derived Measures of Insulin Release for the Detection of Genetically Impaired β -Cell Function. <i>PLoS ONE</i> , 2010, 5, e14194.	1.1	65
177	Circulating Palmitoleate Strongly and Independently Predicts Insulin Sensitivity in Humans. <i>Diabetes Care</i> , 2010, 33, 405-407.	4.3	130
178	Overexpression of Kinase-Negative Protein Kinase ζ in Pancreatic β -Cells Protects Mice From Diet-Induced Glucose Intolerance and β -Cell Dysfunction. <i>Diabetes</i> , 2010, 59, 119-127.	0.3	62
179	Combined Risk Allele Score of Eight Type 2 Diabetes Genes Is Associated With Reduced First-Phase Glucose-Stimulated Insulin Secretion During Hyperglycemic Clamps. <i>Diabetes</i> , 2010, 59, 287-292.	0.3	51
180	Glycemia Determines the Effect of Type 2 Diabetes Risk Genes on Insulin Secretion. <i>Diabetes</i> , 2010, 59, 3247-3252.	0.3	43

#	ARTICLE	IF	CITATIONS
181	Insulin Modulates Food-Related Activity in the Central Nervous System. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010, 95, 748-755.	1.8	135
182	Interscapular Fat Is Strongly Associated with Insulin Resistance. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010, 95, 4736-4742.	1.8	21
183	Follow-up Whole-Body Assessment of Adipose Tissue Compartments during a Lifestyle Intervention in a Large Cohort at Increased Risk for Type 2 Diabetes. <i>Radiology</i> , 2010, 257, 353-363.	3.6	105
184	Genetic variants in <i>MTNR1B</i> affecting insulin secretion. <i>Annals of Medicine</i> , 2010, 42, 387-393.	1.5	36
185	Gene Variants of <i>TCF7L2</i> Influence Weight Loss and Body Composition During Lifestyle Intervention in a Population at Risk for Type 2 Diabetes. <i>Diabetes</i> , 2010, 59, 747-750.	0.3	69
186	Impact of Age on the Relationships of Brown Adipose Tissue With Sex and Adiposity in Humans. <i>Diabetes</i> , 2010, 59, 1789-1793.	0.3	349
187	Dissociation Between Fatty Liver and Insulin Resistance in Humans Carrying a Variant of the Patatin-Like Phospholipase 3 Gene. <i>Diabetes</i> , 2009, 58, 2616-2623.	0.3	291
188	Association of Type 2 Diabetes Candidate Polymorphisms in <i>KCNQ1</i> With Incretin and Insulin Secretion. <i>Diabetes</i> , 2009, 58, 1715-1720.	0.3	105
189	The Insulin Effect on Cerebrocortical Theta Activity Is Associated with Serum Concentrations of Saturated Nonesterified Fatty Acids. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2009, 94, 4600-4607.	1.8	40
190	The Inhibitory Effect of Recent Type 2 Diabetes Risk Loci on Insulin Secretion Is Modulated by Insulin Sensitivity. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2009, 94, 1775-1780.	1.8	18
191	<i>RARRES2</i> , encoding the novel adipokine chemerin, is a genetic determinant of disproportionate regional body fat distribution: a comparative magnetic resonance imaging study. <i>Metabolism: Clinical and Experimental</i> , 2009, 58, 519-524.	1.5	53
192	Impact of Variation Near <i>MC4R</i> on Whole-Body Fat Distribution, Liver Fat, and Weight Loss. <i>Obesity</i> , 2009, 17, 1942-1945.	1.5	48
193	Urinary free cortisone, but not cortisol, is associated with urine volume in severe obesity. <i>Steroids</i> , 2009, 74, 742-745.	0.8	9
194	Use of Multiple Metabolic and Genetic Markers to Improve the Prediction of Type 2 Diabetes: the EPIC-Potsdam Study. <i>Diabetes Care</i> , 2009, 32, 2116-2119.	4.3	125
195	Pathomechanisms of Type 2 Diabetes Genes. <i>Endocrine Reviews</i> , 2009, 30, 557-585.	8.9	115
196	<i>SIRT1</i> genetic variants associate with the metabolic response of Caucasians to a controlled lifestyle intervention – the TULIP Study. <i>BMC Medical Genetics</i> , 2008, 9, 100.	2.1	35
197	11 β -Hydroxysteroid Dehydrogenase 2 Activity Is Elevated in Severe Obesity and Negatively Associated With Insulin Sensitivity. <i>Obesity</i> , 2008, 16, 1256-1260.	1.5	30
198	Impact of Variation in the <i>FTO</i> Gene on Whole Body Fat Distribution, Ectopic Fat, and Weight Loss. <i>Obesity</i> , 2008, 16, 1969-1972.	1.5	102

#	ARTICLE	IF	CITATIONS
199	Fetuin-A Induces Cytokine Expression and Suppresses Adiponectin Production. <i>PLoS ONE</i> , 2008, 3, e1765.	1.1	247
200	Plasma Fetuin-A Levels and the Risk of Myocardial Infarction and Ischemic Stroke. <i>Circulation</i> , 2008, 118, 2555-2562.	1.6	277
201	Variations in <i>PPARα</i> Determine the Change in Body Composition during Lifestyle Intervention: A Whole-Body Magnetic Resonance Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2008, 93, 1497-1500.	1.8	71
202	Identification and Characterization of Metabolically Benign Obesity in Humans. <i>Archives of Internal Medicine</i> , 2008, 168, 1609.	4.3	869
203	A Candidate Type 2 Diabetes Polymorphism Near the HHEX Locus Affects Acute Glucose-Stimulated Insulin Release in European Populations: Results from the EUGENE2 study. <i>Diabetes</i> , 2008, 57, 514-517.	0.3	53
204	Phosphorylation of Ser357 of Rat Insulin Receptor Substrate-1 Mediates Adverse Effects of Protein Kinase C- β on Insulin Action in Skeletal Muscle Cells. <i>Journal of Biological Chemistry</i> , 2008, 283, 11226-11233.	1.6	35
205	Interplay and Effects of Temporal Changes in the Phosphorylation State of Serine-302, -307, and -318 of Insulin Receptor Substrate-1 on Insulin Action in Skeletal Muscle Cells. <i>Molecular Endocrinology</i> , 2008, 22, 2729-2740.	3.7	54
206	Plasma Fetuin-A Levels and the Risk of Type 2 Diabetes. <i>Diabetes</i> , 2008, 57, 2762-2767.	0.3	326
207	Fatty liver and HDL-cholesterol: just a matter of quantity?. <i>Future Lipidology</i> , 2008, 3, 225-227.	0.5	1
208	Novel Meta-Analysis-Derived Type 2 Diabetes Risk Loci Do Not Determine Prediabetic Phenotypes. <i>PLoS ONE</i> , 2008, 3, e3019.	1.1	39
209	Polymorphisms within the Novel Type 2 Diabetes Risk Locus MTNR1B Determine β -Cell Function. <i>PLoS ONE</i> , 2008, 3, e3962.	1.1	106
210	Genetic Variations in <i>PPARα</i> and <i>PPARGC1A</i> Determine Mitochondrial Function and Change in Aerobic Physical Fitness and Insulin Sensitivity during Lifestyle Intervention. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007, 92, 1827-1833.	1.8	123
211	An Accurate Risk Score Based on Anthropometric, Dietary, and Lifestyle Factors to Predict the Development of Type 2 Diabetes. <i>Diabetes Care</i> , 2007, 30, 510-515.	4.3	341
212	Effect of genotype on success of lifestyle intervention in subjects at risk for type 2 diabetes. <i>Journal of Molecular Medicine</i> , 2007, 85, 107-117.	1.7	26
213	Polymorphisms within Novel Risk Loci for Type 2 Diabetes Determine β -Cell Function. <i>PLoS ONE</i> , 2007, 2, e832.	1.1	147
214	Cerebrocortical Beta Activity in Overweight Humans Responds to Insulin Detemir. <i>PLoS ONE</i> , 2007, 2, e1196.	1.1	49
215	Saturated, but Not Unsaturated, Fatty Acids Induce Apoptosis of Human Coronary Artery Endothelial Cells via Nuclear Factor- κ B Activation. <i>Diabetes</i> , 2006, 55, 3121-3126.	0.3	130
216	Hepatic lipid accumulation in healthy subjects: A comparative study using spectral fat-selective MRI and volume-localized 1 H-MR spectroscopy. <i>Magnetic Resonance in Medicine</i> , 2006, 55, 913-917.	1.9	146

#	ARTICLE	IF	CITATIONS
217	The cerebrocortical response to hyperinsulinemia is reduced in overweight humans: A magnetoencephalographic study. Proceedings of the National Academy of Sciences of the United States of America, 2006, 103, 12103-12108.	3.3	196
218	Î²-Heremans-Schmid Glycoprotein/ Fetuin-A Is Associated With Insulin Resistance and Fat Accumulation in the Liver in Humans. Diabetes Care, 2006, 29, 853-857.	4.3	440
219	Leptin downregulates insulin action through phosphorylation of serine 318 in insulin receptor substrate 1. FASEB Journal, 2006, 20, 1206-1208.	0.2	84
220	Standardized assessment of whole body adipose tissue topography by MRI. Journal of Magnetic Resonance Imaging, 2005, 21, 455-462.	1.9	216
221	Insulin Glulisine: Insulin Receptor Signaling Characteristics In Vivo. Diabetes, 2005, 54, 361-366.	0.3	34
222	Shp2 Is Required for Protein Kinase C-dependent Phosphorylation of Serine 307 in Insulin Receptor Substrate-1. Journal of Biological Chemistry, 2005, 280, 32693-32699.	1.6	27
223	The Phosphorylation of Ser318 of Insulin Receptor Substrate 1 Is Not per se Inhibitory in Skeletal Muscle Cells but Is Necessary to Trigger the Attenuation of the Insulin-stimulated Signal. Journal of Biological Chemistry, 2005, 280, 37393-37399.	1.6	38
224	Palmitate-Induced Interleukin-6 Expression in Human Coronary Artery Endothelial Cells. Diabetes, 2004, 53, 3209-3216.	0.3	136
225	Protein Kinase C-Î±-induced Phosphorylation of Ser318 in Insulin Receptor Substrate-1 (IRS-1) Attenuates the Interaction with the Insulin Receptor and the Tyrosine Phosphorylation of IRS-1. Journal of Biological Chemistry, 2004, 279, 25157-25163.	1.6	108
226	Identification of an in vitro insulin receptor substrate-1 phosphorylation site by negative-ion LC/ESI-MS hybrid scan technique. Journal of the American Society for Mass Spectrometry, 2003, 14, 401-405.	1.2	27
227	Protein Kinase C Î± Activation and Translocation to the Nucleus Are Required for Fatty Acid-Induced Apoptosis of Insulin-Secreting Cells. Diabetes, 2003, 52, 991-997.	0.3	134
228	Intramyocellular Lipids: Anthropometric Determinants and Relationships with Maximal Aerobic Capacity and Insulin Sensitivity. Journal of Clinical Endocrinology and Metabolism, 2003, 88, 1785-1791.	1.8	210
229	Cancer progression and tumor cell motility are associated with the FGFR4 Arg(388) allele. Cancer Research, 2002, 62, 840-7.	0.4	207
230	Correlates of venous catecholamine concentrations in patients with type 1 diabetes during a cold pressor test. Clinical Autonomic Research, 2000, 10, 131-137.	1.4	3
231	Postprandial Dynamics of Proglucagon Cleavage Products and Their Relation to Metabolic Health. Frontiers in Endocrinology, 0, 13, .	1.5	0