

Kassia Beetham

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9411160/publications.pdf>

Version: 2024-02-01

32
papers

2,122
citations

586496

16
h-index

511568

30
g-index

32
all docs

32
docs citations

32
times ranked

3381
citing authors

#	ARTICLE	IF	CITATIONS
1	Parentsâ€™ perspectives on managing risk in play for children with developmental disabilities. <i>Disability and Society</i> , 2022, 37, 1272-1292.	1.4	5
2	The effects of exercise during pregnancy on placental composition: A systematic review and meta-analysis. <i>Placenta</i> , 2022, 117, 39-46.	0.7	10
3	Effect of a 3-Year Lifestyle Intervention in Patients with Chronic Kidney Disease: A Randomized Clinical Trial. <i>Journal of the American Society of Nephrology: JASN</i> , 2022, 33, 431-441.	3.0	26
4	Authorsâ€™ Reply: More Research is Still Needed to Support the Real-World Generalizability of the Benefits of Lifestyle Interventions for Chronic Kidney Disease. <i>Journal of the American Society of Nephrology: JASN</i> , 2022, , ASN.2022030244.	3.0	0
5	â€œWorn-out but happyâ€ Postpartum Women's Mental Health and Well-Being During COVID-19 Restrictions in Australia. <i>Frontiers in Global Women S Health</i> , 2021, 2, 793602.	1.1	2
6	Creating play opportunities on the school playground: Educator experiences of the Sydney playground project. <i>Australian Occupational Therapy Journal</i> , 2020, 67, 62-73.	0.6	12
7	A 12-month lifestyle intervention does not improve cardiac autonomic function in patients with chronic kidney disease. <i>Autonomic Neuroscience: Basic and Clinical</i> , 2020, 224, 102642.	1.4	7
8	Reframing risk: Working with caregivers of children with disabilities to promote risk-taking in play. <i>International Review of Research in Developmental Disabilities</i> , 2020, , 1-45.	0.6	1
9	The effects of vigorous intensity exercise in the third trimester of pregnancy: a systematic review and meta-analysis. <i>BMC Pregnancy and Childbirth</i> , 2019, 19, 281.	0.9	76
10	Lower parent tolerance of risk in play for children with disability than typically developing children. <i>International Journal of Play</i> , 2019, 8, 174-185.	0.3	3
11	Guidelines for the delivery and monitoring of high intensity interval training in clinical populations. <i>Progress in Cardiovascular Diseases</i> , 2019, 62, 140-146.	1.6	119
12	Highâ€ intensity interval training in chronic kidney disease: A randomized pilot study. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2019, 29, 1197-1204.	1.3	22
13	An observation-based instrument to measure what children with disabilities do on the playground: a Rasch analysis. <i>International Journal of Play</i> , 2019, 8, 79-93.	0.3	5
14	Construct Validity and Testâ€ Retest Reliability of the Coping Inventory (CI) for Children With Developmental Disabilities. <i>American Journal of Occupational Therapy</i> , 2019, 73, 7304205100p1-7304205100p10.	0.1	1
15	Agreement between cystatin-C and creatinine based eGFR estimates after a 12-month exercise intervention in patients with chronic kidney disease. <i>BMC Nephrology</i> , 2018, 19, 366.	0.8	15
16	Oxidative stress is associated with decreased heart rate variability in patients with chronic kidney disease. <i>Redox Report</i> , 2017, 22, 197-204.	1.4	25
17	Effects of exercise and lifestyle intervention on oxidative stress in chronic kidney disease. <i>Redox Report</i> , 2017, 22, 127-136.	1.4	17
18	Low-Volume High-Intensity Interval Training Is Sufficient to Ameliorate the Severity of Metabolic Syndrome. <i>Metabolic Syndrome and Related Disorders</i> , 2017, 15, 319-328.	0.5	49

#	ARTICLE	IF	CITATIONS
19	High-intensity interval training and cardiac autonomic control in individuals with metabolic syndrome: A randomised trial. <i>International Journal of Cardiology</i> , 2017, 245, 245-252.	0.8	23
20	Feasibility of higher intensity exercise in patients with chronic kidney disease. <i>Journal of Sports Medicine and Physical Fitness</i> , 2017, 58, 127-134.	0.4	5
21	Association between left ventricular global longitudinal strain, health-related quality of life and functional capacity in chronic kidney disease patients with preserved ejection fraction. <i>Nephrology</i> , 2016, 21, 108-115.	0.7	12
22	12âŠmin/week of high-intensity interval training reduces aortic reservoir pressure in individuals with metabolic syndrome. <i>Journal of Hypertension</i> , 2016, 34, 1977-1987.	0.3	19
23	Uncertainty in the school playground: shifting rationalities and teachersâ€™ sense-making in the management of risks for children with disabilities. <i>Health, Risk and Society</i> , 2016, 18, 301-317.	0.9	11
24	Outdoor Play Decisions by Caregivers of Children with Disabilities: a Systematic Review of Qualitative Studies. <i>Journal of Developmental and Physical Disabilities</i> , 2016, 28, 931-957.	1.0	26
25	The Sydney playground project- levelling the playing field: a cluster trial of a primary school-based intervention aiming to promote manageable risk-taking in children with disability. <i>BMC Public Health</i> , 2015, 15, 1125.	1.2	16
26	Oxidative stress contributes to muscle atrophy in chronic kidney disease patients. <i>Redox Report</i> , 2015, 20, 126-132.	1.4	20
27	The Impact of High-Intensity Interval Training Versus Moderate-Intensity Continuous Training on Vascular Function: a Systematic Review and Meta-Analysis. <i>Sports Medicine</i> , 2015, 45, 679-692.	3.1	472
28	Left ventricular global longitudinal strain is associated with cardiovascular risk factors and arterial stiffness in chronic kidney disease. <i>BMC Nephrology</i> , 2015, 16, 106.	0.8	28
29	Cardiorespiratory fitness and cardiovascular burden in chronic kidney disease. <i>Journal of Science and Medicine in Sport</i> , 2015, 18, 492-497.	0.6	40
30	Protein-bound Uremic Toxins, Inflammation and Oxidative Stress: A Cross-sectional Study in Stage 3â€“4 Chronic Kidney Disease. <i>Archives of Medical Research</i> , 2014, 45, 309-317.	1.5	137
31	High-intensity interval training in patients with lifestyle-induced cardiometabolic disease: a systematic review and meta-analysis. <i>British Journal of Sports Medicine</i> , 2014, 48, 1227-1234.	3.1	909
32	Contribution of autonomic dysfunction to abnormal exercise blood pressure in type 2 diabetes mellitus. <i>Journal of Science and Medicine in Sport</i> , 2013, 16, 8-12.	0.6	9