

Sang-Cheol Bae

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9411333/sang-cheol-bae-publications-by-year.pdf>

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

232 papers	10,569 citations	42 h-index	99 g-index
254 ext. papers	13,396 ext. citations	5 avg, IF	5.96 L-index

#	Paper	IF	Citations
232	Not at target prevalence and consequences of inadequate disease control in systemic lupus erythematosus-a multinational observational cohort study.. <i>Arthritis Research and Therapy</i> , 2022 , 24, 70	5.7	1
231	Comparison of the 2019 European Alliance of Associations for Rheumatology/American College of Rheumatology Systemic Lupus Erythematosus Classification Criteria With Two Sets of Earlier Systemic Lupus Erythematosus Classification Criteria. <i>Arthritis Care and Research</i> , 2021 , 73, 1231-1235	4.7	10
230	Flares after hydroxychloroquine reduction or discontinuation: results from the Systemic Lupus International Collaborating Clinics (SLICC) inception cohort.. <i>Annals of the Rheumatic Diseases</i> , 2021 , 80, 1-2	2.4	4
229	Recent advances in understanding the genetic basis of systemic lupus erythematosus. <i>Seminars in Immunopathology</i> , 2021 , 1	12	3
228	2021 DORIS definition of remission in SLE: final recommendations from an international task force. <i>Lupus Science and Medicine</i> , 2021 , 8,	4.6	7
227	Cancer Risk in a Large Inception Systemic Lupus Erythematosus Cohort: Effects of Demographic Characteristics, Smoking, and Medications. <i>Arthritis Care and Research</i> , 2021 , 73, 1789-1795	4.7	2
226	Anti-beta 2 glycoprotein I IgA in the SLICC classification criteria dataset. <i>Lupus</i> , 2021 , 30, 1283-1288	2.6	2
225	Neuropsychiatric Events in Systemic Lupus Erythematosus: Predictors of Occurrence and Resolution in a Longitudinal Analysis of an International Inception Cohort. <i>Arthritis and Rheumatology</i> , 2021 , 73, 2293-2302	9.5	2
224	Lupus Susceptibility Region Containing CDKN1B rs34330 Mechanistically Influences Expression and Function of Multiple Target Genes, Also Linked to Proliferation and Apoptosis. <i>Arthritis and Rheumatology</i> , 2021 , 73, 2303-2313	9.5	3
223	Association of HLA-G polymorphisms with systemic lupus erythematosus and correlation between soluble HLA-G levels and the disease: a meta-analysis. <i>Zeitschrift Fur Rheumatologie</i> , 2021 , 80, 96-102	1.9	5
222	Hydroxychloroquine shortages among patients with systemic lupus erythematosus during the COVID-19 pandemic: experience of the Systemic Lupus International Collaborating Clinics. <i>Annals of the Rheumatic Diseases</i> , 2021 , 80, 1-2	2.4	21
221	Allele-Specific Quantification of HLA-DRB1 Transcripts Reveals Imbalanced Allelic Expression That Modifies the Amino Acid Effects in HLA-DRB1. <i>Arthritis and Rheumatology</i> , 2021 , 73, 381-391	9.5	3
220	Meta-analysis of 208370 East Asians identifies 113 susceptibility loci for systemic lupus erythematosus. <i>Annals of the Rheumatic Diseases</i> , 2021 , 80, 632-640	2.4	31
219	Large-scale meta-analysis across East Asian and European populations updated genetic architecture and variant-driven biology of rheumatoid arthritis, identifying 11 novel susceptibility loci. <i>Annals of the Rheumatic Diseases</i> , 2021 , 80, 558-565	2.4	14
218	Risk of Tuberculosis Development in Patients with Rheumatoid Arthritis Receiving Targeted Therapy: a Prospective Single Center Cohort Study. <i>Journal of Korean Medical Science</i> , 2021 , 36, e70	4.7	2
217	Fracture Risk and Its Prevention Patterns in Korean Patients with Polymyalgia Rheumatica: a Retrospective Cohort Study. <i>Journal of Korean Medical Science</i> , 2021 , 36, e263	4.7	1
216	Genetic variants shape rheumatoid arthritis-specific transcriptomic features in CD4 T cells through differential DNA methylation, explaining a substantial proportion of heritability. <i>Annals of the Rheumatic Diseases</i> , 2021 , 80, 876-883	2.4	6

215	Characteristics in Pediatric Patients with Coronavirus Disease 2019 in Korea. <i>Journal of Korean Medical Science</i> , 2021 , 36, e148	4.7	2
214	The ALPHA Project: Establishing consensus and prioritisation of global community recommendations to address major challenges in lupus diagnosis, care, treatment and research. <i>Lupus Science and Medicine</i> , 2021 , 8,	4.6	1
213	Lower vitamin D is associated with metabolic syndrome and insulin resistance in systemic lupus: data from an international inception cohort. <i>Rheumatology</i> , 2021 , 60, 4737-4747	3.9	5
212	Long-term open-label continuation study of the safety and efficacy of belimumab for up to 7 years in patients with systemic lupus erythematosus from Japan and South Korea. <i>RMD Open</i> , 2021 , 7,	5.9	4
211	Mortality in Korean Patients With Rheumatoid Arthritis. <i>Journal of Rheumatic Diseases</i> , 2021 , 28, 113-118.	2	1
210	Clinical and Genetic Risk Factors Associated With the Presence of Lupus Nephritis. <i>Journal of Rheumatic Diseases</i> , 2021 , 28, 150-158	1.2	1
209	Human SLE variant -R90H promotes kidney damage and murine lupus through enhanced Tfh2 responses induced by defective efferocytosis of macrophages. <i>Annals of the Rheumatic Diseases</i> , 2021 ,	2.4	1
208	Excess mortality persists in patients with rheumatoid arthritis. <i>International Journal of Rheumatic Diseases</i> , 2021 , 24, 364-372	2.3	3
207	Filgotinib versus placebo or adalimumab in patients with rheumatoid arthritis and inadequate response to methotrexate: a phase III randomised clinical trial. <i>Annals of the Rheumatic Diseases</i> , 2021 , 80, 848-858	2.4	32
206	Risk Factors of Outcomes of COVID-19 Patients in Korea: Focus on Early Symptoms. <i>Journal of Korean Medical Science</i> , 2021 , 36, e132	4.7	5
205	Impact of glucocorticoids on the incidence of lupus-related major organ damage: a systematic literature review and meta-regression analysis of longitudinal observational studies.. <i>Lupus Science and Medicine</i> , 2021 , 8,	4.6	5
204	Prediction of hospitalizations in systemic lupus erythematosus using the Systemic Lupus International Collaborating Clinics Frailty Index (SLICC-FI). <i>Arthritis Care and Research</i> , 2020 ,	4.7	2
203	Accrual of Atherosclerotic Vascular Events in a Multicenter Inception Systemic Lupus Erythematosus Cohort. <i>Arthritis and Rheumatology</i> , 2020 , 72, 1734-1740	9.5	7
202	Effect of Human Mesenchymal Stem Cells on Xenogeneic T and B Cells Isolated from Lupus-Prone MRL Mice. <i>Stem Cells International</i> , 2020 , 2020, 5617192	5	6
201	Synergistic activation of NF- κ B by TNFAIP3 (A20) reduction and UBE2L3 (UBCH7) augment that synergistically elevate lupus risk. <i>Arthritis Research and Therapy</i> , 2020 , 22, 93	5.7	5
200	Efficacy and Safety of Rituximab in Korean Patients with Refractory Inflammatory Myopathies. <i>Journal of Korean Medical Science</i> , 2020 , 35, e335	4.7	1
199	Economic Evaluation of Damage Accrual in an International Systemic Lupus Erythematosus Inception Cohort Using a Multistate Model Approach. <i>Arthritis Care and Research</i> , 2020 , 72, 1800-1808	4.7	7
198	Prediction of Damage Accrual in Systemic Lupus Erythematosus Using the Systemic Lupus International Collaborating Clinics Frailty Index. <i>Arthritis and Rheumatology</i> , 2020 , 72, 658-666	9.5	11

197	Soluble urokinase plasminogen activator receptor (suPAR) levels predict damage accrual in patients with recent-onset systemic lupus erythematosus. <i>Journal of Autoimmunity</i> , 2020 , 106, 102340	15.5	15
196	Neuropsychiatric events in systemic lupus erythematosus: a longitudinal analysis of outcomes in an international inception cohort using a multistate model approach. <i>Annals of the Rheumatic Diseases</i> , 2020 , 79, 356-362	2.4	18
195	Trial of Anifrolumab in Active Systemic Lupus Erythematosus. <i>New England Journal of Medicine</i> , 2020 , 382, 211-221	59.2	333
194	Identifying damage clusters in patients with systemic lupus erythematosus. <i>International Journal of Rheumatic Diseases</i> , 2020 , 23, 84-91	2.3	2
193	An increased disease burden of autoimmune inflammatory rheumatic diseases in Korea. <i>Seminars in Arthritis and Rheumatism</i> , 2020 , 50, 526-533	5.3	14
192	P210 Efficacy and safety of filgotinib for patients with RA with inadequate response to methotrexate: FINCH1 primary outcome results. <i>Rheumatology</i> , 2020 , 59,	3.9	1
191	Genome-wide association study in a Korean population identifies six novel susceptibility loci for rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2020 , 79, 1438-1445	2.4	12
190	COVID-19 infection in patients with systemic lupus erythematosus: Data from the Asia Pacific Lupus Collaboration. <i>International Journal of Rheumatic Diseases</i> , 2020 , 23, 1255-1257	2.3	9
189	Phorbol ester activates human mesenchymal stem cells to inhibit B cells and ameliorate lupus symptoms in MRL mice. <i>Theranostics</i> , 2020 , 10, 10186-10199	12.1	3
188	Construction of a Frailty Index as a Novel Health Measure in Systemic Lupus Erythematosus. <i>Journal of Rheumatology</i> , 2020 , 47, 72-81	4.1	21
187	Peripheral Nervous System Disease in Systemic Lupus Erythematosus: Results From an International Inception Cohort Study. <i>Arthritis and Rheumatology</i> , 2020 , 72, 67-77	9.5	18
186	Deletion at 2q14.3 is associated with worse response to TNF-blockers in patients with rheumatoid arthritis. <i>Arthritis Research and Therapy</i> , 2019 , 21, 195	5.7	1
185	Association between CD40 polymorphisms and systemic lupus erythematosus and correlation between soluble CD40 and CD40 ligand levels in the disease: a meta-analysis. <i>Lupus</i> , 2019 , 28, 1452-1459	2.6	3
184	Clinical outcomes of patients with active rheumatoid arthritis with normal acute phase reactant values. <i>International Journal of Rheumatic Diseases</i> , 2019 , 22, 852-859	2.3	
183	Causal association between body mass index and risk of rheumatoid arthritis: A Mendelian randomization study. <i>European Journal of Clinical Investigation</i> , 2019 , 49, e13076	4.6	10
182	Causal relationship between years of education and the occurrence of rheumatoid arthritis. <i>Postgraduate Medical Journal</i> , 2019 , 95, 378-381	2	6
181	Increased risk of opportunistic infection in early rheumatoid arthritis. <i>International Journal of Rheumatic Diseases</i> , 2019 , 22, 1239-1246	2.3	5
180	Prevalence and predictors for sustained remission in rheumatoid arthritis. <i>PLoS ONE</i> , 2019 , 14, e0214981	3.7	5

179	Amino acid signatures of HLA Class-I and II molecules are strongly associated with SLE susceptibility and autoantibody production in Eastern Asians. <i>PLoS Genetics</i> , 2019 , 15, e1008092	6	21
178	Associations between paraoxonase 1 (PON1) polymorphisms and susceptibility and PON1 activity in rheumatoid arthritis patients, and comparison of PON1 activity in patients and controls: a meta-analysis. <i>Clinical Rheumatology</i> , 2019 , 38, 2141-2149	3.9	8
177	Development of a Paper-Based Viscometer for Blood Plasma Using Colorimetric Analysis. <i>Analytical Chemistry</i> , 2019 , 91, 4868-4875	7.8	8
176	Understanding HLA associations from SNP summary association statistics. <i>Scientific Reports</i> , 2019 , 9, 1337	4.9	5
175	Evaluating the Properties of a Frailty Index and Its Association With Mortality Risk Among Patients With Systemic Lupus Erythematosus. <i>Arthritis and Rheumatology</i> , 2019 , 71, 1297-1307	9.5	15
174	Use of combined hormonal contraceptives among women with systemic lupus erythematosus with and without medical contraindications to oestrogen. <i>Rheumatology</i> , 2019 , 58, 1259-1267	3.9	5
173	Antinuclear Antibody-Negative Systemic Lupus Erythematosus in an International Inception Cohort. <i>Arthritis Care and Research</i> , 2019 , 71, 893-902	4.7	46
172	Associations between paraoxonase-1 and systemic lupus erythematosus. <i>Lupus</i> , 2019 , 28, 1571-1576	2.6	1
171	Factors associated with time to diagnosis from symptom onset in patients with early rheumatoid arthritis. <i>Korean Journal of Internal Medicine</i> , 2019 , 34, 910-916	2.5	10
170	Mesenchymal Stem Cells Ameliorate Renal Inflammation in Adriamycin-induced Nephropathy. <i>Immune Network</i> , 2019 , 19, e36	6.1	10
169	LB0001 EFFICACY AND SAFETY OF FILGOTINIB FOR PATIENTS WITH RHEUMATOID ARTHRITIS WITH INADEQUATE RESPONSE TO METHOTREXATE: FINCH1 PRIMARY OUTCOME RESULTS 2019 ,		13
168	Global consensus building and prioritisation of fundamental lupus challenges: the ALPHA project. <i>Lupus Science and Medicine</i> , 2019 , 6, e000342	4.6	8
167	Low aspirin use and high prevalence of pre-eclampsia risk factors among pregnant women in a multinational SLE inception cohort. <i>Annals of the Rheumatic Diseases</i> , 2019 , 78, 1010-1012	2.4	4
166	Development of the Asia Pacific Lupus Collaboration cohort. <i>International Journal of Rheumatic Diseases</i> , 2019 , 22, 425-433	2.3	14
165	Relationship between cerebral microbleeds and white matter MR hyperintensities in systemic lupus erythematosus: a retrospective observational study. <i>Neuroradiology</i> , 2019 , 61, 265-274	3.2	1
164	High Proportion of Subjective Component to the Disease Activity Score is Associated with Favorable Response to Abatacept in Rheumatoid Arthritis. <i>Patient</i> , 2019 , 12, 319-326	3.7	1
163	Psychosis in Systemic Lupus Erythematosus: Results From an International Inception Cohort Study. <i>Arthritis and Rheumatology</i> , 2019 , 71, 281-289	9.5	31
162	Efficacy and safety of mycophenolate mofetil and tacrolimus combination therapy in patients with lupus nephritis: a nationwide multicentre study. <i>Clinical and Experimental Rheumatology</i> , 2019 , 37, 89-96 ^{2.2}		8

161	Vitamin D receptor FokI, TaqI, and Apal polymorphisms and susceptibility to systemic lupus erythematosus: an updated meta-analysis. <i>Clinical Rheumatology</i> , 2018 , 37, 1529-1537	3.9	7
160	Comparative efficacy and safety of biosimilar-infliximab and originator-infliximab in combination with methotrexate in patients with active rheumatoid arthritis: a meta-analysis of randomized controlled trials. <i>International Journal of Rheumatic Diseases</i> , 2018 , 21, 922-929	2.3	6
159	A plausibly causal functional lupus-associated risk variant in the STAT1-STAT4 locus. <i>Human Molecular Genetics</i> , 2018 , 27, 2392-2404	5.6	22
158	Outcome and predictors of renal survival in patients with lupus nephritis: Comparison between cyclophosphamide and mycophenolate mofetil. <i>International Journal of Rheumatic Diseases</i> , 2018 , 21, 1031-1039	2.3	10
157	Comparative efficacy and safety of biosimilar adalimumab and originator adalimumab in combination with methotrexate in patients with active rheumatoid arthritis: a Bayesian network meta-analysis of randomized controlled trials. <i>Clinical Rheumatology</i> , 2018 , 37, 1199-1205	3.9	5
156	Comparison of the efficacy and tolerability of tocilizumab, sarilumab, and sirukumab in patients with active rheumatoid arthritis: a Bayesian network meta-analysis of randomized controlled trials. <i>Clinical Rheumatology</i> , 2018 , 37, 1471-1479	3.9	14
155	TYMS polymorphisms and responsiveness to or toxicity of methotrexate in rheumatoid arthritis. <i>Zeitschrift Fur Rheumatologie</i> , 2018 , 77, 824-832	1.9	4
154	Smoking Is the Most Significant Modifiable Lung Cancer Risk Factor in Systemic Lupus Erythematosus. <i>Journal of Rheumatology</i> , 2018 , 45, 393-396	4.1	23
153	Glucocorticoid use and factors associated with variability in this use in the Systemic Lupus International Collaborating Clinics Inception Cohort. <i>Rheumatology</i> , 2018 , 57, 677-687	3.9	20
152	Cerebrovascular Events in Systemic Lupus Erythematosus: Results From an International Inception Cohort Study. <i>Arthritis Care and Research</i> , 2018 , 70, 1478-1487	4.7	36
151	Update on the prevalence and incidence of rheumatoid arthritis in Korea and an analysis of medical care and drug utilization. <i>Rheumatology International</i> , 2018 , 38, 649-656	3.6	31
150	A pivotal phase III, randomised, placebo-controlled study of belimumab in patients with systemic lupus erythematosus located in China, Japan and South Korea. <i>Annals of the Rheumatic Diseases</i> , 2018 , 77, 355-363	2.4	100
149	Glucocorticoids Are Associated with an Increased Risk for Vertebral Fracture in Patients with Rheumatoid Arthritis. <i>Journal of Rheumatology</i> , 2018 , 45, 612-620	4.1	12
148	Correlation between circulating VEGF levels and disease activity in rheumatoid arthritis: a meta-analysis. <i>Zeitschrift Fur Rheumatologie</i> , 2018 , 77, 240-248	1.9	16
147	Non-aneurysmal subarachnoid hemorrhage in two patients with systemic lupus erythematosus: Case reports and literature review. <i>International Journal of Rheumatic Diseases</i> , 2018 , 21, 761-766	2.3	4
146	Factors associated with quality of life and functional disability among rheumatoid arthritis patients treated with disease-modifying anti-rheumatic drugs for at least 6 months. <i>International Journal of Rheumatic Diseases</i> , 2018 , 21, 1001-1009	2.3	3
145	Circulating adiponectin and visfatin levels in rheumatoid arthritis and their correlation with disease activity: A meta-analysis. <i>International Journal of Rheumatic Diseases</i> , 2018 , 21, 664-672	2.3	38
144	Clinical characteristics of multifocal osteonecrosis in Korean patients with rheumatic disease. <i>International Journal of Rheumatic Diseases</i> , 2018 , 21, 1301-1308	2.3	5

143	Association of CD8 T-cells with bone erosion in patients with rheumatoid arthritis. <i>International Journal of Rheumatic Diseases</i> , 2018 , 21, 440-446	2.3	4
142	Comparative efficacy and tolerability of monotherapy with leflunomide or tacrolimus for the treatment of rheumatoid arthritis: a Bayesian network meta-analysis of randomized controlled trials. <i>Clinical Rheumatology</i> , 2018 , 37, 323-330	3.9	3
141	Associations between circulating macrophage migration inhibitory factor (MIF) levels and rheumatoid arthritis, and between gene polymorphisms and disease susceptibility: a meta-analysis. <i>Postgraduate Medical Journal</i> , 2018 , 94, 109-115	2	11
140	Effect of a Combination of Prednisone or Mycophenolate Mofetil and Mesenchymal Stem Cells on Lupus Symptoms in MRL Mice. <i>Stem Cells International</i> , 2018 , 2018, 4273107	5	7
139	MIR-146a levels in rheumatoid arthritis and their correlation with disease activity: a meta-analysis. <i>International Journal of Rheumatic Diseases</i> , 2018 , 21, 1335-1342	2.3	27
138	Genetic variants in systemic lupus erythematosus susceptibility loci, XKR6 and GLT1D1 are associated with childhood-onset SLE in a Korean cohort. <i>Scientific Reports</i> , 2018 , 8, 9962	4.9	13
137	IL-17A induces osteoblast differentiation by activating JAK2/STAT3 in ankylosing spondylitis. <i>Arthritis Research and Therapy</i> , 2018 , 20, 115	5.7	70
136	Comparison of screening strategies for prevalent vertebral fractures in South Korea: vertebral fracture assessment vs. spine radiography. <i>BMC Musculoskeletal Disorders</i> , 2018 , 19, 46	2.8	2
135	Association between Vitamin D level and/or deficiency, and systemic lupus erythematosus: a meta-analysis. <i>Cellular and Molecular Biology</i> , 2018 , 64, 7-13	1.1	17
134	Isoniazid treatment for latent tuberculosis infection is tolerable for rheumatoid arthritis patients receiving tumor necrosis factor inhibitor therapy. <i>Korean Journal of Internal Medicine</i> , 2018 , 33, 1016-1024	2.5	3
133	Economic Evaluation of Lupus Nephritis in the Systemic Lupus International Collaborating Clinics Inception Cohort Using a Multistate Model Approach. <i>Arthritis Care and Research</i> , 2018 , 70, 1294-1302	4.7	13
132	Impact of anti-rheumatic treatment on cardiovascular risk in Asian patients with rheumatoid arthritis. <i>Seminars in Arthritis and Rheumatism</i> , 2018 , 47, 501-506	5.3	10
131	Productivity Loss of Rheumatoid Arthritis Patients according to the Their Stages of the Disease Activity Score. <i>Journal of Rheumatic Diseases</i> , 2018 , 25, 122	1.2	1
130	Strategies for the safe use of non-steroidal anti-inflammatory drugs. <i>Journal of the Korean Medical Association</i> , 2018 , 61, 367	0.5	3
129	Treat-to-Target Strategy for Asian Patients with Early Rheumatoid Arthritis: Result of a Multicenter Trial in Korea. <i>Journal of Korean Medical Science</i> , 2018 , 33, e346	4.7	3
128	Coffee consumption and the risk of rheumatoid arthritis and systemic lupus erythematosus: a Mendelian randomization study. <i>Clinical Rheumatology</i> , 2018 , 37, 2875-2879	3.9	7
127	Vitamin D level and risk of systemic lupus erythematosus and rheumatoid arthritis: a Mendelian randomization. <i>Clinical Rheumatology</i> , 2018 , 37, 2415-2421	3.9	16
126	Association between the functional PTPN22 G788A (R263Q) polymorphism and susceptibility to autoimmune diseases: A meta-analysis. <i>Cellular and Molecular Biology</i> , 2018 , 64, 46-51	1.1	5

125	Meta-analysis of gene expression profiles of peripheral blood cells in systemic lupus erythematosus. <i>Cellular and Molecular Biology</i> , 2018 , 64, 40-49	1.1	3
124	A phase III, multicentre, randomised, double-blind, active-controlled, parallel-group trial comparing safety and efficacy of HD203, with innovator etanercept, in combination with methotrexate, in patients with rheumatoid arthritis: the HERA study. <i>Annals of the Rheumatic Diseases</i> , 2017 , 76, 65-71	2.4	32
123	What factors affect discordance between physicians and patients in the global assessment of disease activity in rheumatoid arthritis?. <i>Modern Rheumatology</i> , 2017 , 27, 35-41	3.3	9
122	Safety of resuming biologic DMARDs in patients who develop tuberculosis after anti-TNF treatment. <i>Seminars in Arthritis and Rheumatism</i> , 2017 , 47, 102-107	5.3	6
121	Associations between circulating IL-17 levels and rheumatoid arthritis and between IL-17 gene polymorphisms and disease susceptibility: a meta-analysis. <i>Postgraduate Medical Journal</i> , 2017 , 93, 465-471	2.7	26
120	A missense variant in NCF1 is associated with susceptibility to multiple autoimmune diseases. <i>Nature Genetics</i> , 2017 , 49, 433-437	36.3	90
119	Characteristics and outcomes of rheumatoid arthritis patients who started biosimilar infliximab. <i>Rheumatology International</i> , 2017 , 37, 1007-1014	3.6	8
118	Predictors of severe radiographic progression in patients with early rheumatoid arthritis: A Prospective observational cohort study. <i>International Journal of Rheumatic Diseases</i> , 2017 , 20, 1437-1446	2.3	8
117	Calprotectin levels in rheumatoid arthritis and their correlation with disease activity: a meta-analysis. <i>Postgraduate Medicine</i> , 2017 , 129, 531-537	3.7	19
116	Confirmation of five novel susceptibility loci for systemic lupus erythematosus (SLE) and integrated network analysis of 82 SLE susceptibility loci. <i>Human Molecular Genetics</i> , 2017 , 26, 1205-1216	5.6	32
115	CCL2 deficient mesenchymal stem cells fail to establish long-lasting contact with T cells and no longer ameliorate lupus symptoms. <i>Scientific Reports</i> , 2017 , 7, 41258	4.9	28
114	Biological function integrated prediction of severe radiographic progression in rheumatoid arthritis: a nested case control study. <i>Arthritis Research and Therapy</i> , 2017 , 19, 244	5.7	8
113	Long-term Outcomes of Autologous Peripheral Blood Stem Cell Transplantation for Refractory Rheumatic Diseases. <i>Journal of Rheumatic Diseases</i> , 2017 , 24, 149	1.2	1
112	Impact of early diagnosis on functional disability in rheumatoid arthritis. <i>Korean Journal of Internal Medicine</i> , 2017 , 32, 738-746	2.5	11
111	Pharmacologic treatment of rheumatoid arthritis. <i>Journal of the Korean Medical Association</i> , 2017 , 60, 156	0.5	4
110	Impact of interstitial lung disease on mortality of patients with rheumatoid arthritis. <i>Rheumatology International</i> , 2017 , 37, 1735-1745	3.6	23
109	Update on the genetic architecture of rheumatoid arthritis. <i>Nature Reviews Rheumatology</i> , 2017 , 13, 13-24	8.1	71
108	Association between Functional CYP2D6 Polymorphisms and Susceptibility to Autoimmune Diseases: A Meta-Analysis. <i>Immunological Investigations</i> , 2017 , 46, 109-122	2.9	11

107	Clinical characteristics and outcomes of diffuse alveolar hemorrhage in patients with systemic lupus erythematosus. <i>Seminars in Arthritis and Rheumatism</i> , 2017 , 46, 782-787	5.3	24
106	The risk of malignancy and its incidence in early rheumatoid arthritis patients treated with biologic DMARDs. <i>Arthritis Research and Therapy</i> , 2017 , 19, 277	5.7	6
105	Nitrated nucleosome levels and neuropsychiatric events in systemic lupus erythematosus; a multi-center retrospective case-control study. <i>Arthritis Research and Therapy</i> , 2017 , 19, 287	5.7	1
104	ABCG2 Polymorphism Is Associated with Hyperuricemia in a Study of a Community-Based Korean Cohort. <i>Journal of Korean Medical Science</i> , 2017 , 32, 1451-1459	4.7	5
103	Ulnar artery vasculopathy: a common but nonspecific feature of systemic sclerosis. <i>Journal of Scleroderma and Related Disorders</i> , 2017 , 2, 221-224	2.3	
102	Preferential association of a functional variant in complement receptor 2 with antibodies to double-stranded DNA. <i>Annals of the Rheumatic Diseases</i> , 2016 , 75, 242-52	2.4	8
101	The frequency and outcome of lupus nephritis: results from an international inception cohort study. <i>Rheumatology</i> , 2016 , 55, 252-62	3.9	210
100	Association between the functional MHC2TA -168 A/G polymorphism and susceptibility to rheumatoid arthritis: a meta-analysis. <i>Clinical Rheumatology</i> , 2016 , 35, 901-9	3.9	2
99	Agreement of Major Diagnosis and Comorbidity between Self-reported Questionnaire and Medical Record Review in Patients with Rheumatic Disease. <i>Journal of Rheumatic Diseases</i> , 2016 , 23, 348	1.2	1
98	Association of the ATIC 347 C/G polymorphism with responsiveness to and toxicity of methotrexate in rheumatoid arthritis: a meta-analysis. <i>Rheumatology International</i> , 2016 , 36, 1591-1599	3.6	28
97	Drug retention and safety of TNF inhibitors in elderly patients with rheumatoid arthritis. <i>BMC Musculoskeletal Disorders</i> , 2016 , 17, 333	2.8	21
96	Association-heterogeneity mapping identifies an Asian-specific association of the GTF2I locus with rheumatoid arthritis. <i>Scientific Reports</i> , 2016 , 6, 27563	4.9	13
95	Differences in Clinical Features and Mortality between Childhood-onset and Adult-onset Systemic Lupus Erythematosus: A Prospective Single-center Study. <i>Journal of Rheumatology</i> , 2016 , 43, 1490-7	4.1	31
94	Progress in defining clinically meaningful changes for clinical trials in nonrenal manifestations of SLE disease activity. <i>Arthritis Research and Therapy</i> , 2016 , 18, 1	5.7	43
93	High-density genotyping of immune-related loci identifies new SLE risk variants in individuals with Asian ancestry. <i>Nature Genetics</i> , 2016 , 48, 323-30	36.3	156
92	Decreased SMG7 expression associates with lupus-risk variants and elevated antinuclear antibody production. <i>Annals of the Rheumatic Diseases</i> , 2016 , 75, 2007-2013	2.4	12
91	Response to Intravenous Cyclophosphamide Treatment for Lupus Nephritis Associated with Polymorphisms in the FCGR2B-FCRLA Locus. <i>Journal of Rheumatology</i> , 2016 , 43, 1045-9	4.1	10
90	Discontinuation of etanercept after achievement of sustained remission in patients with rheumatoid arthritis who initially had moderate disease activity-results from the ENCOURAGE study, a prospective, international, multicenter randomized study. <i>Modern Rheumatology</i> , 2016 , 26, 651-61	3.3	19

89	Brief Report: Influence of HLA-DRB1 Susceptibility Alleles on the Clinical Subphenotypes of Systemic Lupus Erythematosus in Koreans. <i>Arthritis and Rheumatology</i> , 2016 , 68, 1190-6	9.5	13
88	Identification of a Systemic Lupus Erythematosus Risk Locus Spanning ATG16L2, FCHSD2, and P2RY2 in Koreans. <i>Arthritis and Rheumatology</i> , 2016 , 68, 1197-1209	9.5	45
87	Imputing Variants in HLA-DR Beta Genes Reveals That HLA-DRB1 Is Solely Associated with Rheumatoid Arthritis and Systemic Lupus Erythematosus. <i>PLoS ONE</i> , 2016 , 11, e0150283	3.7	17
86	Factors Contributing to Discordance between the 2011 ACR/EULAR Criteria and Physician Clinical Judgment for the Identification of Remission in Patients with Rheumatoid Arthritis. <i>Journal of Korean Medical Science</i> , 2016 , 31, 1907-1913	4.7	6
85	Prevalence and possible causes of hypouricemia at a tertiary care hospital. <i>Korean Journal of Internal Medicine</i> , 2016 , 31, 971-6	2.5	17
84	Association of Complement Receptor 2 Gene Polymorphisms with Susceptibility to Osteonecrosis of the Femoral Head in Systemic Lupus Erythematosus. <i>BioMed Research International</i> , 2016 , 2016, 9208035	3.5	7
83	Impact of Childbearing Decisions on Family Size of Korean Women with Systemic Lupus Erythematosus. <i>Journal of Korean Medical Science</i> , 2016 , 31, 729-34	4.7	4
82	Comparative efficacy and safety of tocilizumab, rituximab, abatacept and tofacitinib in patients with active rheumatoid arthritis that inadequately responds to tumor necrosis factor inhibitors: a Bayesian network meta-analysis of randomized controlled trials. <i>International Journal of Rheumatic Diseases</i> , 2016 , 19, 1102-1111	2.3	27
81	Genome-Wide Association Study in an Amerindian Ancestry Population Reveals Novel Systemic Lupus Erythematosus Risk Loci and the Role of European Admixture. <i>Arthritis and Rheumatology</i> , 2016 , 68, 932-43	9.5	93
80	A Longitudinal Analysis of Outcomes of Lupus Nephritis in an International Inception Cohort Using a Multistate Model Approach. <i>Arthritis and Rheumatology</i> , 2016 , 68, 1932-44	9.5	27
79	Mapping health assessment questionnaire disability index (HAQ-DI) score, pain visual analog scale (VAS), and disease activity score in 28 joints (DAS28) onto the EuroQol-5D (EQ-5D) utility score with the KOREan Observational study Network for Arthritis (KORONA) registry data. <i>Rheumatology International</i> , 2016 , 36, 505-13	3.6	15
78	Incidence and risk factors of fractures in patients with rheumatoid arthritis: an Asian prospective cohort study. <i>Rheumatology International</i> , 2016 , 36, 1205-14	3.6	21
77	The frequency of and risk factors for osteoporosis in Korean patients with rheumatoid arthritis. <i>BMC Musculoskeletal Disorders</i> , 2016 , 17, 98	2.8	28
76	Contribution of a Non-classical HLA Gene, HLA-DOA, to the Risk of Rheumatoid Arthritis. <i>American Journal of Human Genetics</i> , 2016 , 99, 366-74	11	51
75	Diagnostic accuracy of lung ultrasound for interstitial lung disease in patients with connective tissue diseases: a meta-analysis. <i>Clinical and Experimental Rheumatology</i> , 2016 , 34, 11-6	2.2	30
74	Vitamin D level in rheumatoid arthritis and its correlation with the disease activity: a meta-analysis. <i>Clinical and Experimental Rheumatology</i> , 2016 , 34, 827-833	2.2	59
73	High-density genotyping of immune loci in Koreans and Europeans identifies eight new rheumatoid arthritis risk loci. <i>Annals of the Rheumatic Diseases</i> , 2015 , 74, e13	2.4	76
72	Lupus Risk Variant Increases pSTAT1 Binding and Decreases ETS1 Expression. <i>American Journal of Human Genetics</i> , 2015 , 96, 731-9	11	31

71	Mood Disorders in Systemic Lupus Erythematosus: Results From an International Inception Cohort Study. <i>Arthritis and Rheumatology</i> , 2015 , 67, 1837-47	9.5	77
70	Direct medical costs and their predictors in South Korean patients with systemic lupus erythematosus. <i>Rheumatology International</i> , 2015 , 35, 1809-15	3.6	10
69	Clinical validation of surface-enhanced Raman scattering-based immunoassays in the early diagnosis of rheumatoid arthritis. <i>Analytical and Bioanalytical Chemistry</i> , 2015 , 407, 8353-62	4.4	15
68	Genetic associations of leptin-related polymorphisms with systemic lupus erythematosus. <i>Clinical Immunology</i> , 2015 , 161, 157-62	9	8
67	Factors Associated with the Use of Complementary and Alternative Medicine for Korean Patients with Rheumatoid Arthritis. <i>Journal of Rheumatology</i> , 2015 , 42, 2075-81	4.1	18
66	Association between FCGR3B copy number variations and susceptibility to autoimmune diseases: a meta-analysis. <i>Inflammation Research</i> , 2015 , 64, 983-91	7.2	8
65	The IRF5-TNPO3 association with systemic lupus erythematosus has two components that other autoimmune disorders variably share. <i>Human Molecular Genetics</i> , 2015 , 24, 582-96	5.6	57
64	Impact of early disease factors on metabolic syndrome in systemic lupus erythematosus: data from an international inception cohort. <i>Annals of the Rheumatic Diseases</i> , 2015 , 74, 1530-6	2.4	51
63	Factors associated with damage accrual in patients with systemic lupus erythematosus: results from the Systemic Lupus International Collaborating Clinics (SLICC) Inception Cohort. <i>Annals of the Rheumatic Diseases</i> , 2015 , 74, 1706-13	2.4	250
62	An HLA-C amino-acid variant in addition to HLA-B*27 confers risk for ankylosing spondylitis in the Korean population. <i>Arthritis Research and Therapy</i> , 2015 , 17, 342	5.7	17
61	Interactions between amino acid-defined major histocompatibility complex class II variants and smoking in seropositive rheumatoid arthritis. <i>Arthritis and Rheumatology</i> , 2015 , 67, 2611-23	9.5	49
60	Incidence of Tuberculosis in Rheumatoid Arthritis Patients Using Anti-Tumor Necrosis Factor Agents following Latent Tuberculosis Infection Screening Strategies. <i>Journal of Rheumatic Diseases</i> , 2015 , 22, 223	1.2	3
59	DC-Based Immunotherapy Combined with Low-Dose Methotrexate Effective in the Treatment of Advanced CIA in Mice. <i>Journal of Immunology Research</i> , 2015 , 2015, 834085	4.5	11
58	Lupus risk variants in the PTK locus alter B-cell receptor internalization. <i>Frontiers in Genetics</i> , 2014 , 5, 450	4.5	22
57	Lymphoma risk in systemic lupus: effects of disease activity versus treatment. <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, 138-42	2.4	83
56	Genetics of rheumatoid arthritis contributes to biology and drug discovery. <i>Nature</i> , 2014 , 506, 376-81	50.4	1426
55	SERS-based immunoassay of anti-cyclic citrullinated peptide for early diagnosis of rheumatoid arthritis. <i>RSC Advances</i> , 2014 , 4, 32924-32927	3.7	16
54	Risk for ACPA-positive rheumatoid arthritis is driven by shared HLA amino acid polymorphisms in Asian and European populations. <i>Human Molecular Genetics</i> , 2014 , 23, 6916-26	5.6	114

53	Improving participation in clinical trials of novel therapies: going back to basics. <i>Rheumatic Disease Clinics of North America</i> , 2014 , 40, 553-9, ix	2.4	4
52	Validity and role of vertebral fracture assessment in detecting prevalent vertebral fracture in patients with rheumatoid arthritis. <i>Joint Bone Spine</i> , 2014 , 81, 149-53	2.9	10
51	Construction and application of a Korean reference panel for imputing classical alleles and amino acids of human leukocyte antigen genes. <i>PLoS ONE</i> , 2014 , 9, e112546	3.7	24
50	The influence of vertebral fracture on the functional disability of patients with rheumatoid arthritis. <i>Journal of Korean Medical Science</i> , 2014 , 29, 859-63	4.7	4
49	The role of bone scintigraphy in the diagnosis of rheumatoid arthritis according to the 2010 ACR/EULAR classification criteria. <i>Journal of Korean Medical Science</i> , 2014 , 29, 204-9	4.7	10
48	The HLA-DRB1 amino acid positions 11-13-26 explain the majority of SLE-MHC associations. <i>Nature Communications</i> , 2014 , 5, 5902	17.4	65
47	Development of rheumatoid arthritis specific HLA-DRB1 genotyping microarray. <i>Biochip Journal</i> , 2014 , 8, 187-198	4	1
46	Allelic heterogeneity in NCF2 associated with systemic lupus erythematosus (SLE) susceptibility across four ethnic populations. <i>Human Molecular Genetics</i> , 2014 , 23, 1656-68	5.6	50
45	Two functional lupus-associated BLK promoter variants control cell-type- and developmental-stage-specific transcription. <i>American Journal of Human Genetics</i> , 2014 , 94, 586-98	11	49
44	The frequency of single nucleotide polymorphisms and their association with uric acid concentration based on data from genome-wide association studies in the Korean population. <i>Rheumatology International</i> , 2014 , 34, 777-83	3.6	4
43	Prevalence and incidence of systemic lupus erythematosus in South Korea. <i>Rheumatology International</i> , 2014 , 34, 909-17	3.6	30
42	Are glucocorticoid-induced osteoporosis recommendations sufficient to determine antiosteoporotic treatment for patients with rheumatoid arthritis?. <i>Korean Journal of Internal Medicine</i> , 2014 , 29, 509-15	2.5	4
41	Efficacy and safety of tofacitinib for active rheumatoid arthritis with an inadequate response to methotrexate or disease-modifying antirheumatic drugs: a meta-analysis of randomized controlled trials. <i>Korean Journal of Internal Medicine</i> , 2014 , 29, 656-63	2.5	21
40	Improved health outcomes with etanercept versus usual DMARD therapy in an Asian population with established rheumatoid arthritis. <i>BMC Musculoskeletal Disorders</i> , 2013 , 14, 13	2.8	35
39	Prevalence and incidence of rheumatoid arthritis in South Korea. <i>Rheumatology International</i> , 2013 , 33, 1525-32	3.6	53
38	Cancer risk in systemic lupus: an updated international multi-centre cohort study. <i>Journal of Autoimmunity</i> , 2013 , 42, 130-5	15.5	194
37	Headache in systemic lupus erythematosus: results from a prospective, international inception cohort study. <i>Arthritis and Rheumatism</i> , 2013 , 65, 2887-97		65
36	Development of an algorithm for identifying rheumatoid arthritis in the Korean National Health Insurance claims database. <i>Rheumatology International</i> , 2013 , 33, 2985-92	3.6	55

35	Factors influencing discrepancies between the QuantiFERON-TB gold in tube test and the tuberculin skin test in Korean patients with rheumatic diseases. <i>Seminars in Arthritis and Rheumatism</i> , 2013 , 42, 424-32	5.3	25
34	Diagnosis and Treatment of Lupus Nephritis: Survey Results on Four Important Issues. <i>Journal of Rheumatic Diseases</i> , 2013 , 20, 156	1.2	1
33	Long-term Safety and Efficacy of Abatacept in Koreans with Rheumatoid Arthritis. <i>Journal of Rheumatic Diseases</i> , 2013 , 20, 30	1.2	1
32	Hepatitis B virus reactivation in HBsAg-positive patients with rheumatic diseases undergoing anti-tumor necrosis factor therapy or DMARDs. <i>International Journal of Rheumatic Diseases</i> , 2013 , 16, 527-31	2.3	73
31	Association of genetic polymorphisms in CD40 with susceptibility to SLE in the Korean population. <i>Rheumatology</i> , 2013 , 52, 623-30	3.9	21
30	Korean Observational Study Network for Arthritis (KORONA): establishment of a prospective multicenter cohort for rheumatoid arthritis in South Korea. <i>Seminars in Arthritis and Rheumatism</i> , 2012 , 41, 745-51	5.3	46
29	Systematic review of the epidemiology of systemic lupus erythematosus in the Asia-Pacific region: prevalence, incidence, clinical features, and mortality. <i>Arthritis Care and Research</i> , 2012 , 64, 159-68	4.7	198
28	Mortality and incidence of malignancy in Korean patients with rheumatoid arthritis. <i>Journal of Rheumatology</i> , 2012 , 39, 226-32	4.1	24
27	Genome-wide pathway analysis of genome-wide association studies on systemic lupus erythematosus and rheumatoid arthritis. <i>Molecular Biology Reports</i> , 2012 , 39, 10627-35	2.8	79
26	Five amino acids in three HLA proteins explain most of the association between MHC and seropositive rheumatoid arthritis. <i>Nature Genetics</i> , 2012 , 44, 291-6	36.3	607
25	Derivation and validation of the Systemic Lupus International Collaborating Clinics classification criteria for systemic lupus erythematosus. <i>Arthritis and Rheumatism</i> , 2012 , 64, 2677-86		2688
24	Associations between TNFAIP3 gene polymorphisms and rheumatoid arthritis: a meta-analysis. <i>Inflammation Research</i> , 2012 , 61, 635-41	7.2	39
23	Multicenter retrospective analysis of the effectiveness and safety of rituximab in korean patients with refractory systemic lupus erythematosus. <i>Autoimmune Diseases</i> , 2012 , 2012, 565039	2.9	15
22	Seizure disorders in systemic lupus erythematosus results from an international, prospective, inception cohort study. <i>Annals of the Rheumatic Diseases</i> , 2012 , 71, 1502-9	2.4	115
21	Biologics use in sle in 23 centers [Data from the international registry for biologics in SLE. <i>Annals of the Rheumatic Diseases</i> , 2012 , 71, A9.1-A9	2.4	1
20	Impact of Change in Reimbursement Guideline of Rheumatoid Arthritis on the Short Term Persistence of Tumor Necrosis Factor (TNF) Blockers. <i>Journal of Rheumatic Diseases</i> , 2011 , 18, 283	1.2	3
19	Treatment Persistence with TNF Blocker in Korean Rheumatoid Arthritis Patients. <i>Journal of Rheumatic Diseases</i> , 2011 , 18, 161	1.2	3
18	Genome-wide association study of rheumatoid arthritis in Koreans: population-specific loci as well as overlap with European susceptibility loci. <i>Arthritis and Rheumatism</i> , 2011 , 63, 884-93		111

17	The Current Status of Surveys on Prevalence of Rheumatic Diseases in Korea. <i>The Journal of the Korean Rheumatism Association</i> , 2010 , 17, 1		10
16	Rheumatoid arthritis: past, present and future. <i>Journal of the Korean Medical Association</i> , 2010 , 53, 842	0.5	1
15	Genetic risk factors for rheumatoid arthritis differ in Caucasian and Korean populations. <i>Arthritis and Rheumatism</i> , 2009 , 60, 364-71		100
14	Effects of antioxidant supplements intervention on the level of plasma inflammatory molecules and disease severity of rheumatoid arthritis patients. <i>Journal of the American College of Nutrition</i> , 2009 , 28, 56-62	3.5	65
13	TNF Inhibitors and Uveitis in Ankylosing Spondylitis. <i>The Journal of the Korean Rheumatism Association</i> , 2009 , 16, 48		1
12	Characteristics of Korean Patients with RA: A Single Center Cohort Study. <i>The Journal of the Korean Rheumatism Association</i> , 2009 , 16, 204		10
11	Cost-effectiveness of Early Use of Etanercept in the Treatment of Rheumatoid Arthritis. <i>Journal of the Korean Society for Clinical Pharmacology and Therapeutics</i> , 2009 , 17, 93		
10	The Prevalence and Trend of Arthritis in Korea: Results from Korea National Health and Nutrition Examination Surveys. <i>The Journal of the Korean Rheumatism Association</i> , 2008 , 15, 11		35
9	Water intoxication following low-dose intravenous cyclophosphamide. <i>Electrolyte and Blood Pressure</i> , 2007 , 5, 50-4	1.1	7
8	Incidence of tuberculosis in Korean patients with rheumatoid arthritis (RA): effects of RA itself and of tumor necrosis factor blockers. <i>Journal of Rheumatology</i> , 2007 , 34, 706-11	4.1	122
7	A functional haplotype of the PADI4 gene associated with increased rheumatoid arthritis susceptibility in Koreans. <i>Arthritis and Rheumatism</i> , 2006 , 54, 90-6		125
6	Clinical experience with tumor necrosis factor blockers in Korean rheumatoid arthritis patients. <i>APLAR Journal of Rheumatology</i> , 2006 , 9, 146-149		3
5	Cross-cultural adaptation and validation of the Korean fibromyalgia impact questionnaire in women patients with fibromyalgia for clinical research. <i>Quality of Life Research</i> , 2004 , 13, 857-61	3.7	13
4	Association analyses of DNA methyltransferase-1 (DNMT1) polymorphisms with systemic lupus erythematosus. <i>Journal of Human Genetics</i> , 2004 , 49, 642-646	4.3	27
3	Inadequate antioxidant nutrient intake and altered plasma antioxidant status of rheumatoid arthritis patients. <i>Journal of the American College of Nutrition</i> , 2003 , 22, 311-5	3.5	62
2	Trans-ancestry genome-wide association study identifies novel genetic mechanisms in rheumatoid arthritis		2
1	Meta-analysis of 208,370 East Asians identifies 113 genomic loci and yields new non-immune cell relevant biological insights for systemic lupus erythematosus		1