

Antonella Ravaggi

List of Publications by Citations

Source: <https://exaly.com/author-pdf/9413159/antonella-ravaggi-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

116
papers

3,600
citations

34
h-index

55
g-index

122
ext. papers

4,073
ext. citations

5.6
avg, IF

4.21
L-index

#	Paper	IF	Citations
116	Landscape of somatic single-nucleotide and copy-number mutations in uterine serous carcinoma. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013 , 110, 2916-21	11.5	221
115	Induction of human papillomavirus-specific CD4(+) and CD8(+) lymphocytes by E7-pulsed autologous dendritic cells in patients with human papillomavirus type 16- and 18-positive cervical cancer. <i>Journal of Virology</i> , 1999 , 73, 5402-10	6.6	129
114	Mutational landscape of uterine and ovarian carcinosarcomas implicates histone genes in epithelial-mesenchymal transition. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016 , 113, 12238-12243	11.5	123
113	Interleukin-10 increases Th1 cytokine production and cytotoxic potential in human papillomavirus-specific CD8(+) cytotoxic T lymphocytes. <i>Journal of Virology</i> , 2000 , 74, 4729-37	6.6	122
112	Diagnostic and prognostic impact of serum HE4 detection in endometrial carcinoma patients. <i>British Journal of Cancer</i> , 2011 , 104, 1418-25	8.7	116
111	Human papillomavirus type 16 and 18 E7-pulsed dendritic cell vaccination of stage IB or IIA cervical cancer patients: a phase I escalating-dose trial. <i>Journal of Virology</i> , 2008 , 82, 1968-79	6.6	104
110	Serum human epididymis protein 4 and risk for ovarian malignancy algorithm as new diagnostic and prognostic tools for epithelial ovarian cancer management. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011 , 20, 2496-506	4	93
109	HE4 and epithelial ovarian cancer: comparison and clinical evaluation of two immunoassays and a combination algorithm. <i>Clinica Chimica Acta</i> , 2011 , 412, 1447-53	6.2	90
108	Differential gene expression profiles between tumor biopsies and short-term primary cultures of ovarian serous carcinomas: identification of novel molecular biomarkers for early diagnosis and therapy. <i>Gynecologic Oncology</i> , 2006 , 103, 405-16	4.9	90
107	Hepatitis C virus RNA and antibody response in the clinical course of acute hepatitis C virus infection. <i>Hepatology</i> , 1992 , 16, 877-81	11.2	85
106	Gene expression profile of ovarian serous papillary carcinomas: identification of metastasis-associated genes. <i>American Journal of Obstetrics and Gynecology</i> , 2007 , 196, 245.e1-11	6.4	72
105	HPV16/18 E7-pulsed dendritic cell vaccination in cervical cancer patients with recurrent disease refractory to standard treatment modalities. <i>Gynecologic Oncology</i> , 2006 , 100, 469-78	4.9	72
104	Effects of concurrent cisplatin administration during radiotherapy vs. radiotherapy alone on the immune function of patients with cancer of the uterine cervix. <i>International Journal of Radiation Oncology Biology Physics</i> , 2000 , 48, 997-1006	4	72
103	Trop-2 overexpression as an independent marker for poor overall survival in ovarian carcinoma patients. <i>European Journal of Cancer</i> , 2010 , 46, 944-53	7.5	70
102	HE4, CA125 and risk of ovarian malignancy algorithm (ROMA) as diagnostic tools for ovarian cancer in patients with a pelvic mass: An Italian multicenter study. <i>Gynecologic Oncology</i> , 2016 , 141, 303-311	4.9	69
101	A KRAS variant is a biomarker of poor outcome, platinum chemotherapy resistance and a potential target for therapy in ovarian cancer. <i>Oncogene</i> , 2012 , 31, 4559-66	9.2	64
100	Phenotypic and functional analysis of tumor-infiltrating lymphocytes compared with tumor-associated lymphocytes from ascitic fluid and peripheral blood lymphocytes in patients with advanced ovarian cancer. <i>Gynecologic and Obstetric Investigation</i> , 2001 , 51, 254-61	2.5	63

99	Human epididymis protein 4 as a serum marker for diagnosis of endometrial carcinoma and prediction of clinical outcome. <i>Clinical Chemistry and Laboratory Medicine</i> , 2012 , 50, 2189-98	5.9	62
98	Effects of interferon treatment on the antiviral T-cell response in hepatitis C virus genotype 1b- and genotype 2c-infected patients. <i>Hepatology</i> , 1997 , 26, 792-797	11.2	60
97	Radiation-enhanced expression of E6/E7 transforming oncogenes of human papillomavirus-16 in human cervical carcinoma. <i>Cancer</i> , 1998 , 83, 2346-52	6.4	54
96	Circulating miRNA landscape identifies miR-1246 as promising diagnostic biomarker in high-grade serous ovarian carcinoma: A validation across two independent cohorts. <i>Cancer Letters</i> , 2017 , 388, 320-327	12.9	52
95	Intracellular localization of full-length and truncated hepatitis C virus core protein expressed in mammalian cells. <i>Journal of Hepatology</i> , 1994 , 20, 833-6	13.4	52
94	MiRNA landscape in stage I epithelial ovarian cancer defines the histotype specificities. <i>Clinical Cancer Research</i> , 2013 , 19, 4114-23	12.9	50
93	Transduction and utility of the granulocyte-macrophage colony-stimulating factor gene into monocytes and dendritic cells by adeno-associated virus. <i>Journal of Interferon and Cytokine Research</i> , 2000 , 20, 21-30	3.5	50
92	Induction of ovarian tumor-specific CD8+ cytotoxic T lymphocytes by acid-eluted peptide-pulsed autologous dendritic cells. <i>Obstetrics and Gynecology</i> , 2000 , 96, 422-30	4.9	50
91	Investigation of the ovarian and prostate cancer peptidome for candidate early detection markers using a novel nanoparticle biomarker capture technology. <i>AAPS Journal</i> , 2010 , 12, 504-18	3.7	48
90	lncRNAs as Novel Indicators of Patients Prognosis in Stage I Epithelial Ovarian Cancer: A Retrospective and Multicentric Study. <i>Clinical Cancer Research</i> , 2017 , 23, 2356-2366	12.9	47
89	Expression of surface antigens during the differentiation of human dendritic cells vs macrophages from blood monocytes in vitro. <i>Immunobiology</i> , 1999 , 200, 187-204	3.4	43
88	FOXM1 expression is significantly associated with chemotherapy resistance and adverse prognosis in non-serous epithelial ovarian cancer patients. <i>Journal of Experimental and Clinical Cancer Research</i> , 2017 , 36, 63	12.8	39
87	Outbreak of Hepatitis C Virus Infection in Patients With Hematologic Disorders Treated With Intravenous Immunoglobulins: Different Prognosis According to the Immune Status. <i>Blood</i> , 1997 , 90, 1309-1314	2.2	39
86	Virological response to interferon treatment in hepatitis C virus carriers with normal aminotransferase levels and chronic hepatitis. <i>Hepatology</i> , 1997 , 26, 1012-7	11.2	39
85	In vitro induction of tumor-specific human lymphocyte antigen class I-restricted CD8 cytotoxic T lymphocytes by ovarian tumor antigen-pulsed autologous dendritic cells from patients with advanced ovarian cancer. <i>American Journal of Obstetrics and Gynecology</i> , 2000 , 183, 601-9	6.4	39
84	Polymerase [POLE] ultra-mutation in uterine tumors correlates with T lymphocyte infiltration and increased resistance to platinum-based chemotherapy in vitro. <i>Gynecologic Oncology</i> , 2017 , 144, 146-152	4.9	38
83	Emergence of hepatitis B virus S gene mutant in a liver transplant recipient. <i>Journal of Medical Virology</i> , 1995 , 47, 410-5	19.7	36
82	Trefoil factor 3: a novel serum marker identified by gene expression profiling in high-grade endometrial carcinomas. <i>British Journal of Cancer</i> , 2008 , 99, 768-73	8.7	34

81	Trop-2 protein overexpression is an independent marker for predicting disease recurrence in endometrioid endometrial carcinoma. <i>BMC Clinical Pathology</i> , 2012 , 12, 22	3	33
80	Identification of stably expressed reference small non-coding RNAs for microRNA quantification in high-grade serous ovarian carcinoma tissues. <i>Journal of Cellular and Molecular Medicine</i> , 2016 , 20, 2341-2348	5.6	32
79	Serum S100A6 concentration predicts peritoneal tumor burden in mice with epithelial ovarian cancer and is associated with advanced stage in patients. <i>PLoS ONE</i> , 2009 , 4, e7670	3.7	31
78	Claudin-7 expression in human epithelial ovarian cancer. <i>International Journal of Gynecological Cancer</i> , 2008 , 18, 1262-71	3.5	30
77	Direct PCR amplification of HCV RNA from human serum. <i>Genome Research</i> , 1992 , 1, 291-2	9.7	29
76	Profiling cancer gene mutations in longitudinal epithelial ovarian cancer biopsies by targeted next-generation sequencing: a retrospective study. <i>Annals of Oncology</i> , 2015 , 26, 1363-71	10.3	28
75	Increased levels of interleukin-10 and transforming growth factor-beta in the plasma and ascitic fluid of patients with advanced ovarian cancer. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2001 , 108, 804-8	3.7	28
74	Mutational landscape of primary, metastatic, and recurrent ovarian cancer reveals c-MYC gains as potential target for BET inhibitors. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019 , 116, 619-624	11.5	28
73	Cancer antigen 125, human epididymis 4, kallikrein 6, osteopontin and soluble mesothelin-related peptide immunocomplexed with immunoglobulin M in epithelial ovarian cancer diagnosis. <i>Clinical Chemistry and Laboratory Medicine</i> , 2013 , 51, 1815-24	5.9	27
72	Induction of tumour-specific CD8(+) cytotoxic T lymphocytes by tumour lysate-pulsed autologous dendritic cells in patients with uterine serous papillary cancer. <i>British Journal of Cancer</i> , 2002 , 86, 151-7	8.7	27
71	Tumor-infiltrating lymphocytes contain higher numbers of type 1 cytokine expressors and DR+ T cells compared with lymphocytes from tumor draining lymph nodes and peripheral blood in patients with cancer of the uterine cervix. <i>Gynecologic Oncology</i> , 2001 , 81, 424-32	4.9	27
70	Increased levels of interleukin-10 and transforming growth factor- β in the plasma and ascitic fluid of patients with advanced ovarian cancer. <i>British Journal of Obstetrics and Gynaecology</i> , 2001 , 108, 804-808		27
69	Whole-exome sequencing of cervical carcinomas identifies activating ERBB2 and PIK3CA mutations as targets for combination therapy. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019 , 116, 22730-22736	11.5	26
68	Overexpression of mammaglobin B in epithelial ovarian carcinomas. <i>Gynecologic Oncology</i> , 2007 , 105, 578-85	4.9	26
67	Evaluation of hepatitis delta virus RNA levels during interferon therapy by analysis of polymerase chain reaction products with a nonradioisotopic hybridization assay. <i>Hepatology</i> , 1992 , 15, 685-9	11.2	26
66	Mammaglobin B expression in human endometrial cancer. <i>International Journal of Gynecological Cancer</i> , 2008 , 18, 1090-6	3.5	25
65	Quantification of hepatitis C virus RNA by competitive amplification of RNA from denatured serum and hybridization on microtiter plates. <i>Journal of Clinical Microbiology</i> , 1995 , 33, 265-9	9.7	25
64	Mammaglobin B (SCGB2A1) is a novel tumour antigen highly differentially expressed in all major histological types of ovarian cancer: implications for ovarian cancer immunotherapy. <i>British Journal of Cancer</i> , 2013 , 109, 462-71	8.7	23

63	Distribution of viral genotypes in Italy determined by hepatitis C virus typing by DNA immunoassay. <i>Journal of Clinical Microbiology</i> , 1994 , 32, 2280-4	9.7	23
62	Epidermal growth factor receptor detection in serum and saliva as a diagnostic and prognostic tool in oral cancer. <i>Laryngoscope</i> , 2017 , 127, E408-E414	3.6	22
61	Trop-2 overexpression in poorly differentiated endometrial endometrioid carcinoma: implications for immunotherapy with hRS7, a humanized anti-trop-2 monoclonal antibody. <i>International Journal of Gynecological Cancer</i> , 2011 , 21, 1613-21	3.5	22
60	Prognostic significance of vascular endothelial growth factor serum determination in women with ovarian cancer. <i>ISRN Obstetrics & Gynecology</i> , 2012 , 2012, 245756		22
59	Expression of CD56 by human papillomavirus E7-specific CD8+ cytotoxic T lymphocytes correlates with increased intracellular perforin expression and enhanced cytotoxicity against HLA-A2-matched cervical tumor cells. <i>Clinical Cancer Research</i> , 2001 , 7, 804s-810s	12.9	22
58	Class III β -tubulin overexpression in ovarian clear cell and serous carcinoma as a maker for poor overall survival after platinum/taxane chemotherapy and sensitivity to patupilone. <i>American Journal of Obstetrics and Gynecology</i> , 2013 , 209, 62.e1-9	6.4	21
57	Development and therapeutic effect of adoptively transferred T cells primed by tumor lysate-pulsed autologous dendritic cells in a patient with metastatic endometrial cancer. <i>Gynecologic and Obstetric Investigation</i> , 2000 , 49, 194-203	2.5	21
56	The effects of irradiation on the expression of a tumour rejection antigen (heat shock protein gp96) in human cervical cancer. <i>International Journal of Radiation Biology</i> , 1998 , 73, 699-704	2.9	21
55	Functional characterization of epithelial ovarian cancer histotypes by drug target based protein signaling activation mapping: implications for personalized cancer therapy. <i>Proteomics</i> , 2015 , 15, 365-73 ^{4.8}		20
54	Clinical significance of serum hepatitis C virus (HCV) RNA as marker of HCV infection. <i>Journal of Clinical Microbiology</i> , 1994 , 32, 3008-12	9.7	18
53	Hepatitis C virus genotypes in northern Italy: clinical and virological features. <i>Journal of Clinical Microbiology</i> , 1996 , 34, 2822-5	9.7	18
52	Identical TP53 mutations in pelvic carcinosarcomas and associated serous tubal intraepithelial carcinomas provide evidence of their clonal relationship. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2016 , 469, 61-9	5.1	18
51	Mammaglobin B is an independent prognostic marker in epithelial ovarian cancer and its expression is associated with reduced risk of disease recurrence. <i>BMC Cancer</i> , 2009 , 9, 253	4.8	17
50	Virological characterization and liver histology in HCV positive subjects with normal and elevated ALT levels. <i>Liver</i> , 1997 , 17, 133-8		17
49	Genome-wide study of salivary miRNAs identifies miR-423-5p as promising diagnostic and prognostic biomarker in oral squamous cell carcinoma. <i>Theranostics</i> , 2021 , 11, 2987-2999	12.1	17
48	Development and characterization of a human single-chain antibody fragment against claudin-3: a novel therapeutic target in ovarian and uterine carcinomas. <i>American Journal of Obstetrics and Gynecology</i> , 2009 , 201, 70.e1-9	6.4	16
47	Human kallikrein 5: an interesting novel biomarker in ovarian cancer patients that elicits humoral response. <i>International Journal of Gynecological Cancer</i> , 2009 , 19, 1015-21	3.5	16
46	Correlation between serological immune response analyzed by a new ELISA for HPV-16/18 E7 oncoprotein and clinical characteristics of cervical cancer patients. <i>Archives of Virology</i> , 2006 , 151, 1899-916 ^{3.6}		16

45	FXYS5 (Dysadherin) upregulation predicts shorter survival and reveals platinum resistance in high-grade serous ovarian cancer patients. <i>British Journal of Cancer</i> , 2019 , 121, 584-592	8.7	15
44	A prognostic regulatory pathway in stage I epithelial ovarian cancer: new hints for the poor prognosis assessment. <i>Annals of Oncology</i> , 2016 , 27, 1511-9	10.3	15
43	Identification of optimal reference genes for gene expression normalization in a wide cohort of endometrioid endometrial carcinoma tissues. <i>PLoS ONE</i> , 2014 , 9, e113781	3.7	14
42	Effects of retinoic acid combined with irradiation on the expression of major histocompatibility complex molecules and adhesion/costimulation molecules ICAM-1 in human cervical cancer. <i>Gynecologic Oncology</i> , 1998 , 70, 195-201	4.9	14
41	Secretion of vascular endothelial growth factor in adenocarcinoma and squamous cell carcinoma of the uterine cervix. <i>Obstetrics and Gynecology</i> , 1999 , 94, 78-82	4.9	14
40	Long-term follow-up of and infectivity in blood donors with hepatitis C antibodies and persistently normal alanine aminotransferase levels. <i>Transfusion</i> , 1995 , 35, 108-11	2.9	14
39	Development, characterization and distribution of adoptively transferred peripheral blood lymphocytes primed by human papillomavirus 18 E7--pulsed autologous dendritic cells in a patient with metastatic adenocarcinoma of the uterine cervix. <i>European Journal of Gynaecological Oncology (discontinued)</i> , 2000 , 21, 17-23	1.6	13
38	Integrated mutational landscape analysis of uterine leiomyosarcomas. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021 , 118,	11.5	11
37	RERT: A Novel Regression Tree Approach to Predict Extrauterine Disease in Endometrial Carcinoma Patients. <i>Scientific Reports</i> , 2017 , 7, 10528	4.9	10
36	MAL gene overexpression as a marker of high-grade serous ovarian carcinoma stem-like cells that predicts chemoresistance and poor prognosis. <i>BMC Cancer</i> , 2017 , 17, 366	4.8	10
35	Evaluation of a novel human IgG1 anti-claudin3 antibody that specifically recognizes its aberrantly localized antigen in ovarian cancer cells and that is suitable for selective drug delivery. <i>Oncotarget</i> , 2015 , 6, 34617-28	3.3	10
34	Differential pattern of sequence heterogeneity in the hepatitis C virus E1 and E2/NS1 proteins. <i>Journal of Hepatology</i> , 1994 , 21, 858-65	13.4	8
33	Outbreak of Hepatitis C Virus Infection in Patients With Hematologic Disorders Treated With Intravenous Immunoglobulins: Different Prognosis According to the Immune Status. <i>Blood</i> , 1997 , 90, 1309-1314	2.2	8
32	Kinase-driven metabolic signalling as a predictor of response to carboplatin-paclitaxel adjuvant treatment in advanced ovarian cancers. <i>British Journal of Cancer</i> , 2017 , 117, 494-502	8.7	7
31	Effects of retinoic acid combined with interferon-gamma on the expression of major-histocompatibility-complex molecules and intercellular adhesion molecule-1 in human cervical cancer. <i>International Journal of Cancer</i> , 1998 , 75, 254-8	7.5	7
30	Secretion of Vascular Endothelial Growth Factor in Adenocarcinoma and Squamous Cell Carcinoma of the Uterine Cervix. <i>Obstetrics and Gynecology</i> , 1999 , 94, 78-82	4.9	7
29	Utility Serum Marker HE4 for the Differential Diagnosis Between Endometriosis and Adnexal Malignancy. <i>International Journal of Gynecological Cancer</i> , 2016 , 26, 52-5	3.5	7
28	The HIV-protease inhibitor saquinavir reduces proliferation, invasion and clonogenicity in cervical cancer cell lines. <i>Oncology Letters</i> , 2016 , 12, 2493-2500	2.6	7

27	Comparison of competitive and non-competitive reverse transcription-polymerase chain reaction (RT-PCR) for the quantification of hepatitis C virus (HCV) RNA. <i>Journal of Virological Methods</i> , 1997 , 65, 123-9	2.6	6
26	Infiltration by CXCL10 Secreting Macrophages Is Associated With Antitumor Immunity and Response to Therapy in Ovarian Cancer Subtypes. <i>Frontiers in Immunology</i> , 2021 , 12, 690201	8.4	6
25	Novel immunotherapeutic strategies in gynecologic oncology. Dendritic cell-based immunotherapy for ovarian cancer. <i>Minerva Ginecologica</i> , 2002 , 54, 133-44	1.2	6
24	Retinoic acid up-regulates the expression of major histocompatibility complex molecules and adhesion/costimulation molecules (specifically, intercellular adhesion molecule ICAM-1) in human cervical cancer. <i>American Journal of Obstetrics and Gynecology</i> , 1998 , 179, 1020-5	6.4	5
23	Molecular analysis of mixed infection with hepatitis C virus and human immunodeficiency virus in a patient infected simultaneously. <i>Journal of Medical Virology</i> , 1996 , 50, 276-82	19.7	5
22	Low Expression of Claudin-7 as Potential Predictor of Distant Metastases in High-Grade Serous Ovarian Carcinoma Patients. <i>Frontiers in Oncology</i> , 2020 , 10, 1287	5.3	5
21	Gene Expression Profiling of Olfactory Neuroblastoma Helps Identify Prognostic Pathways and Define Potentially Therapeutic Targets. <i>Cancers</i> , 2021 , 13,	6.6	5
20	Expression profiles of PRKG1, SDF2L1 and PPP1R12A are predictive and prognostic factors for therapy response and survival in high-grade serous ovarian cancer. <i>International Journal of Cancer</i> , 2020 , 147, 565-574	7.5	4
19	Secretoglobin expression in ovarian carcinoma: lipophilin B gene upregulation as an independent marker of better prognosis. <i>Journal of Translational Medicine</i> , 2013 , 11, 162	8.5	4
18	Influence of maternal CD4 levels on the predictive value of virus load over mother-to-child transmission of human immunodeficiency virus type 1 (HIV-1). Study Group for Vertical Transmission. <i>Journal of Medical Virology</i> , 1999 , 58, 59-62	19.7	4
17	Claudin3 is localized outside the tight junctions in human carcinomas. <i>Oncotarget</i> , 2018 , 9, 18446-18453	3.3	4
16	Utility of human epididymis protein 4 serum marker for the detection of adnexal malignancy: a multicentric prospective study. <i>European Journal of Cancer Prevention</i> , 2017 , 26, 346-350	2	3
15	Pre-treatment Serum HE4 Level as a Novel Independent Prognostic Biomarker for Uterine Cervical Carcinoma Patients. <i>Frontiers in Oncology</i> , 2020 , 10, 584022	5.3	3
14	Heterogeneity of the hepatitis C virus genome. <i>Journal of Infectious Diseases</i> , 1991 , 163, 1383-4	7	3
13	Transcriptional Characterization of Stage I Epithelial Ovarian Cancer: A Multicentric Study. <i>Cells</i> , 2019 , 8,	7.9	3
12	Induction of Ovarian Tumor-Specific CD8+ Cytotoxic T Lymphocytes by Acid-Eluted Peptide-Pulsed Autologous Dendritic Cells. <i>Obstetrics and Gynecology</i> , 2000 , 96, 422-430	4.9	2
11	Effects of retinoic acid combined with interferon-gamma on the expression of a tumor rejection antigen (heat shock protein gp96) in human cervical cancer. <i>International Journal of Gynecological Cancer</i> , 1998 , 8, 158-163	3.5	2
10	The Claudin-Low Subtype of High-Grade Serous Ovarian Carcinoma Exhibits Stem Cell Features. <i>Cancers</i> , 2021 , 13,	6.6	2

9	Expression and cytokine mediated modulation of adhesion/costimulation molecules ICAM-1(CD54) and LFA-3(CD58) in human ovarian cancer. <i>International Journal of Gynecological Cancer</i> , 1997 , 7, 273-278	3.5	1
8	Diagnosis of viral hepatitis with a nonisotopic hybridization assay. <i>Nuclear Medicine and Biology</i> , 1994 , 21, 441-7	2.1	1
7	Comprehensive Profiling of Hypoxia-Related miRNAs Identifies miR-23a-3p Overexpression as a Marker of Platinum Resistance and Poor Prognosis in High-Grade Serous Ovarian Cancer. <i>Cancers</i> , 2021 , 13,	6.6	1
6	Prospective study of mother-to-infant transmission of hepatitis C virus (HCV) infection 1998 , 54, 12		1
5	Immunotherapy for the prevention of high-risk oral disorders malignant transformation: the IMPEDE trial. <i>BMC Cancer</i> , 2021 , 21, 561	4.8	0
4	Genetic evolution of the hypervariable region 1 in hepatitis C virus carriers with normal aminotransferase activities. <i>Research in Virology</i> , 1998 , 149, 439-44		
3	Rapid screening of recombinant plasmids with a non-radioisotopic hybridization assay. <i>BioTechniques</i> , 1992 , 13, 506-8	2.5	
2	Protein network mapping of glucose metabolism in ovarian cancer.. <i>Journal of Clinical Oncology</i> , 2014 , 32, 5550-5550	2.2	
1	VEGF-D Serum Level as a Potential Predictor of Lymph Node Metastasis and Prognosis in Vulvar Squamous Cell Carcinoma Patients.. <i>Frontiers in Oncology</i> , 2022 , 12, 818613	5.3	