In Ah Choi

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9413356/publications.pdf

Version: 2024-02-01

713013 840119 31 482 11 21 citations h-index g-index papers 34 34 34 893 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Impact of Clinical Association Between Gout and Dementia: A Nationwide <scp>Populationâ€Based</scp> Cohort Study in Korea. Arthritis Care and Research, 2023, 75, 1088-1094.	1.5	6
2	Cardiovascular Risks in Korean Patients with Gout: Analysis Using a National Health Insurance Service Database. Journal of Clinical Medicine, 2022, 11, 2124.	1.0	3
3	Cardiovascular morbidity and mortality in patients with spondyloarthritis: A metaâ€analysis. International Journal of Rheumatic Diseases, 2021, 24, 477-486.	0.9	27
4	Comparison of the 2017 EULAR/ACR Criteria with Clinicoserologic Criteria for the Classification of Idiopathic Inflammatory Myopathies in Korean Patients. Yonsei Medical Journal, 2021, 62, 424.	0.9	4
5	A clinical comparison of an endothelin receptor antagonist and phosphodiesterase type 5 inhibitors for treating digital ulcers of systemic sclerosis. Rheumatology, 2021, 60, 5814-5819.	0.9	5
6	Association between dementia and systemic rheumatic disease: A nationwide population-based study. PLoS ONE, 2021, 16, e0248395.	1.1	10
7	Patient perspectives on biological treatments for inflammatory arthritis: A multi-center study in Korea. Archives of Rheumatology, 2021, 36, 499-509.	0.3	3
8	Association between nuclear factor of activated T cells C2 polymorphisms and treatment response in rheumatoid arthritis patients receiving tumor necrosis factor-alpha inhibitors. Pharmacogenetics and Genomics, 2021, Publish Ahead of Print, 10-15.	0.7	0
9	Association of TLR 9 gene polymorphisms with remission in patients with rheumatoid arthritis receiving TNF- \hat{l}_{\pm} inhibitors and development of machine learning models. Scientific Reports, 2021, 11, 20169.	1.6	8
10	Clinical Association between Gout and Parkinson's Disease: A Nationwide Population-Based Cohort Study in Korea. Medicina (Lithuania), 2021, 57, 1292.	0.8	8
11	Circulating TNF-like protein 1A (TL1A) is elevated early in rheumatoid arthritis and depends on TNF. Arthritis Research and Therapy, 2020, 22, 106.	1.6	6
12	ADAM17 Genetic Variants and the Response of TNF- \hat{l}_{\pm} Inhibitor in Rheumatoid Arthritis Patients Pharmacogenomics and Personalized Medicine, 2020, Volume 13, 81-88.	0.4	3
13	Tocilizumab Increases Body Weight and Serum Adipokine Levels in Patients with Rheumatoid Arthritis Independently of their Treatment Response: a Retrospective Cohort Study. Journal of Korean Medical Science, 2020, 35, e155.	1.1	10
14	Long-term efficacy, safety and immunogenicity in patients with rheumatoid arthritis continuing on an etanercept biosimilar (LBEC0101) or switching from reference etanercept to LBEC0101: an open-label extension of a phase III multicentre, randomised, double-blind, parallel-group study. Arthritis Research and Therapy, 2019, 21, 122.	1.6	12
15	Efficacy and safety of addâ€on tacrolimus versus leflunomide in rheumatoid arthritis patients with inadequate response to methotrexate. International Journal of Rheumatic Diseases, 2019, 22, 1115-1122.	0.9	7
16	Impact of EUSTAR standardized training on accuracy of modified Rodnan skin score in patients with systemic sclerosis. International Journal of Rheumatic Diseases, 2019, 22, 96-102.	0.9	6
17	Mortality, disability, and healthcare expenditure of patients with seropositive rheumatoid arthritis in Korea: A nationwide population-based study. PLoS ONE, 2019, 14, e0210471.	1.1	20
18	Performance of the 2015 American College of Rheumatology/European League against Rheumatism Classification Criteria for Gout in Korean Patients with Acute Arthritis. Journal of Korean Medical Science, 2019, 34, e155.	1.1	5

#	Article	IF	CITATIONS
19	Prevalence of coâ€morbidities and evaluation of their monitoring in Korean patients with rheumatoid arthritis: comparison with the results of an international, crossâ€sectional study (<scp>COMORA</scp>). International Journal of Rheumatic Diseases, 2018, 21, 1414-1422.	0.9	12
20	Effects of Tocilizumab Therapy on Serum Interleukin-33 and Interleukin-6 Levels in Patients With Rheumatoid Arthritis. Archives of Rheumatology, 2018, 33, 389-394.	0.3	17
21	Periodontal pathogens and the association between periodontitis and rheumatoid arthritis in Korean adults. Journal of Periodontal and Implant Science, 2018, 48, 347.	0.9	17
22	Clinical and Laboratory Characteristics and Mortality in Korean Patients with Systemic Sclerosis: A Nationwide Multicenter Retrospective Cohort Study. Journal of Rheumatology, 2018, 45, 1281-1288.	1.0	14
23	GV1001 immunotherapy ameliorates joint inflammation in a murine model of rheumatoid arthritis by modifying collagen-specific T-cell responses and downregulating antigen-presenting cells. International Immunopharmacology, 2017, 46, 186-193.	1.7	2
24	Behçet's disease risk association fine-mapped on the IL23R–IL12RB2 intergenic region in Koreans. Arthritis Research and Therapy, 2017, 19, 227.	1.6	21
25	Periodontitis is associated with rheumatoid arthritis: a study with longstanding rheumatoid arthritis patients in Korea. Korean Journal of Internal Medicine, 2016, 31, 977-986.	0.7	43
26	Association between anti-Porphyromonas gingivalis or anti- \hat{l} ±-enolase antibody and severity of periodontitis or rheumatoid arthritis (RA) disease activity in RA. BMC Musculoskeletal Disorders, 2015, 16, 190.	0.8	36
27	Incidence of malignancy in Takayasu arteritis in Korea. Rheumatology International, 2014, 34, 517-521.	1.5	12
28	Tofacitinib Prevents Radiographic Progression in Rheumatoid Arthritis. Journal of Korean Medical Science, 2013, 28, 1134.	1.1	5
29	A Case of Macrophagic Myofasciitis Initially Thought to Be a Metastatic Infection. Journal of Rheumatic Diseases, 2012, 19, 285.	0.4	0
30	Hepatitis B virus reactivation in rheumatoid arthritis and ankylosing spondylitis patients treated with anti-TNFî± agents: A retrospective analysis of 49 cases. Clinical Rheumatology, 2012, 31, 931-936.	1.0	61
31	Expression levels and association of gelatinases MMP-2 and MMP-9 and collagenases MMP-1 and MMP-13 with VEGF in synovial fluid of patients with arthritis. Rheumatology International, 2011, 31, 543-547.	1.5	99