Jong-Hwan Park

List of Publications by Citations

Source: https://exaly.com/author-pdf/9414382/jong-hwan-park-publications-by-citations.pdf

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

82 2,382 19 48 g-index

84 2,836 5.3 4.63 ext. papers ext. citations avg, IF L-index

#	Paper	IF	Citations
82	Bacterial RNA and small antiviral compounds activate caspase-1 through cryopyrin/Nalp3. <i>Nature</i> , 2006 , 440, 233-6	50.4	891
81	RICK/RIP2 mediates innate immune responses induced through Nod1 and Nod2 but not TLRs. <i>Journal of Immunology</i> , 2007 , 178, 2380-6	5.3	388
80	Nod1/RICK and TLR signaling regulate chemokine and antimicrobial innate immune responses in mesothelial cells. <i>Journal of Immunology</i> , 2007 , 179, 514-21	5.3	149
79	Nanostructured glycan architecture is important in the inhibition of influenza A virus infection. <i>Nature Nanotechnology</i> , 2017 , 12, 48-54	28.7	98
78	Efficacy of bacteriophage treatment against carbapenem-resistant Acinetobacter baumannii in Galleria mellonella larvae and a mouse model of acute pneumonia. <i>BMC Microbiology</i> , 2019 , 19, 70	4.5	52
77	Mycobacterium tuberculosis RpfB drives Th1-type T cell immunity via a TLR4-dependent activation of dendritic cells. <i>Journal of Leukocyte Biology</i> , 2013 , 94, 733-49	6.5	44
76	Shiga Toxins Activate the NLRP3 Inflammasome Pathway To Promote Both Production of the Proinflammatory Cytokine Interleukin-1 Apoptotic Cell Death. <i>Infection and Immunity</i> , 2016 , 84, 172-86	3.7	42
75	NLRP3 inflammasome mediates interleukin-1[production in immune cells in response to Acinetobacter baumannii and contributes to pulmonary inflammation in mice. <i>Immunology</i> , 2017 , 150, 495-505	7.8	40
74	Nod2 and Rip2 contribute to innate immune responses in mouse neutrophils. <i>Immunology</i> , 2014 , 143, 269-76	7.8	39
73	In Vivo Application of Bacteriophage as a Potential Therapeutic Agent To Control OXA-66-Like Carbapenemase-Producing Acinetobacter baumannii Strains Belonging to Sequence Type 357. <i>Applied and Environmental Microbiology</i> , 2016 , 82, 4200-4208	4.8	37
72	Lactobacillus curvatus WiKim38 isolated from kimchi induces IL-10 production in dendritic cells and alleviates DSS-induced colitis in mice. <i>Journal of Microbiology</i> , 2016 , 54, 503-9	3	36
71	Withaferin A Inhibits Helicobacter pylori-induced Production of IL-1[In Dendritic Cells by Regulating NF- B and NLRP3 Inflammasome Activation. <i>Immune Network</i> , 2015 , 15, 269-77	6.1	29
70	Essential role of toll-like receptor 4 in Acinetobacter baumannii-induced immune responses in immune cells. <i>Microbial Pathogenesis</i> , 2013 , 54, 20-5	3.8	27
69	Mycobacterium tuberculosis Rv3628 drives Th1-type T cell immunity via TLR2-mediated activation of dendritic cells and displays vaccine potential against the hyper-virulent Beijing K strain. <i>Oncotarget</i> , 2016 , 7, 24962-82	3.3	25
68	Withaferin A inhibits the proliferation of gastric cancer cells by inducing G2/M cell cycle arrest and apoptosis. <i>Oncology Letters</i> , 2017 , 14, 416-422	2.6	22
67	The high prevalence of Helicobacter sp. in porcine pyloric mucosa and its histopathological and molecular characteristics. <i>Veterinary Microbiology</i> , 2004 , 104, 219-25	3.3	22
66	Establishment of a mouse model for pulmonary inflammation and fibrosis by intratracheal instillation of polyhexamethyleneguanidine phosphate. <i>Journal of Toxicologic Pathology</i> , 2016 , 29, 95-1	024	21

65	Therapeutic effect of hyaluronic acid on experimental osteoarthrosis of ovine temporomandibular joint. <i>Journal of Veterinary Medical Science</i> , 2001 , 63, 1083-9	1.1	20
64	Comparison of the loads and antibiotic-resistance profiles of Enterococcus species from conventional and organic chicken carcasses in South Korea. <i>Poultry Science</i> , 2018 , 97, 271-278	3.9	19
63	Nematicidal activity of grammicin produced by Xylaria grammica KCTC 13121BP against Meloidogyne incognita. <i>Pest Management Science</i> , 2018 , 74, 384-391	4.6	18
62	Toll-like receptor 2 promotes bacterial clearance during the initial stage of pulmonary infection with Acinetobacter baumannii. <i>Molecular Medicine Reports</i> , 2014 , 9, 1410-4	2.9	18
61	RICK promotes inflammation and lethality after gram-negative bacterial infection in mice stimulated with lipopolysaccharide. <i>Infection and Immunity</i> , 2009 , 77, 1569-78	3.7	18
60	Critical role of TRIF and MyD88 in Mycobacterium tuberculosis Hsp70-mediated activation of dendritic cells. <i>Cytokine</i> , 2015 , 71, 139-44	4	16
59	Chemotherapeutic Agent Paclitaxel Mediates Priming of NLRP3 Inflammasome Activation. <i>Frontiers in Immunology</i> , 2019 , 10, 1108	8.4	15
58	Mycobacterium tuberculosis ESAT6 induces IFN-lgene expression in Macrophages via TLRs-mediated signaling. <i>Cytokine</i> , 2018 , 104, 104-109	4	15
57	Bacterial Outer Membrane Vesicles Provide Broad-Spectrum Protection against Influenza Virus Infection via Recruitment and Activation of Macrophages. <i>Journal of Innate Immunity</i> , 2019 , 11, 316-329	6.9	14
56	Nucleotide-Binding Oligomerization Domain 2 Contributes to Limiting Growth of in the Lung of Mice by Regulating Cytokines and Nitric Oxide Production. <i>Frontiers in Immunology</i> , 2017 , 8, 1477	8.4	13
55	The role of nucleotide-binding oligomerization domain 1 during cytokine production by macrophages in response to Mycobacterium tuberculosis infection. <i>Immunobiology</i> , 2016 , 221, 70-5	3.4	12
54	Impact of Multiple Single-Nucleotide Polymorphisms Within mprF on Daptomycin Resistance in Staphylococcus aureus. <i>Microbial Drug Resistance</i> , 2018 , 24, 1075-1081	2.9	12
53	Toll/IL-1 domain-containing adaptor inducing IFN-[[TRIF] mediates innate immune responses in murine peritoneal mesothelial cells through TLR3 and TLR4 stimulation. <i>Cytokine</i> , 2016 , 77, 127-34	4	12
52	Comparison of the isolation rates and characteristics of Salmonella isolated from antibiotic-free and conventional chicken meat samples. <i>Poultry Science</i> , 2017 , 96, 2831-2838	3.9	11
51	Bacterial Secretant from Dampens Inflammasome Activation in a Quorum Sensing-Dependent Manner. <i>Frontiers in Immunology</i> , 2017 , 8, 333	8.4	11
50	Tetradecanol reduces EL-4 T cell growth by the down regulation of NF- B mediated IL-2 secretion. <i>European Journal of Pharmacology</i> , 2017 , 799, 135-142	5.3	10
49	IL-10 Protects Mice From the Lung Infection of and Contributes to Bacterial Clearance by Regulating STAT3-Mediated MARCO Expression in Macrophages. <i>Frontiers in Immunology</i> , 2020 , 11, 270	8.4	10
48	Expression and Role of Nucleotide-Binding Oligomerization Domain 2 (NOD2) in the Ocular Surface of Murine Dry Eye 2019 , 60, 2641-2649		10

47	Essential engagement of Toll-like receptor 2 in initiation of early protective Th1 response against rough variants of Mycobacterium abscessus. <i>Infection and Immunity</i> , 2015 , 83, 1556-67	3.7	10
46	Withaferin A inhibits inflammatory responses induced by Fusobacterium nucleatum and Aggregatibacter actinomycetemcomitans in macrophages. <i>Molecular Medicine Reports</i> , 2016 , 14, 983-8	2.9	10
45	PRMT1 mediates RANKL-induced osteoclastogenesis and contributes to bone loss in ovariectomized mice. <i>Experimental and Molecular Medicine</i> , 2018 , 50, 1-15	12.8	10
44	ESAT6 Drives the Activation and Maturation of Bone Marrow-Derived Dendritic Cells via TLR4-Mediated Signaling. <i>Immune Network</i> , 2019 , 19, e13	6.1	9
43	Unveiling the Crucial Role of Type IV Secretion System and Motility of in IL-1 (Production via NLRP3 Inflammasome Activation in Neutrophils. <i>Frontiers in Immunology</i> , 2020 , 11, 1121	8.4	8
42	Isolation and identification of a flavone (quercetin) from Butea frondosa bark. <i>Pharmaceutical Chemistry Journal</i> , 2007 , 41, 269-271	0.9	8
41	Inhibitory effect of 1-tetradecanol on Helicobacter pylori-induced production of interleukin-8 and vascular endothelial growth factor in gastric epithelial cells. <i>Molecular Medicine Reports</i> , 2017 , 16, 9573-	- 95 78	7
40	Glucosamine-conjugated Anionic Poly(amidoamine) Dendrimers Inhibit Interleukin-8 Production by Helicobacter pylori in Gastric Epithelial Cells. <i>Bulletin of the Korean Chemical Society</i> , 2016 , 37, 596-599	1.2	7
39	Complete genome sequence of the siphoviral bacteriophage PR3177, which lyses an OXA-66-producing carbapenem-resistant Acinetobacter baumannii isolate. <i>Archives of Virology</i> , 2015 , 160, 3157-60	2.6	6
38	Recognition of the microbiota by Nod2 contributes to the oral adjuvant activity of cholera toxin through the induction of interleukin-1[]/mmunology, 2019, 158, 219-229	7.8	6
37	Potential role of host defense antimicrobial peptide resistance in increased virulence of health care-associated MRSA strains of sequence type (ST) 5 versus livestock-associated and community-associated MRSA strains of ST72. Comparative Immunology, Microbiology and Infectious	2.6	6
36	Diseases, 2019 , 62, 13-18 TLR2 and the NLRP3 inflammasome mediate IL-1[production in -infected dendritic cells. International Journal of Medical Sciences, 2021 , 18, 432-440	3.7	6
35	WFDC2 Promotes Spasmolytic Polypeptide-Expressing Metaplasia Through the Up-Regulation of IL33 in Response tollnjury. <i>Gastroenterology</i> , 2021 , 161, 953-967.e15	13.3	6
34	Unusual severe cases of type 1 porcine reproductive and respiratory syndrome virus (PRRSV) infection in conventionally reared pigs in South Korea. <i>BMC Veterinary Research</i> , 2015 , 11, 272	2.7	5
33	Water extract of Artemisia scoparia Waldst. & Kitam suppresses LPS-induced cytokine production and NLRP3 inflammasome activation in macrophages and alleviates carrageenan-induced acute inflammation in mice. <i>Journal of Ethnopharmacology</i> , 2021 , 268, 113606	5	5
32	Programmed Death Ligand 1-Expressing Classical Dendritic Cells MitigateHelicobacter-Induced Gastritis. <i>Cellular and Molecular Gastroenterology and Hepatology</i> , 2021 , 12, 715-739	7.9	5
31	TLR2 contributes to trigger immune response of pleural mesothelial cells against Mycobacterium bovis BCG and M. tuberculosis infection. <i>Cytokine</i> , 2017 , 95, 80-87	4	4
30	Protein arginine methyltransferase 1 contributes to the development of allergic rhinitis by promoting the production of epithelial-derived cytokines. <i>Journal of Allergy and Clinical Immunology</i> , 2021 , 147, 1720-1731	11.5	4

(2020-2020)

29	Tendril extract of suppresses NLRP3 inflammasome activation in murine macrophages and human trophoblast cells. <i>International Journal of Medical Sciences</i> , 2020 , 17, 1006-1014	3.7	3	
28	Molecular and evolutionary analysis of dengue virus serotype 2 isolates from Korean travelers in 2015. <i>Archives of Virology</i> , 2020 , 165, 1739-1748	2.6	3	
27	Immunomodulatory effects of ethanol extract of germinated ice plant (Mesembryanthemum crystallinum). <i>Laboratory Animal Research</i> , 2017 , 33, 32-39	1.9	3	
26	Pc2-mediated SUMOylation of WWOX is essential for its suppression of DU145 prostate tumorigenesis. <i>FEBS Letters</i> , 2015 , 589, 3977-88	3.8	3	
25	Anti-Helicobacter pylori activity of crude N-acetylneuraminic acid isolated from glycomacropeptide of whey. <i>Laboratory Animal Research</i> , 2016 , 32, 99-104	1.9	3	
24	Melatonin Inhibits Osteoclastogenesis and Bone Loss in Ovariectomized Mice by Regulating PRMT1-Mediated Signaling. <i>Endocrinology</i> , 2021 , 162,	4.8	3	
23	New 8Hydroxylbenzylflavonol Glycosides from Pumpkin (Duch.) Tendril and Their Osteoclast Differentiation Inhibitory Activities. <i>Molecules</i> , 2020 , 25,	4.8	2	
22	Water extract of tendril of Duch. suppresses RANKL-induced osteoclastogenesis by down-regulating p38 and ERK signaling. <i>International Journal of Medical Sciences</i> , 2020 , 17, 632-639	3.7	2	
21	Safflower bud inhibits RANKL-induced osteoclast differentiation and prevents bone loss in ovariectomized mice. <i>Phytomedicine</i> , 2017 , 34, 6-13	6.5	2	
20	Hydroxy Pentacyclic Triterpene Acid, Kaempferol, Inhibits the Human 5-Hydroxytryptamine Type 3A Receptor Activity <i>International Journal of Molecular Sciences</i> , 2022 , 23,	6.3	2	
19	Nucleotide-binding oligomerization domain 1 is dispensable for host immune responses against pulmonary infection of in mice. <i>Laboratory Animal Research</i> , 2018 , 34, 295-301	1.9	2	
18	Advanced Effect of Bioconversion by on the Treatment of Atopic Dermatitis: Preliminary Study. <i>Evidence-based Complementary and Alternative Medicine</i> , 2018 , 2018, 7827565	2.3	2	
17	Cell-free culture supernatant of Lactobacillus curvatus Wikim38 inhibits RANKL-induced osteoclast differentiation and ameliorates bone loss in ovariectomized mice. <i>Letters in Applied Microbiology</i> , 2021 , 73, 383-391	2.9	2	
16	A role for Toll-like receptor 4 in the host response to the lung infection of Yersinia pseudotuberculosis in mice. <i>Comparative Immunology, Microbiology and Infectious Diseases</i> , 2016 , 44, 54-60	2.6	1	
15	Adaptations of Vancomycin-Intermediate Sequence Type 72 Methicillin-Resistant Staphylococcus aureus for Daptomycin Nonsusceptibility. <i>Microbial Drug Resistance</i> , 2018 ,	2.9	1	
14	TRIF Deficiency does not Affect Severity of Ovalbumin-induced Airway Inflammation in Mice. <i>Immune Network</i> , 2014 , 14, 249-54	6.1	1	
13	Non-invasive administration of AAV to target lung parenchymal cells and develop SARS-CoV-2-susceptible mice <i>Molecular Therapy</i> , 2022 ,	11.7	1	
12	Cathelicidin-related Antimicrobial Peptide Contributes to Host Immune Responses Against Pulmonary Infection with in Mice. <i>Immune Network</i> , 2020 , 20, e25	6.1	1	

11	Germinal Center-Induced Immunity Is Correlated With Protection Against SARS-CoV-2 Reinfection But Not Lung Damage. <i>Journal of Infectious Diseases</i> , 2021 , 224, 1861-1872	7	1
10	Combination of vegetable soup and glucan demonstrates synergistic effects on macrophage-mediated immune responses. <i>Food Science and Biotechnology</i> , 2021 , 30, 583-588	3	1
9	Receptor-interacting protein kinase 2 contributes to host innate immune responses against Fusobacterium nucleatum in macrophages and decidual stromal cells. <i>American Journal of Reproductive Immunology</i> , 2021 , 86, e13403	3.8	1
8	The Nod2 Agonist Muramyl Dipeptide Cooperates with the TLR4 Agonist Lipopolysaccharide to Enhance IgG2b Production in Mouse B Cells. <i>Journal of Immunology Research</i> , 2019 , 2019, 2724078	4.5	1
7	Molecular evolution of dengue virus types 1 and 4 in Korean travelers. <i>Archives of Virology</i> , 2021 , 166, 1103-1112	2.6	1
6	Efficacy of purified Vi polysaccharide typhoid vaccine. <i>Journal of Veterinary Science</i> , 2002 , 3, 67-70	1.6	1
5	Effect of apoptosis-associated speck-like protein containing a caspase recruitment domain on vaccine efficacy: Overcoming the effects of its deficiency with aluminum hydroxide adjuvant. <i>Microbiology and Immunology</i> , 2018 , 62, 176-186	2.7	О
4	Type I Interferons Are Involved in the Intracellular Growth Control of by Mediating NOD2-Induced Production of Nitric Oxide in Macrophages. <i>Frontiers in Immunology</i> , 2021 , 12, 738070	8.4	O
3	Host- and Species-Dependent Quasispecies Divergence of Severe Acute Respiratory Syndrome Coronavirus-2 in Non-human Primate Models. <i>Frontiers in Microbiology</i> , 2021 , 12, 694897	5.7	О
2	Aqueous Extracts Regulate NLRP3 Inflammasome Activation in Macrophages and Trophoblasts <i>Journal of Medicinal Food</i> , 2022 , 25, 503-512	2.8	Ο

The sesquiterpene lactone estafiatin exerts anti-inflammatory effects on macrophages and protects mice from sepsis induced by LPS and cecal ligation puncture.. *Phytomedicine*, **2022**, 99, 153934 $^{6.5}$