

Jiarui He

List of Publications by Citations

Source: <https://exaly.com/author-pdf/9414700/jiarui-he-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

100
papers

6,537
citations

49
h-index

80
g-index

106
ext. papers

7,981
ext. citations

9.9
avg, IF

6.75
L-index

#	Paper	IF	Citations
100	Yolk-Shelled C@Fe O Nanoboxes as Efficient Sulfur Hosts for High-Performance Lithium-Sulfur Batteries. <i>Advanced Materials</i> , 2017 , 29, 1702707	24	370
99	Vertical Co ₉ S ₈ hollow nanowall arrays grown on a Celgard separator as a multifunctional polysulfide barrier for high-performance LiS batteries. <i>Energy and Environmental Science</i> , 2018 , 11, 2560-2568	35.4	365
98	Freestanding 1T MoS ₂ /graphene heterostructures as a highly efficient electrocatalyst for lithium polysulfides in LiS batteries. <i>Energy and Environmental Science</i> , 2019 , 12, 344-350	35.4	355
97	Lithium-Sulfur Batteries: Attaining the Critical Metrics. <i>Joule</i> , 2020 , 4, 285-291	27.8	261
96	From Metal-Organic Framework to LiS@C-Co-N Nanoporous Architecture: A High-Capacity Cathode for Lithium-Sulfur Batteries. <i>ACS Nano</i> , 2016 , 10, 10981-10987	16.7	241
95	A review on the status and challenges of electrocatalysts in lithium-sulfur batteries. <i>Energy Storage Materials</i> , 2019 , 20, 55-70	19.4	226
94	Three-dimensional CNT/graphene/sulfur hybrid sponges with high sulfur loading as superior-capacity cathodes for lithium/sulfur batteries. <i>Journal of Materials Chemistry A</i> , 2015 , 3, 18605-18610	13.1	182
93	Three-Dimensional Hierarchical Reduced Graphene Oxide/Tellurium Nanowires: A High-Performance Freestanding Cathode for Li-Te Batteries. <i>ACS Nano</i> , 2016 , 10, 8837-42	16.7	164
92	Metal Sulfide-Decorated Carbon Sponge as a Highly Efficient Electrocatalyst and Absorbant for Polysulfide in High-Loading Li ₂ S Batteries. <i>Advanced Energy Materials</i> , 2019 , 9, 1900584	21.8	147
91	Three-Dimensional Hierarchical : A Highly Efficient Freestanding Cathode for LiSe Batteries. <i>ACS Energy Letters</i> , 2016 , 1, 16-20	20.1	145
90	Three-Dimensional CNT/Graphene/Li ₂ S Aerogel as Freestanding Cathode for High-Performance LiS Batteries. <i>ACS Energy Letters</i> , 2016 , 1, 820-826	20.1	133
89	Self-Assembled Coral-like Hierarchical Architecture Constructed by NiSe Nanocrystals with Comparable Hydrogen-Evolution Performance of Precious Platinum Catalyst. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 7154-7159	9.5	128
88	Graphene-like WSe ₂ nanosheets for efficient and stable hydrogen evolution. <i>Journal of Alloys and Compounds</i> , 2017 , 691, 698-704	5.7	119
87	MOF-derived Cobalt Sulfide Grown on 3D Graphene Foam as an Efficient Sulfur Host for Long-Life Lithium-Sulfur Batteries. <i>IScience</i> , 2018 , 4, 36-43	6.1	117
86	Three-dimensional hierarchically structured aerogels constructed with layered MoS ₂ /graphene nanosheets as free-standing anodes for high-performance lithium ion batteries. <i>Electrochimica Acta</i> , 2016 , 215, 12-18	6.7	112
85	Self-assembled CoS ₂ nanoparticles wrapped by CoS ₂ -quantum-dots-anchored graphene nanosheets as superior-capability anode for lithium-ion batteries. <i>Electrochimica Acta</i> , 2015 , 182, 424-429	6.7	111
84	Pure thiophene-sulfur doped reduced graphene oxide: synthesis, structure, and electrical properties. <i>Nanoscale</i> , 2014 , 6, 7281-7	7.7	105

83	Highly-flexible 3D Li ₂ S/graphene cathode for high-performance lithium sulfur batteries. <i>Journal of Power Sources</i> , 2016 , 327, 474-480	8.9	104
82	Interwoven WSe ₂ /CNTs hybrid network: A highly efficient and stable electrocatalyst for hydrogen evolution. <i>Electrochemistry Communications</i> , 2016 , 72, 74-78	5.1	102
81	Direct impregnation of SeS ₂ into a MOF-derived 3D nanoporous Co-N-C architecture towards superior rechargeable lithium batteries. <i>Journal of Materials Chemistry A</i> , 2018 , 6, 10466-10473	13	101
80	Tellurium-Impregnated Porous Cobalt-Doped Carbon Polyhedra as Superior Cathodes for Lithium-Tellurium Batteries. <i>ACS Nano</i> , 2017 , 11, 8144-8152	16.7	99
79	Graphene oxide encapsulated polyvinyl alcohol/sodium alginate hydrogel microspheres for Cu (II) and U (VI) removal. <i>Ecotoxicology and Environmental Safety</i> , 2018 , 158, 309-318	7	96
78	CoSe ₂ nanoparticles embedded MOF-derived Co-N-C nanoflake arrays as efficient and stable electrocatalyst for hydrogen evolution reaction. <i>Applied Catalysis B: Environmental</i> , 2019 , 258, 117996	21.8	95
77	Self-assembled cauliflower-like FeS ₂ anchored into graphene foam as free-standing anode for high-performance lithium-ion batteries. <i>Carbon</i> , 2017 , 114, 111-116	10.4	93
76	Few-layered WSe ₂ nanoflowers anchored on graphene nanosheets: a highly efficient and stable electrocatalyst for hydrogen evolution. <i>Electrochimica Acta</i> , 2016 , 222, 1293-1299	6.7	93
75	Phosphorus-doped reduced graphene oxide as an electrocatalyst counter electrode in dye-sensitized solar cells. <i>Journal of Power Sources</i> , 2014 , 263, 246-251	8.9	93
74	Few-layered ReS ₂ nanosheets grown on carbon nanotubes: A highly efficient anode for high-performance lithium-ion batteries. <i>Chemical Engineering Journal</i> , 2017 , 315, 10-17	14.7	89
73	Self-assembled chrysanthemum-like microspheres constructed by few-layer ReSe ₂ nanosheets as a highly efficient and stable electrocatalyst for hydrogen evolution reaction. <i>Electrochimica Acta</i> , 2017 , 224, 593-599	6.7	85
72	1T'-ReS ₂ Nanosheets In Situ Grown on Carbon Nanotubes as a Highly Efficient Polysulfide Electrocatalyst for Stable LiS Batteries. <i>Advanced Energy Materials</i> , 2020 , 10, 2001017	21.8	80
71	Self-assembled CoSe ₂ nanocrystals embedded into carbon nanowires as highly efficient catalyst for hydrogen evolution reaction. <i>Electrochimica Acta</i> , 2017 , 231, 626-631	6.7	79
70	In-situ Selenization of Co-based Metal-Organic Frameworks as a Highly Efficient Electrocatalyst for Hydrogen Evolution Reaction. <i>Electrochimica Acta</i> , 2017 , 247, 258-264	6.7	79
69	Molybdenum Boride as an Efficient Catalyst for Polysulfide Redox to Enable High-Energy-Density Lithium-Sulfur Batteries. <i>Advanced Materials</i> , 2020 , 32, e2004741	24	77
68	Long-Life, High-Rate Lithium-Sulfur Cells with a Carbon-Free VN Host as an Efficient Polysulfide Adsorbent and Lithium Dendrite Inhibitor. <i>Advanced Energy Materials</i> , 2020 , 10, 1903241	21.8	72
67	Three-dimensional structure of WS ₂ /graphene/Ni as a binder-free electrocatalytic electrode for highly effective and stable hydrogen evolution reaction. <i>International Journal of Hydrogen Energy</i> , 2017 , 42, 7811-7819	6.7	68
66	A Single-Step Hydrothermal Route to 3D Hierarchical Cu ₂ O/CuO/rGO Nanosheets as High-Performance Anode of Lithium-Ion Batteries. <i>Small</i> , 2018 , 14, 1702667	11	68

65	Pomegranate-Like Silicon/Nitrogen-doped Graphene Microspheres as Superior-Capacity Anode for Lithium-Ion Batteries. <i>Electrochimica Acta</i> , 2016 , 215, 667-673	6.7	64
64	Synthesis and electrochemical properties of graphene-modified LiCo _{1/3} Ni _{1/3} Mn _{1/3} O ₂ cathodes for lithium ion batteries. <i>RSC Advances</i> , 2014 , 4, 2568-2572	3.7	64
63	Three-dimensional hierarchical C-Co-N/Se derived from metal-organic framework as superior cathode for Li-Se batteries. <i>Journal of Power Sources</i> , 2017 , 363, 103-109	8.9	64
62	1T-MoS ₂ nanotubes wrapped with N-doped graphene as highly-efficient absorbent and electrocatalyst for LiB batteries. <i>Journal of Power Sources</i> , 2020 , 447, 227364	8.9	64
61	Enhanced Performance of Lithium Sulfur Battery with a Reduced Graphene Oxide Coating Separator. <i>Journal of the Electrochemical Society</i> , 2015 , 162, A1624-A1629	3.9	57
60	Three-dimensional VS ₄ /graphene hierarchical architecture as high-capacity anode for lithium-ion batteries. <i>Journal of Alloys and Compounds</i> , 2016 , 685, 294-299	5.7	56
59	3D CoSe@C Aerogel as a Host for Dendrite-Free Lithium-Metal Anode and Efficient Sulfur Cathode in LiB Full Cells. <i>Advanced Energy Materials</i> , 2020 , 10, 2002654	21.8	54
58	Hierarchical architecture of ReS ₂ /rGO composites with enhanced electrochemical properties for lithium-ion batteries. <i>Applied Surface Science</i> , 2017 , 413, 123-128	6.7	53
57	Mo ₂ C Nanodots Anchored on N-Doped Porous CNT Microspheres as Electrode for Efficient Li-Ion Storage. <i>Small Methods</i> , 2019 , 3, 1800287	12.8	53
56	Enhanced photocatalytic properties of graphene modified few-layered WSe ₂ nanosheets. <i>Applied Surface Science</i> , 2017 , 400, 420-425	6.7	51
55	Self-assembled interwoven CoS ₂ /CNTs/graphene architecture as anode for high-performance lithium ion batteries. <i>Journal of Alloys and Compounds</i> , 2017 , 708, 1178-1183	5.7	51
54	Mo ₂ C quantum dots@graphene functionalized separator toward high-current-density lithium metal anodes for ultrastable Li-S batteries. <i>Chemical Engineering Journal</i> , 2020 , 399, 125837	14.7	51
53	Enhanced thermal and electrochemical properties of PVDF-HFP/PMMA polymer electrolyte by TiO ₂ nanoparticles. <i>Solid State Ionics</i> , 2015 , 282, 31-36	3.3	49
52	Encapsulating FeO into calcium alginate coated chitosan hydrochloride hydrogel beads for removal of Cu (II) and U (VI) from aqueous solutions. <i>Ecotoxicology and Environmental Safety</i> , 2018 , 147, 699-707	7	49
51	Hierarchical MoSe ₂ -CoSe ₂ nanotubes anchored on graphene nanosheets: A highly efficient and stable electrocatalyst for hydrogen evolution in alkaline medium. <i>Electrochimica Acta</i> , 2019 , 299, 197-205	6.7	47
50	Study on invadopodia formation for lung carcinoma invasion with a microfluidic 3D culture device. <i>PLoS ONE</i> , 2013 , 8, e56448	3.7	40
49	Three-dimensional CoS ₂ /RGO hierarchical architecture as superior-capability anode for lithium ion batteries. <i>RSC Advances</i> , 2015 , 5, 71790-71795	3.7	39
48	Synthesis of silicon-doped reduced graphene oxide and its applications in dye-sensitive solar cells and supercapacitors. <i>RSC Advances</i> , 2016 , 6, 15080-15086	3.7	38

47	3D chrysanthemum-like ReS ₂ microspheres composed of curly few-layered nanosheets with enhanced electrochemical properties for lithium-ion batteries. <i>Journal of Materials Science</i> , 2017 , 52, 3622-3629	4.3	38
46	NiSe ₂ nanocrystals anchored graphene nanosheets as highly efficient and stable electrocatalyst for hydrogen evolution reaction in alkaline medium. <i>Journal of Alloys and Compounds</i> , 2019 , 792, 789-796	5.7	35
45	Wrinkled sulfur@graphene microspheres with high sulfur loading as superior-capacity cathode for LiS batteries. <i>Materials Today Energy</i> , 2016 , 1-2, 11-16	7	35
44	In Situ Construction of Mo C Quantum Dots-Decorated CNT Networks as a Multifunctional Electrocatalyst for Advanced Lithium-Sulfur Batteries. <i>Small</i> , 2021 , 17, e2100460	11	34
43	Few-layered WSe ₂ in-situ grown on graphene nanosheets as efficient anode for lithium-ion batteries. <i>Electrochimica Acta</i> , 2018 , 283, 1660-1667	6.7	33
42	Observation of tunable electrical bandgap in large-area twisted bilayer graphene synthesized by chemical vapor deposition. <i>Scientific Reports</i> , 2015 , 5, 15285	4.9	32
41	The green synthesis of reduced graphene oxide by the ethanol-thermal reaction and its electrical properties. <i>Materials Letters</i> , 2014 , 116, 416-419	3.3	31
40	Facile fabrication of RGO wrapped LiMn ₂ O ₄ nanorods as a cathode with enhanced specific capacity. <i>RSC Advances</i> , 2015 , 5, 80063-80068	3.7	28
39	Partially reduced graphene oxide based FRET on fiber-optic interferometer for biochemical detection. <i>Scientific Reports</i> , 2016 , 6, 23706	4.9	27
38	Flexible terahertz modulator based on coplanar-gate graphene field-effect transistor structure. <i>Optics Letters</i> , 2016 , 41, 816-9	3	27
37	Vertical V-Doped CoP Nanowall Arrays as a Highly Efficient and Stable Electrocatalyst for the Hydrogen Evolution Reaction at all pH Values. <i>ACS Applied Energy Materials</i> , 2020 , 3, 1027-1035	6.1	26
36	Large-area synthesis of high-quality and uniform monolayer graphene without unexpected bilayer regions. <i>Journal of Alloys and Compounds</i> , 2014 , 615, 415-418	5.7	24
35	High-Energy-Density, Long-Life Lithium-Sulfur Batteries with Practically Necessary Parameters Enabled by Low-Cost Fe-Ni Nanoalloy Catalysts. <i>ACS Nano</i> , 2021 , 15, 8583-8591	16.7	24
34	Three-dimensional Fe ₃ O ₄ /N-graphene sponge as an efficient organosulfide host for high-performance lithium-organosulfur batteries. <i>Energy Storage Materials</i> , 2019 , 23, 88-94	19.4	23
33	Effect of hydrogen on the growth of MoS ₂ thin layers by thermal decomposition method. <i>Vacuum</i> , 2015 , 119, 204-208	3.7	23
32	One-pot synthesis of graphene-wrapped NiSe ₂ -Ni _{0.85} Se hollow microspheres as superior and stable electrocatalyst for hydrogen evolution reaction. <i>Electrochimica Acta</i> , 2018 , 291, 242-248	6.7	20
31	Significant enhancement of photocatalytic activity of multi-walled carbon nanotubes modified WSe ₂ composite. <i>Materials Letters</i> , 2017 , 197, 67-70	3.3	19
30	Efficient Li ₂ O ₂ Batteries with Molybdenum Disulfide Nanosheets on Carbon Nanotubes as a Catalyst. <i>ACS Applied Energy Materials</i> , 2019 , 2, 8685-8694	6.1	19

29	Stable Dendrite-Free Sodium-Sulfur Batteries Enabled by a Localized High-Concentration Electrolyte. <i>Journal of the American Chemical Society</i> , 2021 , 143, 20241-20248	16.4	18
28	Outstanding Catalytic Effects of 1TFMoTe Quantum Dots@3D Graphene in Shuttle-Free Li-S Batteries. <i>ACS Nano</i> , 2021 ,	16.7	18
27	Preparation of a novel polyacrylic acid and chitosan interpenetrating network hydrogel for removal of U(vi) from aqueous solutions.. <i>RSC Advances</i> , 2018 , 8, 12684-12691	3.7	17
26	Graphene wrapped self-assembled Ni _{0.85} Se-SnO ₂ microspheres as highly efficient and stable electrocatalyst for hydrogen evolution reaction. <i>Electrochimica Acta</i> , 2018 , 283, 1146-1153	6.7	15
25	Encapsulating nanosilica into polyacrylic acid and chitosan interpenetrating network hydrogel for preconcentration of uranium from aqueous solutions. <i>Journal of Radioanalytical and Nuclear Chemistry</i> , 2018 , 317, 1299-1309	1.5	14
24	Lithiophilic 3D VN@N-rGO as a Multifunctional Interlayer for Dendrite-Free and Ultrastable Lithium-Metal Batteries. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 20125-20136	9.5	14
23	Functional investigation of NCI-H460-inducible myofibroblasts on the chemoresistance to VP-16 with a microfluidic 3D co-culture device. <i>PLoS ONE</i> , 2013 , 8, e61754	3.7	13
22	Freestanding vanadium nitride nanowire membrane as an efficient, carbon-free gas diffusion cathode for Li ₂ O ₂ batteries. <i>Energy Storage Materials</i> , 2020 , 31, 95-104	19.4	12
21	Low platinum loading PtNPs/graphene composite catalyst with high electrocatalytic activity for dye-sensitized solar cells. <i>Chinese Physics B</i> , 2012 , 21, 118101	1.2	12
20	Facile electrophoretic deposition of functionalized Bi ₂ O ₃ nanoparticles. <i>Materials and Design</i> , 2017 , 116, 359-364	8.1	11
19	Carbon Nanotube Modified V ₂ O ₅ Porous Microspheres as Cathodes for High-Performance Lithium-Ion Batteries. <i>Energy Technology</i> , 2017 , 5, 665-669	3.5	11
18	Modulation of N-bonding configurations and their influence on the electrical properties of nitrogen-doped graphene. <i>RSC Advances</i> , 2016 , 6, 92682-92687	3.7	9
17	An integrated microfluidic chip for the detection of bacteria - A proof of concept. <i>Molecular and Cellular Probes</i> , 2015 , 29, 223-7	3.3	8
16	The Formation, Detriment and Solution of Residual Lithium Compounds on Ni-Rich Layered Oxides in Lithium-Ion Batteries. <i>Frontiers in Energy Research</i> , 2020 , 8,	3.8	8
15	A critical look into effects of electrode pore morphology in solid oxide fuel cells. <i>AICHE Journal</i> , 2017 , 63, 2312-2317	3.6	7
14	Modeling alveolar injury using microfluidic co-cultures for monitoring bleomycin-induced epithelial/fibroblastic cross-talk disorder. <i>RSC Advances</i> , 2017 , 7, 42738-42749	3.7	7
13	Fe ₃ N@N-doped graphene as a lithiophilic interlayer for highly stable lithium metal batteries. <i>Energy Storage Materials</i> , 2022 , 45, 656-666	19.4	7
12	In Situ Grown 1T'-MoTe ₂ Nanosheets on Carbon Nanotubes as an Efficient Electrocatalyst and Lithium Regulator for Stable Lithium Sulfur Full Cells. <i>Advanced Energy Materials</i> , 2103204	21.8	6

11	Modification of chitosan/calcium alginate/FeO hydrogel microsphere for enhancement of Cu(II) adsorption. <i>Environmental Science and Pollution Research</i> , 2018 , 25, 3922-3932	5.1	5
10	Temperature dependence of the thickness and morphology of epitaxial graphene grown on SiC (0001) wafers. <i>Chinese Physics B</i> , 2012 , 21, 046801	1.2	5
9	High-Performance Anode-Free Li ⁺ Batteries with an Integrated Li ₂ S Electrolyte Cathode. <i>ACS Energy Letters</i> , 2022 , 7, 583-590	20.1	5
8	Covalent Organic Framework as an Efficient Protection Layer for Stable Lithium-metal Anode.. <i>Angewandte Chemie - International Edition</i> , 2022 ,	16.4	5
7	Graphene field effect transistor-based terahertz modulator with small operating voltage and low insertion loss. <i>Chinese Optics Letters</i> , 2016 , 14, 052301-52305	2.2	4
6	Significant photoelectrical response of epitaxial graphene grown on Si-terminated 6H-SiC. <i>Chinese Physics B</i> , 2013 , 22, 076804	1.2	2
5	Regulating Li uniform deposition by lithiophilic interlayer as Li-ion redistributor for highly stable lithium metal batteries. <i>Chemical Engineering Journal</i> , 2022 , 436, 134945	14.7	2
4	A Self-Healable Sulfide/Polymer Composite Electrolyte for Long-Life, Low-Lithium-Excess Lithium-Metal Batteries. <i>Advanced Functional Materials</i> , 2106680	15.6	2
3	Functionally Modified Polyolefin-Based Separators for Lithium-Sulfur Batteries: Progress and Prospects. <i>Frontiers in Energy Research</i> , 2020 , 8,	3.8	2
2	Partially reduced graphene oxide based FRET on fiber optic interferometer for biochemical detection 2017 ,		1
1	Lithiophilic MoN/MoN as multifunctional interlayer for dendrite-free and ultra-stable lithium metal batteries.. <i>Journal of Colloid and Interface Science</i> , 2021 , 612, 332-341	9.3	0