


List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9414726/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Carcinoma of the gallbladder. Histologic types, stage of disease, grade, and survival rates. Cancer, 1992, 70, 1493-1497.	2.0	390
2	Salivary duct carcinoma. Cancer, 1993, 72, 1503-1512.	2.0	194
3	Changing Patterns in the Incidence and Survival of Thyroid Cancer with Follicular Phenotype—Papillary, Follicular, and Anaplastic: A Morphological and Epidemiological Study. Endocrine Pathology, 2007, 18, 1-7.	5.2	183
4	Low grade salivary duct carcinoma: A distinctive variant with a low grade histology and a predominant intraductal growth pattern. , 1996, 78, 958-967.		178
5	Carcinoma of the extrahepatic bile ducts. Histologic types, stage of disease, grade, and survival rates. Cancer, 1992, 70, 1498-1501.	2.0	176
6	Undifferentiated carcinoma with osteoclast-like giant cells of the pancreas and periampullary region. , 1998, 82, 1279-1287.		155
7	Cutaneous angiosarcoma. Analysis of 434 cases from the Surveillance, Epidemiology, and End Results Program, 1973-2007. Annals of Diagnostic Pathology, 2011, 15, 93-97.	0.6	145
8	Physiologic versus neoplastic C-cell hyperplasia of the thyroid: Separation of distinct histologic and biologic entities. , 1996, 77, 750-756.		141
9	Papillary and follicular thyroid carcinomas with an insular component. Cancer, 1994, 73, 416-423.	2.0	127
10	Noninvasive and minimally invasive papillary carcinomas of the extrahepatic bile ducts. Cancer, 2000, 89, 508-515.	2.0	111
11	K-ras and p53 mutations in the pathogenesis of classical and goblet cell carcinoids of the appendix. , 1999, 86, 14-21.		87
12	C-Cell Hyperplasia and Medullary Thyroid Microcarcinoma. Endocrine Pathology, 2001, 12, 365-378.	5.2	76
13	Low grade fibromyxoid sarcoma. , 1999, 87, 75-82.		64
14	Transitional cell carcinoma of the endometrium and endometrial carcinoma with transitional cell differentiation. , 1997, 79, 1933-1943.		62
15	Pancreatic Mucinous Cystic Neoplasms with Sarcomatous Stroma: Molecular Evidence for Monoclonal Origin with Subsequent Divergence of the Epithelial and Sarcomatous Components. Modern Pathology, 2000, 13, 86-91.	2.9	62
16	Atypical angiomyolipoma of the kidney. Cancer, 1998, 83, 1581-1592.	2.0	59
17	Hyalinizing clear-cell carcinoma of salivary glands in fine-needle aspiration. Diagnostic Cytopathology, 2000, 23, 333-337.	0.5	59

18 Pigmented extraadrenal paragangliomas. , 1997, 79, 398-402.

JORGE ARTICLE IF CITATIONS Telomerase activity and expression of its RNA component in cervical lesions. Cancer, 1998, 82, 1319-1327. Macrofollicular variant of papillary thyroid carcinoma with minor insular component., 1997, 80, 56 1110-1116. Carcinoids and High-Grade Neuroendocrine Carcinomas of the Ampulla of Vater: A Comparative Analysis of 139 Cases From the Surveillance, Epidemiology, and End Results Programâ€"A Population Based Study. Archives of Pathology and Laboratory Medicine, 2010, 134, 1692-1696. 1.2 Association of thyroid carcinoma and chemodectoma. American Journal of Surgery, 1968, 116, 887-890. 0.9 49 Human papillomavirus type 16 is Detected in transitional cell carcinomas and squamotransitional cell 42 carcinomas of the cervix and endometrium. , 1998, 83, 521-527 Multiple Endocrine Neoplasia: Pituitary Adenoma, Multicentric Papillary Thyroid Carcinoma, Bilateral Carotid Body Paraganglioma, Parathyroid Hyperplasia, Gastric Leiomyoma, and Systemic Amyloidosis. 0.4 40 American Journal of Clinical Pathology, 1982, 78, 527-532. Atypical carcinoid of the esophagus., 1997, 79, 1476-1481. DNA analysis at <i>p53</i> locus in adenoid cystic carcinoma: Comparison of molecular study and 0.6 38 <i>p53</i>immunostaining. Pathology International, 1998, 48, 273-280. DNA analysis at p53 locus in carcinomas arising from pleomorphic adenomas of salivary glands: Comparison of molecular study and p53 immunostaining. Pathology International, 1998, 48, 265-272. Signet-ring sinus histiocytosis., 1997, 80, 277-285. 33 K-ras mutations and allelic loss at 5q and 18q in the development of human pancreatic cancers. 0.4 International Journal of Gastrointestinal Cancer, 1997, 21, 205-217. Pyloric gland metaplasia with perineural invasion of the gallbladder. Cancer, 1999, 86, 2625-2631. 2.0 28 Nasopharyngeal Gangliocytic Paraganglioma. Archives of Pathology and Laboratory Medicine, 2001, 1.2 125, 1098-1100. Cystadenomas of the liver and extrahepatic bile ducts. Annals of Diagnostic Pathology, 2015, 19, 0.6 25 124-129. Cribriform Carcinoma of the Gallbladder. American Journal of Surgical Pathology, 2008, 32, 1694-1698. 2.1 Early Gallbladder Carcinoma. American Journal of Clinical Pathology, 2011, 135, 637-642. 0.4 21 Endometrial Stromal Sarcomas. American Journal of Clinical Pathology, 2014, 141, 850-855. 0.4

36Nonmucinous Cystadenomas of the Pancreas With Pancreatobiliary Phenotype and Ovarian-Like
Stroma. American Journal of Clinical Pathology, 2013, 139, 599-604.0.417

#

20

22

24

26

28

30

32

34

Jorge

#	Article	IF	CITATIONS
37	Expression of the RNA component of human telomerase in adult testicular germ cell neoplasia. , 1999, 86, 1802-1811.		15
38	Inverted urothelial papilloma of the urinary bladder with focal papillary pattern: a previously undescribed feature. Annals of Diagnostic Pathology, 2009, 13, 158-161.	0.6	14
39	Fibrous Histiocytoma of the Parotid Gland. American Journal of Clinical Pathology, 1992, 97, 512-516.	0.4	11
40	Association of urothelial carcinoma of the renal pelvis with papillary and medullary thyroid carcinomas. A new sporadic neoplastic syndrome?. Annals of Diagnostic Pathology, 2014, 18, 286-290.	0.6	5
41	Low grade fibromyxoid sarcoma. Cancer, 1999, 87, 75-82.	2.0	5
42	Atypical angiomyolipoma of the kidney. Cancer, 1998, 83, 1581-1592.	2.0	3
43	Expression of the RNA component of human telomerase in adult testicular germ cell neoplasia. , 1999, 86, 1802.		2
44	Telomerase activity and expression of its RNA component in cervical lesions. Cancer, 1998, 82, 1319-1327.	2.0	1