
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9415220/publications.pdf Version: 2024-02-01



| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Clinical End Points and Response Criteria in Mycosis Fungoides and Sézary Syndrome: A Consensus<br>Statement of the International Society for Cutaneous Lymphomas, the United States Cutaneous<br>Lymphoma Consortium, and the Cutaneous Lymphoma Task Force of the European Organisation for<br>Research and Treatment of Cancer. Journal of Clinical Oncology, 2011, 29, 2598-2607. | 0.8 | 550       |
| 2  | Prognostic factors for mature natural killer (NK) cell neoplasms: aggressive NK cell leukemia and extranodal NK cell lymphoma, nasal type. Annals of Oncology, 2010, 21, 1032-1040.   | 0.6 | 228       |
| 3  | Cathelicidin Antimicrobial Peptide LL-37 in Psoriasis Enables Keratinocyte Reactivity against TLR9<br>Ligands. Journal of Investigative Dermatology, 2012, 132, 135-143.  | 0.3 | 170       |
| 4  | Japanese guidelines for the management and treatment of generalized pustular psoriasis: The new pathogenesis and treatment of <scp>GPP</scp> . Journal of Dermatology, 2018, 45, 1235-1270.   | 0.6 | 159       |
| 5  | Pathogenic Link Between Hydroa Vacciniforme and Epstein-Barr Virus–Associated Hematologic<br>Disorders. Archives of Dermatology, 2006, 142, 587-95.   | 1.7 | 158       |
| 6  | Staphylococcal cutaneous infections: Invasion, evasion and aggression. Journal of Dermatological Science, 2006, 42, 203-214.  | 1.0 | 152       |
| 7  | Defective Epstein–Barr virus in chronic active infection and haematological malignancy. Nature<br>Microbiology, 2019, 4, 404-413.   | 5.9 | 152       |
| 8  | The association of latent Epstein?Barr virus infection with hydroa vacciniforme. British Journal of Dermatology, 1999, 140, 715-721.  | 1.4 | 140       |
| 9  | The Association between Staphylococcus aureus Strains Carrying Panton-Valentine Leukocidin Genes<br>and the Development of Deep-Seated Follicular Infection. Clinical Infectious Diseases, 2005, 40, 381-385.   | 2.9 | 131       |
| 10 | Confocal laser scanning microscopic observation of glycocalyx production by Staphylococcus<br>aureus in skin lesions of bullous impetigo, atopic dermatitis and pemphigus foliaceus. British Journal<br>of Dermatology, 2003, 148, 526-532.   | 1.4 | 68        |
| 11 | Plane Warts Under Spontaneous Regression. Archives of Dermatology, 1986, 122, 655.  | 1.7 | 67        |
| 12 | Confocal laser scanning microscopic observation of glycocalyx production by Staphylococcus<br>aureus in mouse skin: does S. aureus generally produce a biofilm on damaged skin?. British Journal of<br>Dermatology, 2002, 147, 879-885.   | 1.4 | 64        |
| 13 | ldentification of Epsteinâ€Barr Virus (EBV)–Infected Lymphocyte Subtypes by Flow Cytometric In Situ<br>Hybridization in EBVâ€Associated Lymphoproliferative Diseases. Journal of Infectious Diseases, 2009, 200,<br>1078-1087.  | 1.9 | 63        |
| 14 | Cutaneous lymphoma in <scp>J</scp> apan: A nationwide study of 1733 patients. Journal of<br>Dermatology, 2014, 41, 3-10.  | 0.6 | 61        |
| 15 | Plane warts under spontaneous regression. Immunopathologic study on cellular constituents leading to the inflammatory reaction. Archives of Dermatology, 1986, 122, 655-659.  | 1.7 | 61        |
| 16 | Hydroa Vacciniforme Is Associated with Increased Numbers of Epstein–Barr Virus–Infected γÎ⊤ Cells.<br>Journal of Investigative Dermatology, 2012, 132, 1401-1408.   | 0.3 | 58        |
| 17 | Survival rates and prognostic factors of Epstein-Barr virus-associated hydroa vacciniforme and hypersensitivity to mosquito bites. British Journal of Dermatology, 2015, 172, 56-63.  | 1.4 | 51        |
| 18 | Japanese guidelines for the management of pemphigoid (including epidermolysis bullosa acquisita).<br>Journal of Dermatology, 2019, 46, 1102-1135.   | 0.6 | 47        |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Mosquito Salivary Gland Extracts Induce EBV-Infected NK Cell Oncogenesis Via CD4+ T Cells in Patients<br>with Hypersensitivity to Mosquito Bites. Journal of Investigative Dermatology, 2005, 125, 956-961.  | 0.3 | 44        |
| 20 | The effect of phototherapies on cutaneous lesions of histiocytosis X in the elderly. Cancer, 1986, 57, 1931-1936.  | 2.0 | 42        |
| 21 | Interferon-Gamma Enhances TLR3 Expression and Anti-Viral Activity in Keratinocytes. Journal of Investigative Dermatology, 2015, 135, 2005-2011.  | 0.3 | 42        |
| 22 | Epstein-Barr virus NK and T cell lymphoproliferative disease: report of a 2018 international meeting.<br>Leukemia and Lymphoma, 2020, 61, 808-819.   | 0.6 | 42        |
| 23 | The role of CD4 and CD8 cytotoxic T lymphocytes in the formation of viral vesicles. British Journal of<br>Dermatology, 2005, 153, 981-986.   | 1.4 | 39        |
| 24 | MALIGNANT HEMANGIOENDOTHELIOMA. International Journal of Dermatology, 1995, 34, 811-816.   | 0.5 | 38        |
| 25 | Primary tissue culture of spontaneously regressing flat warts.In vitro attack by mononuclear cells<br>against wart-derived epidermal cells. Cancer, 1985, 55, 2437-2441.   | 2.0 | 37        |
| 26 | Guidelines for the management of cutaneous lymphomas (2011): A consensus statement by the<br><scp>J</scp> apanese <scp>S</scp> kin <scp>C</scp> ancer <scp>S</scp> ociety – <scp>L</scp> ymphoma<br><scp>S</scp> tudy <scp>G</scp> roup. Journal of Dermatology, 2013, 40, 2-14. | 0.6 | 36        |
| 27 | Phase I/II study of the oral retinoid X receptor agonist bexarotene in Japanese patients with cutaneous<br>Tâ€cell lymphomas. Journal of Dermatology, 2017, 44, 135-142.   | 0.6 | 36        |
| 28 | Phase <scp>II</scp> study of i.v. interferonâ€gamma in <scp>J</scp> apanese patients with mycosis<br>fungoides. Journal of Dermatology, 2014, 41, 50-56.   | 0.6 | 33        |
| 29 | Comparative study on driver mutations in primary and metastatic melanomas at a single Japanese<br>institute: A clue for intra- and inter-tumor heterogeneity. Journal of Dermatological Science, 2017, 85,<br>51-57.   | 1.0 | 25        |
| 30 | Dendritic cell subsets and immunological milieu in inflammatory human papilloma virus-related skin<br>lesions. Journal of Dermatological Science, 2011, 63, 173-183.   | 1.0 | 21        |
| 31 | Phase I and pharmacokinetic study of the oral histone deacetylase inhibitor vorinostat in Japanese patients with relapsed or refractory cutaneous Tâ€cell lymphoma. Journal of Dermatology, 2012, 39, 823-828.   | 0.6 | 21        |
| 32 | Possible correlation of IgE autoantibody to BP180 with disease activity in bullous pemphigoid. Journal of Dermatological Science, 2015, 78, 77-79.   | 1.0 | 20        |
| 33 | Actions of Glucoâ€Oligosaccharide against <i>Staphylococcus aureus</i> . Journal of Dermatology,<br>2002, 29, 580-586.   | 0.6 | 18        |
| 34 | A spectrum of clinical manifestations caused by host immune responses against Epstein-Barr virus<br>infections. Acta Medica Okayama, 2004, 58, 169-80.   | 0.1 | 18        |
| 35 | A novel, noninvasive diagnostic probe for hydroa vacciniforme and related disorders. Journal of<br>Microbiological Methods, 2007, 68, 403-407.   | 0.7 | 17        |
| 36 | Rituximab therapy for refractory autoimmune bullous diseases: A multicenter, openâ€label, singleâ€arm,<br>phase 1/2 study on 10 Japanese patients. Journal of Dermatology, 2019, 46, 124-130.  | 0.6 | 17        |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Diversity of Epstein–Barr virus BamHI-A rightward transcripts and their expression patterns in lytic<br>and latent infections. Journal of Medical Microbiology, 2012, 61, 1445-1453.   | 0.7 | 16        |
| 38 | Clinical manifestations of skin, lung and muscle diseases in dermatomyositis positive for<br>antiâ€aminoacyl tRNA synthetase antibodies. Journal of Dermatology, 2019, 46, 886-897.  | 0.6 | 16        |
| 39 | Epstein-Barr virus reactivation is induced, but abortive, in cutaneous lesions of systemic hydroa vacciniforme and hypersensitivity to mosquito bites. Journal of Dermatological Science, 2016, 82, 153-159.   | 1.0 | 15        |
| 40 | Profile of anti-stratum corneum autoantibodies in psoriatic patients. Archives of Dermatological<br>Research, 1983, 275, 71-75.  | 1.1 | 14        |
| 41 | Two Cases of Japanese CADASIL with Corpus Callosum Lesion Tohoku Journal of Experimental<br>Medicine, 2001, 195, 135-140.  | 0.5 | 14        |
| 42 | Involvement of granulysin-producing T cells in the development of superficial microbial folliculitis.<br>British Journal of Dermatology, 2004, 150, 904-909.   | 1.4 | 14        |
| 43 | The Involvement of Serum Amyloid A in Psoriatic Inflammation. Journal of Investigative Dermatology, 2017, 137, 757-760.  | 0.3 | 13        |
| 44 | Hypocomplementemic urticarial vasculitis arising in a patient with immunoglobulin G4-related disease.<br>International Journal of Dermatology, 2016, 55, 430-433.  | 0.5 | 12        |
| 45 | Longâ€term efficacy and safety of bexarotene for Japanese patients with cutaneous Tâ€cell lymphoma: The results of a phase 2 study (Bâ€1201). Journal of Dermatology, 2019, 46, 557-563.   | 0.6 | 12        |
| 46 | Improved quality of life of patients with generalized pustular psoriasis in Japan: A crossâ€sectional<br>survey. Journal of Dermatology, 2021, 48, 203-206.  | 0.6 | 12        |
| 47 | Introduction of management system of positive test results for HBV and HCV infection in electronic medical chart. Acta Hepatologica Japonica, 2015, 56, 137-143.   | 0.0 | 11        |
| 48 | Characterization of Epstein-Barr virus–infected natural killer lymphocytes in a patient with<br>hypersensitivity to mosquito bites. Journal of the American Academy of Dermatology, 2005, 53, 912-914.   | 0.6 | 10        |
| 49 | Toll-like receptor signalling induces the expression of serum amyloid A in epidermal keratinocytes and dermal fibroblasts. Clinical and Experimental Dermatology, 2019, 44, 40-46.   | 0.6 | 10        |
| 50 | Production of proinflammatory cytokines without invocation of cytotoxic effects by an Epstein-Barr<br>virusâ^'infected natural killer cell line established from a patient with hypersensitivity to mosquito<br>bites. Experimental Hematology, 2010, 38, 933-944. | 0.2 | 9         |
| 51 | Phenotypic analysis in a case of hydroa vacciniforme-like eruptions associated with chronic active<br>Epstein-Barr virus disease of Î <sup>3</sup> δT cells. British Journal of Dermatology, 2012, 166, 216-218.   | 1.4 | 9         |
| 52 | Distinct types of IgG and IgA anti-intercellular autoantibodies from patients with pemphigus and vesiculopustular dermatosis. British Journal of Dermatology, 1991, 125, 335-339.  | 1.4 | 8         |
| 53 | Current therapy of choice for cutaneous lymphomas: Complementary to the Japanese Dermatological<br>Association/Japanese Skin Cancer Society guidelines. Journal of Dermatology, 2014, 41, 43-49.   | 0.6 | 8         |
| 54 | The synergistic activities of the combination of tumour necrosis factor-α, interleukin-17A and interferon-γ in epidermal keratinocytes. British Journal of Dermatology, 2018, 179, 496-498.  | 1.4 | 8         |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | The expression of cell adhesion molecule 1 and its splicing variants in Sézary cells and cell lines from cutaneous Tâ€cell lymphoma. Journal of Dermatology, 2019, 46, 967-977.  | 0.6 | 8         |
| 56 | Ultrastructural binding site of pemphigus foliaceus autoantibodies: comparison with pemphigus<br>vulgaris. Journal of Cutaneous Pathology, 1991, 18, 160-163.  | 0.7 | 7         |
| 57 | Production of antikeratin autoantibodies by hybrid spleen cells of naive mice. British Journal of<br>Dermatology, 1990, 123, 735-744.  | 1.4 | 6         |
| 58 | Karyotypic Analysis of Bone Marrow Cells in Pyodermic Lesions Associated With Myelodysplastic Syndrome. Archives of Dermatology, 2008, 144, 643-8.   | 1.7 | 6         |
| 59 | A patient with elderly-onset atypical hydroa vacciniforme with an indolent clinical course. British<br>Journal of Dermatology, 2015, 173, 801-805.   | 1.4 | 5         |
| 60 | The aim of the measurement of Epsteinâ€Barr virus DNA in hydroa vacciniforme and hypersensitivity to<br>mosquito bites. Journal of Medical Virology, 2020, 92, 3689-3696.  | 2.5 | 5         |
| 61 | Recovery from Sézary syndrome following Mycobacterium avium spondylitis. British Journal of Dermatology, 2007, 157, 1270-1271.   | 1.4 | 4         |
| 62 | Autophagy in malnutrition-associated dermatoses. Journal of Dermatology, 2019, 46, 43-47.  | 0.6 | 4         |
| 63 | Analysis of clonality in cutaneous Bâ€cell lymphoma and Bâ€cell pseudolymphoma using skin flow cytometry: Comparison of immunophenotyping and gene rearrangement studies. Journal of Dermatology, 2022, 49, 246-252.         | 0.6 | 4         |
| 64 | Exchange of dominant lymphoid cell clones in a patient with adult T-cell leukemia/lymphoma. Acta<br>Dermato-Venereologica, 1990, 70, 49-52.  | 0.6 | 3         |
| 65 | Induction of Intercellular Adhesion Moleculeâ€1 and Adherence of HTLVâ€1â€Infected Tâ€cells to Cultured<br>Keratinocytes. Journal of Dermatology, 1994, 21, 172-177.   | 0.6 | 2         |
| 66 | Immune escape phenomenon in molluscum contagiosum and the induction of apoptosis. Journal of Dermatology, 2014, 41, 1058-1064.   | 0.6 | 2         |
| 67 | Differential diagnosis of herpetiform vesicles by a non-invasive, molecular method using crusts or<br>blister roofs: Sensitivity, specificity and likelihood ratio. Journal of Dermatological Science, 2016, 84,<br>358-359. | 1.0 | 2         |
| 68 | Persistent elevation of serum interleukin-6 and serum amyloid A levels in patients with recessive dystrophic epidermolysis bullosa. European Journal of Dermatology, 2017, 27, 80-81.  | 0.3 | 2         |
| 69 | Neonatal-Onset Hereditary Coproporphyria: A New Variant of Hereditary Coproporphyria. JIMD<br>Reports, 2017, 37, 99-106.   | 0.7 | 1         |
| 70 | Epidermal nuclear fluorescence. British Journal of Dermatology, 1983, 109, 370-371.  | 1.4 | 0         |
| 71 | Clotting time-dependent pseudohyperkalemia associated with Sézary syndrome. Clinica Chimica Acta, 2017, 470, 81-82.  | 0.5 | 0         |
| 72 | Speckled lentiginous naevus: understanding the process of development and regression. British<br>Journal of Dermatology, 2018, 178, 1447-1448.   | 1.4 | 0         |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 73 | Recovery from recalcitrant malignant peripheral nerve sheath tumor: A combination of Mohs pasteâ€aided surgical debridement and chemotherapy. Journal of Dermatology, 2019, 46, e400-e402.  | 0.6 | Ο         |
| 74 | EB virus-associated T/NK lymphoproliferative disorders in East Asia, and South and Central America :<br>Special reference to hydroa vacciniforme and hypersensitivity to mosquito bites. Okayama Igakkai<br>Zasshi, 2018, 130, 123-128. | 0.0 | 0         |
| 75 | Pathogenic link among plasma cell dyscrasiaï¼related syndromes. Skin Cancer, 2019, 34, 1-9.   | 0.1 | 0         |
| 76 | Two cases of malignant melanoma of the esophagus treated with nivolumab. Skin Cancer, 2019, 34,<br>35-40.   | 0.1 | 0         |
| 77 | Efficacy and Safety of Oral Bexarotene for Japanese Patients with Mycosis Fungoides : A Retrospective<br>Case-Series Study of a Single Medical Center in Japan. Nishinihon Journal of Dermatology, 2021, 83,<br>549-553.                | 0.0 | 0         |