List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9415220/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Analysis of clonality in cutaneous Bâ€cell lymphoma and Bâ€cell pseudolymphoma using skin flow cytometry: Comparison of immunophenotyping and gene rearrangement studies. Journal of Dermatology, 2022, 49, 246-252.	0.6	4
2	lmproved quality of life of patients with generalized pustular psoriasis in Japan: A crossâ€sectional survey. Journal of Dermatology, 2021, 48, 203-206.	0.6	12
3	Efficacy and Safety of Oral Bexarotene for Japanese Patients with Mycosis Fungoides : A Retrospective Case-Series Study of a Single Medical Center in Japan. Nishinihon Journal of Dermatology, 2021, 83, 549-553.	0.0	0
4	Epstein-Barr virus NK and T cell lymphoproliferative disease: report of a 2018 international meeting. Leukemia and Lymphoma, 2020, 61, 808-819.	0.6	42
5	The aim of the measurement of Epsteinâ€Barr virus DNA in hydroa vacciniforme and hypersensitivity to mosquito bites. Journal of Medical Virology, 2020, 92, 3689-3696.	2.5	5
6	Toll-like receptor signalling induces the expression of serum amyloid A in epidermal keratinocytes and dermal fibroblasts. Clinical and Experimental Dermatology, 2019, 44, 40-46.	0.6	10
7	Clinical manifestations of skin, lung and muscle diseases in dermatomyositis positive for antiâ€aminoacyl tRNA synthetase antibodies. Journal of Dermatology, 2019, 46, 886-897.	0.6	16
8	The expression of cell adhesion molecule 1 and its splicing variants in Sézary cells and cell lines from cutaneous Tâ€cell lymphoma. Journal of Dermatology, 2019, 46, 967-977.	0.6	8
9	Japanese guidelines for the management of pemphigoid (including epidermolysis bullosa acquisita). Journal of Dermatology, 2019, 46, 1102-1135.	0.6	47
10	Defective Epstein–Barr virus in chronic active infection and haematological malignancy. Nature Microbiology, 2019, 4, 404-413.	5.9	152
11	Recovery from recalcitrant malignant peripheral nerve sheath tumor: A combination of Mohs pasteâ€aided surgical debridement and chemotherapy. Journal of Dermatology, 2019, 46, e400-e402.	0.6	0
12	Longâ€term efficacy and safety of bexarotene for Japanese patients with cutaneous Tâ€cell lymphoma: The results of a phase 2 study (Bâ€1201). Journal of Dermatology, 2019, 46, 557-563.	0.6	12
13	Rituximab therapy for refractory autoimmune bullous diseases: A multicenter, openâ€label, singleâ€arm, phase 1/2 study on 10 Japanese patients. Journal of Dermatology, 2019, 46, 124-130.	0.6	17
14	Autophagy in malnutrition-associated dermatoses. Journal of Dermatology, 2019, 46, 43-47.	0.6	4
15	Pathogenic link among plasma cell dyscrasiaï¼related syndromes. Skin Cancer, 2019, 34, 1-9.	0.1	0
16	Two cases of malignant melanoma of the esophagus treated with nivolumab. Skin Cancer, 2019, 34, 35-40.	0.1	0
17	The synergistic activities of the combination of tumour necrosis factor-α, interleukin-17A and interferon-γ in epidermal keratinocytes. British Journal of Dermatology, 2018, 179, 496-498.	1.4	8
18	Speckled lentiginous naevus: understanding the process of development and regression. British Journal of Dermatology, 2018, 178, 1447-1448.	1.4	0

#	Article	IF	CITATIONS
19	Japanese guidelines for the management and treatment of generalized pustular psoriasis: The new pathogenesis and treatment of <scp>GPP</scp> . Journal of Dermatology, 2018, 45, 1235-1270.	0.6	159
20	EB virus-associated T/NK lymphoproliferative disorders in East Asia, and South and Central America : Special reference to hydroa vacciniforme and hypersensitivity to mosquito bites. Okayama Igakkai Zasshi, 2018, 130, 123-128.	0.0	0
21	Clotting time-dependent pseudohyperkalemia associated with Sézary syndrome. Clinica Chimica Acta, 2017, 470, 81-82.	0.5	0
22	Neonatal-Onset Hereditary Coproporphyria: A New Variant of Hereditary Coproporphyria. JIMD Reports, 2017, 37, 99-106.	0.7	1
23	Persistent elevation of serum interleukin-6 and serum amyloid A levels in patients with recessive dystrophic epidermolysis bullosa. European Journal of Dermatology, 2017, 27, 80-81.	0.3	2
24	Comparative study on driver mutations in primary and metastatic melanomas at a single Japanese institute: A clue for intra- and inter-tumor heterogeneity. Journal of Dermatological Science, 2017, 85, 51-57.	1.0	25
25	The Involvement of Serum Amyloid A in Psoriatic Inflammation. Journal of Investigative Dermatology, 2017, 137, 757-760.	0.3	13
26	Phase I/II study of the oral retinoid X receptor agonist bexarotene in Japanese patients with cutaneous T ell lymphomas. Journal of Dermatology, 2017, 44, 135-142.	0.6	36
27	Differential diagnosis of herpetiform vesicles by a non-invasive, molecular method using crusts or blister roofs: Sensitivity, specificity and likelihood ratio. Journal of Dermatological Science, 2016, 84, 358-359.	1.0	2
28	Hypocomplementemic urticarial vasculitis arising in a patient with immunoglobulin G4-related disease. International Journal of Dermatology, 2016, 55, 430-433.	0.5	12
29	Epstein-Barr virus reactivation is induced, but abortive, in cutaneous lesions of systemic hydroa vacciniforme and hypersensitivity to mosquito bites. Journal of Dermatological Science, 2016, 82, 153-159.	1.0	15
30	Introduction of management system of positive test results for HBV and HCV infection in electronic medical chart. Acta Hepatologica Japonica, 2015, 56, 137-143.	0.0	11
31	Interferon-Gamma Enhances TLR3 Expression and Anti-Viral Activity in Keratinocytes. Journal of Investigative Dermatology, 2015, 135, 2005-2011.	0.3	42
32	Possible correlation of IgE autoantibody to BP180 with disease activity in bullous pemphigoid. Journal of Dermatological Science, 2015, 78, 77-79.	1.0	20
33	Survival rates and prognostic factors of Epstein-Barr virus-associated hydroa vacciniforme and hypersensitivity to mosquito bites. British Journal of Dermatology, 2015, 172, 56-63.	1.4	51
34	A patient with elderly-onset atypical hydroa vacciniforme with an indolent clinical course. British Journal of Dermatology, 2015, 173, 801-805.	1.4	5
35	Current therapy of choice for cutaneous lymphomas: Complementary to the Japanese Dermatological Association/Japanese Skin Cancer Society guidelines. Journal of Dermatology, 2014, 41, 43-49.	0.6	8
36	Phase <scp>II</scp> study of i.v. interferonâ€gamma in <scp>J</scp> apanese patients with mycosis fungoides. Journal of Dermatology, 2014, 41, 50-56.	0.6	33

#	Article	IF	CITATIONS
37	Cutaneous lymphoma in <scp>J</scp> apan: A nationwide study of 1733 patients. Journal of Dermatology, 2014, 41, 3-10.	0.6	61
38	Immune escape phenomenon in molluscum contagiosum and the induction of apoptosis. Journal of Dermatology, 2014, 41, 1058-1064.	0.6	2
39	Guidelines for the management of cutaneous lymphomas (2011): A consensus statement by the <scp>J</scp> apanese <scp>S</scp> kin <scp>C</scp> ancer <scp>S</scp> ociety – <scp>L</scp> ymphoma <scp>S</scp> tudy <scp>G</scp> roup. Journal of Dermatology, 2013, 40, 2-14.	0.6	36
40	Hydroa Vacciniforme Is Associated with Increased Numbers of Epstein–Barr Virus–Infected γÎ⊤ Cells. Journal of Investigative Dermatology, 2012, 132, 1401-1408.	0.3	58
41	Diversity of Epstein–Barr virus BamHI-A rightward transcripts and their expression patterns in lytic and latent infections. Journal of Medical Microbiology, 2012, 61, 1445-1453.	0.7	16
42	Cathelicidin Antimicrobial Peptide LL-37 in Psoriasis Enables Keratinocyte Reactivity against TLR9 Ligands. Journal of Investigative Dermatology, 2012, 132, 135-143.	0.3	170
43	Phenotypic analysis in a case of hydroa vacciniforme-like eruptions associated with chronic active Epstein-Barr virus disease of γδT cells. British Journal of Dermatology, 2012, 166, 216-218.	1.4	9
44	Phase I and pharmacokinetic study of the oral histone deacetylase inhibitor vorinostat in Japanese patients with relapsed or refractory cutaneous Tâ€cell lymphoma. Journal of Dermatology, 2012, 39, 823-828.	0.6	21
45	Dendritic cell subsets and immunological milieu in inflammatory human papilloma virus-related skin lesions. Journal of Dermatological Science, 2011, 63, 173-183.	1.0	21
46	Clinical End Points and Response Criteria in Mycosis Fungoides and Sézary Syndrome: A Consensus Statement of the International Society for Cutaneous Lymphomas, the United States Cutaneous Lymphoma Consortium, and the Cutaneous Lymphoma Task Force of the European Organisation for Research and Treatment of Cancer. Journal of Clinical Oncology, 2011, 29, 2598-2607.	0.8	550
47	Production of proinflammatory cytokines without invocation of cytotoxic effects by an Epstein-Barr virusâ~infected natural killer cell line established from a patient with hypersensitivity to mosquito bites. Experimental Hematology, 2010, 38, 933-944.	0.2	9
48	Prognostic factors for mature natural killer (NK) cell neoplasms: aggressive NK cell leukemia and extranodal NK cell lymphoma, nasal type. Annals of Oncology, 2010, 21, 1032-1040.	0.6	228
49	Identification of Epsteinâ€Barr Virus (EBV)–Infected Lymphocyte Subtypes by Flow Cytometric In Situ Hybridization in EBVâ€Associated Lymphoproliferative Diseases. Journal of Infectious Diseases, 2009, 200, 1078-1087.	1.9	63
50	Karyotypic Analysis of Bone Marrow Cells in Pyodermic Lesions Associated With Myelodysplastic Syndrome. Archives of Dermatology, 2008, 144, 643-8.	1.7	6
51	A novel, noninvasive diagnostic probe for hydroa vacciniforme and related disorders. Journal of Microbiological Methods, 2007, 68, 403-407.	0.7	17
52	Recovery from Sézary syndrome following Mycobacterium avium spondylitis. British Journal of Dermatology, 2007, 157, 1270-1271.	1.4	4
53	Staphylococcal cutaneous infections: Invasion, evasion and aggression. Journal of Dermatological Science, 2006, 42, 203-214.	1.0	152
54	Pathogenic Link Between Hydroa Vacciniforme and Epstein-Barr Virus–Associated Hematologic Disorders. Archives of Dermatology, 2006, 142, 587-95.	1.7	158

#	Article	IF	CITATIONS
55	The role of CD4 and CD8 cytotoxic T lymphocytes in the formation of viral vesicles. British Journal of Dermatology, 2005, 153, 981-986.	1.4	39
56	Mosquito Salivary Gland Extracts Induce EBV-Infected NK Cell Oncogenesis Via CD4+ T Cells in Patients with Hypersensitivity to Mosquito Bites. Journal of Investigative Dermatology, 2005, 125, 956-961.	0.3	44
57	Characterization of Epstein-Barr virus–infected natural killer lymphocytes in a patient with hypersensitivity to mosquito bites. Journal of the American Academy of Dermatology, 2005, 53, 912-914.	0.6	10
58	The Association between Staphylococcus aureus Strains Carrying Panton-Valentine Leukocidin Genes and the Development of Deep-Seated Follicular Infection. Clinical Infectious Diseases, 2005, 40, 381-385.	2.9	131
59	Involvement of granulysin-producing T cells in the development of superficial microbial folliculitis. British Journal of Dermatology, 2004, 150, 904-909.	1.4	14
60	A spectrum of clinical manifestations caused by host immune responses against Epstein-Barr virus infections. Acta Medica Okayama, 2004, 58, 169-80.	0.1	18
61	Confocal laser scanning microscopic observation of glycocalyx production by Staphylococcus aureus in skin lesions of bullous impetigo, atopic dermatitis and pemphigus foliaceus. British Journal of Dermatology, 2003, 148, 526-532.	1.4	68
62	Actions of Glucoâ€Oligosaccharide against <i>Staphylococcus aureus</i> . Journal of Dermatology, 2002, 29, 580-586.	0.6	18
63	Confocal laser scanning microscopic observation of glycocalyx production by Staphylococcus aureus in mouse skin: does S. aureus generally produce a biofilm on damaged skin?. British Journal of Dermatology, 2002, 147, 879-885.	1.4	64
64	Two Cases of Japanese CADASIL with Corpus Callosum Lesion Tohoku Journal of Experimental Medicine, 2001, 195, 135-140.	0.5	14
65	The association of latent Epstein?Barr virus infection with hydroa vacciniforme. British Journal of Dermatology, 1999, 140, 715-721.	1.4	140
66	MALIGNANT HEMANGIOENDOTHELIOMA. International Journal of Dermatology, 1995, 34, 811-816.	0.5	38
67	Induction of Intercellular Adhesion Moleculeâ€1 and Adherence of HTLVâ€1â€Infected Tâ€cells to Cultured Keratinocytes. Journal of Dermatology, 1994, 21, 172-177.	0.6	2
68	Distinct types of IgG and IgA anti-intercellular autoantibodies from patients with pemphigus and vesiculopustular dermatosis. British Journal of Dermatology, 1991, 125, 335-339.	1.4	8
69	Ultrastructural binding site of pemphigus foliaceus autoantibodies: comparison with pemphigus vulgaris. Journal of Cutaneous Pathology, 1991, 18, 160-163.	0.7	7
70	Production of antikeratin autoantibodies by hybrid spleen cells of naive mice. British Journal of Dermatology, 1990, 123, 735-744.	1.4	6
71	Exchange of dominant lymphoid cell clones in a patient with adult T-cell leukemia/lymphoma. Acta Dermato-Venereologica, 1990, 70, 49-52.	0.6	3
72	The effect of phototherapies on cutaneous lesions of histiocytosis X in the elderly. Cancer, 1986, 57, 1931-1936.	2.0	42

#	Article	IF	CITATIONS
73	Plane Warts Under Spontaneous Regression. Archives of Dermatology, 1986, 122, 655.	1.7	67
74	Plane warts under spontaneous regression. Immunopathologic study on cellular constituents leading to the inflammatory reaction. Archives of Dermatology, 1986, 122, 655-659.	1.7	61
75	Primary tissue culture of spontaneously regressing flat warts.In vitro attack by mononuclear cells against wart-derived epidermal cells. Cancer, 1985, 55, 2437-2441.	2.0	37
76	Epidermal nuclear fluorescence. British Journal of Dermatology, 1983, 109, 370-371.	1.4	0
77	Profile of anti-stratum corneum autoantibodies in psoriatic patients. Archives of Dermatological Research, 1983, 275, 71-75.	1.1	14