Marian Moralejo

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/9415874/marian-moralejo-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

35	954	19	3 O
papers	citations	h-index	g-index
37 ext. papers	1,085 ext. citations	4.2 avg, IF	3.42 L-index

#	Paper	IF	Citations
35	Post-anthesis thermal stress induces differential accumulation of bioactive compounds in field-grown barley. <i>Journal of the Science of Food and Agriculture</i> , 2021 , 101, 6496-6504	4.3	1
34	Candidate genes underlying QTL for flowering time and their interactions in a wide spring barley (Hordeum vulgare L.) cross. <i>Crop Journal</i> , 2021 , 9, 862-872	4.6	2
33	Purple, high Eglucan, hulless barley as valuable ingredient for functional food. <i>LWT - Food Science and Technology</i> , 2020 , 131, 109582	5.4	8
32	Barley Eglucan accelerates wound healing by favoring migration versus proliferation of human dermal fibroblasts. <i>Carbohydrate Polymers</i> , 2019 , 210, 389-398	10.3	21
31	Resequencing theVrs1 gene in Spanish barley landraces revealed reversion of six-rowed to two-rowed spike. <i>Molecular Breeding</i> , 2018 , 38, 1	3.4	5
30	How do caterpillars cope with xenobiotics? The case of Mythimna unipuncta, a species with low susceptibility to Bt. <i>Annals of Applied Biology</i> , 2017 , 171, 364-375	2.6	
29	Selection footprints in barley breeding lines detected by combining genotyping-by-sequencing with reference genome information. <i>Molecular Breeding</i> , 2015 , 35, 1	3.4	4
28	Photosynthesis-dependent/independent control of stomatal responses to CO2 in mutant barley with surplus electron transport capacity and reduced SLAH3 anion channel transcript. <i>Plant Science</i> , 2015 , 239, 15-25	5.3	8
27	Spanish barley landraces outperform modern cultivars at low-productivity sites. <i>Plant Breeding</i> , 2014 , 133, 218-226	2.4	30
26	Response of last instar Helicoverpa armgera larvae to Bt toxin ingestion: changes in the development and in the CYP6AE14, CYP6B2 and CYP9A12 gene expression. <i>PLoS ONE</i> , 2014 , 9, e99229	3.7	16
25	Quantitative trait loci for agronomic traits in an elite barley population for Mediterranean conditions. <i>Molecular Breeding</i> , 2014 , 33, 249-265	3.4	32
24	Whole-genome analysis with SNPs from BOPA1 shows clearly defined groupings of Western Mediterranean, Ethiopian, and Fertile Crescent barleys. <i>Genetic Resources and Crop Evolution</i> , 2013 , 60, 251-264	2	13
23	Progress in the Spanish National Barley Breeding Program. <i>Spanish Journal of Agricultural Research</i> , 2012 , 10, 741	1.1	12
22	Gene and QTL detection in a three-way barley cross under selection by a mixed model with kinship information using SNPs. <i>Theoretical and Applied Genetics</i> , 2011 , 122, 1605-16	6	42
21	A model of the genetic differences in malting quality between European and North American barley cultivars based on a QTL study of the cross Triumph [Morex. <i>Plant Breeding</i> , 2009 , 129, 280-290	2.4	14
20	Heading date QTL in a spring winter barley cross evaluated in Mediterranean environments. <i>Molecular Breeding</i> , 2008 , 21, 455-471	3.4	47
19	Patterns of genetic and eco-geographical diversity in Spanish barleys. <i>Theoretical and Applied Genetics</i> , 2008 , 116, 271-82	6	53

18	QTL analysis of a cross between European and North American malting barleys reveals a putative candidate gene for Eglucan content on chromosome 1H. <i>Molecular Breeding</i> , 2007 , 19, 275-284	3.4	36
17	Biosafety and risk assessment framework for selectable marker genes in transgenic crop plants: a case of the science not supporting the politics. <i>Transgenic Research</i> , 2007 , 16, 261-80	3.3	106
16	Dispersal of durum wheat [Triticum turgidum L. ssp. turgidum convar. durum (Desf.) MacKey] landraces across the Mediterranean basin assessed by AFLPs and microsatellites. <i>Genetic Resources and Crop Evolution</i> , 2007 , 54, 1133-1144	2	41
15	Yield formation strategies of durum wheat landraces with distinct pattern of dispersal within the Mediterranean basin. <i>Field Crops Research</i> , 2006 , 95, 182-193	5.5	33
14	Yield formation strategies of durum wheat landraces with distinct pattern of dispersal within the Mediterranean basin I: Yield components. <i>Field Crops Research</i> , 2006 , 95, 194-205	5.5	66
13	Genetic Diversity of Glutenin Protein Subunits Composition in Durum Wheat Landraces [Triticum turgidum ssp. turgidum Convar. durum (Desf.) MacKey] from the Mediterranean Basin. <i>Genetic Resources and Crop Evolution</i> , 2006 , 53, 993-1002	2	50
12	Chloroplast DNA microsatellite analysis supports a polyphyletic origin for barley. <i>Theoretical and Applied Genetics</i> , 2005 , 110, 613-9	6	63
11	Spanish spelt: a separate gene pool within the spelt germplasm. <i>Plant Breeding</i> , 2004 , 123, 297-299	2.4	10
10	Use of new EST markers to elucidate the genetic differences in grain protein content between European and North American two-rowed malting barleys. <i>Theoretical and Applied Genetics</i> , 2004 , 110, 116-25	6	30
9	Relationships Between Barley Hordeins and Malting Quality in a Mutant of cv. Triumph. II. Genetic and Environmental Effects on Water Uptake. <i>Journal of Cereal Science</i> , 2002 , 36, 39-50	3.8	31
8	Germination and Malting Properties of Mutants Derived from Malting Barley cv. Triumph. <i>Cereal Chemistry</i> , 2002 , 79, 392-396	2.4	3
7	Dormancy, ABA content and sensitivity of a barley mutant to ABA application during seed development and after ripening. <i>Journal of Experimental Botany</i> , 2001 , 52, 1499-506	7	44
6	A mutant induced in the malting barley cv Triumph with reduced dormancy and ABA response. <i>Theoretical and Applied Genetics</i> , 1999 , 98, 347-355	6	24
5	Further evidence supporting Morocco as a centre of origin of barley. <i>Theoretical and Applied Genetics</i> , 1999 , 98, 913-918	6	42
4	Generation of transgenic Eucalyptus globulus plantlets through Agrobacterium tumefaciens mediated transformation. <i>Functional Plant Biology</i> , 1998 , 25, 207	2.7	26
3	On the origin of Spanish two-rowed barleys. <i>Theoretical and Applied Genetics</i> , 1994 , 87, 829-36	6	18
2	Barley Tetrameric Inhibitor of Insect Emylases. Characterization of an Allelic Variant of the BTAI-CMb Subunit. <i>Journal of Cereal Science</i> , 1993 , 17, 107-113	3.8	7
1	Genetic variants of the trypsin inhibitor from barley endosperm show different inhibitory activities. <i>Plant Science</i> , 1993 , 89, 23-29	5.3	14