

Volkhard Spiess

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9416/volkhard-spiess-publications-by-year.pdf>
Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

66 papers	2,024 citations	27 h-index	43 g-index
68 ext. papers	2,265 ext. citations	4.1 avg, IF	4.47 L-index

#	Paper	IF	Citations
66	Giant Seafloor Depressions Caused by Slope Failures and Bottom Currents on the Namibia Continental Margin. <i>Geochemistry, Geophysics, Geosystems</i> , 2021 , 22, e2020GC009548	3.6	2
65	Middle to Late Pleistocene Evolution of the Bengal Fan: Integrating Core and Seismic Observations for Chronostratigraphic Modeling of the IODP Expedition 354 8° North Transect. <i>Geochemistry, Geophysics, Geosystems</i> , 2020 , 21, e2019GC008878	3.6	3
64	Geomorphological and seismostratigraphic evidence for multidirectional polyphase glaciation of the northern Celtic Sea. <i>Journal of Quaternary Science</i> , 2020 , 35, 465-478	2.3	2
63	The Southwest Indian Ocean Bathymetric Compilation (swIOBC). <i>Geochemistry, Geophysics, Geosystems</i> , 2018 , 19, 968-976	3.6	7
62	Active Seafloor Seepage Along Hydraulic Fractures Connected to Lateral Stress From Salt-Related Rafting: Regab Pockmark, Congo Fan. <i>Journal of Geophysical Research: Solid Earth</i> , 2018 , 123, 3301-3319	3.6	2
61	Post-collapse evolution of a coastal caldera system: Insights from a 3D multichannel seismic survey from the Campi Flegrei caldera (Italy). <i>Journal of Volcanology and Geothermal Research</i> , 2018 , 349, 83-98	2.8	17
60	A base-level stratigraphic approach to determining Holocene subsidence of the Ganges-Meghna-Brahmaputra Delta plain. <i>Earth and Planetary Science Letters</i> , 2018 , 499, 23-36	5.3	30
59	Localization and characterization of a gas bubble stream at a Congo deep water seep site using a 3D gridding approach on single-beam echosounder data. <i>Marine and Petroleum Geology</i> , 2018 , 97, 612-623	4.7	4
58	Controlling mechanisms of giant deep water pockmarks in the Lower Congo Basin. <i>Marine and Petroleum Geology</i> , 2017 , 83, 140-157	4.7	21
57	The Campi Flegrei caldera (Italy): Formation and evolution in interplay with sea-level variations since the Campanian Ignimbrite eruption at 39 ka. <i>Journal of Volcanology and Geothermal Research</i> , 2016 , 327, 361-374	2.8	13
56	Controls on subsurface methane fluxes and shallow gas formation in Baltic Sea sediment (Aarhus Bay, Denmark). <i>Geochimica Et Cosmochimica Acta</i> , 2016 , 188, 297-309	5.5	38
55	Sequence stratigraphic framework of a mixed turbidite-contourite depositional system along the NW slope of the South China Sea. <i>Geo-Marine Letters</i> , 2015 , 35, 1-21	1.9	15
54	Cold seeps at the salt front in the Lower Congo Basin I: Current methane accumulation and active seepage. <i>Marine and Petroleum Geology</i> , 2015 , 67, 894-908	4.7	11
53	Strike-slip tectonics in the Pannonian basin based on seismic surveys at Lake Balaton. <i>International Journal of Earth Sciences</i> , 2015 , 104, 2273-2285	2.2	5
52	Shallow gas transport and reservoirs in the vicinity of deeply rooted mud volcanoes in the central Black Sea. <i>Marine Geology</i> , 2015 , 369, 67-78	3.3	8
51	Frequency dependence in seismoacoustic imaging of shallow free gas due to gas bubble resonance. <i>Journal of Geophysical Research: Solid Earth</i> , 2015 , 120, 8056-8072	3.6	17
50	Seismic expressions of shallow gas in the lacustrine deposits of Lake Balaton, Hungary. <i>Near Surface Geophysics</i> , 2015 , 13, 433-447	1.6	7

49	Cold seeps at the salt front in the Lower Congo Basin II: The impact of spatial and temporal evolution of salt-tectonics on hydrocarbon seepage. <i>Marine and Petroleum Geology</i> , 2015 , 67, 880-893	4.7	9
48	Fluid generation and distribution in the highest sediment input accretionary margin, the Makran. <i>Earth and Planetary Science Letters</i> , 2014 , 403, 131-143	5.3	10
47	Seismo-acoustic signatures of shallow free gas in the Bornholm Basin, Baltic Sea. <i>Continental Shelf Research</i> , 2014 , 88, 228-239	2.4	24
46	Estimating the free gas content in Baltic Sea sediments using compressional wave velocity from marine seismic data. <i>Journal of Geophysical Research: Solid Earth</i> , 2014 , 119, 8577-8593	3.6	29
45	Subduction zone earthquake as potential trigger of submarine hydrocarbon seepage. <i>Nature Geoscience</i> , 2013 , 6, 647-651	18.3	81
44	A low frequency multibeam assessment: Spatial mapping of shallow gas by enhanced penetration and angular response anomaly. <i>Marine and Petroleum Geology</i> , 2013 , 44, 217-222	4.7	30
43	Morphosedimentary and hydrographic features of the northern Argentine margin: The interplay between erosive, depositional and gravitational processes and its conceptual implications. <i>Deep-Sea Research Part I: Oceanographic Research Papers</i> , 2013 , 75, 157-174	2.5	107
42	Sedimentary growth pattern on the northern Argentine slope: The impact of North Atlantic Deep Water on southern hemisphere slope architecture. <i>Marine Geology</i> , 2012 , 329-331, 113-125	3.3	35
41	Gas hydrate decomposition recorded by authigenic barite at pockmark sites of the northern Congo Fan. <i>Geo-Marine Letters</i> , 2012 , 32, 515-524	1.9	21
40	Authigenic carbonates from active methane seeps offshore southwest Africa. <i>Geo-Marine Letters</i> , 2012 , 32, 501-513	1.9	54
39	Quantification of gas bubble emissions from submarine hydrocarbon seeps at the Makran continental margin (offshore Pakistan). <i>Journal of Geophysical Research</i> , 2012 , 117, n/a-n/a		84
38	Seismostratigraphic analysis with centennial to decadal time resolution of the sediment sink in the GangesBrahmaputra subaqueous delta. <i>Continental Shelf Research</i> , 2011 , 31, 712-730	2.4	29
37	Evidence for current-controlled sedimentation along the southern Mozambique continental margin since Early Miocene times. <i>Geo-Marine Letters</i> , 2011 , 31, 427-435	1.9	27
36	Shallow sediment deformation styles in north-western Campeche Knolls, Gulf of Mexico and their controls on the occurrence of hydrocarbon seepage. <i>Marine and Petroleum Geology</i> , 2010 , 27, 959-972	4.7	13
35	Interaction between accretionary thrust faulting and slope sedimentation at the frontal Makran accretionary prism and its implications for hydrocarbon fluid seepage. <i>Journal of Geophysical Research</i> , 2010 , 115,		19
34	Architecture and Stratigraphy of the Bengal Fan as Response to Tectonic and Climate Revealed from High-Resolution Seismic Data 2009 , 107-131		6
33	Three-dimensional seismic investigations of the Sevastopol mud volcano in correlation to gas/fluid migration pathways and indications for gas hydrate occurrences in the Sorokin Trough (Black Sea). <i>Geochemistry, Geophysics, Geosystems</i> , 2008 , 9, n/a-n/a	3.6	10
32	A conceptual model for hydrocarbon accumulation and seepage processes around Chapopote asphalt site, southern Gulf of Mexico: From high resolution seismic point of view. <i>Journal of Geophysical Research</i> , 2008 , 113,		28

31	Pockmarks in the Northern Congo Fan area, SW Africa: Complex seafloor features shaped by fluid flow. <i>Marine Geology</i> , 2008 , 249, 206-225	3.3	84
30	Sedimentation patterns, folding, and fluid upflow above a buried basement ridge: Results from 2-D and 3-D seismic surveys at the eastern Juan de Fuca Ridge flank. <i>Journal of Geophysical Research</i> , 2006 , 111,		4
29	Hydrothermal recharge and discharge guided by basement outcrops on 0.7-1.6 Ma seafloor east of the Juan de Fuca Ridge: Observations and numerical models. <i>Geochemistry, Geophysics, Geosystems</i> , 2006 , 7, n/a-n/a	3.6	72
28	The architecture and evolution of the Middle Bengal Fan in vicinity of the active channel-levee system imaged by high-resolution seismic data. <i>Marine and Petroleum Geology</i> , 2005 , 22, 637-656	4.7	51
27	Forced regression systems tracts on the Bengal Shelf. <i>Marine Geology</i> , 2005 , 219, 207-218	3.3	27
26	Fluid flow through active mud dome Mound Culebra offshore Nicoya Peninsula, Costa Rica: evidence from heat flow surveying. <i>Marine Geology</i> , 2004 , 207, 145-157	3.3	43
25	Three-dimensional seismic characterization of a venting site reveals compelling indications of natural hydraulic fracturing. <i>Geology</i> , 2004 , 32, 101	5	54
24	Surface, Subsurface, and Deep Imaging: Acquisition, Processing, and Interpretation of Seismic and Acoustic Data. <i>Energy Exploration and Exploitation</i> , 2003 , 21, 303-307	2.1	
23	Acoustic investigations of mud volcanoes in the Sorokin Trough, Black Sea. <i>Geo-Marine Letters</i> , 2003 , 23, 230-238	1.9	53
22	Mud volcanoes and gas hydrates in the Black Sea: new data from Dvurechenskii and Odessa mud volcanoes. <i>Geo-Marine Letters</i> , 2003 , 23, 239-249	1.9	105
21	Hydrothermal recharge and discharge across 50 km guided by seamounts on a young ridge flank. <i>Nature</i> , 2003 , 421, 618-21	50.4	201
20	Acoustic facies and depositional processes in the upper submarine canyon Swatch of No Ground (Bay of Bengal). <i>Deep-Sea Research Part II: Topical Studies in Oceanography</i> , 2003 , 50, 979-1001	2.3	34
19	Frequent channel avulsions within the active channel-levee system of the middle Bengal Fan: An exceptional channel-levee development derived from Parasound and Hydrosweep data. <i>Deep-Sea Research Part II: Topical Studies in Oceanography</i> , 2003 , 50, 1023-1045	2.3	44
18	Fine-grained sediment waves on the western flank of the Zapiola Drift, Argentine Basin: evidence for variations in Late Quaternary bottom flow activity. <i>Marine Geology</i> , 2002 , 192, 239-258	3.3	27
17	High-resolution analysis of the deposition pattern on the Amazon sub-aquatic delta and outer continental shelf. <i>Marine Geophysical Researches</i> , 2002 , 23, 209-222	2.3	16
16	Glacial/interglacial variability in the Benguela upwelling system: Spatial distribution and budgets of organic carbon accumulation. <i>Global Biogeochemical Cycles</i> , 2002 , 16, 81-1-81-15	5.9	64
15	Modeling seismic reflection patterns from Ocean Drilling Program Leg 168 core density logs: Insight into lateral variations in physical properties and sediment input at the eastern flank of the Juan de Fuca Ridge. <i>Journal of Geophysical Research</i> , 2001 , 106, 16119-16133		5
14	Mud volcanoes at the front of the Makran accretionary complex, Pakistan. <i>Marine Geology</i> , 2001 , 172, 57-73	3.3	57

13	A three-dimensional theory for the development and migration of deep sea sedimentary waves. <i>Deep-Sea Research Part I: Oceanographic Research Papers</i> , 2001 , 48, 2497-2519	2.5	17
12	Implications for focused fluid transport at the northern Cascadia accretionary prism from a correlation between BSR occurrence and near-sea-floor reflectivity anomalies imaged in a multi-frequency seismic data set. <i>International Journal of Earth Sciences</i> , 2000 , 88, 655-667	2.2	7
11	Seismic reflectivity anomalies in sediments at the eastern flank of the Juan de Fuca Ridge: Evidence for fluid migration?. <i>Journal of Geophysical Research</i> , 1999 , 104, 15351-15364		15
10	Late Quaternary Seismic Stratigraphy of the Eastern Bengal Shelf. <i>Marine Geophysical Researches</i> , 1998 , 20, 57-71	2.3	14
9	The sediments of Gunnerus Ridge and Kainan Maru Seamount (Indian sector of Southern Ocean). <i>Deep-Sea Research Part I: Oceanographic Research Papers</i> , 1998 , 45, 1515-1540	2.5	5
8	A seismic reconnaissance survey of the northern Congo Fan. <i>Marine Geology</i> , 1997 , 140, 283-306	3.3	22
7	The youngest channel-levee system of the Bengal Fan: results from digital sediment echosounder data. <i>Marine Geology</i> , 1997 , 141, 125-145	3.3	69
6	Expulsion of Shallow Gas in the Skagerrak Evidence from Sub-bottom Profiling, Seismic, Hydroacoustical and Geochemical Data. <i>Estuarine, Coastal and Shelf Science</i> , 1994 , 38, 583-601	2.9	28
5	An automated full waveform logging system for high-resolution P-wave profiles in marine sediments. <i>Marine Geophysical Researches</i> , 1993 , 15, 297-321	2.3	14
4	Reflector Bc1 a prominent feature in the Maud Rise sediment sequence (eastern Weddell Sea): Occurrence, regional distribution and implications to silica diagenesis. <i>Marine Geology</i> , 1992 , 106, 69-87	3.3	13
3	Parasound echosounding: Comparison of analogue and digital echosounder records and physical properties of sediments from the Equatorial South Atlantic. <i>Marine Geology</i> , 1991 , 99, 1-18	3.3	18
2	Stable isotope stratigraphy from the Antarctic continental margin during the last one million years. <i>Marine Geology</i> , 1989 , 87, 315-321	3.3	42
1	Seismic morphologies of submerged late glacial to early Holocene landscapes at the eastern Dogger Bank, central North Sea Basin - implications for geo-archaeological potential. <i>Geological Society Special Publication</i> , SP525-2021-155	1.7	0