Luke C Mullany

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9416502/publications.pdf

Version: 2024-02-01

138 papers 6,917 citations

39 h-index 71651 76 g-index

145 all docs $\begin{array}{c} 145 \\ \text{docs citations} \end{array}$

145 times ranked 7671 citing authors

| # | Article | IF | Citations |
|----|---|-----|-----------|
| 1 | Mortality risk in preterm and small-for-gestational-age infants in low-income and middle-income countries: a pooled country analysis. Lancet, The, 2013, 382, 417-425. | 6.3 | 637 |
| 2 | National and regional estimates of term and preterm babies born small for gestational age in 138 low-income and middle-income countries in 2010. The Lancet Global Health, 2013, 1, e26-e36. | 2.9 | 577 |
| 3 | Urinary tract infections in pregnancy in a rural population of Bangladesh: population-based prevalence, risk factors, etiology, and antibiotic resistance. BMC Pregnancy and Childbirth, 2020, 20, 1. | 0.9 | 353 |
| 4 | Estimates of burden and consequences of infants born small for gestational age in low and middle income countries with INTERGROWTH-21 st standard: analysis of CHERGÂdatasets. BMJ: British Medical Journal, 2017, 358, j3677. | 2.4 | 258 |
| 5 | Topical applications of chlorhexidine to the umbilical cord for prevention of omphalitis and neonatal mortality in southern Nepal: a community-based, cluster-randomised trial. Lancet, The, 2006, 367, 910-918. | 6.3 | 254 |
| 6 | Global burden of respiratory infections associated with seasonal influenza in children under 5 years in 2018: a systematic review and modelling study. The Lancet Global Health, 2020, 8, e497-e510. | 2.9 | 235 |
| 7 | Breast-Feeding Patterns, Time to Initiation, and Mortality Risk among Newborns in Southern Nepal. Journal of Nutrition, 2008, 138, 599-603. | 1.3 | 217 |
| 8 | Year-round influenza immunisation during pregnancy in Nepal: a phase 4, randomised, placebo-controlled trial. Lancet Infectious Diseases, The, 2017, 17, 981-989. | 4.6 | 185 |
| 9 | Effect of routine prophylactic supplementation with iron and folic acid on preschool child mortality in southern Nepal: community-based, cluster-randomised, placebo-controlled trial. Lancet, The, 2006, 367, 144-152. | 6.3 | 177 |
| 10 | The effect of cord cleansing with chlorhexidine on neonatal mortality in rural Bangladesh: a community-based, cluster-randomised trial. Lancet, The, 2012, 379, 1022-1028. | 6.3 | 156 |
| 11 | Nutrition and maternal, neonatal, and child health. Seminars in Perinatology, 2015, 39, 361-372. | 1.1 | 154 |
| 12 | Causes and incidence of community-acquired serious infections among young children in south Asia (ANISA): an observational cohort study. Lancet, The, 2018, 392, 145-159. | 6.3 | 140 |
| 13 | Evaluation of individual and ensemble probabilistic forecasts of COVID-19 mortality in the United States. Proceedings of the National Academy of Sciences of the United States of America, 2022, 119, e2113561119. | 3.3 | 136 |
| 14 | Modeling of Future COVID-19 Cases, Hospitalizations, and Deaths, by Vaccination Rates and Nonpharmaceutical Intervention Scenarios — United States, April–September 2021. Morbidity and Mortality Weekly Report, 2021, 70, 719-724. | 9.0 | 126 |
| 15 | Effect of daily zinc supplementation on child mortality in southern Nepal: a community-based, cluster randomised, placebo-controlled trial. Lancet, The, 2007, 370, 1230-1239. | 6.3 | 114 |
| 16 | Impact of Newborn Skin-Cleansing With Chlorhexidine on Neonatal Mortality in Southern Nepal: A Community-Based, Cluster-Randomized Trial. Pediatrics, 2007, 119, e330-e340. | 1.0 | 109 |
| 17 | Risk of Mortality Associated With Neonatal Hypothermia in Southern Nepal. JAMA Pediatrics, 2010, 164, 650-6. | 3.6 | 108 |
| 18 | Risk Factors for Neonatal Mortality Due to Birth Asphyxia in Southern Nepal: A Prospective, Community-Based Cohort Study. Pediatrics, 2008, 121, e1381-e1390. | 1.0 | 93 |

| # | Article | IF | Citations |
|----|---|-----|------------|
| 19 | Risk Factors for Umbilical Cord Infection among Newborns of Southern Nepal. American Journal of Epidemiology, 2006, 165, 203-211. | 1.6 | 92 |
| 20 | Traditional Massage of Newborns in Nepal: Implications for Trials of Improved Practice. Journal of Tropical Pediatrics, 2005, 51, 82-86. | 0.7 | 90 |
| 21 | Safety and Impact of Chlorhexidine Antisepsis Interventions for Improving Neonatal Health in Developing Countries. Pediatric Infectious Disease Journal, 2006, 25, 665-675. | 1.1 | 90 |
| 22 | Safety and efficacy of alternative antibiotic regimens compared with 7 day injectable procaine benzylpenicillin and gentamicin for outpatient treatment of neonates and young infants with clinical signs of severe infection when referral is not possible: a randomised, open-label, equivalence trial. The Lancet Global Health, 2015, 3, e279-e287. | 2.9 | 85 |
| 23 | Role of antimicrobial applications to the umbilical cord in neonates to prevent bacterial colonization and infection: a review of the evidence. Pediatric Infectious Disease Journal, 2003, 22, 996-1002. | 1.1 | 84 |
| 24 | Neonatal Hypothermia in Low-Resource Settings. Seminars in Perinatology, 2010, 34, 426-433. | 1.1 | 80 |
| 25 | The effect of umbilical cord cleansing with chlorhexidine on omphalitis and neonatal mortality in community settings in developing countries: a meta-analysis. BMC Public Health, 2013, 13, S15. | 1.2 | 7 9 |
| 26 | Impact of Community-Based Maternal Health Workers on Coverage of Essential Maternal Health Interventions among Internally Displaced Communities in Eastern Burma: The MOM Project. PLoS Medicine, 2010, 7, e1000317. | 3.9 | 73 |
| 27 | Population-based survey methods to quantify associations between human rights violations and health outcomes among internally displaced persons in eastern Burma. Journal of Epidemiology and Community Health, 2007, 61, 908-914. | 2.0 | 62 |
| 28 | Access To Essential Maternal Health Interventions and Human Rights Violations among Vulnerable Communities in Eastern Burma. PLoS Medicine, 2008, 5, e242. | 3.9 | 62 |
| 29 | Prevalence of Small-for-Gestational-Age and Its Mortality Risk Varies by Choice of Birth-Weight-for-Gestation Reference Population. PLoS ONE, 2014, 9, e92074. | 1.1 | 62 |
| 30 | Mortality rates in conflict zones in Karen, Karenni, and Mon states in eastern Burma. Tropical Medicine and International Health, 2006, 11, 1119-1127. | 1.0 | 61 |
| 31 | Neonatal hypothermia and associated risk factors among newborns of southern Nepal. BMC Medicine, 2010, 8, 43. | 2.3 | 58 |
| 32 | Incidence of and risk factors for neonatal jaundice among newborns in southern <scp>N</scp> epal. Tropical Medicine and International Health, 2013, 18, 1317-1328. | 1.0 | 58 |
| 33 | The use of chlorhexidine to reduce maternal and neonatal mortality and morbidity in low-resource settings. International Journal of Gynecology and Obstetrics, 2007, 97, 89-94. | 1.0 | 53 |
| 34 | Impact of Umbilical Cord Cleansing With 4.0% Chlorhexidine on Time to Cord Separation Among Newborns in Southern Nepal: A Cluster-Randomized, Community-Based Trial. Pediatrics, 2006, 118, 1864-1871. | 1.0 | 50 |
| 35 | Potential Role of Traditional Birth Attendants in Neonatal Healthcare in Rural Southern Nepal. Journal of Health, Population and Nutrition, 2009, 27, 53-61. | 0.7 | 45 |
| 36 | Validity of Newborn Clinical Assessment to Determine Gestational Age in Bangladesh. Pediatrics, 2016, 138, . | 1.0 | 44 |

| # | Article | IF | Citations |
|----|--|-----|-----------|
| 37 | Risk of Mortality Subsequent to Umbilical Cord Infection Among Newborns of Southern Nepal. Pediatric Infectious Disease Journal, 2009, 28, 17-20. | 1.1 | 43 |
| 38 | The MOM Project: Delivering Maternal Health Services among Internally Displaced Populations in Eastern Burma. Reproductive Health Matters, 2008, 16, 44-56. | 1.3 | 40 |
| 39 | Efficacy, duration of protection, birth outcomes, and infant growth associated with influenza vaccination in pregnancy: a pooled analysis of three randomised controlled trials. Lancet Respiratory Medicine, the, 2020, 8, 597-608. | 5.2 | 40 |
| 40 | Incidence and Seasonality of Hypothermia Among Newborns in Southern Nepal. JAMA Pediatrics, 2010, 164, 71-7. | 3.6 | 39 |
| 41 | Comparison of US Birth Weight References and the International Fetal and Newborn Growth Consortium for the 21st Century Standard. JAMA Pediatrics, 2015, 169, e151438. | 3.3 | 39 |
| 42 | Development of a Psychological Intervention to Address Anxiety During Pregnancy in a Low-Income Country. Frontiers in Psychiatry, 2019, 10, 927. | 1.3 | 38 |
| 43 | Risk for Family Rejection and Associated Mental Health Outcomes Among Conflict-Affected Adult Women Living in Rural Eastern Democratic Republic of the Congo. Health Care for Women International, 2014, 35, 789-807. | 0.6 | 36 |
| 44 | Burden and Risk Factors for Coronavirus Infections in Infants in Rural Nepal. Clinical Infectious Diseases, 2018, 67, 1507-1514. | 2.9 | 34 |
| 45 | Safety and Effect of Chlorhexidine Skin Cleansing on Skin Flora of Neonates in Bangladesh. Pediatric Infectious Disease Journal, 2007, 26, 492-495. | 1.1 | 33 |
| 46 | Skin, thermal and umbilical cord care practices for neonates in southern, rural Zambia: a qualitative study. BMC Pregnancy and Childbirth, 2015, 15, 149. | 0.9 | 33 |
| 47 | Reduction in Malaria Incidence following Indoor Residual Spraying with Actellic 300 CS in a Setting with Pyrethroid Resistance: Mutasa District, Zimbabwe. PLoS ONE, 2016, 11, e0151971. | 1.1 | 32 |
| 48 | Verbal Autopsy Methods to Ascertain Birth Asphyxia Deaths in a Community-based Setting in Southern Nepal. Pediatrics, 2008, 121, e1372-e1380. | 1.0 | 31 |
| 49 | Responding to AIDS, Tuberculosis, Malaria, and Emerging Infectious Diseases in Burma: Dilemmas of Policy and Practice. PLoS Medicine, 2006, 3, e393. | 3.9 | 30 |
| 50 | Impact of Timing of Influenza Vaccination in Pregnancy on Transplacental Antibody Transfer, Influenza Incidence, and Birth Outcomes: A Randomized Trial in Rural Nepal. Clinical Infectious Diseases, 2018, 67, 334-340. | 2.9 | 30 |
| 51 | Effect on Postpartum Hemorrhage of Prophylactic Oxytocin (10 IU) by Injection by Community Health Officers in Ghana: A Community-Based, Cluster-Randomized Trial. PLoS Medicine, 2013, 10, e1001524. | 3.9 | 28 |
| 52 | Crossâ€border malaria control for internally displaced persons: observational results from a pilot programme in eastern Burma/Myanmar. Tropical Medicine and International Health, 2009, 14, 512-521. | 1.0 | 27 |
| 53 | A Randomized Controlled Trial of the Impact of Chlorhexidine Skin Cleansing on Bacterial Colonization of Hospital-Born Infants in Nepal. Pediatric Infectious Disease Journal, 2008, 27, 505-511. | 1.1 | 26 |
| 54 | Impact of 4.0% chlorhexidine cleansing of the umbilical cord on mortality and omphalitis among newborns of Sylhet, Bangladesh: design of a community-based cluster randomized trial. BMC Pediatrics, 2009, 9, 67. | 0.7 | 26 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Impact of 4.0% Chlorhexidine Cord Cleansing on the Bacteriologic Profile of the Newborn Umbilical Stump in Rural Sylhet District, Bangladesh. Pediatric Infectious Disease Journal, 2012, 31, 444-450. | 1.1 | 26 |
| 56 | Evaluation of a mHealth Data Quality Intervention to Improve Documentation of Pregnancy Outcomes by Health Surveillance Assistants in Malawi: A Cluster Randomized Trial. PLoS ONE, 2016, 11, e0145238. | 1.1 | 26 |
| 57 | Impact of Improved Biomass and Liquid Petroleum Gas Stoves on Birth Outcomes in Rural Nepal: Results of 2 Randomized Trials. Global Health, Science and Practice, 2020, 8, 372-382. | 0.6 | 26 |
| 58 | Incidence and Risk Factors for Newborn Umbilical Cord Infections on Pemba Island, Zanzibar, Tanzania. Pediatric Infectious Disease Journal, 2009, 28, 503-509. | 1.1 | 24 |
| 59 | Sex differences in neonatal mortality in Sarlahi, Nepal: the role of biology and environment. Journal of Epidemiology and Community Health, 2013, 67, 986-991. | 2.0 | 24 |
| 60 | Chlorhexidine Cleansing of the Umbilical Cord and Separation Time: A Cluster-Randomized Trial. Pediatrics, 2013, 131, 708-715. | 1.0 | 24 |
| 61 | Screening and treatment of maternal genitourinary tract infections in early pregnancy to prevent preterm birth in rural Sylhet, Bangladesh: a cluster randomized trial. BMC Pregnancy and Childbirth, 2015, 15, 326. | 0.9 | 24 |
| 62 | Oral health knowledge, behavior, and care seeking among pregnant and recently-delivered women in rural Nepal: a qualitative study. BMC Oral Health, 2018, 18, 97. | 0.8 | 24 |
| 63 | Communityâ€based stillbirth rates and risk factors in rural Sarlahi, Nepal. International Journal of Gynecology and Obstetrics, 2011, 113, 199-204. | 1.0 | 23 |
| 64 | Direct observation of uterotonic drug use at public health facility-based deliveries in four districts in India. International Journal of Gynecology and Obstetrics, 2014, 127, 25-30. | 1.0 | 23 |
| 65 | Maternal short stature and under-weight status are independent risk factors for preterm birth and small for gestational age in rural Bangladesh. European Journal of Clinical Nutrition, 2019, 73, 733-742. | 1.3 | 23 |
| 66 | Effect of population-based antenatal screening and treatment of genitourinary tract infections on birth outcomes in Sylhet, Bangladesh (MIST): a cluster-randomised clinical trial. The Lancet Global Health, 2019, 7, e148-e159. | 2.9 | 23 |
| 67 | State of newborn care in South Sudan's displacement camps: a descriptive study of facility-based deliveries. Reproductive Health, 2017, 14, 161. | 1.2 | 22 |
| 68 | Assessment of facility and health worker readiness to provide quality antenatal, intrapartum and postpartum care in rural Southern Nepal. BMC Health Services Research, 2020, 20, 16. | 0.9 | 22 |
| 69 | Projected resurgence of COVID-19 in the United States in July—December 2021 resulting from the increased transmissibility of the Delta variant and faltering vaccination. ELife, 0, 11, . | 2.8 | 22 |
| 70 | Daily Supplementation with Iron Plus Folic Acid, Zinc, and Their Combination Is Not Associated with Younger Age at First Walking Unassisted in Malnourished Preschool Children from a Deficient Population in Rural Nepal. Journal of Nutrition, 2010, 140, 1317-1321. | 1.3 | 21 |
| 71 | Home Care Practices for Newborns in Rural Southern Nepal During the First 2 weeks of Life. Journal of Tropical Pediatrics, 2012, 58, 200-207. | 0.7 | 21 |
| 72 | Effect of an improved biomass stove on acute lower respiratory infections in young children in rural Nepal: a cluster-randomised, step-wedge trial. The Lancet Global Health, 2016, 4, S19. | 2.9 | 21 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | "You have to take action†changing knowledge and attitudes towards newborn care practices during crisis in South Sudan. Reproductive Health Matters, 2017, 25, 124-139. | 1.3 | 21 |
| 74 | Impact of sunflower seed oil versus mustard seed oil on skin barrier function in newborns: a community-based, cluster-randomized trial. BMC Pediatrics, 2019, 19, 512. | 0.7 | 21 |
| 75 | Health and Human Rights in Chin State, Western Burma: A Population-Based Assessment Using Multistaged Household Cluster Sampling. PLoS Medicine, 2011, 8, e1001007. | 3.9 | 20 |
| 76 | Incidence of and Risk Factors for Neonatal Respiratory Depression and Encephalopathy in Rural Sarlahi, Nepal. Pediatrics, 2011, 128, e915-e924. | 1.0 | 19 |
| 77 | Incidence and risk factors of neonatal infections in a rural Bangladeshi population: a community-based prospective study. Journal of Health, Population and Nutrition, 2018, 37, 6. | 0.7 | 19 |
| 78 | Understanding health systems to improve community and facility level newborn care among displaced populations in South Sudan: a mixed methods case study. BMC Pregnancy and Childbirth, 2018, 18, 325. | 0.9 | 19 |
| 79 | Cognitive–behavioral therapy-based intervention to treat symptoms of anxiety in pregnancy in a prenatal clinic using non-specialist providers in Pakistan: design of a randomised trial. BMJ Open, 2020, 10, e037590. | 0.8 | 19 |
| 80 | Zinc Modifies the Association between Nasopharyngeal Streptococcus pneumoniae Carriage and Risk of Acute Lower Respiratory Infection among Young Children in Rural Nepal. Journal of Nutrition, 2008, 138, 2462-2467. | 1.3 | 18 |
| 81 | Accessibility and potency of uterotonic drugs purchased by simulated clients in four districts in India. BMC Pregnancy and Childbirth, 2014, 14, 386. | 0.9 | 17 |
| 82 | Accuracy of Home-Based Ultrasonographic Diagnosis of Obstetric Risk Factors by Primary-Level Health Care Workers in Rural Nepal. Obstetrics and Gynecology, 2016, 128, 604-612. | 1.2 | 17 |
| 83 | Illness recognition, decision-making, and care-seeking for maternal and newborn complications: a qualitative study in Sarlahi District, Nepal. Journal of Health, Population and Nutrition, 2017, 36, 45. | 0.7 | 17 |
| 84 | Effect of Instrument Precision on Estimation of Low Birth Weight Prevalence. Journal of Perinatology, 2005, 25, 11-13. | 0.9 | 16 |
| 85 | Nasopharyngeal carriage of <i>S. pneumoniae</i> among young children in rural Nepal. Tropical Medicine and International Health, 2009, 14, 1025-1033. | 1.0 | 16 |
| 86 | Ancillary Care in Public Health Intervention Research in Low-Resource Settings: Researchers' Practices and Decision-Making. Journal of Empirical Research on Human Research Ethics, 2011, 6, 73-81. | 0.6 | 16 |
| 87 | Cumulative effects of heat exposure and storage conditions of Oxytocin-in-Uniject in rural Ghana: implications for scale up. Global Health, Science and Practice, 2014, 2, 285-294. | 0.6 | 16 |
| 88 | Chlorhexidine Gel Versus Aqueous for Preventive Use on Umbilical Stump. Pediatric Infectious Disease Journal, 2010, 29, 999-1003. | 1.1 | 16 |
| 89 | Clean cord care practices and neonatal mortality: evidence from rural Uttar Pradesh, India: Table 1. Journal of Epidemiology and Community Health, 2012, 66, 755-758. | 2.0 | 15 |
| 90 | Prevalence, Serotype Distribution and Mortality Risk Associated With Group B Streptococcus Colonization of Newborns in Rural Bangladesh. Pediatric Infectious Disease Journal, 2016, 35, 1309-1312. | 1.1 | 15 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Social isolation and health in widowhood: A qualitative study of Nepali widows' experiences. Health Care for Women International, 2016, 37, 1277-1288. | 0.6 | 14 |
| 92 | Community-based Health Workers Achieve High Coverage in Neonatal Intervention Trials: A Case Study from Sylhet, Bangladesh. Journal of Health, Population and Nutrition, 2010, 28, 610-8. | 0.7 | 13 |
| 93 | Levels and correlates of nutritional status of women of childbearing age in rural Bangladesh. Public Health Nutrition, 2018, 21, 3037-3047. | 1.1 | 13 |
| 94 | Validity of self-reported receipt of iron supplements during pregnancy: implications for coverage measurement. BMC Pregnancy and Childbirth, 2019, 19, 113. | 0.9 | 13 |
| 95 | Neonatal Mortality Risks Among Preterm Births in a Rural <scp>B</scp> angladeshi Cohort. Paediatric and Perinatal Epidemiology, 2014, 28, 510-520. | 0.8 | 12 |
| 96 | Prevalence of and risk factors for abnormal vaginal flora and its association with adverse pregnancy outcomes in a rural district in northâ€east Bangladesh. Acta Obstetricia Et Gynecologica Scandinavica, 2019, 98, 309-319. | 1.3 | 12 |
| 97 | Reliability of maternal recall of delivery and immediate newborn care indicators in Sarlahi, Nepal. BMC Pregnancy and Childbirth, 2021, 21, 82. | 0.9 | 12 |
| 98 | Impact of maternal vaccination timing and influenza virus circulation on birth outcomes in rural Nepal. International Journal of Gynecology and Obstetrics, 2018, 140, 65-72. | 1.0 | 10 |
| 99 | Risk of preterm birth associated with maternal gingival inflammation and oral hygiene behaviours in rural Nepal: a community-based, prospective cohort study. BMJ Open, 2020, 10, e036515. | 0.8 | 10 |
| 100 | Causes and age of neonatal death and associations with maternal and newborn care characteristics in Nepal: a verbal autopsy study. Archives of Public Health, 2022, 80, 26. | 1.0 | 10 |
| 101 | High-Resolution Plasmodium falciparum Malaria Risk Mapping in Mutasa District, Zimbabwe: Implications for Regaining Control. American Journal of Tropical Medicine and Hygiene, 2016, 95, 141-147. | 0.6 | 9 |
| 102 | An exploration of village-level uterotonic practices in Fenerive-Est, Madagascar. BMC Pregnancy and Childbirth, 2016, 16, 69. | 0.9 | 9 |
| 103 | Prevalence of symptomatic urinary incontinence and pelvic organ prolapse among women in rural Nepal. International Urogynecology Journal, 2020, 31, 1851-1858. | 0.7 | 9 |
| 104 | Health and Human Rights in Karen State, Eastern Myanmar. PLoS ONE, 2015, 10, e0133822. | 1.1 | 8 |
| 105 | Community survey on awareness and use of obstetric ultrasonography in rural Sarlahi District, Nepal. International Journal of Gynecology and Obstetrics, 2016, 134, 126-130. | 1.0 | 8 |
| 106 | Low Birthweight, Retention in HIV Care, and Adherence to ART Among Postpartum Women Living with HIV in Ghana. AIDS and Behavior, 2019, 23, 433-444. | 1.4 | 8 |
| 107 | Coverage of the WHO's four essential elements of newborn care and their association with neonatal survival in southern Nepal. BMC Pregnancy and Childbirth, 2020, 20, 540. | 0.9 | 8 |
| 108 | Nausea, vomiting and poor appetite during pregnancy and adverse birth outcomes in rural Nepal: an observational cohort study. BMC Pregnancy and Childbirth, 2020, 20, 545. | 0.9 | 8 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | Does higher early neonatal mortality in boys reverse over the neonatal period? A pooled analysis from three trials of Nepal. BMJ Open, 2022, 12, e056112. | 0.8 | 7 |
| 110 | Injections during labor and intrapartumâ€related hypoxic injury and mortality in rural southern Nepal. International Journal of Gynecology and Obstetrics, 2013, 122, 22-26. | 1.0 | 6 |
| 111 | Sex differences in morbidity and care-seeking during the neonatal period in rural southern Nepal. Journal of Health, Population and Nutrition, 2015, 33, 11. | 0.7 | 6 |
| 112 | Centralized Data Management in a Multicountry, Multisite Population-based Study. Pediatric Infectious Disease Journal, 2016, 35, S23-S28. | 1.1 | 6 |
| 113 | Risk and burden of adverse intrapartum-related outcomes associated with non-cephalic and multiple birth in rural Nepal: a prospective cohort study. BMJ Open, 2017, 7, e013099. | 0.8 | 6 |
| 114 | Impact of Chlorhexidine Cord Cleansing on Mortality, Omphalitis and Cord Separation Time Among Facility-Born Babies in Nepal and Bangladesh. Pediatric Infectious Disease Journal, 2017, 36, 1011-1013. | 1.1 | 6 |
| 115 | Predictors of neonatal mortality: development and validation of prognostic models using prospective data from rural Bangladesh. BMJ Global Health, 2020, 5, e001983. | 2.0 | 6 |
| 116 | Safety of neonatal skin cleansing in rural Nepal. Indian Pediatrics, 2006, 43, 117-24. | 0.2 | 6 |
| 117 | Pregnancy-related Mortality in Southern Nepal Between 2001 and 2006: Independent Estimates From a Prospective, Population-based Cohort and a Direct Sisterhood Survey. American Journal of Epidemiology, 2010, 172, 855-860. | 1.6 | 5 |
| 118 | Militarization, human rights violations and community responses as determinants of health in southeastern Myanmar: results of a cluster survey. Conflict and Health, 2015, 9, 32. | 1.0 | 5 |
| 119 | Universal versus conditional three-day follow up visit for children with uncomplicated fever at the community level: design of a cluster-randomized, community-based, non-inferiority trial in Tanganyika, Democratic Republic of Congo. BMC Pediatrics, 2017, 17, 36. | 0.7 | 5 |
| 120 | Ethnic and age differences in prediction of mortality by mid-upper arm circumference in children below 3 years of age in Nepal. Public Health Nutrition, 2018, 21, 2230-2237. | 1.1 | 5 |
| 121 | Effect of birthweight measurement quality improvement on low birthweight prevalence in rural Ethiopia. Population Health Metrics, 2021, 19, 35. | 1.3 | 5 |
| 122 | Stigma toward small babies and their mothers in Ghana: A study of the experiences of postpartum women living with HIV. PLoS ONE, 2020, 15, e0239310. | 1.1 | 5 |
| 123 | Development of an imputation model to recalibrate birth weights measured in the early neonatal period to time at delivery and assessment of its impact on size-for-gestational age and low birthweight prevalence estimates: a secondary analysis of a pregnancy cohort in rural Nepal. BMJ Open. 2022. 12. e060105. | 0.8 | 5 |
| 124 | Nutritional status of infants at six months of age following maternal influenza immunization: A randomized placebo-controlled trial in rural Nepal. Vaccine, 2017, 35, 6743-6750. | 1.7 | 4 |
| 125 | Adherence to and acceptability of three alcoholâ€free, antiseptic oral rinses: A communityâ€based pilot randomized controlled trial among pregnant women in rural Nepal. Community Dentistry and Oral Epidemiology, 2020, 48, 501-512. | 0.9 | 4 |
| 126 | Vaginal and neonatal skin cleansing with chlorhexidine. Lancet, The, 2009, 374, 1873-1875. | 6.3 | 3 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 127 | Postnatal care utilization and local understandings of contagion among HIV-infected and uninfected women in rural, southern Zambia. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2016, 28, 1052-1057. | 0.6 | 3 |
| 128 | Community-based cluster randomized controlled trial: empowering households to identify and provide appropriate care for low-birthweight newborns in Nepal. BMC Public Health, 2020, 20, 1274. | 1.2 | 3 |
| 129 | Feasibility of training community health workers to conduct periodontal examinations: a validation study in rural Nepal. BMC Health Services Research, 2020, 20, 412. | 0.9 | 3 |
| 130 | Birthweight and Environmental Conditions Impact Skin Barrier Adaptation in Neonates Receiving Natural Oil Massage. Biomedicine Hub, 2021, 6, 17-24. | 0.4 | 3 |
| 131 | Validity of home-based sonographic diagnosis of obstetric risk factors by auxiliary nurse midwives in rural Nepal. The Lancet Global Health, 2016, 4, S23. | 2.9 | 2 |
| 132 | Universal versus conditional day 3 follow-up for children with non-severe unclassified fever at the community level in the Democratic Republic of the Congo: A cluster-randomized, community-based non-inferiority trial. PLoS Medicine, 2018, 15, e1002552. | 3.9 | 1 |
| 133 | An analytic perspective of a mixed methods study during humanitarian crises in South Sudan: translating facility- and community-based newborn guidelines into practice. Conflict and Health, 2021, 15, 5. | 1.0 | 1 |
| 134 | Validation of MINORMIX Approach for Estimation of Low Birthweight Prevalence Using a Rural Nepal Dataset. Journal of Nutrition, 2022, 152, 872-879. | 1.3 | 1 |
| 135 | Incidence of Natal Teeth in Sarlahi District of Nepal. Journal of Nepal Health Research Council, 2019, 17, 100-102. | 0.8 | 1 |
| 136 | Perceptions, careseeking, and experiences pertaining to non-cephalic births in rural Sarlahi District, Nepal: a qualitative study. BMC Pregnancy and Childbirth, 2018, 18, 89. | 0.9 | 0 |
| 137 | Assessment of indirect protection from maternal influenza immunization among non-vaccinated household family members in a randomized controlled trial in Sarlahi, Nepal. Vaccine, 2020, 38, 6826-6831. | 1.7 | 0 |
| 138 | Physiological changes in newborn skin after natural oil massage in rural Nepal. Journal of Global Health Reports, 0, , . | 1.0 | 0 |