Luke C Mullany

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/9416502/luke-c-mullany-publications-by-year.pdf
Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

137 papers	4,744 citations	34 h-index	65 g-index
145 ext. papers	5,736 ext. citations	6.7 avg, IF	5.02 L-index

#	Paper	IF	Citations
137	Causes and age of neonatal death and associations with maternal and newborn care characteristics in Nepal: a verbal autopsy study.. *Archives of Public Health*, **2022**, 80, 26	2.6	0
136	Impact of SARS-CoV-2 vaccination of children ages 5-11 years on COVID-19 disease burden and resilience to new variants in the United States, November 2021-March 2022: a multi-model study. **2022**,		1
135	Evaluation of individual and ensemble probabilistic forecasts of COVID-19 mortality in the United States.. *Proceedings of the National Academy of Sciences of the United States of America*, **2022**, 119, e2113561119	11.5	13
134	Does higher early neonatal mortality in boys reverse over the neonatal period? A pooled analysis from three trials of Nepal.. *BMJ Open*, **2022**, 12, e056112	3	0
133	Modeling of Future COVID-19 Cases, Hospitalizations, and Deaths, by Vaccination Rates and Nonpharmaceutical Intervention Scenarios - United States, April-September 2021. *Morbidity and Mortality Weekly Report*, **2021**, 70, 719-724	31.7	50
132	Birthweight and Environmental Conditions Impact Skin Barrier Adaptation in Neonates Receiving Natural Oil Massage. *Biomedicine Hub*, **2021**, 6, 17-34	1.3	1
131	Projected resurgence of COVID-19 in the United States in July-December 2021 resulting from the increased transmissibility of the Delta variant and faltering vaccination **2021**,		3
130	Effect of birthweight measurement quality improvement on low birthweight prevalence in rural Ethiopia. *Population Health Metrics*, **2021**, 19, 35	3	1
129	An analytic perspective of a mixed methods study during humanitarian crises in South Sudan: translating facility- and community-based newborn guidelines into practice. *Conflict and Health*, **2021**, 15, 5	4	0
128	Reliability of maternal recall of delivery and immediate newborn care indicators in Sarlahi, Nepal. *BMC Pregnancy and Childbirth*, **2021**, 21, 82	3.2	4
127	Assessment of indirect protection from maternal influenza immunization among non-vaccinated household family members in a randomized controlled trial in Sarlahi, Nepal. *Vaccine*, **2020**, 38, 6826-6831	4.1	
126	Feasibility of training community health workers to conduct periodontal examinations: a validation study in rural Nepal. *BMC Health Services Research*, **2020**, 20, 412	2.9	2
125	Efficacy, duration of protection, birth outcomes, and infant growth associated with influenza vaccination in pregnancy: a pooled analysis of three randomised controlled trials. *Lancet Respiratory Medicine,the*, **2020**, 8, 597-608	35.1	15
124	Global burden of respiratory infections associated with seasonal influenza in children under 5 years in 2018: a systematic review and modelling study. *The Lancet Global Health*, **2020**, 8, e497-e510	13.6	105
123	Stigma toward small babies and their mothers in Ghana: A study of the experiences of postpartum women living with HIV. *PLoS ONE*, **2020**, 15, e0239310	3.7	1
122	Impact of Improved Biomass and Liquid Petroleum Gas Stoves on Birth Outcomes in Rural Nepal: Results of 2 Randomized Trials. *Global Health, Science and Practice*, **2020**, 8, 372-382	2.8	15
121	Assessment of facility and health worker readiness to provide quality antenatal, intrapartum and postpartum care in rural Southern Nepal. *BMC Health Services Research*, **2020**, 20, 16	2.9	8

120	Prevalence of symptomatic urinary incontinence and pelvic organ prolapse among women in rural Nepal. *International Urogynecology Journal*, **2020**, 31, 1851-1858	2	4
119	Risk of preterm birth associated with maternal gingival inflammation and oral hygiene behaviours in rural Nepal: a community-based, prospective cohort study. *BMJ Open*, **2020**, 10, e036515	3	1
118	Predictors of neonatal mortality: development and validation of prognostic models using prospective data from rural Bangladesh. *BMJ Global Health*, **2020**, 5, e001983	6.6	2
117	Coverage of the WHO four essential elements of newborn care and their association with neonatal survival in southern Nepal. *BMC Pregnancy and Childbirth*, **2020**, 20, 540	3.2	3
116	Nausea, vomiting and poor appetite during pregnancy and adverse birth outcomes in rural Nepal: an observational cohort study. *BMC Pregnancy and Childbirth*, **2020**, 20, 545	3.2	0
115	Adherence to and acceptability of three alcohol-free, antiseptic oral rinses: A community-based pilot randomized controlled trial among pregnant women in rural Nepal. *Community Dentistry and Oral Epidemiology*, **2020**, 48, 501-512	2.8	1
114	Community-based cluster randomized controlled trial: empowering households to identify and provide appropriate care for low-birthweight newborns in Nepal. *BMC Public Health*, **2020**, 20, 1274	4.1	2
113	Cognitive-behavioral therapy-based intervention to treat symptoms of anxiety in pregnancy in a prenatal clinic using non-specialist providers in Pakistan: design of a randomised trial. *BMJ Open*, **2020**, 10, e037590	3	9
112	Validity of self-reported receipt of iron supplements during pregnancy: implications for coverage measurement. *BMC Pregnancy and Childbirth*, **2019**, 19, 113	3.2	8
111	Development of a Psychological Intervention to Address Anxiety During Pregnancy in a Low-Income Country. *Frontiers in Psychiatry*, **2019**, 10, 927	5	18
110	Maternal short stature and under-weight status are independent risk factors for preterm birth and small for gestational age in rural Bangladesh. *European Journal of Clinical Nutrition*, **2019**, 73, 733-742	5.2	7
109	Low Birthweight, Retention in HIV Care, and Adherence to ART Among Postpartum Women Living with HIV in Ghana. *AIDS and Behavior*, **2019**, 23, 433-444	4.3	6
108	Urinary tract infections in pregnancy in a rural population of Bangladesh: population-based prevalence, risk factors, etiology, and antibiotic resistance. *BMC Pregnancy and Childbirth*, **2019**, 20, 1	3.2	92
107	Impact of sunflower seed oil versus mustard seed oil on skin barrier function in newborns: a community-based, cluster-randomized trial. *BMC Pediatrics*, **2019**, 19, 512	2.6	8
106	Effect of population-based antenatal screening and treatment of genitourinary tract infections on birth outcomes in Sylhet, Bangladesh (MIST): a cluster-randomised clinical trial. *The Lancet Global Health*, **2019**, 7, e148-e159	13.6	17
105	Prevalence of and risk factors for abnormal vaginal flora and its association with adverse pregnancy outcomes in a rural district in north-east Bangladesh. *Acta Obstetricia Et Gynecologica Scandinavica*, **2019**, 98, 309-319	3.8	8
104	Incidence of Natal Teeth in Sarlahi District of Nepal. *Journal of Nepal Health Research Council*, **2019**, 17, 100-102	0.9	
103	Ethnic and age differences in prediction of mortality by mid-upper arm circumference in children below 3 years of age in Nepal. *Public Health Nutrition*, **2018**, 21, 2230-2237	3.3	5

102	Impact of Timing of Influenza Vaccination in Pregnancy on Transplacental Antibody Transfer, Influenza Incidence, and Birth Outcomes: A Randomized Trial in Rural Nepal. *Clinical Infectious Diseases*, **2018**, 67, 334-340	11.6	23
101	Incidence and risk factors of neonatal infections in a rural Bangladeshi population: a community-based prospective study. *Journal of Health, Population and Nutrition*, **2018**, 37, 6	2.5	10
100	Oral health knowledge, behavior, and care seeking among pregnant and recently-delivered women in rural Nepal: a qualitative study. *BMC Oral Health*, **2018**, 18, 97	3.7	14
99	Causes and incidence of community-acquired serious infections among young children in south Asia (ANISA): an observational cohort study. *Lancet, The*, **2018**, 392, 145-159	40	94
98	Perceptions, careseeking, and experiences pertaining to non-cephalic births in rural Sarlahi District, Nepal: a qualitative study. *BMC Pregnancy and Childbirth*, **2018**, 18, 89	3.2	
97	Levels and correlates of nutritional status of women of childbearing age in rural Bangladesh. *Public Health Nutrition*, **2018**, 21, 3037-3047	3.3	10
96	Burden and Risk Factors for Coronavirus Infections in Infants in Rural Nepal. *Clinical Infectious Diseases*, **2018**, 67, 1507-1514	11.6	20
95	Impact of maternal vaccination timing and influenza virus circulation on birth outcomes in rural Nepal. *International Journal of Gynecology and Obstetrics*, **2018**, 140, 65-72	4	5
94	Understanding health systems to improve community and facility level newborn care among displaced populations in South Sudan: a mixed methods case study. *BMC Pregnancy and Childbirth*, **2018**, 18, 325	3.2	10
93	Universal versus conditional day 3 follow-up for children with non-severe unclassified fever at the community level in the Democratic Republic of the Congo: A cluster-randomized, community-based non-inferiority trial. *PLoS Medicine*, **2018**, 15, e1002552	11.6	1
92	Universal versus conditional three-day follow up visit for children with uncomplicated fever at the community level: design of a cluster-randomized, community-based, non-inferiority trial in Tanganyika, Democratic Republic of Congo. *BMC Pediatrics*, **2017**, 17, 36	2.6	3
91	Risk and burden of adverse intrapartum-related outcomes associated with non-cephalic and multiple birth in rural Nepal: a prospective cohort study. *BMJ Open*, **2017**, 7, e013099	3	5
90	Impact of Chlorhexidine Cord Cleansing on Mortality, Omphalitis and Cord Separation Time Among Facility-Born Babies in Nepal and Bangladesh. *Pediatric Infectious Disease Journal*, **2017**, 36, 1011-1013	3.4	3
89	Year-round influenza immunisation during pregnancy in Nepal: a phase 4, randomised, placebo-controlled trial. *Lancet Infectious Diseases, The*, **2017**, 17, 981-989	25.5	141
88	State of newborn care in South Sudan's displacement camps: a descriptive study of facility-based deliveries. *Reproductive Health*, **2017**, 14, 161	3.5	14
87	Illness recognition, decision-making, and care-seeking for maternal and newborn complications: a qualitative study in Sarlahi District, Nepal. *Journal of Health, Population and Nutrition*, **2017**, 36, 45	2.5	13
86	Nutritional status of infants at six months of age following maternal influenza immunization: A randomized placebo-controlled trial in rural Nepal. *Vaccine*, **2017**, 35, 6743-6750	4.1	4
85	"You have to take action": changing knowledge and attitudes towards newborn care practices during crisis in South Sudan. *Reproductive Health Matters*, **2017**, 25, 124-139		13

84	Estimates of burden and consequences of infants born small for gestational age in low and middle income countries with INTERGROWTH-21 standard: analysis of CHERG datasets. *BMJ, The*, **2017**, 358, j3677	5.9	145
83	Validity of Newborn Clinical Assessment to Determine Gestational Age in Bangladesh. *Pediatrics*, **2016**, 138,	7.4	30
82	Validity of home-based sonographic diagnosis of obstetric risk factors by auxiliary nurse midwives in rural Nepal. *The Lancet Global Health*, **2016**, 4, S23	13.6	2
81	Effect of an improved biomass stove on acute lower respiratory infections in young children in rural Nepal: a cluster-randomised, step-wedge trial. *The Lancet Global Health*, **2016**, 4, S19	13.6	18
80	Community survey on awareness and use of obstetric ultrasonography in rural Sarlahi District, Nepal. *International Journal of Gynecology and Obstetrics*, **2016**, 134, 126-30	4	4
79	An exploration of village-level uterotonic practices in Fenerive-Est, Madagascar. *BMC Pregnancy and Childbirth*, **2016**, 16, 69	3.2	5
78	Social isolation and health in widowhood: A qualitative study of Nepali widowsQexperiences. *Health Care for Women International*, **2016**, 37, 1277-1288	1.5	9
77	Reduction in Malaria Incidence following Indoor Residual Spraying with Actellic 300 CS in a Setting with Pyrethroid Resistance: Mutasa District, Zimbabwe. *PLoS ONE*, **2016**, 11, e0151971	3.7	23
76	Evaluation of a mHealth Data Quality Intervention to Improve Documentation of Pregnancy Outcomes by Health Surveillance Assistants in Malawi: A Cluster Randomized Trial. *PLoS ONE*, **2016**, 11, e0145238	3.7	20
75	Postnatal care utilization and local understandings of contagion among HIV-infected and uninfected women in rural, southern Zambia. *AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV*, **2016**, 28, 1052-7	2.2	2
74	Centralized Data Management in a Multicountry, Multisite Population-based Study. *Pediatric Infectious Disease Journal*, **2016**, 35, S23-8	3.4	6
73	Prevalence, Serotype Distribution and Mortality Risk Associated With Group B Streptococcus Colonization of Newborns in Rural Bangladesh. *Pediatric Infectious Disease Journal*, **2016**, 35, 1309-1312	3.4	13
72	Accuracy of Home-Based Ultrasonographic Diagnosis of Obstetric Risk Factors by Primary-Level Health Care Workers in Rural Nepal. *Obstetrics and Gynecology*, **2016**, 128, 604-612	4.9	14
71	High-Resolution Plasmodium falciparum Malaria Risk Mapping in Mutasa District, Zimbabwe: Implications for Regaining Control. *American Journal of Tropical Medicine and Hygiene*, **2016**, 95, 141-7	3.2	7
70	Safety and efficacy of alternative antibiotic regimens compared with 7 day injectable procaine benzylpenicillin and gentamicin for outpatient treatment of neonates and young infants with clinical signs of severe infection when referral is not possible: a randomised, open-label, equivalence trial. *The Lancet Global Health*, **2015**, 3, e279-87	13.6	62
69	Comparison of US Birth Weight References and the International Fetal and Newborn Growth Consortium for the 21st Century Standard. *JAMA Pediatrics*, **2015**, 169, e151438	8.3	33
68	Nutrition and maternal, neonatal, and child health. *Seminars in Perinatology*, **2015**, 39, 361-72	3.3	100
67	Skin, thermal and umbilical cord care practices for neonates in southern, rural Zambia: a qualitative study. *BMC Pregnancy and Childbirth*, **2015**, 15, 149	3.2	21

66	Militarization, human rights violations and community responses as determinants of health in southeastern Myanmar: results of a cluster survey. *Conflict and Health*, **2015**, 9, 32	4	2
65	Sex differences in morbidity and care-seeking during the neonatal period in rural southern Nepal. *Journal of Health, Population and Nutrition*, **2015**, 33, 11	2.5	4
64	Health and Human Rights in Karen State, Eastern Myanmar. *PLoS ONE*, **2015**, 10, e0133822	3.7	6
63	Screening and treatment of maternal genitourinary tract infections in early pregnancy to prevent preterm birth in rural Sylhet, Bangladesh: a cluster randomized trial. *BMC Pregnancy and Childbirth*, **2015**, 15, 326	3.2	17
62	Prevalence of small-for-gestational-age and its mortality risk varies by choice of birth-weight-for-gestation reference population. *PLoS ONE*, **2014**, 9, e92074	3.7	47
61	Direct observation of uterotonic drug use at public health facility-based deliveries in four districts in India. *International Journal of Gynecology and Obstetrics*, **2014**, 127, 25-30	4	18
60	Risk for family rejection and associated mental health outcomes among conflict-affected adult women living in rural eastern Democratic Republic of the Congo. *Health Care for Women International*, **2014**, 35, 789-807	1.5	27
59	Accessibility and potency of uterotonic drugs purchased by simulated clients in four districts in India. *BMC Pregnancy and Childbirth*, **2014**, 14, 386	3.2	14
58	Cumulative effects of heat exposure and storage conditions of Oxytocin-in-Uniject in rural Ghana: implications for scale up. *Global Health, Science and Practice*, **2014**, 2, 285-94	2.8	14
57	Neonatal mortality risks among preterm births in a rural Bangladeshi cohort. *Paediatric and Perinatal Epidemiology*, **2014**, 28, 510-20	2.7	10
56	National and regional estimates of term and preterm babies born small for gestational age in 138 low-income and middle-income countries in 2010. *The Lancet Global Health*, **2013**, 1, e26-36	13.6	404
55	Injections during labor and intrapartum-related hypoxic injury and mortality in rural southern Nepal. *International Journal of Gynecology and Obstetrics*, **2013**, 122, 22-6	4	5
54	The effect of umbilical cord cleansing with chlorhexidine on omphalitis and neonatal mortality in community settings in developing countries: a meta-analysis. *BMC Public Health*, **2013**, 13 Suppl 3, S15	4.1	57
53	Mortality risk in preterm and small-for-gestational-age infants in low-income and middle-income countries: a pooled country analysis. *Lancet, The*, **2013**, 382, 417-425	40	452
52	Effect on postpartum hemorrhage of prophylactic oxytocin (10 IU) by injection by community health officers in Ghana: a community-based, cluster-randomized trial. *PLoS Medicine*, **2013**, 10, e1001524	11.6	24
51	Sex differences in neonatal mortality in Sarlahi, Nepal: the role of biology and environment. *Journal of Epidemiology and Community Health*, **2013**, 67, 986-91	5.1	21
50	Chlorhexidine cleansing of the umbilical cord and separation time: a cluster-randomized trial. *Pediatrics*, **2013**, 131, 708-15	7.4	17
49	Incidence of and risk factors for neonatal jaundice among newborns in southern Nepal. *Tropical Medicine and International Health*, **2013**, 18, 1317-28	2.3	33

48	The effect of cord cleansing with chlorhexidine on neonatal mortality in rural Bangladesh: a community-based, cluster-randomised trial. *Lancet, The*, **2012**, 379, 1022-8	40	133
47	Clean cord care practices and neonatal mortality: evidence from rural Uttar Pradesh, India. *Journal of Epidemiology and Community Health*, **2012**, 66, 755-8	5.1	11
46	Retraction: Pregnancy-related mortality in southern Nepal between 2001 and 2006: independent estimates from a prospective, population-based cohort and a direct sisterhood survey. *American Journal of Epidemiology*, **2012**, 175, 478	3.8	
45	Home care practices for newborns in rural southern Nepal during the first 2 weeks of life. *Journal of Tropical Pediatrics*, **2012**, 58, 200-7	1.2	15
44	Impact of 4.0% chlorhexidine cord cleansing on the bacteriologic profile of the newborn umbilical stump in rural Sylhet District, Bangladesh: a community-based, cluster-randomized trial. *Pediatric Infectious Disease Journal*, **2012**, 31, 444-50	3.4	23
43	Community-based stillbirth rates and risk factors in rural Sarlahi, Nepal. *International Journal of Gynecology and Obstetrics*, **2011**, 113, 199-204	4	16
42	Incidence of and risk factors for neonatal respiratory depression and encephalopathy in rural Sarlahi, Nepal. *Pediatrics*, **2011**, 128, e915-24	7.4	15
41	Ancillary care in public health intervention research in low-resource settings: researchersQpractices and decision-making. *Journal of Empirical Research on Human Research Ethics*, **2011**, 6, 73-81	1.6	10
40	Health and human rights in Chin State, Western Burma: a population-based assessment using multistaged household cluster sampling. *PLoS Medicine*, **2011**, 8, e1001007	11.6	18
39	Community-based health workers achieve high coverage in neonatal intervention trials: a case study from Sylhet, Bangladesh. *Journal of Health, Population and Nutrition*, **2010**, 28, 610-8	2.5	9
38	Daily supplementation with iron plus folic acid, zinc, and their combination is not associated with younger age at first walking unassisted in malnourished preschool children from a deficient population in rural Nepal. *Journal of Nutrition*, **2010**, 140, 1317-21	4.1	17
37	Pregnancy-related mortality in southern Nepal between 2001 and 2006: independent estimates from a prospective, population-based cohort and a direct sisterhood survey. *American Journal of Epidemiology*, **2010**, 172, 855-60	3.8	4
36	Impact of community-based maternal health workers on coverage of essential maternal health interventions among internally displaced communities in eastern Burma: the MOM project. *PLoS Medicine*, **2010**, 7, e1000317	11.6	62
35	Neonatal hypothermia in low-resource settings. *Seminars in Perinatology*, **2010**, 34, 426-33	3.3	60
34	Risk of mortality associated with neonatal hypothermia in southern Nepal. *JAMA Pediatrics*, **2010**, 164, 650-6		82
33	Incidence and seasonality of hypothermia among newborns in southern Nepal. *JAMA Pediatrics*, **2010**, 164, 71-7		31
32	Neonatal hypothermia and associated risk factors among newborns of southern Nepal. *BMC Medicine*, **2010**, 8, 43	11.4	46
31	Chlorhexidine gel versus aqueous for preventive use on umbilical stump: a randomized noninferiority trial. *Pediatric Infectious Disease Journal*, **2010**, 29, 999-1003	3.4	11

30	Potential role of traditional birth attendants in neonatal healthcare in rural southern Nepal. *Journal of Health, Population and Nutrition*, **2009**, 27, 53-61	2.5	41
29	Impact of 4.0% chlorhexidine cleansing of the umbilical cord on mortality and omphalitis among newborns of Sylhet, Bangladesh: design of a community-based cluster randomized trial. *BMC Pediatrics*, **2009**, 9, 67	2.6	25
28	Cross-border malaria control for internally displaced persons: observational results from a pilot programme in eastern Burma/Myanmar. *Tropical Medicine and International Health*, **2009**, 14, 512-21	2.3	23
27	Nasopharyngeal carriage of S. pneumoniae among young children in rural Nepal. *Tropical Medicine and International Health*, **2009**, 14, 1025-33	2.3	14
26	Vaginal and neonatal skin cleansing with chlorhexidine. *Lancet, The*, **2009**, 374, 1873-5	40	3
25	Risk of mortality subsequent to umbilical cord infection among newborns of southern Nepal: cord infection and mortality. *Pediatric Infectious Disease Journal*, **2009**, 28, 17-20	3.4	32
24	Incidence and risk factors for newborn umbilical cord infections on Pemba Island, Zanzibar, Tanzania. *Pediatric Infectious Disease Journal*, **2009**, 28, 503-9	3.4	20
23	The MOM Project: delivering maternal health services among internally displaced populations in eastern Burma. *Reproductive Health Matters*, **2008**, 16, 44-56		37
22	Risk factors for neonatal mortality due to birth asphyxia in southern Nepal: a prospective, community-based cohort study. *Pediatrics*, **2008**, 121, e1381-90	7.4	70
21	Verbal autopsy methods to ascertain birth asphyxia deaths in a community-based setting in southern Nepal. *Pediatrics*, **2008**, 121, e1372-80	7.4	27
20	Zinc modifies the association between nasopharyngeal Streptococcus pneumoniae carriage and risk of acute lower respiratory infection among young children in rural Nepal. *Journal of Nutrition*, **2008**, 138, 2462-7	4.1	17
19	Breast-feeding patterns, time to initiation, and mortality risk among newborns in southern Nepal. *Journal of Nutrition*, **2008**, 138, 599-603	4.1	169
18	A randomized controlled trial of the impact of chlorhexidine skin cleansing on bacterial colonization of hospital-born infants in Nepal. *Pediatric Infectious Disease Journal*, **2008**, 27, 505-11	3.4	22
17	Access to essential maternal health interventions and human rights violations among vulnerable communities in eastern Burma. *PLoS Medicine*, **2008**, 5, 1689-98	11.6	49
16	Risk factors for umbilical cord infection among newborns of southern Nepal. *American Journal of Epidemiology*, **2007**, 165, 203-11	3.8	74
15	Population-based survey methods to quantify associations between human rights violations and health outcomes among internally displaced persons in eastern Burma. *Journal of Epidemiology and Community Health*, **2007**, 61, 908-14	5.1	55
14	Impact of newborn skin-cleansing with chlorhexidine on neonatal mortality in southern Nepal: a community-based, cluster-randomized trial. *Pediatrics*, **2007**, 119, e330-40	7.4	101
13	Safety and effect of chlorhexidine skin cleansing on skin flora of neonates in Bangladesh. *Pediatric Infectious Disease Journal*, **2007**, 26, 492-5	3.4	29

12	The use of chlorhexidine to reduce maternal and neonatal mortality and morbidity in low-resource settings. *International Journal of Gynecology and Obstetrics*, **2007**, 97, 89-94	4	46
11	Effect of daily zinc supplementation on child mortality in southern Nepal: a community-based, cluster randomised, placebo-controlled trial. *Lancet, The*, **2007**, 370, 1230-9	40	104
10	Responding to AIDS, tuberculosis, malaria, and emerging infectious diseases in Burma: dilemmas of policy and practice. *PLoS Medicine*, **2006**, 3, e393	11.6	28
9	Impact of umbilical cord cleansing with 4.0% chlorhexidine on time to cord separation among newborns in southern Nepal: a cluster-randomized, community-based trial. *Pediatrics*, **2006**, 118, 1864-71	7.4	45
8	Effect of routine prophylactic supplementation with iron and folic acid on preschool child mortality in southern Nepal: community-based, cluster-randomised, placebo-controlled trial. *Lancet, The*, **2006**, 367, 144-52	40	157
7	Topical applications of chlorhexidine to the umbilical cord for prevention of omphalitis and neonatal mortality in southern Nepal: a community-based, cluster-randomised trial. *Lancet, The*, **2006**, 367, 910-8	40	215
6	Safety and impact of chlorhexidine antisepsis interventions for improving neonatal health in developing countries. *Pediatric Infectious Disease Journal*, **2006**, 25, 665-75	3.4	77
5	Mortality rates in conflict zones in Karen, Karenni, and Mon states in eastern Burma. *Tropical Medicine and International Health*, **2006**, 11, 1119-27	2.3	59
4	Safety of neonatal skin cleansing in rural Nepal. *Indian Pediatrics*, **2006**, 43, 117-24	1.2	6
3	Effect of instrument precision on estimation of low birth weight prevalence. *Journal of Perinatology* , **2005**, 25, 11-3	3.1	15
2	Traditional massage of newborns in Nepal: implications for trials of improved practice. *Journal of Tropical Pediatrics*, **2005**, 51, 82-6	1.2	69
1	Role of antimicrobial applications to the umbilical cord in neonates to prevent bacterial colonization and infection: a review of the evidence. *Pediatric Infectious Disease Journal*, **2003**, 22, 996-1002	3.4	72