

Kousuke Watanabe

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9417158/publications.pdf>

Version: 2024-02-01

26
papers

523
citations

623734
14
h-index

642732
23
g-index

26
all docs

26
docs citations

26
times ranked

991
citing authors

#	ARTICLE	IF	CITATIONS
1	Genome structure-based screening identified epigenetically silenced microRNA associated with invasiveness in non-small cell lung cancer. <i>International Journal of Cancer</i> , 2012, 130, 2580-2590.	5.1	83
2	Identification of <i>GOS2</i> as a gene frequently methylated in squamous lung cancer by combination of <i>in silico</i> and experimental approaches. <i>International Journal of Cancer</i> , 2010, 126, 1895-1902.	5.1	48
3	Histone methylation-mediated silencing of miR-139 enhances invasion of non-small cell lung cancer. <i>Cancer Medicine</i> , 2015, 4, 1573-1582.	2.8	41
4	Alternative polyadenylation is associated with lower expression of <i>PABPN1</i> and poor prognosis in non-small cell lung cancer. <i>Cancer Science</i> , 2014, 105, 1135-1141.	3.9	36
5	CpG island methylation of microRNAs is associated with tumor size and recurrence of non-small cell lung cancer. <i>Cancer Science</i> , 2011, 102, 2126-2131.	3.9	33
6	Altered editing level of microRNAs is a potential biomarker in lung adenocarcinoma. <i>Cancer Science</i> , 2018, 109, 3326-3335.	3.9	32
7	Impact of DNA demethylation of the <i>GOS2</i> gene on the transcription of <i>GOS2</i> in squamous lung cancer cell lines with or without nuclear receptor agonists. <i>Biochemical and Biophysical Research Communications</i> , 2009, 390, 1283-1287.	2.1	31
8	Mean platelet volume and lymphocyte-to-monocyte ratio are associated with shorter progression-free survival in EGFR-mutant lung adenocarcinoma treated by EGFR tyrosine kinase inhibitor. <i>PLoS ONE</i> , 2018, 13, e0203625.	2.5	30
9	Integrin $\alpha 11$ in non-small cell lung cancer is associated with tumor progression and postoperative recurrence. <i>Cancer Science</i> , 2020, 111, 200-208.	3.9	24
10	Glutamate-cysteine ligase catalytic subunit is associated with cisplatin resistance in lung adenocarcinoma. <i>Japanese Journal of Clinical Oncology</i> , 2018, 48, 303-307.	1.3	21
11	Oncogenic TPM3-ALK activation requires dimerization through the coiled-coil structure of TPM3. <i>Biochemical and Biophysical Research Communications</i> , 2015, 457, 457-460.	2.1	20
12	Disruption of the expression and function of microRNAs in lung cancer as a result of epigenetic changes. <i>Frontiers in Genetics</i> , 2013, 4, 275.	2.3	17
13	Development of mild drug-induced sclerosing cholangitis after discontinuation of nivolumab. <i>European Journal of Cancer</i> , 2019, 107, 93-96.	2.8	17
14	FER overexpression is associated with poor postoperative prognosis and cancer-cell survival in non-small cell lung cancer. <i>International Journal of Clinical and Experimental Pathology</i> , 2013, 6, 598-612.	0.5	16
15	Rapid temporal improvement of pembrolizumab-induced pneumonitis using the anti-TNF- α antibody infliximab. <i>Drug Discoveries and Therapeutics</i> , 2019, 13, 164-167.	1.5	14
16	Detection of novel paraja ring finger 2-fer tyrosine kinase <i>mRNA</i> chimeras is associated with poor postoperative prognosis in non-small cell lung cancer. <i>Cancer Science</i> , 2013, 104, 1447-1454.	3.9	12
17	Treatment of PCR products with exonuclease I and heat-labile alkaline phosphatase improves the visibility of combined bisulfite restriction analysis. <i>Biochemical and Biophysical Research Communications</i> , 2010, 399, 422-424.	2.1	9
18	Immune checkpoint inhibitor combination therapies very frequently induce secondary adrenal insufficiency. <i>Scientific Reports</i> , 2021, 11, 11617.	3.3	9

#	ARTICLE	IF	CITATIONS
19	NRXN1 as a novel potential target of antibody-drug conjugates for small cell lung cancer. <i>Oncotarget</i> , 2020, 11, 3590-3600.	1.8	8
20	High expression of IRE1 in lung adenocarcinoma is associated with a lower rate of recurrence. <i>Japanese Journal of Clinical Oncology</i> , 2017, 47, 543-550.	1.3	7
21	Identification of a metastatic lung adenocarcinoma of the palate mucosa through genetic and histopathological analysis: a rare case report and literature review. <i>BMC Cancer</i> , 2019, 19, 52.	2.6	5
22	Polymerase reaction without primers throughout for the reconstruction of full-length cDNA from products of rapid amplification of cDNA ends (RACE). <i>Biotechnology Letters</i> , 2011, 33, 1301-1307.	2.2	4
23	Spontaneous Transdifferentiation from Small Cell Lung Carcinoma to Squamous Cell Carcinoma. <i>Journal of Thoracic Oncology</i> , 2019, 14, e31-e34.	1.1	3
24	Dual EGFR and ABL Tyrosine Kinase Inhibitor Treatment in a Patient with Concomitant EGFR-Mutated Lung Adenocarcinoma and BCR-ABL1-Positive CML. <i>Case Reports in Oncological Medicine</i> , 2020, 2020, 1-6.	0.3	2
25	The chimeric transcript RUNX1-GLRX5: a biomarker for good postoperative prognosis in Stage IA non-small-cell lung cancer. <i>Japanese Journal of Clinical Oncology</i> , 2015, 46, 187.	1.3	1
26	Pulmonary Venous Invasion, Determined by Chest Computed Tomographic Scan, as a Potential Early Indicator of Zygomycosis Infection. <i>Journal of Thoracic Imaging</i> , 2012, 27, W97-W99.	1.5	0