Simon Overland

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/941727/publications.pdf

Version: 2024-02-01

125 papers 26,356 citations

50170 46 h-index 17546 121 g-index

127 all docs

127 docs citations

times ranked

127

40150 citing authors

#	Article	IF	Citations
1	Trends in Disability-Free Life Expectancy (DFLE) from 1995 to 2017 in the older Norwegian population by sex and education: The HUNT Study. Scandinavian Journal of Public Health, 2022, 50, 542-551.	1.2	8
2	Associations between workplace bullying and later benefit recipiency among workers with common mental disorders. International Archives of Occupational and Environmental Health, 2022, 95, 791-798.	1.1	2
3	The gendered relationship between illicit substance use and self-harm in university students. Social Psychiatry and Psychiatric Epidemiology, 2022, 57, 709-720.	1.6	2
4	Intraindividual variability in sleep among people with insomnia and its relationship with sleep, health and lifestyle factors: an exploratory study. Sleep Medicine, 2022, 89, 132-140.	0.8	6
5	Predictors of employment in people with moderate to severe mental illness participating in a randomized controlled trial of Individual Placement and Support (IPS). International Journal of Social Psychiatry, 2021, 67, 150-157.	1.6	9
6	Alcoholâ€attributed disease burden in four Nordic countries between 2000 and 2017: Are the gender gaps narrowing? A comparison using the Global Burden of Disease, Injury and Risk Factor 2017 study. Drug and Alcohol Review, 2021, 40, 431-442.	1.1	4
7	Pain in Multiple Sites and Clusters of Cause-Specific Work Disability Development among Midlife Municipal Employees. International Journal of Environmental Research and Public Health, 2021, 18, 3375.	1.2	1
8	Prevalence of mental disorders, suicidal ideation and suicides in the general population before and during the COVID-19 pandemic in Norway: A population-based repeated cross-sectional analysis. Lancet Regional Health - Europe, The, 2021, 4, 100071.	3.0	70
9	Parental income and mental disorders in children and adolescents: prospective register-based study. International Journal of Epidemiology, 2021, 50, 1615-1627.	0.9	33
10	Parental income gradients in adult health: a national cohort study. BMC Medicine, 2021, 19, 152.	2.3	7
11	Lockdown and non-COVID-19 deaths: cause-specific mortality during the first wave of the 2020 pandemic in Norway: a population-based register study. BMJ Open, 2021, 11, e050525.	0.8	14
12	Seasonality and symptoms of depression: A systematic review of the literature. Epidemiology and Psychiatric Sciences, 2020, 29, e31.	1.8	49
13	Heart failure in Norway, 2000–2014: analysing incident, total and readmission rates using data from the Cardiovascular Disease in Norway (CVDNOR) Project. European Journal of Heart Failure, 2020, 22, 241-248.	2.9	19
14	Socioeconomic Gradients in Mortality Following HF Hospitalization in a Country With Universal Health Care Coverage. JACC: Heart Failure, 2020, 8, 917-927.	1.9	5
15	Healthcare professionals' perspectives on mental health service provision: a pilot focus group study in six European countries. International Journal of Mental Health Systems, 2020, 14, 16.	1.1	16
16	Lived experiences: a focus group pilot study within the MentALLY project of mental healthcare among European users. BMC Health Services Research, 2020, 20, 605.	0.9	5
17	A Critical Perspective on Mental Health News in Six European Countries: How Are "Mental Health/Illness―and "Mental Health Literacy―Rhetorically Constructed?. Qualitative Health Research, 2020, 30, 1362-1378.	1.0	15
18	Inequity in disability pension: an intersectional analysis of the co-constitution of gender, education and age. The Hordaland Health Study. Critical Public Health, 2019, 29, 302-313.	1.4	5

#	Article	IF	CITATIONS
19	Mortality following first-time hospitalization with acute myocardial infarction in Norway, 2001–2014: Time trends, underlying causes and place of death. International Journal of Cardiology, 2019, 294, 6-12.	0.8	13
20	Associations between adverse childhood experiences and adversities later in life. Survey data from a high-risk Norwegian sample. Child Abuse and Neglect, 2019, 98, 104234.	1.3	10
21	Association of Household Income With Life Expectancy and Cause-Specific Mortality in Norway, 2005-2015. JAMA - Journal of the American Medical Association, 2019, 321, 1916.	3.8	117
22	Determinants of long-term unemployment in early adulthood: A Finnish birth cohort study. SSM - Population Health, 2019, 8, 100410.	1.3	11
23	Life expectancy and disease burden in the Nordic countries: results from the Global Burden of Diseases, Injuries, and Risk Factors Study 2017. Lancet Public Health, The, 2019, 4, e658-e669.	4.7	56
24	Adjunctive Internet-delivered cognitive behavioural therapy for insomnia in men with depression: A randomised controlled trial. Australian and New Zealand Journal of Psychiatry, 2019, 53, 350-360.	1.3	28
25	A randomized controlled multicenter trial of individual placement and support for patients with moderate-to-severe mental illness. Scandinavian Journal of Work, Environment and Health, 2019, 45, 33-41.	1.7	51
26	Which Aspects of Positive Affect Are Related to Mortality? Results From a General Population Longitudinal Study. Annals of Behavioral Medicine, 2018, 52, 571-581.	1.7	25
27	Association of sleep duration and sleep quality with the physical, social, and emotional functioning among Australian adults. Sleep Health, 2018, 4, 194-200.	1.3	74
28	Response to Arteaga et al. Psychoneuroendocrinology, 2018, 89, 257.	1.3	0
29	The gender gap in accrued pension rights – an indicator of women's accumulated disadvantage over the course of working life. The Hordaland Health Study (HUSK). Scandinavian Journal of Public Health, 2018, 46, 417-424.	1.2	4
30	Exercise and the Prevention of Depression: Results of the HUNT Cohort Study. American Journal of Psychiatry, 2018, 175, 28-36.	4.0	285
31	Global, regional, and national age-sex-specific mortality and life expectancy, 1950–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1684-1735.	6.3	716
32	Global, regional, and national age-sex-specific mortality for 282 causes of death in 195 countries and territories, 1980–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1736-1788.	6.3	4,989
33	Global, regional, and national comparative risk assessment of 84 behavioural, environmental and occupational, and metabolic risks or clusters of risks for 195 countries and territories, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1923-1994.	6.3	3,269
34	Global, regional, and national incidence, prevalence, and years lived with disability for 354 diseases and injuries for 195 countries and territories, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1789-1858.	6.3	8,569
35	Global, regional, and national disability-adjusted life-years (DALYs) for 359 diseases and injuries and healthy life expectancy (HALE) for 195 countries and territories, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1859-1922.	6.3	2,123
36	Population attributable fractions for Type 2 diabetes: an examination of multiple risk factors including symptoms of depression and anxiety. Diabetology and Metabolic Syndrome, 2018, 10, 84.	1.2	9

3

#	Article	IF	CITATIONS
37	A Longitudinal Study of Road Traffic Noise and Body Mass Index Trajectories from Birth to 8 Years. Epidemiology, 2018, 29, 729-738.	1.2	18
38	Long-term effects on income and sickness benefits after work-focused cognitive-behavioural therapy and individual job support: a pragmatic, multicentre, randomised controlled trial. Occupational and Environmental Medicine, 2018, 75, 703-708.	1.3	18
39	Internet- and Mobile-Based Psychological Interventions: Applications, Efficacy, and Potential for Improving Mental Health. European Psychologist, 2018, 23, 167-187.	1.8	289
40	Sykdomsbyrden i Norge i 2016. Tidsskrift for Den Norske Laegeforening, 2018, 138, .	0.2	14
41	Type 2 Diabetes and Comorbid Symptoms of Depression and Anxiety: Longitudinal Associations With Mortality Risk. Diabetes Care, 2017, 40, 352-358.	4.3	102
42	The factor structure of the Hopkins Symptoms Checklist (HSCL-25) in a student population: A cautionary tale. Scandinavian Journal of Public Health, 2017, 45, 357-365.	1.2	34
43	Social and emotional loneliness and selfâ€reported difficulty initiating and maintaining sleep (<scp>DIMS</scp>) in a sample of Norwegian university students. Scandinavian Journal of Psychology, 2017, 58, 91-99.	0.8	30
44	Sleep difficulties and academic performance in Norwegian higher education students. British Journal of Educational Psychology, 2017, 87, 722-737.	1.6	16
45	Symptoms of anxiety and depression in type 2 diabetes: Associations with clinical diabetes measures and self-management outcomes in the Norwegian HUNT study. Psychoneuroendocrinology, 2017, 84, 116-123.	1.3	35
46	Road traffic noise and children's inattention. Environmental Health, 2017, 16, 127.	1.7	26
47	Facing unemployment: study protocol for the implementation and evaluation of a community-based intervention for psychological well-being promotion. BMC Psychiatry, 2017, 17, 261.	1.1	5
48	Nocturnal Road Traffic Noise Exposure and Children's Sleep Duration and Sleep Problems. International Journal of Environmental Research and Public Health, 2017, 14, 491.	1.2	33
49	Russefeiring og eksamenstid – bruk av fastlege og legevakt. Tidsskrift for Den Norske Laegeforening, 2017, 137, 713-716.	0.2	3
50	Legesøkning og legemiddeluttak etter innføring av nye fravà ¦rsregler. Tidsskrift for Den Norske Laegeforening, 2017, 137, .	0.2	10
51	Unemployment and mental health. Occupational and Environmental Medicine, 2016, 73, oemed-2016-103831.	1.3	10
52	Trial participant representativeness compared to ordinary service users in a work rehabilitation setting. Contemporary Clinical Trials Communications, 2016, 2, 12-15.	0.5	2
53	Health-related behaviour in relation to transition into age retirement: An observational study based on HUNT3. JRSM Open, 2016, 7, 205427041663978.	0.2	2
54	Registry-based analysis of participator representativeness: a source of concern for sickness absence research?. BMJ Open, 2016, 6, e012372.	0.8	9

#	Article	IF	CITATIONS
55	Childhood maltreatment and adult mental health. Nordic Journal of Psychiatry, 2016, 70, 140-145.	0.7	21
56	Workplace bullying and sickness absence: a systematic review and meta-analysis of the research literature. Scandinavian Journal of Work, Environment and Health, 2016, 42, 359-370.	1.7	125
57	Symptoms of Depression and Difficulty Initiating Sleep from Early Adolescence to Early Adulthood: A Longitudinal Study. Sleep, 2015, 38, 1599-1606.	0.6	42
58	Trajectories and stability of selfâ€reported short sleep duration from adolescence to adulthood. Journal of Sleep Research, 2015, 24, 621-628.	1.7	37
59	Use of Sleep Medications and Mortality: The Hordaland Health Study. Drugs - Real World Outcomes, 2015, 2, 123-128.	0.7	13
60	Work-focused cognitive–behavioural therapy and individual job support to increase work participation in common mental disorders: a randomised controlled multicentre trial. Occupational and Environmental Medicine, 2015, 72, 745-752.	1.3	92
61	Exploring Work-Related Causal Attributions of Common Mental Disorders. Journal of Occupational Rehabilitation, 2015, 25, 493-505.	1.2	20
62	The impact of maternal smoking during pregnancy on depressive and anxiety behaviors in children: the Norwegian Mother and Child Cohort Study. BMC Medicine, 2015, 13, 24.	2.3	61
63	The relationship between maternal depression and smoking cessation during pregnancy—a cross-sectional study of pregnant women from 15 European countries. Archives of Women's Mental Health, 2015, 18, 73-84.	1.2	46
64	Job Strain, Health and Sickness Absence: Results from the Hordaland Health Study. PLoS ONE, 2014, 9, e96025.	1.1	37
65	Shame among long-term sickness absentees: Correlates and impact on subsequent sickness absence. Scandinavian Journal of Public Health, 2014, 42, 96-103.	1.2	19
66	Expectations and illness perceptions as predictors of benefit recipiency among workers with common mental disorders: secondary analysis from a randomised controlled trial. BMJ Open, 2014, 4, e004321.	0.8	29
67	Previous sickness absence and current low perceived social support at work among employees in the general population: a historical cohort study. BMJ Open, 2014, 4, e005963.	0.8	14
68	Early life factors in relation to cardiovascular risk and cardiovascular disease in old age in Bergen: a Norwegian retrospective cohort study based on the Hordaland Health Study (HUSK). JRSM Open, 2014, 5, 205427041452793.	0.2	1
69	The joint contribution of pain and insomnia to sickness absence and disability retirement: A register–linkage study among <scp>N</scp> orwegian and <scp>F</scp> innish employees. European Journal of Pain, 2014, 18, 883-892.	1.4	20
70	Protocol for the effect evaluation of Individual Placement and Support (IPS): a randomized controlled multicenter trial of IPS versus treatment as usual for patients with moderate to severe mental illness in Norway. BMC Psychiatry, 2014, 14, 307.	1.1	16
71	Association Between Illness Perceptions and Return-to-Work Expectations in Workers with Common Mental Health Symptoms. Journal of Occupational Rehabilitation, 2014, 24, 160-170.	1.2	39
72	Insomnia as a risk factor for ill health: results from the large populationâ€based prospective <scp>HUNT</scp> Study in <scp>N</scp> orway. Journal of Sleep Research, 2014, 23, 124-132.	1.7	195

#	Article	IF	CITATIONS
73	Midlife insomnia and subsequent mortality: the Hordaland health study. BMC Public Health, 2014, 14, 720.	1.2	59
74	The association between smoking and depression from adolescence to adulthood. Addiction, 2014, 109, 1022-1030.	1.7	63
75	An investigation of factors identified at birth in relation to anxiety and depression in old age: the Hordaland Health Study (HUSK). BMC Psychiatry, 2013, 13, 136.	1.1	3
76	The impact of early life factors on cognitive function in old age: The Hordaland Health Study (HUSK). BMC Psychology, 2013, 1, 16.	0.9	8
77	Snus use and cardiovascular risk factors in the general population: the HUNT3 study. Addiction, 2013, 108, 2019-2028.	1.7	9
78	The joint contribution of insomnia and obstructive sleep apnoea on sickness absence. Journal of Sleep Research, 2013, 22, 223-230.	1.7	55
79	Common mental disorders and longâ€term sickness absence in a general working population. The Hordaland Health Study. Acta Psychiatrica Scandinavica, 2013, 127, 287-297.	2.2	148
80	Psychometric properties of the Norwegian version of the Childhood Trauma Questionnaire in highâ€risk groups. Scandinavian Journal of Psychology, 2013, 54, 286-291.	0.8	46
81	Reply. Acta Psychiatrica Scandinavica, 2013, 128, 99-99.	2.2	0
82	The Impact of Smoking in Adolescence on Early Adult Anxiety Symptoms and the Relationship between Infant Vulnerability Factors for Anxiety and Early Adult Anxiety Symptoms: The TOPP Study. PLoS ONE, 2013, 8, e63252.	1.1	35
83	Late-onset smokers: How many, and associations with health behaviours and socioeconomic status. Scandinavian Journal of Public Health, 2012, 40, 537-543.	1.2	14
84	The fetal origins of adult disease: a narrative review of the epidemiological literature. JRSM Short Reports, 2012, 3, 1-7.	0.6	81
85	Socioeconomic status and children's mental health: results from the Bergen Child Study. Social Psychiatry and Psychiatric Epidemiology, 2012, 47, 1557-1566.	1.6	177
86	The Bidirectional Association Between Depression and Insomnia. Psychosomatic Medicine, 2012, 74, 758-765.	1.3	235
87	Alcohol consumption, problem drinking, abstention and disability pension award. The Nordâ€₹røndelag Health Study (HUNT). Addiction, 2012, 107, 98-108.	1.7	34
88	Lost Working Years Due to Mental Disorders: An Analysis of the Norwegian Disability Pension Registry. PLoS ONE, 2012, 7, e42567.	1.1	67
89	Concurrent validity of the CAGE questionnaire. The Nord-Tr $\tilde{A}_{,n}$ delag Health Study. Addictive Behaviors, 2011, 36, 302-307.	1.7	47
90	Reverse Causality in the Association Between Whiplash and Symptoms of Anxiety and Depression. Spine, 2011, 36, 1380-1386.	1.0	20

#	Article	IF	CITATIONS
91	Smoking cessation among Norwegian adolescents and young adults: preferred cessation methods. Scandinavian Journal of Psychology, 2011, 52, 154-160.	0.8	7
92	Somatization: the under-recognized factor in nonspecific eczema. The Hordaland Health Study (HUSK). British Journal of Dermatology, 2011, 164, no-no.	1.4	6
93	Distal and proximal family predictors of adolescents' smoking initiation and development: A longitudinal latent curve model analysis. BMC Public Health, 2011, 11, 911.	1.2	42
94	Do gastrointestinal complaints increase the risk for subsequent medically certified long-term sickness absence? The HUSK study. BMC Gastroenterology, 2011, 11, 88.	0.8	4
95	Trends in Timing of Sleep in the General Population of Norway: 1980 to 2000. Perceptual and Motor Skills, 2011, 113, 509-518.	0.6	8
96	Seasonal Variations in Sleep Problems at Latitude 63Â-65Â in Norway: The Nord-Trondelag Health Study, 1995-1997. American Journal of Epidemiology, 2011, 174, 147-153.	1.6	41
97	Work and common psychiatric disorders. Journal of the Royal Society of Medicine, 2011, 104, 198-207.	1.1	309
98	General practitioners' opinions on how to improve treatment of mental disorders in primary health care. Interviews with one hundred Norwegian general practitioners. BMC Health Services Research, 2010, 10, 35.	0.9	36
99	Associations between sleep, risk and safety climate: A study of offshore personnel on the Norwegian continental shelf. Safety Science, 2010, 48, 469-477.	2.6	34
100	Associations between adolescent socioeducational status and use of snus and smoking. Tobacco Control, 2010, 19, 291-296.	1.8	27
101	Associations between schools' tobacco restrictions and adolescents' use of tobacco. Health Education Research, 2010, 25, 748-756.	1.0	17
102	The Health Status of Nonparticipants in a Population-based Health Study: The Hordaland Health Study. American Journal of Epidemiology, 2010, 172, 1306-1314.	1.6	271
103	Physical activity and common mental disorders. British Journal of Psychiatry, 2010, 197, 357-364.	1.7	189
104	Common mental disorders and disability pension award: Seven year follow-up of the HUSK study. Journal of Psychosomatic Research, 2010, 69, 59-67.	1.2	99
105	Work and psychiatric disorder. , 2010, , 833-856.		3
106	Insomnia Symptoms and Use of Health Care Services and Medications: The HUNT-2 Study. Behavioral Sleep Medicine, 2009, 7, 210-222.	1.1	53
107	Levels of anxiety and depression as predictors of mortality: the HUNT study. British Journal of Psychiatry, 2009, 195, 118-125.	1.7	235
108	Sociodemographic variations in communication on sexuality and HIV/AIDS with parents, family members and teachers among in-school adolescents: A multi-site study in Tanzania and South Africa. Scandinavian Journal of Public Health, 2009, 37, 65-74.	1.2	57

#	Article	IF	Citations
109	Insomnia and long sleep duration are risk factors for later work disability. The Hordaland Health Study. Journal of Sleep Research, 2009, 18, 122-128.	1.7	100
110	Does insomnia predict sick leave?. Journal of Psychosomatic Research, 2009, 66, 67-74.	1.2	91
111	The epidemiology of insomnia: Associations with physical and mental health Journal of Psychosomatic Research, 2009, 67, 109-116.	1.2	305
112	Association Between Magnesium Intake and Depression and Anxiety in Community-Dwelling Adults: The Hordaland Health Study. Australian and New Zealand Journal of Psychiatry, 2009, 43, 45-52.	1.3	116
113	Health Anxiety and Disability Pension Award: The HUSK Study. Psychosomatic Medicine, 2009, 71, 353-360.	1.3	67
114	Verifiability of diagnostic categories and work ability in the context of disability pension award: A survey on "gatekeeping" among general practitioners in Norway. BMC Public Health, 2008, 8, 137.	1.2	6
115	Smoking in relation to anxiety and depression: Evidence from a large population survey: The HUNT study. European Psychiatry, 2008, 23, 77-84.	0.1	177
116	Relative harm of snus and cigarettes: what do Norwegian adolescents say?. Tobacco Control, 2008, 17, 422-425.	1.8	35
117	Health status before, during and after disability pension award: the Hordaland Health Study (HUSK). Occupational and Environmental Medicine, 2008, 65, 769-773.	1.3	49
118	The effect of OSAS on sick leave and work disability. European Respiratory Journal, 2008, 32, 1497-1503.	3.1	75
119	A Comparison of Insomnia and Depression as Predictors of Disability Pension: The HUNT Study. Sleep, 2008, 31, 875-880.	0.6	73
120	El tabaquismo relacionado con la ansiedad y la depresi \tilde{A}^3 n: evidencias de una encuesta de poblaci \tilde{A}^3 n: estudio HUNT. European Psychiatry (Ed Espa $\tilde{A}\pm$ ola), 2008, 15, 237-245.	0.0	0
121	Anxiety, Depression, and Cause-Specific Mortality: The HUNT Study. Psychosomatic Medicine, 2007, 69, 323-331.	1.3	231
122	Undertreatment Before the Award of a Disability Pension for Mental Illness: The HUNT Study. Psychiatric Services, 2007, 58, 1479-1482.	1.1	26
123	A Population-Based Cohort Study of the Effect of Common Mental Disorders on Disability Pension Awards. American Journal of Psychiatry, 2006, 163, 1412-1418.	4.0	184
124	Employment status and perceived health in the Hordaland Health Study (HUSK). BMC Public Health, 2006, 6, 219.	1.2	32
125	The Long-term Effect of Insomnia on Work Disability. American Journal of Epidemiology, 2006, 163, 1018-1024.	1.6	146