## Elaine M Kenny

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9420052/publications.pdf

Version: 2024-02-01

567281 752698 1,239 20 15 20 citations h-index g-index papers 20 20 20 3424 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Translation of 5′ leaders is pervasive in genes resistant to elF2 repression. ELife, 2015, 4, e03971.	6.0	294
2	Delineating the genetic heterogeneity of ALS using targeted high-throughput sequencing. Journal of Medical Genetics, 2013, 50, 776-783.	3.2	151
3	The SNP ratio test: pathway analysis of genome-wide association datasets. Bioinformatics, 2009, 25, 2762-2763.	4.1	125
4	Development of Strategies for SNP Detection in RNA-Seq Data: Application to Lymphoblastoid Cell Lines and Evaluation Using 1000 Genomes Data. PLoS ONE, 2013, 8, e58815.	2.5	108
5	Conduct disorder and ADHD: Evaluation of conduct problems as a categorical and quantitative trait in the international multicentre ADHD genetics study. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2008, 147B, 1369-1378.	1.7	106
6	Identification of mechanosensitive genes during skeletal development: alteration of genes associated with cytoskeletal rearrangement and cell signalling pathways. BMC Genomics, 2014, 15, 48.	2.8	80
7	First implication of <i>STRA6 </i> mutations in isolated anophthalmia, microphthalmia, and coloboma: A new dimension to the <i>STRA6 </i> phenotype. Human Mutation, 2011, 32, 1417-1426.	2.5	66
8	Avian Resistance to Campylobacter jejuni Colonization Is Associated with an Intestinal Immunogene Expression Signature Identified by mRNA Sequencing. PLoS ONE, 2012, 7, e40409.	2.5	46
9	Multiplex Target Enrichment Using DNA Indexing for Ultra-High Throughput SNP Detection. DNA Research, 2011, 18, 31-38.	3.4	41
10	Targeted Sequencing of 10,198 Samples Confirms Abnormalities in Neuronal Activity and Implicates Voltage-Gated Sodium Channels in Schizophrenia Pathogenesis. Biological Psychiatry, 2019, 85, 554-562.	1.3	40
11	Gene-ontology enrichment analysis in two independent family-based samples highlights biologically plausible processes for autism spectrum disorders. European Journal of Human Genetics, 2011, 19, 1082-1089.	2.8	39
12	An inherited duplication at the gene p21 Protein-Activated Kinase 7 (PAK7) is a risk factor for psychosis. Human Molecular Genetics, 2014, 23, 3316-3326.	2.9	37
13	Chitinase-3-Like 1 (CHI3L1) Gene and Schizophrenia: Genetic Association and a Potential Functional Mechanism. Biological Psychiatry, 2008, 64, 98-103.	1.3	28
14	Global endometrial transcriptomic profiling: transient immune activation precedes tissue proliferation and repair in healthy beef cows. BMC Genomics, 2012, 13, 489.	2.8	26
15	Feasibility and relevance of global expression profiling of gene transcripts in serum from breast cancer patients using whole genome microarrays and quantitative RT-PCR. Cancer Genomics and Proteomics, 2008, 5, 94-104.	2.0	16
16	Assessment of Inactivating Stop Codon Mutations in Forty Saccharomyces cerevisiae Strains: Implications for [PSI+] Prion- Mediated Phenotypes. PLoS ONE, 2011, 6, e28684.	2.5	13
17	Nonâ€random error in genotype calling procedures: Implications for familyâ€based and case–control genomeâ€wide association studies. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2008, 147B, 1379-1386.	1.7	11
18	Transcriptome analysis of the mouse E14.5 (TS23) developing humerus and differential expression in muscle-less mutant embryos lacking mechanical stimulation. Genomics Data, 2014, 2, 32-36.	1.3	5

#	Article	IF	CITATIONS
19	Itm2a silencing rescues lamin A mediated inhibition of 3T3-L1 adipocyte differentiation. Adipocyte, 2017, 6, 259-276.	2.8	5
20	Allelic expression imbalance of the schizophrenia susceptibility gene CHI3L1. Psychiatric Genetics, 2011, 21, 281-286.	1.1	2