

# Ibra S Fancher

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9420688/publications.pdf>

Version: 2024-02-01

27  
papers

472  
citations

687220

13  
h-index

713332

21  
g-index

27  
all docs

27  
docs citations

27  
times ranked

699  
citing authors

#	ARTICLE	IF	CITATIONS
1	The physiological benefits of sitting less and moving more: Opportunities for future research. <i>Progress in Cardiovascular Diseases</i> , 2022, 73, 61-66.	1.6	7
2	Cholesterol-Induced Suppression of Endothelial Kir Channels Is a Driver of Impairment of Arteriolar Flow-Induced Vasodilation in Humans. <i>Hypertension</i> , 2022, 79, 126-138.	1.3	11
3	Differential effects of obesity on visceral versus subcutaneous adipose arteries: role of shear-activated Kir2.1 and alterations to the glycocalyx. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2022, 322, H156-H166.	1.5	10
4	Obesity as a premature aging phenotype â€” implications for sarcopenic obesity. <i>GeroScience</i> , 2022, 44, 1393-1405.	2.1	22
5	Endothelial inwardly rectifying potassium channels regulates receptorâ€”mediated vasodilation via PI3K/Akt/eNOS signal pathway. <i>FASEB Journal</i> , 2022, 36, .	0.2	0
6	Obesity Differentially Effects Visceral vs. Subcutaneous Adipose Arteries: Role of Shear Activated Kir2.1 and Alterations to the Glycocalyx in Mediating Endothelial Dysfunction. <i>FASEB Journal</i> , 2022, 36, .	0.2	0
7	Cardiovascular mechanosensitive ion channelsâ€”Translating physical forces into physiological responses. <i>Current Topics in Membranes</i> , 2021, 87, 47-95.	0.5	4
8	Impairment of Flow-Sensitive Inwardly Rectifying K <sup>+</sup> Channels via Disruption of Glycocalyx Mediates Obesity-Induced Endothelial Dysfunction. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2020, 40, e240-e255.	1.1	30
9	Endothelial inwardly-rectifying K <sup>+</sup> channels as a key component of shear stress-induced mechanotransduction. <i>Current Topics in Membranes</i> , 2020, 85, 59-88.	0.5	6
10	LDL induces cholesterol loading and inhibits endothelial proliferation and angiogenesis in Matrigels: correlation with impaired angiogenesis during wound healing. <i>American Journal of Physiology - Cell Physiology</i> , 2020, 318, C762-C776.	2.1	18
11	Electrophysiological Recordings of Single-cell Ion Currents Under Well-defined Shear Stress. <i>Journal of Visualized Experiments</i> , 2019, , .	0.2	0
12	Potential Strategies to Reduce Blood Pressure in Treatment-Resistant Hypertension Using Food and Drug Administrationâ€”Approved Nanodrug Delivery Platforms. <i>Hypertension</i> , 2019, 73, 250-257.	1.3	15
13	Shear-Stress Sensitive Inwardly-Rectifying K <sup>+</sup> Channels Regulate Developmental Retinal Angiogenesis by Vessel Regression. <i>Cellular Physiology and Biochemistry</i> , 2019, 52, 1569-1583.	1.1	11
14	Hypercholesterolemiaâ€”Induced Loss of Flowâ€”Induced Vasodilation and Lesion Formation in Apolipoprotein Eâ€”Deficient Mice Critically Depend on Inwardly Rectifying K <sup>+</sup> Channels. <i>Journal of the American Heart Association</i> , 2018, 7, .	1.6	36
15	Proatherogenic Flow Increases Endothelial Stiffness via Enhanced CD36-Mediated Uptake of Oxidized Low-Density Lipoproteins. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2018, 38, 64-75.	1.1	37
16	Microvascular Vasodilator Plasticity After Acute Exercise. <i>Exercise and Sport Sciences Reviews</i> , 2018, 46, 48-55.	1.6	16
17	Comparative analysis of endothelial cell and sub-endothelial cell elastic moduli in young and aged mice: Role of CD36. <i>Journal of Biomechanics</i> , 2018, 76, 263-268.	0.9	13
18	Endothelial dysfunction can be reversed in obese humans and mice by overexpression of endothelial Kir2.1 channels. <i>FASEB Journal</i> , 2018, 32, lb309.	0.2	0

#	ARTICLE	IF	CITATIONS
19	Roles of NADPH oxidase and mitochondria in flow-induced vasodilation of human adipose arterioles: ROS-induced ROS release in coronary artery disease. <i>Microcirculation</i> , 2017, 24, e12380.	1.0	30
20	Nonpharmacologic management of hypertension. <i>Current Opinion in Cardiology</i> , 2017, 32, 381-388.	0.8	22
21	Short-term regular aerobic exercise reduces oxidative stress produced by acute high intraluminal pressure in the adipose microvasculature. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2017, 312, H896-H906.	1.5	19
22	Inwardly rectifying K <sup>+</sup> channels are major contributors to flow-induced vasodilatation in resistance arteries. <i>Journal of Physiology</i> , 2017, 595, 2339-2364.	1.3	71
23	Differential regulation of TRPV1 channels by H <sub>2</sub> O <sub>2</sub> : implications for diabetic microvascular dysfunction. <i>Basic Research in Cardiology</i> , 2016, 111, 21.	2.5	35
24	Diphenyl Phosphine Oxide-sensitive K <sup>+</sup> Channels Contribute to the Vascular Tone and Reactivity of Resistance Arteries From Brain and Skeletal Muscle. <i>Microcirculation</i> , 2015, 22, 315-325.	1.0	7
25	Bisphenol A activates BK channels through effects on $\alpha_1$ and $\beta_1$ subunits. <i>Channels</i> , 2014, 8, 249-257.	1.5	13
26	Diabetes mellitus reduces the function and expression of ATP-dependent K <sup>+</sup> channels in cardiac mitochondria. <i>Life Sciences</i> , 2013, 92, 664-668.	2.0	23
27	Penitrem A as a Tool for Understanding the Role of Large Conductance Ca <sup>2+</sup> /Voltage-Sensitive K <sup>+</sup> Channels in Vascular Function. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2012, 342, 453-460.	1.3	16