Abdullah Hamad

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/9420726/abdullah-hamad-publications-by-year.pdf

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

38	252	8	15
papers	citations	h-index	g-index
56	340	2.6 avg, IF	3.47
ext. papers	ext. citations		L-index

#	Paper	IF	Citations
38	Mortality of dialysis patients in Qatar: A retrospective epidemiologic study. <i>Qatar Medical Journal</i> , 2021 , 2021, 02	0.5	1
37	Practice Patterns in the Acceptance of Medically Complex Living Kidney Donors with Obesity, Hypertension, Family History of Kidney Disease, or Donor-Recipient Age Discrepancy. <i>Avicenna Journal of Medicine</i> , 2021 , 11, 172-184	1.1	
36	Practice Patterns for the Acceptance of Medically Complex Living Kidney Donors with Hematuria, Sickle Cell Trait, Smoking, Illegal Drug Use, or Urological Issues: A Multinational Survey. <i>Avicenna Journal of Medicine</i> , 2021 , 11, 185-195	1.1	
35	Effects of novel anemia nurse manager program on hemodialysis: a retrospective study from Qatar. <i>Qatar Medical Journal</i> , 2021 , 2021, 46	0.5	
34	Prevalence of Depression and Sleep Disorders in Patients on Dialysis: A Cross-Sectional Study in Qatar. <i>International Journal of Nephrology</i> , 2021 , 2021, 5533416	1.7	2
33	MO850OUTCOMES OF COVID-19 INFECTION IN DIALYSIS PATIENTS IN QATAR: A NATIONWIDE COHORT STUDY. <i>Nephrology Dialysis Transplantation</i> , 2021 , 36,	4.3	78
32	Kidney Transplant Recipients Infected With Coronavirus Disease 2019: Retrospective Qatar Experience. <i>Transplantation Proceedings</i> , 2021 , 53, 2438-2446	1.1	O
31	Mortality and associated risk factors of COVID-19 infection in dialysis patients in Qatar: A nationwide cohort study. <i>PLoS ONE</i> , 2021 , 16, e0254246	3.7	5
30	: achievement, predictors and relationship to mortality in hemodialysis patients in the Gulf Cooperation Council countries: results from DOPPS (2012-18). <i>CKJ: Clinical Kidney Journal</i> , 2021 , 14, 83	20 ⁴ 830	5
29	Assessment of treatment burden and its impact on quality of life in dialysis-dependent and pre-dialysis chronic kidney disease patients. <i>Research in Social and Administrative Pharmacy</i> , 2021 , 17, 1937-1944	2.9	1
28	Application of Wearables to Facilitate Virtually Supervised Intradialytic Exercise for Reducing Depression Symptoms. <i>Sensors</i> , 2020 , 20,	3.8	8
27	Restructuring nephrology services to combat COVID-19 pandemic: Report from a Middle Eastern country. <i>World Journal of Nephrology</i> , 2020 , 9, 9-17	3.6	3
26	Harnessing digital health to objectively assess cognitive impairment in people undergoing hemodialysis process: The Impact of cognitive impairment on mobility performance measured by wearables. <i>PLoS ONE</i> , 2020 , 15, e0225358	3.7	4
25	Harnessing digital health to objectively assess cognitive impairment in people undergoing hemodialysis process: The Impact of cognitive impairment on mobility performance measured by wearables 2020 , 15, e0225358		
24	Harnessing digital health to objectively assess cognitive impairment in people undergoing hemodialysis process: The Impact of cognitive impairment on mobility performance measured by wearables 2020 , 15, e0225358		
23	Harnessing digital health to objectively assess cognitive impairment in people undergoing hemodialysis process: The Impact of cognitive impairment on mobility performance measured by wearables 2020 , 15, e0225358		
22	Harnessing digital health to objectively assess cognitive impairment in people undergoing hemodialysis process: The Impact of cognitive impairment on mobility performance measured by wearables 2020 , 15, e0225358		

(2001-2019)

21	Prevalence and Management of Hypokalemia in Peritoneal Dialysis Patients in Qatar. <i>International Journal of Nephrology</i> , 2019 , 2019, 1875358	1.7	3
20	Safety and efficacy of taurolidine/urokinase versus taurolidine/heparin as a tunneled catheter lock solution in hemodialysis patients: a prospective, randomized, controlled study. <i>Nephrology Dialysis Transplantation</i> , 2018 , 33, 619-626	4.3	13
19	The epidemiology of acute peritonitis in end-stage renal disease patients on peritoneal dialysis in Qatar: An 8-year follow-up study. <i>Saudi Journal of Kidney Diseases and Transplantation: an Official Publication of the Saudi Center for Organ Transplantation, Saudi Arabia</i> , 2018 , 29, 88-94	0.6	5
18	Hemodialysis Impact on Motor Function beyond Aging and Diabetes-Objectively Assessing Gait and Balance by Wearable Technology. <i>Sensors</i> , 2018 , 18,	3.8	22
17	Applying a Successful New Protocol for Storing a Tissue Plasminogen Activator for Locking Dysfunctional Permcath: A Single-Center Study. <i>Blood Purification</i> , 2017 , 44, 234-235	3.1	
16	Nutritional status and outcomes in hemodialysis patients from the Gulf Cooperation Council countries enrolled in the dialysis outcome and practice patterns study phase 5 (2012-2015). Saudi Journal of Kidney Diseases and Transplantation: an Official Publication of the Saudi Center for Organ	0.6	1
15	MO034A RANDOMISED CONTROLLED TRIAL OF TAUROLIDINE CITRATE VERSUS TAUROLIDINE UROKINASE LOCK TO PREVENT TUNNELLED CATHETER THROMBOSIS IN HEMODIALYSIS PATIENTS. <i>Nephrology Dialysis Transplantation</i> , 2016 , 31, i42-i42	4.3	1
14	Successful use of a bivalirudin treatment protocol to prevent extracorporeal thrombosis in ambulatory hemodialysis patients with heparin-induced thrombocytopenia. <i>Hemodialysis International</i> , 2016 , 20, 204-7	1.7	10
13	Efficacy and safety of 30-minute infusions of conivaptan in euvolemic and hypervolemic hyponatremia. <i>American Journal of Health-System Pharmacy</i> , 2011 , 68, 818-27	2.2	14
12	Nutrition supplements in dialysis patients: use in peritoneal dialysis patients and diabetic patients. <i>Advances in Peritoneal Dialysis Conference on Peritoneal Dialysis</i> , 2008 , 24, 118-24		3
11	Lack of effect of long-term use of angiotensin-converting enzyme inhibitors by hemodialysis patients on thirst and fluid weight gain. <i>Renal Failure</i> , 2002 , 24, 461-6	2.9	8
10			
	The risk of radiocontrast nephropathy in patients with cirrhosis. <i>Renal Failure</i> , 2002 , 24, 11-8	2.9	16
9	The risk of radiocontrast nephropathy in patients with cirrhosis. <i>Renal Failure</i> , 2002 , 24, 11-8 Comparison of Preventive Care Provided to Dialysis Patients by Nephrologists and to Patients Followed in General Medical Clinics: Compliance with American College of Physicians Guidelines. <i>Hemodialysis International</i> , 2002 , 6, 31-34	2.9	16
9	Comparison of Preventive Care Provided to Dialysis Patients by Nephrologists and to Patients Followed in General Medical Clinics: Compliance with American College of Physicians Guidelines.		16
	Comparison of Preventive Care Provided to Dialysis Patients by Nephrologists and to Patients Followed in General Medical Clinics: Compliance with American College of Physicians Guidelines. Hemodialysis International, 2002, 6, 31-34 Relation of high levels of high-density lipoprotein cholesterol to coronary artery disease and	1.7	
8	Comparison of Preventive Care Provided to Dialysis Patients by Nephrologists and to Patients Followed in General Medical Clinics: Compliance with American College of Physicians Guidelines. <i>Hemodialysis International</i> , 2002 , 6, 31-34 Relation of high levels of high-density lipoprotein cholesterol to coronary artery disease and systemic hypertension. <i>American Journal of Cardiology</i> , 2001 , 88, 899-901, A8	1.7	1
7	Comparison of Preventive Care Provided to Dialysis Patients by Nephrologists and to Patients Followed in General Medical Clinics: Compliance with American College of Physicians Guidelines. Hemodialysis International, 2002, 6, 31-34 Relation of high levels of high-density lipoprotein cholesterol to coronary artery disease and systemic hypertension. American Journal of Cardiology, 2001, 88, 899-901, A8 Seizure in a scuba diver. Chest, 2001, 119, 285-6	1.7 3 5-3	1

3	Predicting the Need for Medical Intensive Care Monitoring in Drug-Overdosed Patients. <i>Journal of Intensive Care Medicine</i> , 2000 , 15, 321-328	3.3	11
2	ST-segment elevation in patients with cocaine abuse and chest pain: is there a pattern?. <i>American Journal of Cardiology</i> , 2000 , 86, 1054	3	2
1	Nephrotic-range proteinuria in patients with renovascular disease. <i>American Journal of Medicine</i> , 2000 , 109, 173-4	2.4	