

Mohammad Moshahid Khan

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9421443/mohammad-moshahid-khan-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

63

papers

3,100

citations

31

h-index

55

g-index

64

ext. papers

3,548

ext. citations

4.5

avg, IF

4.91

L-index

#	Paper	IF	Citations
63	Ribosomal DNA promoter recognition is determined in vivo by cooperation between UBTF1 and SL1 and is compromised in the UBTF-E210K neuroregression syndrome.. <i>PLoS Genetics</i> , 2022 , 18, e1009644	6.6	1
62	Brain Selective Estrogen Treatment Protects Dopaminergic Neurons and Preserves Behavioral Function in MPTP-induced Mouse Model of Parkinson's Disease. <i>Journal of NeuroImmune Pharmacology</i> , 2021 , 16, 667-678	6.9	5
61	Alterations in the Gut-Microbial-Inflammasome-Brain Axis in a Mouse Model of Alzheimer's Disease. <i>Cells</i> , 2021 , 10,	7.9	11
60	PLGA Nanoparticle-Based Formulations to Cross the Blood-Brain Barrier for Drug Delivery: From R&D to cGMP. <i>Pharmaceutics</i> , 2021 , 13,	6.4	10
59	DNA Double-Strand Break Accumulation in Alzheimer's Disease: Evidence from Experimental Models and Postmortem Human Brains. <i>Molecular Neurobiology</i> , 2021 , 58, 118-131	6.2	9
58	Thioredoxin interacting protein regulates age-associated neuroinflammation. <i>Neurobiology of Disease</i> , 2021 , 156, 105399	7.5	4
57	Transcriptome Analysis of Skeletal Muscle Reveals Altered Proteolytic and Neuromuscular Junction Associated Gene Expressions in a Mouse Model of Cerebral Ischemic Stroke. <i>Genes</i> , 2020 , 11,	4.2	1
56	NLRP3 inflammasome and glia maturation factor coordinately regulate neuroinflammation and neuronal loss in MPTP mouse model of Parkinson's disease. <i>International Immunopharmacology</i> , 2020 , 83, 106441	5.8	23
55	Recent advances on the role of long non-coding RNAs in Alzheimer's disease. <i>Neural Regeneration Research</i> , 2020 , 15, 2253-2254	4.5	10
54	Presynaptic PRRT2 Deficiency Causes Cerebellar Dysfunction and Paroxysmal Kinesigenic Dyskinesia. <i>Neuroscience</i> , 2020 , 448, 272-286	3.9	9
53	The Role of Neurovascular System in Neurodegenerative Diseases. <i>Molecular Neurobiology</i> , 2020 , 57, 4373-4393	6.2	20
52	HIV Associated Risk Factors for Ischemic Stroke and Future Perspectives. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	2
51	Gnal haploinsufficiency causes genomic instability and increased sensitivity to haloperidol. <i>Experimental Neurology</i> , 2019 , 318, 61-70	5.7	5
50	DNA double-strand breaks: a potential therapeutic target for neurodegenerative diseases. <i>Chromosome Research</i> , 2019 , 27, 345-364	4.4	13
49	DNA damage and neurodegenerative phenotypes in aged Ciz1 null mice. <i>Neurobiology of Aging</i> , 2018 , 62, 180-190	5.6	15
48	Consequences of Cre-mediated deletion of Ciz1 exon 5 in mice. <i>FEBS Letters</i> , 2018 , 592, 3101-3110	3.8	1
47	A recurrent de novo missense mutation in UBTF causes developmental neuroregression. <i>Human Molecular Genetics</i> , 2018 , 27, 691-705	5.6	12

46	Cold-inducible RNA-binding protein (CIRP) causes sepsis-associated acute lung injury via induction of endoplasmic reticulum stress. <i>Scientific Reports</i> , 2017 , 7, 41363	4.9	42
45	Role of major and brain-specific Sgce isoforms in the pathogenesis of myoclonus-dystonia syndrome. <i>Neurobiology of Disease</i> , 2017 , 98, 52-65	7.5	24
44	Measurement of Elevated IL-37 Levels in Acute Ischemic Brain Injury: A Cross-sectional Pilot Study. <i>Cureus</i> , 2017 , 9, e1767	1.2	6
43	Absence of glia maturation factor protects dopaminergic neurons and improves motor behavior in mouse model of parkinsonism. <i>Neurochemical Research</i> , 2015 , 40, 980-90	4.6	15
42	ENDOPLASMIC RETICULUM STRESS IN SEPSIS. <i>Shock</i> , 2015 , 44, 294-304	3.4	81
41	Stimulation of Brain AMP-Activated Protein Kinase Attenuates Inflammation and Acute Lung Injury in Sepsis. <i>Molecular Medicine</i> , 2015 , 21, 637-44	6.2	17
40	1,8-cineole (eucalyptol) mitigates inflammation in amyloid Beta toxicated PC12 cells: relevance to Alzheimer β disease. <i>Neurochemical Research</i> , 2014 , 39, 344-52	4.6	58
39	Suppression of glia maturation factor expression prevents 1-methyl-4-phenylpyridinium (MPP+)-induced loss of mesencephalic dopaminergic neurons. <i>Neuroscience</i> , 2014 , 277, 196-205	3.9	18
38	Glia maturation factor deficiency suppresses 1-methyl-4-phenylpyridinium-induced oxidative stress in astrocytes. <i>Journal of Molecular Neuroscience</i> , 2014 , 53, 590-9	3.3	20
37	Glia maturation factor expression in entorhinal cortex of Alzheimer β disease brain. <i>Neurochemical Research</i> , 2013 , 38, 1777-84	4.6	25
36	Glia maturation factor expression in hippocampus of human Alzheimer β disease. <i>Neurochemical Research</i> , 2013 , 38, 1580-9	4.6	20
35	Enhanced expression of glia maturation factor correlates with glial activation in the brain of triple transgenic Alzheimer β disease mice. <i>Neurochemical Research</i> , 2013 , 38, 218-25	4.6	37
34	Attenuation of oxidative damage-associated cognitive decline by <i>Withania somnifera</i> in rat model of streptozotocin-induced cognitive impairment. <i>Protoplasma</i> , 2013 , 250, 1067-78	3.4	23
33	Glia maturation factor induces interleukin-33 release from astrocytes: implications for neurodegenerative diseases. <i>Journal of NeuroImmune Pharmacology</i> , 2013 , 8, 643-50	6.9	49
32	Anti-apoptotic and anti-inflammatory effect of Piperine on 6-OHDA induced Parkinson β rat model. <i>Journal of Nutritional Biochemistry</i> , 2013 , 24, 680-7	6.3	84
31	Neuroprotective effect of naringenin is mediated through suppression of NF- κ B signaling pathway in experimental stroke. <i>Neuroscience</i> , 2013 , 230, 157-71	3.9	147
30	Taurine ameliorates neurobehavioral, neurochemical and immunohistochemical changes in sporadic dementia of Alzheimer β type (SDAT) caused by intracerebroventricular streptozotocin in rats. <i>Neurological Sciences</i> , 2013 , 34, 2181-92	3.5	33
29	Amelioration of cognitive impairment and neurodegeneration by catechin hydrate in rat model of streptozotocin-induced experimental dementia of Alzheimer β type. <i>Neurochemistry International</i> , 2013 , 62, 492-501	4.4	66

28	Protection of MPTP-induced neuroinflammation and neurodegeneration by Pycnogenol. <i>Neurochemistry International</i> , 2013 , 62, 379-88	4.4	64
27	Azadirachta indica mitigates behavioral impairments, oxidative damage, histological alterations and apoptosis in focal cerebral ischemia-reperfusion model of rats. <i>Neurological Sciences</i> , 2013 , 34, 1321-30	3.5	18
26	ADAMTS13 reduces vascular inflammation and the development of early atherosclerosis in mice. <i>Blood</i> , 2012 , 119, 2385-91	2.2	78
25	ADAMTS13 reduces VWF-mediated acute inflammation following focal cerebral ischemia in mice. <i>Journal of Thrombosis and Haemostasis</i> , 2012 , 10, 1665-71	15.4	64
24	Ocimum sanctum attenuates oxidative damage and neurological deficits following focal cerebral ischemia/reperfusion injury in rats. <i>Neurological Sciences</i> , 2012 , 33, 1239-47	3.5	31
23	Naringenin ameliorates Alzheimer's disease (AD)-type neurodegeneration with cognitive impairment (AD-TNDCI) caused by the intracerebroventricular-streptozotocin in rat model. <i>Neurochemistry International</i> , 2012 , 61, 1081-93	4.4	101
22	Rutin prevents cognitive impairments by ameliorating oxidative stress and neuroinflammation in rat model of sporadic dementia of Alzheimer type. <i>Neuroscience</i> , 2012 , 210, 340-52	3.9	207
21	S-allyl cysteine mitigates oxidative damage and improves neurologic deficit in a rat model of focal cerebral ischemia. <i>Nutrition Research</i> , 2012 , 32, 133-43	4	64
20	Attenuation of A β -induced neurotoxicity by thymoquinone via inhibition of mitochondrial dysfunction and oxidative stress. <i>Molecular and Cellular Biochemistry</i> , 2012 , 369, 55-65	4.2	80
19	Piperine suppresses cerebral ischemia-reperfusion-induced inflammation through the repression of COX-2, NOS-2, and NF- κ B in middle cerebral artery occlusion rat model. <i>Molecular and Cellular Biochemistry</i> , 2012 , 367, 73-84	4.2	96
18	Edaravone ameliorates oxidative stress associated cholinergic dysfunction and limits apoptotic response following focal cerebral ischemia in rat. <i>Molecular and Cellular Biochemistry</i> , 2012 , 367, 215-25	4.2	30
17	Catechin hydrate ameliorates redox imbalance and limits inflammatory response in focal cerebral ischemia. <i>Neurochemical Research</i> , 2012 , 37, 1747-60	4.6	65
16	Rutin protects dopaminergic neurons from oxidative stress in an animal model of Parkinson's disease. <i>Neurotoxicity Research</i> , 2012 , 22, 1-15	4.3	104
15	Alternatively-spliced extra domain A of fibronectin promotes acute inflammation and brain injury after cerebral ischemia in mice. <i>Stroke</i> , 2012 , 43, 1376-82	6.7	54
14	Silymarin protects neurons from oxidative stress associated damages in focal cerebral ischemia: a behavioral, biochemical and immunohistological study in Wistar rats. <i>Journal of the Neurological Sciences</i> , 2011 , 309, 45-54	3.2	70
13	Neuroprotective effects of curcumin on 6-hydroxydopamine-induced Parkinsonism in rats: behavioral, neurochemical and immunohistochemical studies. <i>Brain Research</i> , 2011 , 1368, 254-63	3.7	56
12	S-allyl cysteine attenuates oxidative stress associated cognitive impairment and neurodegeneration in mouse model of streptozotocin-induced experimental dementia of Alzheimer's type. <i>Brain Research</i> , 2011 , 1389, 133-42	3.7	86
11	Hesperidin ameliorates functional and histological outcome and reduces neuroinflammation in experimental stroke. <i>Brain Research</i> , 2011 , 1420, 93-105	3.7	88

10	Quercetin protects against oxidative stress associated damages in a rat model of transient focal cerebral ischemia and reperfusion. <i>Neurochemical Research</i> , 2011 , 36, 1360-71	4.6	77
9	Synergistic effect of selenium and melatonin on neuroprotection in cerebral ischemia in rats. <i>Biological Trace Element Research</i> , 2011 , 139, 81-96	4.5	24
8	The Anti-Thrombotic Enzyme ADAMTS13 Reduces Inflammation and the Development of Atherosclerosis In Mice. <i>Blood</i> , 2011 , 118, 367-367	2.2	
7	Fibronectin Isoform Containing the Alternatively-Spliced Extra Domain A in Circulation Accelerates the Development of Atherosclerosis in Mice. <i>Blood</i> , 2011 , 118, 2205-2205	2.2	
6	Amelioration of 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine-induced behavioural dysfunction and oxidative stress by Pycnogenol in mouse model of Parkinson's disease. <i>Behavioural Pharmacology</i> , 2010 , 21, 563-71	2.4	16
5	Resveratrol attenuates 6-hydroxydopamine-induced oxidative damage and dopamine depletion in rat model of Parkinson's disease. <i>Brain Research</i> , 2010 , 1328, 139-51	3.7	188
4	Sesamin attenuates behavioral, biochemical and histological alterations induced by reversible middle cerebral artery occlusion in the rats. <i>Chemico-Biological Interactions</i> , 2010 , 183, 255-63	5	57
3	Selenium prevents cognitive decline and oxidative damage in rat model of streptozotocin-induced experimental dementia of Alzheimer's type. <i>Brain Research</i> , 2009 , 1281, 117-27	3.7	149
2	Rutin protects the neural damage induced by transient focal ischemia in rats. <i>Brain Research</i> , 2009 , 1292, 123-35	3.7	148
1	Amelioration of cognitive deficits and neurodegeneration by curcumin in rat model of sporadic dementia of Alzheimer's type (SDAT). <i>European Neuropsychopharmacology</i> , 2009 , 19, 636-47	1.2	169