

# Kenichi Sugihara

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9421824/publications.pdf>

Version: 2024-02-01

185  
papers

6,778  
citations

136740

32  
h-index

71532

76  
g-index

190  
all docs

190  
docs citations

190  
times ranked

6870  
citing authors

#	ARTICLE	IF	CITATIONS
1	Japanese Society for Cancer of the Colon and Rectum (JSCCR) guidelines 2019 for the treatment of colorectal cancer. <i>International Journal of Clinical Oncology</i> , 2020, 25, 1-42.	1.0	1,123
2	Japanese Society for Cancer of the Colon and Rectum (JSCCR) guidelines 2010 for the treatment of colorectal cancer. <i>International Journal of Clinical Oncology</i> , 2012, 17, 1-29.	1.0	658
3	Recommendations for reporting tumor budding in colorectal cancer based on the International Tumor Budding Consensus Conference (ITBCC) 2016. <i>Modern Pathology</i> , 2017, 30, 1299-1311.	2.9	652
4	Indication and Benefit of Pelvic Sidewall Dissection for Rectal Cancer. <i>Diseases of the Colon and Rectum</i> , 2006, 49, 1663-1672.	0.7	364
5	Local Recurrence After Endoscopic Resection for Large Colorectal Neoplasia: A Multicenter Prospective Study in Japan. <i>American Journal of Gastroenterology</i> , 2015, 110, 697-707.	0.2	244
6	Survival outcomes following laparoscopic versus open D3 dissection for stage II or III colon cancer (JCOG0404): a phase 3, randomised controlled trial. <i>The Lancet Gastroenterology and Hepatology</i> , 2017, 2, 261-268.	3.7	208
7	Comparison of Targeted vs Random Biopsies for Surveillance of Ulcerative Colitis-Associated Colorectal Cancer. <i>Gastroenterology</i> , 2016, 151, 1122-1130.	0.6	171
8	Tumor Deposits in Colorectal Cancer: Improving the Value of Modern Staging – A Systematic Review and Meta-Analysis. <i>Journal of Clinical Oncology</i> , 2017, 35, 1119-1127.	0.8	166
9	Endorectal Ultrasonography and Treatment of Early Stage Rectal Cancer. <i>World Journal of Surgery</i> , 2000, 24, 1061-1068.	0.8	155
10	Distinction of differentiated type early gastric carcinoma with gastric type mucin expression. <i>Cancer</i> , 2000, 89, 724-732.	2.0	131
11	Depth of invasion parallels increased cyclooxygenase-2 levels in patients with gastric carcinoma. <i>Cancer</i> , 2001, 91, 1876-1881.	2.0	131
12	Resection of both hepatic and pulmonary metastases in patients with colorectal carcinoma. <i>Cancer</i> , 1998, 83, 1086-1093.	2.0	129
13	Risk Stratification of 7,732 Hepatectomy Cases in 2011 from the National Clinical Database for Japan. <i>Journal of the American College of Surgeons</i> , 2014, 218, 412-422.	0.2	127
14	A three-tier classification system based on the depth of submucosal invasion and budding/sprouting can improve the treatment strategy for T1 colorectal cancer: a retrospective multicenter study. <i>Modern Pathology</i> , 2015, 28, 872-879.	2.9	107
15	c-erbB-2 protein overexpression and p53 immunoreaction in primary and recurrent breast cancer tissues. , 2000, 73, 17-20.		90
16	Number of Lymph Nodes Retrieved is an Important Determinant of Survival of Patients with Stage II and Stage III Colorectal Cancer. <i>Japanese Journal of Clinical Oncology</i> , 2012, 42, 29-35.	0.6	77
17	Changes in colorectal cancer during a 20-year period: an extended report from the multi-institutional registry of large bowel cancer, Japan. <i>Diseases of the Colon and Rectum</i> , 2003, 46, S32-43.	0.7	71
18	Selection of Lymph Node – Positive Cases Based on Perirectal and Lateral Pelvic Lymph Nodes Using Magnetic Resonance Imaging: Study of the Japanese Society for Cancer of the Colon and Rectum. <i>Annals of Surgical Oncology</i> , 2016, 23, 1187-1194.	0.7	67

#	ARTICLE	IF	CITATIONS
19	Japanese Society for Cancer of the Colon and Rectum (JSCCR) guidelines 2020 for the Clinical Practice of Hereditary Colorectal Cancer. <i>International Journal of Clinical Oncology</i> , 2021, 26, 1353-1419.	1.0	67
20	Should the Benefit of Adjuvant Chemotherapy in Colon Cancer Be Re-Evaluated?. <i>Journal of Clinical Oncology</i> , 2016, 34, 1297-1299.	0.8	65
21	A randomised-controlled trial of 1-year adjuvant chemotherapy with oral tegafur-uracil versus surgery alone in stage II colon cancer: SACURA trial. <i>European Journal of Cancer</i> , 2018, 96, 54-63.	1.3	61
22	Multicenter analysis of impact of anastomotic leakage on long-term oncologic outcomes after curative resection of colon cancer. <i>Surgery</i> , 2017, 162, 317-324.	1.0	59
23	Prognostic significance of the co-overexpression of fibroblast growth factor receptors 1, 2 and 4 in gastric cancer. <i>Molecular and Clinical Oncology</i> , 2014, 2, 509-517.	0.4	55
24	Influence of age and comorbidity on prognosis and application of adjuvant chemotherapy in elderly Japanese patients with colorectal cancer: A retrospective multicentre study. <i>European Journal of Cancer</i> , 2017, 81, 90-101.	1.3	52
25	Prognostic value of desmoplastic reaction characterisation in stage II colon cancer: prospective validation in a Phase 3 study (SACURA Trial). <i>British Journal of Cancer</i> , 2021, 124, 1088-1097.	2.9	51
26	Tumor location is a prognostic factor in poorly differentiated adenocarcinoma, mucinous adenocarcinoma, and signet-ring cell carcinoma of the colon. <i>International Journal of Colorectal Disease</i> , 2012, 27, 371-379.	1.0	48
27	Prognostic impact of primary tumor location in Stage III colorectal cancer-right-sided colon versus left-sided colon versus rectum: a nationwide multicenter retrospective study. <i>Journal of Gastroenterology</i> , 2020, 55, 958-968.	2.3	42
28	Changes in Colorectal Cancer Care in Japan before and after Guideline Publication: A Nationwide Survey about D3 Lymph Node Dissection and Adjuvant Chemotherapy. <i>Journal of the American College of Surgeons</i> , 2014, 218, 969-977e1.	0.2	40
29	Neuroendocrine Tumors of the Large Intestine: Clinicopathological Features and Predictive Factors of Lymph Node Metastasis. <i>Frontiers in Oncology</i> , 2016, 6, 173.	1.3	39
30	Impact of Primary Tumor Location on Postoperative Recurrence and Subsequent Prognosis in Nonmetastatic Colon Cancers. <i>Annals of Surgery</i> , 2018, 267, 917-921.	2.1	39
31	Age-specific prognostic factors in patients treated surgically for pulmonary metastases of colorectal cancer: A multi-institutional cumulative follow-up study.. <i>Journal of Clinical Oncology</i> , 2015, 33, 773-773.	0.8	38
32	Randomised phase II trial of mFOLFOX6 plus bevacizumab versus mFOLFOX6 plus cetuximab as first-line treatment for colorectal liver metastasis (ATOM trial). <i>British Journal of Cancer</i> , 2019, 121, 222-229.	2.9	37
33	Clinicopathological relevance of kinesin family member 18A expression in invasive breast cancer. <i>Oncology Letters</i> , 2016, 12, 1909-1914.	0.8	35
34	Quality Control by Photo Documentation for Evaluation of Laparoscopic and Open Colectomy with D3 Resection for Stage II/III Colorectal Cancer: Japan Clinical Oncology Group Study JCOG 0404. <i>Japanese Journal of Clinical Oncology</i> , 2014, 44, 799-806.	0.6	34
35	Prognostic impact of tumor location in stage IV colon cancer: A propensity score analysis in a multicenter study. <i>International Journal of Surgery</i> , 2014, 12, 925-930.	1.1	33
36	Prognostic significance of Traf2- and Nck- interacting kinase (TNIK) in colorectal cancer. <i>BMC Cancer</i> , 2015, 15, 794.	1.1	33

#	ARTICLE	IF	CITATIONS
37	Risk Factors for the Development of Desmoid Tumor After Colectomy in Patients with Familial Adenomatous Polyposis: Multicenter Retrospective Cohort Study in Japan. <i>Annals of Surgical Oncology</i> , 2016, 23, 559-565.	0.7	33
38	The important risk factor for lateral pelvic lymph node metastasis of lower rectal cancer is node-positive status on magnetic resonance imaging: study of the Lymph Node Committee of Japanese Society for Cancer of the Colon and Rectum. <i>International Journal of Colorectal Disease</i> , 2016, 31, 1719-1728.	1.0	32
39	Nomogram for predicting recurrence in stage II colorectal cancer. <i>Acta Oncologica</i> , 2016, 55, 1414-1417.	0.8	31
40	Nomogram Predicting Survival After Recurrence in Patients With Stage I to III Colon Cancer: A Nationwide Multicenter Study. <i>Diseases of the Colon and Rectum</i> , 2018, 61, 1053-1062.	0.7	30
41	The Relationship of Lymph Node Evaluation and Colorectal Cancer Survival After Curative Resection: A Multi-Institutional Study. <i>Annals of Surgical Oncology</i> , 2012, 19, 2169-2177.	0.7	29
42	Incidence and Clinical Features of Drug-induced Lung Injury in Patients with Advanced Colorectal Cancer Receiving Cetuximab: Results of a Prospective Multicenter Registry. <i>Japanese Journal of Clinical Oncology</i> , 2014, 44, 1032-1039.	0.6	28
43	Comparison of clinical features between suspected familial colorectal cancer type X and Lynch syndrome in Japanese patients with colorectal cancer: a cross-sectional study conducted by the Japanese Society for Cancer of the Colon and Rectum. <i>Japanese Journal of Clinical Oncology</i> , 2015, 45, 153-159.	0.6	28
44	Impact of Lateral Pelvic Lymph Node Dissection on the Survival of Patients with T3 and T4 Low Rectal Cancer. <i>World Journal of Surgery</i> , 2016, 40, 1492-1499.	0.8	28
45	Large-Scale, Prospective Observational Study of Regorafenib in Japanese Patients with Metastatic Colorectal Cancer in a Real-World Clinical Setting. <i>Oncologist</i> , 2019, 24, e450-e457.	1.9	28
46	Quantification of telomerase activity in sporadic colorectal carcinoma. , 2000, 88, 1304-1309.		27
47	Therapeutic strategies for hepatic metastasis of colorectal cancer: overview. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2012, 19, 523-527.	1.4	27
48	Clinical significance of platelet derived growth factor-C and -D in gastric cancer. <i>Oncology Letters</i> , 2015, 10, 3495-3501.	0.8	27
49	Severe Infusion Reactions to Cetuximab Occur within 1 h in Patients with Metastatic Colorectal Cancer: Results of a Nationwide, Multicenter, Prospective Registry Study of 2126 Patients in Japan. <i>Japanese Journal of Clinical Oncology</i> , 2014, 44, 541-546.	0.6	23
50	Safety Analysis of FOLFOX4 Treatment in Colorectal Cancer Patients: A Comparison Between Two Asian Studies and Four Western Studies. <i>Clinical Colorectal Cancer</i> , 2012, 11, 127-137.	1.0	22
51	Benefit of primary tumor resection in stage IV colorectal cancer with unresectable metastasis: a multicenter retrospective study using a propensity score analysis. <i>International Journal of Colorectal Disease</i> , 2015, 30, 807-812.	1.0	21
52	Distinction of differentiated type early gastric carcinoma with gastric type mucin expression. , 2000, 89, 724.		21
53	Prevalence of laparoscopic surgical treatment and its clinical outcomes in patients with familial adenomatous polyposis in Japan. <i>International Journal of Clinical Oncology</i> , 2016, 21, 713-722.	1.0	20
54	Prediction of lateral pelvic lymph node metastasis from lower rectal cancer using magnetic resonance imaging and risk factors for metastasis: Multicenter study of the Lymph Node Committee of the Japanese Society for Cancer of the Colon and Rectum. <i>International Journal of Colorectal Disease</i> , 2017, 32, 1479-1487.	1.0	20

#	ARTICLE	IF	CITATIONS
55	The role of periodic serum CA19-9 test in surveillance after colorectal cancer surgery. <i>International Journal of Clinical Oncology</i> , 2017, 22, 96-101.	1.0	20
56	Factors affecting recurrence and prognosis after R0 resection for colorectal cancer with peritoneal metastasis. <i>Journal of Gastroenterology</i> , 2016, 51, 465-472.	2.3	19
57	Prominent Information of jN3 Positive in Stage III Colorectal Cancer Removed by D3 Dissection: Retrospective Analysis of 6866 Patients From a Multi-institutional Database in Japan. <i>Diseases of the Colon and Rectum</i> , 2018, 61, 447-453.	0.7	19
58	Survival Benefit of and Indications for Adjuvant Chemotherapy for Resected Colorectal Liver Metastases—a Japanese Nationwide Survey. <i>Journal of Gastrointestinal Surgery</i> , 2020, 24, 1244-1260.	0.9	19
59	Over-the-scope-clipping system for anastomotic leak after colorectal surgery: Report of two cases. <i>World Journal of Gastroenterology</i> , 2014, 20, 7984.	1.4	19
60	Oncological benefit of lateral pelvic lymph node dissection for rectal cancer treated without preoperative chemoradiotherapy: a multicenter retrospective study using propensity score analysis. <i>International Journal of Colorectal Disease</i> , 2016, 31, 1315-1321.	1.0	18
61	mFOLFOX6 plus bevacizumab to treat liver-only metastases of colorectal cancer that are unsuitable for upfront resection (TRICC0808): a multicenter phase II trial comprising the final analysis for survival. <i>International Journal of Clinical Oncology</i> , 2019, 24, 516-525.	1.0	18
62	S-1 and oxaliplatin (SOX) plus bevacizumab versus mFOLFOX6 plus bevacizumab as first-line treatment for patients with metastatic colorectal cancer: updated overall survival analyses of the open-label, non-inferiority, randomised phase III: SOFT study. <i>ESMO Open</i> , 2017, 2, e000135.	2.0	17
63	Clinical Features of Regorafenib-induced Liver Injury in Japanese Patients From Postmarketing Experience. <i>Clinical Colorectal Cancer</i> , 2018, 17, e49-e58.	1.0	17
64	Study protocol for an International Prospective Observational Cohort Study for Optimal Bowel Resection Extent and Central Radicality for Colon Cancer (T-REX study). <i>Japanese Journal of Clinical Oncology</i> , 2021, 51, 145-155.	0.6	17
65	Potential Causes of Stage Migration and Their Prognostic Implications in Colon Cancer: A Nationwide Survey of Specialist Institutions in Japan. <i>Japanese Journal of Clinical Oncology</i> , 2014, 44, 547-555.	0.6	16
66	Alcohol consumption and early-onset risk of colorectal cancer in Japanese patients with Lynch syndrome: a cross-sectional study conducted by the Japanese Society for Cancer of the Colon and Rectum. <i>Surgery Today</i> , 2018, 48, 810-814.	0.7	16
67	Incorporation of serum carcinoembryonic antigen levels into the prognostic grouping system of colon cancer. <i>International Journal of Colorectal Disease</i> , 2017, 32, 821-829.	1.0	15
68	The treatment of desmoid tumors associated with familial adenomatous polyposis: the results of a Japanese multicenter observational study. <i>Surgery Today</i> , 2017, 47, 1259-1267.	0.7	14
69	Evaluation of appropriate follow-up after curative surgery for patients with colorectal cancer using time to recurrence and survival after recurrence: a retrospective multicenter study. <i>Oncotarget</i> , 2018, 9, 25474-25490.	0.8	14
70	Current status of prophylactic surgical treatment for familial adenomatous polyposis in Japan. <i>Surgery Today</i> , 2017, 47, 690-696.	0.7	13
71	The impact of tumor location on the biological and oncological differences of colon cancer: Multi-institutional propensity score-matched study. <i>American Journal of Surgery</i> , 2019, 217, 46-52.	0.9	13
72	Long-term outcome of liver resection for colorectal metastases in the presence of extrahepatic disease: A multi-institutional Japanese study. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2020, 27, 810-818.	1.4	13

#	ARTICLE	IF	CITATIONS
73	Changes in expression levels of <i>ERCC1</i> , <i>DPYD</i> , and <i>VEGFA</i> mRNA after first-line chemotherapy of metastatic colorectal cancer: results of a multicenter study. <i>Oncotarget</i> , 2015, 6, 34004-34013.	0.8	13
74	Intramucosal colorectal carcinoma with invasion of the lamina propria: a study by the Japanese Society for Cancer of the Colon and Rectum. <i>Human Pathology</i> , 2017, 66, 230-237.	1.1	12
75	Optimal Surveillance Protocols After Curative Resection in Patients With Stage IV Colorectal Cancer: A Multicenter Retrospective Study. <i>Diseases of the Colon and Rectum</i> , 2018, 61, 51-57.	0.7	12
76	Clinical Significance of Methylation and Reduced Expression of the Quaking Gene in Colorectal Cancer. <i>Anticancer Research</i> , 2017, 37, 489-498.	0.5	12
77	Enhancing the Objectivity of the Japanese Classification of Peritoneal Metastases from Colorectal Cancer. <i>Japanese Journal of Clinical Oncology</i> , 2014, 44, 898-902.	0.6	11
78	A New N Staging System for Colorectal Cancer in the Era of Extended Lymphadenectomy. <i>Annals of Surgical Oncology</i> , 2018, 25, 3891-3897.	0.7	11
79	Prevalence of and risk factors for thyroid carcinoma in patients with familial adenomatous polyposis: results of a multicenter study in Japan and a systematic review. <i>Surgery Today</i> , 2019, 49, 72-81.	0.7	11
80	Prognostic Impact of Histologic Type in Curatively Resected Stage IV Colorectal Cancer: A Japanese Multicenter Retrospective Study. <i>Annals of Surgical Oncology</i> , 2015, 22, 621-629.	0.7	10
81	Current status of the histopathological assessment, diagnosis, and reporting of colorectal neuroendocrine tumors: A web survey from the Japanese Society for Cancer of the Colon and Rectum. <i>Pathology International</i> , 2016, 66, 94-101.	0.6	10
82	Japanese genome-wide association study identifies a significant colorectal cancer susceptibility locus at chromosome 10p14. <i>Cancer Science</i> , 2017, 108, 2239-2247.	1.7	10
83	Updated 5-year survival and exploratory T x N subset analyses of ACTS-CC trial: a randomised controlled trial of S-1 versus tegafur-uracil/leucovorin as adjuvant chemotherapy for stage III colon cancer. <i>ESMO Open</i> , 2018, 3, e000428.	2.0	10
84	Role of Repeat Resection in Patients With Metastatic Colorectal Cancer: A Multicenter Retrospective Study. <i>Diseases of the Colon and Rectum</i> , 2019, 62, 561-567.	0.7	10
85	S-1 and Oxaliplatin Versus Tegafur-uracil and Leucovorin as Postoperative Adjuvant Chemotherapy in Patients With High-risk Stage III Colon Cancer (ACTS-CC 02): A Randomized, Open-label, Multicenter, Phase III Superiority Trial. <i>Clinical Colorectal Cancer</i> , 2020, 19, 22-31.e6.	1.0	10
86	Proposal of a novel H category-based classification of colorectal liver metastases based on a Japanese nationwide survey. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2021, 28, 317-326.	1.4	10
87	Safety and efficacy of regorafenib post-marketing surveillance (PMS) in Japanese patients with metastatic colorectal cancer (mCRC). <i>Journal of Clinical Oncology</i> , 2017, 35, 721-721.	0.8	10
88	Relationship between smoking and multiple colorectal cancers in patients with Japanese Lynch syndrome: a cross-sectional study conducted by the Japanese Society for Cancer of the Colon and Rectum. <i>Japanese Journal of Clinical Oncology</i> , 2015, 45, 307-310.	0.6	9
89	Prognostic impact of lymph node dissection is different for male and female colon cancer patients: a propensity score analysis in a multicenter retrospective study. <i>International Journal of Colorectal Disease</i> , 2016, 31, 1149-1155.	1.0	9
90	Therapeutic approaches for patients with coexisting familial adenomatous polyposis and colorectal cancer. <i>Japanese Journal of Clinical Oncology</i> , 2016, 46, 819-824.	0.6	9

#	ARTICLE	IF	CITATIONS
91	Management strategies in Lynch syndrome and familial adenomatous polyposis: a national healthcare survey in Japan. <i>Cancer Science</i> , 2017, 108, 243-249.	1.7	9
92	Characteristics of anal canal cancer in Japan. <i>Cancer Medicine</i> , 2022, 11, 2735-2743.	1.3	9
93	Proposal of a stage-specific surveillance strategy for colorectal cancer patients: A retrospective analysis of Japanese large cohort. <i>European Journal of Surgical Oncology</i> , 2018, 44, 449-455.	0.5	8
94	Marked impact of tumor location on the appropriate cutoff values and the prognostic significance of the lymph node ratio in stage III colon cancer: a multi-institutional retrospective analysis. <i>Journal of Gastroenterology</i> , 2019, 54, 597-607.	2.3	8
95	Factors affecting R0 resection of colorectal cancer with synchronous peritoneal metastases: a multicenter prospective observational study by the Japanese Society for Cancer of the Colon and Rectum. <i>International Journal of Clinical Oncology</i> , 2020, 25, 330-337.	1.0	8
96	Combination of preoperative tumour markers and lymphovascular invasion with TNM staging as a cost and labour efficient subtyping of colorectal cancer. <i>Scientific Reports</i> , 2020, 10, 10238.	1.6	8
97	Comprehensive data of 3525 patients newly diagnosed with colorectal liver metastasis between 2013 and 2014: 2nd report of a nationwide survey in Japan. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2020, 27, 555-562.	1.4	8
98	Hazard function analysis of metastatic recurrence after colorectal cancer surgery—A nationwide retrospective study. <i>Journal of Surgical Oncology</i> , 2021, 123, 1015-1022.	0.8	8
99	Therapeutic significance of D3 dissection for low rectal cancer: a comparison of dissections between the lateral pelvic lymph nodes and the lymph nodes along the root of the inferior mesenteric artery in a multicenter retrospective cohort study. <i>International Journal of Colorectal Disease</i> , 2021, 36, 1263-1270.	1.0	8
100	Clinicopathological Characteristics of Low-Grade Appendiceal Mucinous Neoplasm. <i>Digestive Surgery</i> , 2021, 38, 222-229.	0.6	8
101	Technique of Vagus-Nerve Sparing Laparoscopy-Assisted Distal Gastrectomy. <i>Digestive Endoscopy</i> , 2002, 14, 103-106.	1.3	7
102	Clinicopathological predictive factors for ipsilateral and contralateral events following initial surgery to treat ductal carcinoma in situ. <i>Breast Cancer</i> , 2016, 23, 510-518.	1.3	7
103	Preplanned safety analysis of the JFMC37-0801 trial: a randomized phase III study of six months versus twelve months of capecitabine as adjuvant chemotherapy for stage III colon cancer. <i>International Journal of Clinical Oncology</i> , 2017, 22, 494-504.	1.0	7
104	Planned Safety Analysis of the ACTS-CC 02 Trial: A Randomized Phase III Trial of S-1 With Oxaliplatin Versus Tegafur and Uracil With Leucovorin as Adjuvant Chemotherapy for High-Risk Stage III Colon Cancer. <i>Clinical Colorectal Cancer</i> , 2018, 17, e153-e161.	1.0	7
105	Verifying the M1c category of CRC: analysis of the data from a Japanese multi-institutional database. <i>International Journal of Colorectal Disease</i> , 2020, 35, 125-131.	1.0	7
106	Long-Term Follow-Up of Targeted Biopsy Yield (LOFTY Study) in Ulcerative Colitis Surveillance Colonoscopy. <i>Journal of Clinical Medicine</i> , 2020, 9, 2286.	1.0	7
107	Clinical Significance of Lymph Node Dissection and Lymph Node Metastasis in Primary Appendiceal Tumor Patients After Curative Resection: a Retrospective Multicenter Cohort Study. <i>Journal of Gastrointestinal Surgery</i> , 2022, 26, 128-140.	0.9	7
108	A randomized controlled trial to evaluate laparoscopic versus open complete mesocolic excision (CME) for stage II, III colorectal cancer (CRC): First efficacy results from Japan Clinical Oncology Group Study JCOG0404.. <i>Journal of Clinical Oncology</i> , 2015, 33, 656-656.	0.8	7

#	ARTICLE	IF	CITATIONS
109	Superior prognosis stratification for stage III colon cancer using log odds of positive lymph nodes (LODDS) compared to TNM stage classification: the Japanese study group for postoperative follow-up of colorectal cancer. <i>Oncotarget</i> , 2020, 11, 3144-3152.	0.8	7
110	Intra-abdominal Desmoid Tumor after Resection for Gastrointestinal Stromal Tumor of the Small Intestine: Case Report. <i>Japanese Journal of Clinical Oncology</i> , 2014, 44, 982-985.	0.6	6
111	Successful management of rectovaginal fistula treated by endorectal advancement flap: report of two cases and literature review. <i>SpringerPlus</i> , 2015, 4, 21.	1.2	6
112	Oncological benefit of primary tumor resection with high tie lymph node dissection in unresectable colorectal cancer with synchronous peritoneal metastasis: a propensity score analysis of data from a multi-institute database. <i>International Journal of Clinical Oncology</i> , 2015, 20, 922-927.	1.0	6
113	Adjuvant chemotherapy for colon cancer: the difference between Japanese and western strategies. <i>Expert Opinion on Pharmacotherapy</i> , 2016, 17, 783-790.	0.9	6
114	Open versus laparoscopic surgery for primary appendiceal tumors: a large multicenter retrospective propensity score-matched cohort study in Japan. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2021, 35, 5515-5523.	1.3	6
115	Recurrence hazard of rectal cancer compared with colon cancer by adjuvant chemotherapy status: a nationwide study in Japan. <i>Journal of Gastroenterology</i> , 2021, 56, 371-381.	2.3	6
116	Prognostic Impact and Clinicopathological Features of Multiple Colorectal Cancers and Extracolorectal Malignancies: A Nationwide Retrospective Study. <i>Digestion</i> , 2021, 102, 911-920.	1.2	6
117	Causes of Cancer Death Among First-Degree Relatives in Japanese Families with Lynch Syndrome. <i>Anticancer Research</i> , 2016, 36, 1985-9.	0.5	6
118	Validation and Modification of the Japanese Classification System for Liver Metastases from Colorectal Cancer: A Multi-institutional Study. <i>Annals of Surgical Oncology</i> , 2015, 22, 3888-3895.	0.7	5
119	Impact of age on the prognostic value of number of lymph nodes retrieved in patients with stage II colorectal cancer. <i>International Journal of Colorectal Disease</i> , 2016, 31, 1307-1313.	1.0	5
120	Prognostic impact of hospital volume on familial adenomatous polyposis: a nationwide multicenter study. <i>International Journal of Colorectal Disease</i> , 2017, 32, 1489-1498.	1.0	5
121	Impact of venous invasion on the efficacy of adjuvant chemotherapy in elderly patients with stage III colorectal cancer. <i>Medical Oncology</i> , 2017, 34, 138.	1.2	5
122	Clinical outcomes of stage IV colorectal cancer after R0 resection: a multi-institutional retrospective analysis. <i>International Journal of Clinical Oncology</i> , 2017, 22, 297-306.	1.0	5
123	The long-term outcomes in adolescent and young adult patients with colorectal cancer -A multicenter large-scale cohort study. <i>Journal of Cancer</i> , 2020, 11, 3180-3185.	1.2	5
124	Oncologic Status of Obturator Lymph Node Metastases in Locally Advanced Low Rectal Cancer: A Japanese Multi-Institutional Study of 3487 Patients. <i>Annals of Surgical Oncology</i> , 2022, 29, 4210-4219.	0.7	5
125	Identification of SATB1 as a Specific Biomarker for Lymph Node Metastasis in Colorectal Cancer. <i>Anticancer Research</i> , 2016, 36, 4069-76.	0.5	5
126	Effectiveness of Wound-Edge Protectors for Preventing Surgical Site Infections after Open Surgery for Colorectal Disease: A Prospective Cohort Study with Two Parallel Study Groups. <i>Digestive Surgery</i> , 2019, 36, 83-88.	0.6	4



#	ARTICLE	IF	CITATIONS
127	Analysis of Clinicopathological Characteristics of Appendiceal Tumors in Japan: A Multicenter Collaborative Retrospective Clinical Study—A Japanese Nationwide Survey. <i>Diseases of the Colon and Rectum</i> , 2020, 63, 1403-1410.	0.7	4
128	Noninferiority of S-1 to UFT/LV as adjuvant chemotherapy for stage III colon cancer: A randomized phase III trial (ACTS-CC).. <i>Journal of Clinical Oncology</i> , 2013, 31, 3518-3518.	0.8	4
129	Safety and efficacy of regorafenib in Japanese patients with metastatic colorectal cancer (mCRC) in clinical practice: Interim result from postmarketing surveillance (PMS).. <i>Journal of Clinical Oncology</i> , 2016, 34, 680-680.	0.8	4
130	Impact of sex and histology on the therapeutic effects of fluoropyrimidines and oxaliplatin plus bevacizumab for patients with metastatic colorectal cancer in the SOFT trial. <i>Global Health &amp; Medicine</i> , 2020, 2, 240-246.	0.6	4
131	Risk of first onset of colorectal cancer associated with alcohol consumption in Lynch syndrome: a multicenter cohort study. <i>International Journal of Clinical Oncology</i> , 2022, 27, 1051-1059.	1.0	4
132	CURRENT STATUS AND EVALUATION OF LAPAROSCOPIC SURGERY FOR GASTRIC CANCER. <i>Digestive Endoscopy</i> , 2008, 20, 1-5.	1.3	3
133	Observational study of first-line chemotherapy including cetuximab in patients with metastatic colorectal cancer: CORAL trial. <i>Japanese Journal of Clinical Oncology</i> , 2019, 49, 339-346.	0.6	3
134	Optimal Criteria for G3 (Poorly Differentiated) Stage II Colon Cancer. <i>American Journal of Surgical Pathology</i> , 2020, 44, 1685-1698.	2.1	3
135	Proposal for a post-operative surveillance strategy for stage I colorectal cancer patients based on a novel recurrence risk stratification: a multicenter retrospective study. <i>International Journal of Colorectal Disease</i> , 2021, 36, 67-74.	1.0	3
136	A randomized phase III trial of 1-year adjuvant chemotherapy with oral tegafur-uracil (UFT) vs. surgery alone in stage II colon cancer: SACURA trial.. <i>Journal of Clinical Oncology</i> , 2016, 34, 3617-3617.	0.8	3
137	Genome-wide DNA Copy-number Analysis in ACTS-CC Trial of Adjuvant Chemotherapy for Stage III Colonic Cancer. <i>Anticancer Research</i> , 2016, 36, 853-60.	0.5	3
138	A randomized controlled trial of surgery and postoperative modified FOLFOX6 versus surgery and perioperative modified FOLFOX6 plus cetuximab in patients with KRAS wild-type resectable colorectal liver metastases: EXPERT study. <i>Langenbeck's Archives of Surgery</i> , 2022, 407, 1345-1356.	0.8	3
139	Identification of high-risk stage I colon and rectal cancer patients: a retrospective analysis of a large Japanese cohort. <i>International Journal of Colorectal Disease</i> , 2022, 37, 1403-1410.	1.0	3
140	A simple method to avoid contamination while performing an immediate mucocutaneous suture of the intestinal stoma. <i>Surgery Today</i> , 1998, 28, 475-477.	0.7	2
141	Current status of local treatment for early rectal cancer in Japan: a questionnaire survey by the 81st Congress of the Japanese Society for Cancer of the Colon and Rectum (JSCCR) in 2014. <i>International Journal of Clinical Oncology</i> , 2016, 21, 320-328.	1.0	2
142	Therapeutic effects and limitations of chemoradiotherapy in advanced lower rectal cancer focusing on T4b. <i>International Journal of Colorectal Disease</i> , 2021, 36, 1525-1534.	1.0	2
143	c-erbB-2 protein overexpression and p53 immunoreaction in primary and recurrent breast cancer tissues. <i>Journal of Surgical Oncology</i> , 2000, 73, 17.	0.8	2
144	Depth of invasion parallels increased cyclooxygenase-2 levels in patients with gastric carcinoma. , 2001, 91, 1876.		2

#	ARTICLE	IF	CITATIONS
145	A randomized phase III trial of S-1/oxaliplatin (SOX) plus bevacizumab versus 5-FU/l-LV/oxaliplatin (mFOLFOX6) plus bevacizumab in patients with metastatic colorectal cancer: The SOFT study.. Journal of Clinical Oncology, 2013, 31, 3519-3519.	0.8	2
146	Updated results of the SOFT study: A randomized phase III trial of S-1/oxaliplatin (SOX) plus bevacizumab versus 5-FU/l-LV/oxaliplatin (mFOLFOX6) plus bevacizumab in patients with metastatic colorectal cancer (mCRC).. Journal of Clinical Oncology, 2014, 32, 3586-3586.	0.8	2
147	Prognostic impact of tumor budding in stage II colon cancer: A prospective study (SACURA trial).. Journal of Clinical Oncology, 2017, 35, 3609-3609.	0.8	2
148	A randomized phase II study of mFOLFOX6 plus bevacizumab versus mFOLFOX6 plus cetuximab for previously untreated, liver-limited metastatic colorectal cancer that is unsuitable for resection (ATOM trial).. Journal of Clinical Oncology, 2018, 36, 734-734.	0.8	2
149	EXPERT study: Randomized phase III trial of radical surgery and postoperative mFOLFOX6 versus perioperative mFOLFOX6 plus cetuximab in patients with KRAS wild-type resectable colorectal liver metastases (CLMs).. Journal of Clinical Oncology, 2019, 37, 652-652.	0.8	2
150	Collagen Disease Manifesting as Gastrointestinal Perforations. Nihon Gekakei Rengo Gakkaishi (Journal of Japanese College of Surgeons), 2015, 40, 13-19.	0.0	2
151	A randomized controlled trial to evaluate laparoscopic versus open with Japanese D3 dissection for stage II,III colorectal cancer (CRC): First efficacy results from Japan Clinical Oncology Group Study JCOG0404.. Journal of Clinical Oncology, 2015, 33, 3577-3577.	0.8	2
152	Prognostic Impact of the Length of the Distal Resection Margin in Rectosigmoid Cancer: An Analysis of the JSCCR Database between 1995 and 2004. Journal of the Anus, Rectum and Colon, 2020, 4, 59-66.	0.4	2
153	Investigation of the Japanese Classification of Peritoneal Metastasis from Colorectal Cancer Referring to the Correlation with PCI. Journal of the Anus, Rectum and Colon, 2020, 4, 157-164.	0.4	2
154	Intraoperative pancreatic injury gives rise to severe postoperative pancreatic fistula: Results of a review of unedited videos of the laparoscopic surgical procedures. International Surgery, 2018, , .	0.0	1
155	Current status of projects for developing cancer-related clinical practice guidelines in Japan and recommendations for the future. International Journal of Clinical Oncology, 2019, 24, 189-195.	1.0	1
156	S-1 as adjuvant chemotherapy for stage III colon cancer: Updated outcomes of ACTS-CC trial.. Journal of Clinical Oncology, 2015, 33, 3570-3570.	0.8	1
157	Planned safety analysis of the ACTS-CC 02 trial: A randomized phase III trial of S-1/oxaliplatin (SOX) versus UFT/LV as adjuvant chemotherapy for high-risk stage III colon cancer.. Journal of Clinical Oncology, 2016, 34, 3622-3622.	0.8	1
158	The ATOM trial: A multicenter, randomized phase II study of modified FOLFOX6 plus bevacizumab and modified FOLFOX6 plus cetuximab for colorectal cancer with liver-limited metastases.. Journal of Clinical Oncology, 2016, 34, TPS777-TPS777.	0.8	1
159	A phase II study of panitumumab with FOLFOX or FOLFIRI as first-line chemotherapy for KRAS-wild type metastatic colorectal cancer: The PaFF-J study.. Journal of Clinical Oncology, 2017, 35, 722-722.	0.8	1
160	A randomized phase III trial of S-1/oxaliplatin (SOX) versus UFT/leucovorin as adjuvant chemotherapy for high-risk stage III colon cancer: The ACTS-CC 02 trial.. Journal of Clinical Oncology, 2019, 37, 484-484.	0.8	1
161	The Eastern Cooperative Oncology Group Performance Status as a prognostic factor of stage III colorectal cancer surgery for elderly patients: a multi-institutional retrospective analysis. Surgery Today, 2022, 52, 1081-1089.	0.7	1
162	Index of estimated benefit from lymph node dissection for stage III transverse colon cancer: an analysis of the JSCCR database. Langenbeck's Archives of Surgery, 2022, 407, 2011-2019.	0.8	1

#	ARTICLE	IF	CITATIONS
163	Reply to D.J. Sargent et al. Journal of Clinical Oncology, 2016, 34, 3713-3714.	0.8	0
164	Indications for Laparoscopic Surgery for Colorectal Cancer in Japan &mdash;A Questionnaire Survey of the 85th Meeting of the Japanese Society for Cancer of the Colon and Rectum&mdash;; Nihon Daicho Komonbyo Gakkai Zasshi, 2017, 70, 205-213.	0.1	0
165	Reply to the Letter to the Editor "Defining the Optimal Regimen for Stage III Colon Cancer: Concerns With Study Design" by Guven DC et Al.. Clinical Colorectal Cancer, 2020, 19, e73-e74.	1.0	0
166	Clinical impact of non-predominant histopathological subtypes on the long-term prognosis of colorectal cancer patients in Japan. International Journal of Colorectal Disease, 2020, 35, 2257-2266.	1.0	0
167	Final results of the ACTS-CC 02 trial: A randomized phase III trial of S-1/oxaliplatin (SOX) versus UFT/leucovorin as adjuvant chemotherapy for high-risk stage III colon cancer.. Journal of Clinical Oncology, 2021, 39, 59-59.	0.8	0
168	Stage II colon cancer staging using the number of retrieved lymph nodes may be superior to current TNM staging for prognosis stratification: the Japanese study group for postoperative follow-up of colorectal cancer. International Journal of Colorectal Disease, 2021, 36, 2205-2214.	1.0	0
169	A case of an early gastric carcinoma prolapsed into the duodenum. Progress of Digestive Endoscopy, 2004, 64, 72-73.	0.0	0
170	A case of jejunal GIST diagnosed by double balloon endoscopy but missed by capsule endoscopy. Progress of Digestive Endoscopy, 2011, 78, 124-125.	0.0	0
171	Final report of post-marketing survey of panitumumab in Japanese patients with unresectable advanced or recurrent colorectal cancer.. Journal of Clinical Oncology, 2013, 31, 525-525.	0.8	0
172	A multicenter phase II trial of mFOLFOX6 plus bevacizumab as treatment for liver-only metastases from colorectal cancer unsuitable for upfront resection (TRICC 0808).. Journal of Clinical Oncology, 2013, 31, 543-543.	0.8	0
173	A new prognostic staging system for pulmonary metastases from colorectal cancer.. Journal of Clinical Oncology, 2014, 32, 454-454.	0.8	0
174	Observational study of the first-line chemotherapy including cetuximab in patients with metastatic colorectal cancer: CORAL trial.. Journal of Clinical Oncology, 2014, 32, 539-539.	0.8	0
175	Prognostic factor of resection of hepatic and pulmonary metastases from colorectal cancer: A multi-institutional questionnaire study.. Journal of Clinical Oncology, 2014, 32, 590-590.	0.8	0
176	ONE-HUNDRED AND NINE CASES OF TENSION-FREE HERNIA REPAIR FOR ADULT INGUINAL AND FEMORAL HERNIA. Nihon Rinsho Geka Gakkai Zasshi (Journal of Japan Surgical Association), 1999, 60, 1684-1687.	0.0	0
177	Quality control by photograph for evaluation of open (OP) and laparoscopic (LAP) colectomy with D3 resection for stage II/III colorectal cancer: Japan Clinical Oncology Group study JCOG 0404.. Journal of Clinical Oncology, 2014, 32, e14501-e14501.	0.8	0
178	Observational study of first-line therapy, including cetuximab in cases of nonresectable colorectal cancer: CORAL (interim report).. Journal of Clinical Oncology, 2015, 33, 681-681.	0.8	0
179	A multicenter phase II trial of mFOLFOX6 plus bevacizumab as treatment for liver-only metastases from colorectal cancer unsuitable for upfront resection (TRICC0808): Final analysis for survival.. Journal of Clinical Oncology, 2016, 34, 704-704.	0.8	0
180	Cetuximab observational study as first-line therapy in patients with metastatic colorectal cancer.. Journal of Clinical Oncology, 2016, 34, e15022-e15022.	0.8	0

#	ARTICLE	IF	CITATIONS
181	Prognostic impact of MSI in stage II colon cancers: An additional translational study of the SACURA trial.. Journal of Clinical Oncology, 2017, 35, e15155-e15155.	0.8	0
182	Recurrence risk factors and outcome stratification in stage II colon cancer patients: A subanalysis of the SACURA trial.. Journal of Clinical Oncology, 2017, 35, 3611-3611.	0.8	0
183	Optimizing nodal and staging classification in low rectal cancers with lateral node metastasis: multicentre retrospective cohort study. BJS Open, 2022, 6, .	0.7	0
184	ASO Visual Abstract: Oncological Status of Obturator Lymph Node Metastases in Locally Advanced Low Rectal Cancer: A Japanese Multi-institutional Study of 3487 Patients. Annals of Surgical Oncology, 2022, , .	0.7	0
185	Effect of adjuvant chemotherapy in patients with stage III colon cancer based on the Multi-Institutional Registry of Large Bowel Cancer in Japan.. Journal of Clinical Oncology, 2022, 40, 3610-3610.	0.8	0