

# Kenichi Sugihara

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9421824/publications.pdf>

Version: 2024-02-01

185  
papers

6,778  
citations

136740

32  
h-index

71532

76  
g-index

190  
all docs

190  
docs citations

190  
times ranked

6870  
citing authors

#	ARTICLE	IF	CITATIONS
1	Clinical Significance of Lymph Node Dissection and Lymph Node Metastasis in Primary Appendiceal Tumor Patients After Curative Resection: a Retrospective Multicenter Cohort Study. <i>Journal of Gastrointestinal Surgery</i> , 2022, 26, 128-140.	0.9	7
2	Optimizing nodal and staging classification in low rectal cancers with lateral node metastasis: multicentre retrospective cohort study. <i>BJS Open</i> , 2022, 6, .	0.7	0
3	The Eastern Cooperative Oncology Group Performance Status as a prognostic factor of stage III colorectal cancer surgery for elderly patients: a multi-institutional retrospective analysis. <i>Surgery Today</i> , 2022, 52, 1081-1089.	0.7	1
4	Oncologic Status of Obturator Lymph Node Metastases in Locally Advanced Low Rectal Cancer: A Japanese Multi-Institutional Study of 3487 Patients. <i>Annals of Surgical Oncology</i> , 2022, 29, 4210-4219.	0.7	5
5	A randomized controlled trial of surgery and postoperative modified FOLFOX6 versus surgery and perioperative modified FOLFOX6 plus cetuximab in patients with KRAS wild-type resectable colorectal liver metastases: EXPERT study. <i>Langenbeck's Archives of Surgery</i> , 2022, 407, 1345-1356.	0.8	3
6	Characteristics of anal canal cancer in Japan. <i>Cancer Medicine</i> , 2022, 11, 2735-2743.	1.3	9
7	Risk of first onset of colorectal cancer associated with alcohol consumption in Lynch syndrome: a multicenter cohort study. <i>International Journal of Clinical Oncology</i> , 2022, 27, 1051-1059.	1.0	4
8	ASO Visual Abstract: Oncological Status of Obturator Lymph Node Metastases in Locally Advanced Low Rectal Cancer: A Japanese Multi-institutional Study of 3487 Patients. <i>Annals of Surgical Oncology</i> , 2022, .	0.7	0
9	Index of estimated benefit from lymph node dissection for stage III transverse colon cancer: an analysis of the JSCCR database. <i>Langenbeck's Archives of Surgery</i> , 2022, 407, 2011-2019.	0.8	1
10	Identification of high-risk stage I colon and rectal cancer patients: a retrospective analysis of a large Japanese cohort. <i>International Journal of Colorectal Disease</i> , 2022, 37, 1403-1410.	1.0	3
11	Effect of adjuvant chemotherapy in patients with stage III colon cancer based on the Multi-Institutional Registry of Large Bowel Cancer in Japan.. <i>Journal of Clinical Oncology</i> , 2022, 40, 3610-3610.	0.8	0
12	Open versus laparoscopic surgery for primary appendiceal tumors: a large multicenter retrospective propensity score-matched cohort study in Japan. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2021, 35, 5515-5523.	1.3	6
13	Proposal for a post-operative surveillance strategy for stage I colorectal cancer patients based on a novel recurrence risk stratification: a multicenter retrospective study. <i>International Journal of Colorectal Disease</i> , 2021, 36, 67-74.	1.0	3
14	Final results of the ACTS-CC 02 trial: A randomized phase III trial of S-1/oxaliplatin (SOX) versus UFT/leucovorin as adjuvant chemotherapy for high-risk stage III colon cancer.. <i>Journal of Clinical Oncology</i> , 2021, 39, 59-59.	0.8	0
15	Hazard function analysis of metastatic recurrence after colorectal cancer surgery—A nationwide retrospective study. <i>Journal of Surgical Oncology</i> , 2021, 123, 1015-1022.	0.8	8
16	Prognostic value of desmoplastic reaction characterisation in stage II colon cancer: prospective validation in a Phase 3 study (SACURA Trial). <i>British Journal of Cancer</i> , 2021, 124, 1088-1097.	2.9	51
17	Therapeutic significance of D3 dissection for low rectal cancer: a comparison of dissections between the lateral pelvic lymph nodes and the lymph nodes along the root of the inferior mesenteric artery in a multicenter retrospective cohort study. <i>International Journal of Colorectal Disease</i> , 2021, 36, 1263-1270.	1.0	8
18	Recurrence hazard of rectal cancer compared with colon cancer by adjuvant chemotherapy status: a nationwide study in Japan. <i>Journal of Gastroenterology</i> , 2021, 56, 371-381.	2.3	6

#	ARTICLE	IF	CITATIONS
19	Clinicopathological Characteristics of Low-Grade Appendiceal Mucinous Neoplasm. <i>Digestive Surgery</i> , 2021, 38, 222-229.	0.6	8
20	Proposal of a novel H categoryâ€based classification of colorectal liver metastases based on a Japanese nationwide survey. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2021, 28, 317-326.	1.4	10
21	Therapeutic effects and limitations of chemoradiotherapy in advanced lower rectal cancer focusing on T4b. <i>International Journal of Colorectal Disease</i> , 2021, 36, 1525-1534.	1.0	2
22	Japanese Society for Cancer of the Colon and Rectum (JSCCR) guidelines 2020 for the Clinical Practice of Hereditary Colorectal Cancer. <i>International Journal of Clinical Oncology</i> , 2021, 26, 1353-1419.	1.0	67
23	Stage II colon cancer staging using the number of retrieved lymph nodes may be superior to current TNM staging for prognosis stratification: the Japanese study group for postoperative follow-up of colorectal cancer. <i>International Journal of Colorectal Disease</i> , 2021, 36, 2205-2214.	1.0	0
24	Prognostic Impact and Clinicopathological Features of Multiple Colorectal Cancers and Extracolorectal Malignancies: A Nationwide Retrospective Study. <i>Digestion</i> , 2021, 102, 911-920.	1.2	6
25	Study protocol for an International Prospective Observational Cohort Study for Optimal Bowel Resection Extent and Central Radicality for Colon Cancer (T-REX study). <i>Japanese Journal of Clinical Oncology</i> , 2021, 51, 145-155.	0.6	17
26	Survival Benefit of and Indications for Adjuvant Chemotherapy for Resected Colorectal Liver Metastasesâ€a Japanese Nationwide Survey. <i>Journal of Gastrointestinal Surgery</i> , 2020, 24, 1244-1260.	0.9	19
27	Japanese Society for Cancer of the Colon and Rectum (JSCCR) guidelines 2019 for the treatment of colorectal cancer. <i>International Journal of Clinical Oncology</i> , 2020, 25, 1-42.	1.0	1,123
28	Factors affecting R0 resection of colorectal cancer with synchronous peritoneal metastases: a multicenter prospective observational study by the Japanese Society for Cancer of the Colon and Rectum. <i>International Journal of Clinical Oncology</i> , 2020, 25, 330-337.	1.0	8
29	S-1 and Oxaliplatin Versus Tegafur-uracil and Leucovorin as Postoperative Adjuvant Chemotherapy in Patients With High-risk Stage III Colon Cancer (ACTS-CC 02): A Randomized, Open-label, Multicenter, Phase III Superiority Trial. <i>Clinical Colorectal Cancer</i> , 2020, 19, 22-31.e6.	1.0	10
30	Verifying the M1c category of CRC: analysis of the data from a Japanese multi-institutional database. <i>International Journal of Colorectal Disease</i> , 2020, 35, 125-131.	1.0	7
31	Reply to the Letter to the Editor â€Defining the Optimal Regimen for Stage III Colon Cancer: Concerns With Study Designâ€by Guven DC etAl.. <i>Clinical Colorectal Cancer</i> , 2020, 19, e73-e74.	1.0	0
32	Prognostic impact of primary tumor location in Stage III colorectal cancer-right-sided colon versus left-sided colon versus rectum: a nationwide multicenter retrospective study. <i>Journal of Gastroenterology</i> , 2020, 55, 958-968.	2.3	42
33	Optimal Criteria for G3 (Poorly Differentiated) Stage II Colon Cancer. <i>American Journal of Surgical Pathology</i> , 2020, 44, 1685-1698.	2.1	3
34	Clinical impact of non-predominant histopathological subtypes on the long-term prognosis of colorectal cancer patients in Japan. <i>International Journal of Colorectal Disease</i> , 2020, 35, 2257-2266.	1.0	0
35	Long-Term Follow-Up of Targeted Biopsy Yield (LOFTY Study) in Ulcerative Colitis Surveillance Colonoscopy. <i>Journal of Clinical Medicine</i> , 2020, 9, 2286.	1.0	7
36	Longâ€term outcome of liver resection for colorectal metastases in the presence of extrahepatic disease: A multiâ€institutional Japanese study. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2020, 27, 810-818.	1.4	13

#	ARTICLE	IF	CITATIONS
37	Analysis of Clinicopathological Characteristics of Appendiceal Tumors in Japan: A Multicenter Collaborative Retrospective Clinical Study—A Japanese Nationwide Survey. <i>Diseases of the Colon and Rectum</i> , 2020, 63, 1403-1410.	0.7	4
38	Combination of preoperative tumour markers and lymphovascular invasion with TNM staging as a cost and labour efficient subtyping of colorectal cancer. <i>Scientific Reports</i> , 2020, 10, 10238.	1.6	8
39	The long-term outcomes in adolescent and young adult patients with colorectal cancer -A multicenter large-scale cohort study. <i>Journal of Cancer</i> , 2020, 11, 3180-3185.	1.2	5
40	Comprehensive data of 3525 patients newly diagnosed with colorectal liver metastasis between 2013 and 2014: 2nd report of a nationwide survey in Japan. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2020, 27, 555-562.	1.4	8
41	Superior prognosis stratification for stage III colon cancer using log odds of positive lymph nodes (LODDS) compared to TNM stage classification: the Japanese study group for postoperative follow-up of colorectal cancer. <i>Oncotarget</i> , 2020, 11, 3144-3152.	0.8	7
42	Impact of sex and histology on the therapeutic effects of fluoropyrimidines and oxaliplatin plus bevacizumab for patients with metastatic colorectal cancer in the SOFT trial. <i>Global Health &amp; Medicine</i> , 2020, 2, 240-246.	0.6	4
43	Prognostic Impact of the Length of the Distal Resection Margin in Rectosigmoid Cancer: An Analysis of the JSCCR Database between 1995 and 2004. <i>Journal of the Anus, Rectum and Colon</i> , 2020, 4, 59-66.	0.4	2
44	Investigation of the Japanese Classification of Peritoneal Metastasis from Colorectal Cancer Referring to the Correlation with PCI. <i>Journal of the Anus, Rectum and Colon</i> , 2020, 4, 157-164.	0.4	2
45	The impact of tumor location on the biological and oncological differences of colon cancer: Multi-institutional propensity score-matched study. <i>American Journal of Surgery</i> , 2019, 217, 46-52.	0.9	13
46	Randomised phase II trial of mFOLFOX6 plus bevacizumab versus mFOLFOX6 plus cetuximab as first-line treatment for colorectal liver metastasis (ATOM trial). <i>British Journal of Cancer</i> , 2019, 121, 222-229.	2.9	37
47	Observational study of first-line chemotherapy including cetuximab in patients with metastatic colorectal cancer: CORAL trial. <i>Japanese Journal of Clinical Oncology</i> , 2019, 49, 339-346.	0.6	3
48	Large-Scale, Prospective Observational Study of Regorafenib in Japanese Patients with Metastatic Colorectal Cancer in a Real-World Clinical Setting. <i>Oncologist</i> , 2019, 24, e450-e457.	1.9	28
49	Role of Repeat Resection in Patients With Metastatic Colorectal Cancer: A Multicenter Retrospective Study. <i>Diseases of the Colon and Rectum</i> , 2019, 62, 561-567.	0.7	10
50	Current status of projects for developing cancer-related clinical practice guidelines in Japan and recommendations for the future. <i>International Journal of Clinical Oncology</i> , 2019, 24, 189-195.	1.0	1
51	Prevalence of and risk factors for thyroid carcinoma in patients with familial adenomatous polyposis: results of a multicenter study in Japan and a systematic review. <i>Surgery Today</i> , 2019, 49, 72-81.	0.7	11
52	mFOLFOX6 plus bevacizumab to treat liver-only metastases of colorectal cancer that are unsuitable for upfront resection (TRICCO808): a multicenter phase II trial comprising the final analysis for survival. <i>International Journal of Clinical Oncology</i> , 2019, 24, 516-525.	1.0	18
53	Marked impact of tumor location on the appropriate cutoff values and the prognostic significance of the lymph node ratio in stage III colon cancer: a multi-institutional retrospective analysis. <i>Journal of Gastroenterology</i> , 2019, 54, 597-607.	2.3	8
54	Effectiveness of Wound-Edge Protectors for Preventing Surgical Site Infections after Open Surgery for Colorectal Disease: A Prospective Cohort Study with Two Parallel Study Groups. <i>Digestive Surgery</i> , 2019, 36, 83-88.	0.6	4

#	ARTICLE	IF	CITATIONS
55	A randomized phase III trial of S-1/oxaliplatin (SOX) versus UFT/leucovorin as adjuvant chemotherapy for high-risk stage III colon cancer: The ACTS-CC 02 trial.. <i>Journal of Clinical Oncology</i> , 2019, 37, 484-484.	0.8	1
56	EXPERT study: Randomized phase III trial of radical surgery and postoperative mFOLFOX6 versus perioperative mFOLFOX6 plus cetuximab in patients with KRAS wild-type resectable colorectal liver metastases (CLMs).. <i>Journal of Clinical Oncology</i> , 2019, 37, 652-652.	0.8	2
57	Prominent Information of jN3 Positive in Stage III Colorectal Cancer Removed by D3 Dissection: Retrospective Analysis of 6866 Patients From a Multi-institutional Database in Japan. <i>Diseases of the Colon and Rectum</i> , 2018, 61, 447-453.	0.7	19
58	A randomised-controlled trial of 1-year adjuvant chemotherapy with oral tegafur+uracil versus surgery alone in stage II colon cancer: SACURA trial. <i>European Journal of Cancer</i> , 2018, 96, 54-63.	1.3	61
59	Proposal of a stage-specific surveillance strategy for colorectal cancer patients: A retrospective analysis of Japanese large cohort. <i>European Journal of Surgical Oncology</i> , 2018, 44, 449-455.	0.5	8
60	Alcohol consumption and early-onset risk of colorectal cancer in Japanese patients with Lynch syndrome: a cross-sectional study conducted by the Japanese Society for Cancer of the Colon and Rectum. <i>Surgery Today</i> , 2018, 48, 810-814.	0.7	16
61	Impact of Primary Tumor Location on Postoperative Recurrence and Subsequent Prognosis in Nonmetastatic Colon Cancers. <i>Annals of Surgery</i> , 2018, 267, 917-921.	2.1	39
62	Clinical Features of Regorafenib-induced Liver Injury in Japanese Patients From Postmarketing Experience. <i>Clinical Colorectal Cancer</i> , 2018, 17, e49-e58.	1.0	17
63	Planned Safety Analysis of the ACTS-CC 02 Trial: A Randomized Phase III Trial of S-1 With Oxaliplatin Versus Tegafur and Uracil With Leucovorin as Adjuvant Chemotherapy for High-Risk Stage III Colon Cancer. <i>Clinical Colorectal Cancer</i> , 2018, 17, e153-e161.	1.0	7
64	Optimal Surveillance Protocols After Curative Resection in Patients With Stage IV Colorectal Cancer: A Multicenter Retrospective Study. <i>Diseases of the Colon and Rectum</i> , 2018, 61, 51-57.	0.7	12
65	Evaluation of appropriate follow-up after curative surgery for patients with colorectal cancer using time to recurrence and survival after recurrence: a retrospective multicenter study. <i>Oncotarget</i> , 2018, 9, 25474-25490.	0.8	14
66	Updated 5-year survival and exploratory T x N subset analyses of ACTS-CC trial: a randomised controlled trial of S-1 versus tegafur-uracil/leucovorin as adjuvant chemotherapy for stage III colon cancer. <i>ESMO Open</i> , 2018, 3, e000428.	2.0	10
67	A New N Staging System for Colorectal Cancer in the Era of Extended Lymphadenectomy. <i>Annals of Surgical Oncology</i> , 2018, 25, 3891-3897.	0.7	11
68	Intraoperative pancreatic injury gives rise to severe postoperative pancreatic fistula: Results of a review of unedited videos of the laparoscopic surgical procedures. <i>International Surgery</i> , 2018, , .	0.0	1
69	Nomogram Predicting Survival After Recurrence in Patients With Stage I to III Colon Cancer: A Nationwide Multicenter Study. <i>Diseases of the Colon and Rectum</i> , 2018, 61, 1053-1062.	0.7	30
70	A randomized phase II study of mFOLFOX6 plus bevacizumab versus mFOLFOX6 plus cetuximab for previously untreated, liver-limited metastatic colorectal cancer that is unsuitable for resection (ATOM trial).. <i>Journal of Clinical Oncology</i> , 2018, 36, 734-734.	0.8	2
71	Preplanned safety analysis of the JFMC37-0801 trial: a randomized phase III study of six months versus twelve months of capecitabine as adjuvant chemotherapy for stage III colon cancer. <i>International Journal of Clinical Oncology</i> , 2017, 22, 494-504.	1.0	7
72	Management strategies in Lynch syndrome and familial adenomatous polyposis: a national healthcare survey in Japan. <i>Cancer Science</i> , 2017, 108, 243-249.	1.7	9

#	ARTICLE	IF	CITATIONS
73	Incorporation of serum carcinoembryonic antigen levels into the prognostic grouping system of colon cancer. <i>International Journal of Colorectal Disease</i> , 2017, 32, 821-829.	1.0	15
74	Multicenter analysis of impact of anastomotic leakage on long-term oncologic outcomes after curative resection of colon cancer. <i>Surgery</i> , 2017, 162, 317-324.	1.0	59
75	Influence of age and comorbidity on prognosis and application of adjuvant chemotherapy in elderly Japanese patients with colorectal cancer: A retrospective multicentre study. <i>European Journal of Cancer</i> , 2017, 81, 90-101.	1.3	52
76	Recommendations for reporting tumor budding in colorectal cancer based on the International Tumor Budding Consensus Conference (ITBCC) 2016. <i>Modern Pathology</i> , 2017, 30, 1299-1311.	2.9	652
77	Survival outcomes following laparoscopic versus open D3 dissection for stage II or III colon cancer (JCOG0404): a phase 3, randomised controlled trial. <i>The Lancet Gastroenterology and Hepatology</i> , 2017, 2, 261-268.	3.7	208
78	The treatment of desmoid tumors associated with familial adenomatous polyposis: the results of a Japanese multicenter observational study. <i>Surgery Today</i> , 2017, 47, 1259-1267.	0.7	14
79	Tumor Deposits in Colorectal Cancer: Improving the Value of Modern Staging – A Systematic Review and Meta-Analysis. <i>Journal of Clinical Oncology</i> , 2017, 35, 1119-1127.	0.8	166
80	Japanese genome-wide association study identifies a significant colorectal cancer susceptibility locus at chromosome 10p14. <i>Cancer Science</i> , 2017, 108, 2239-2247.	1.7	10
81	Prognostic impact of hospital volume on familial adenomatous polyposis: a nationwide multicenter study. <i>International Journal of Colorectal Disease</i> , 2017, 32, 1489-1498.	1.0	5
82	S-1 and oxaliplatin (SOX) plus bevacizumab versus mFOLFOX6 plus bevacizumab as first-line treatment for patients with metastatic colorectal cancer: updated overall survival analyses of the open-label, non-inferiority, randomised phase III: SOFT study. <i>ESMO Open</i> , 2017, 2, e000135.	2.0	17
83	Prediction of lateral pelvic lymph node metastasis from lower rectal cancer using magnetic resonance imaging and risk factors for metastasis: Multicenter study of the Lymph Node Committee of the Japanese Society for Cancer of the Colon and Rectum. <i>International Journal of Colorectal Disease</i> , 2017, 32, 1479-1487.	1.0	20
84	Impact of venous invasion on the efficacy of adjuvant chemotherapy in elderly patients with stage III colorectal cancer. <i>Medical Oncology</i> , 2017, 34, 138.	1.2	5
85	Intramucosal colorectal carcinoma with invasion of the lamina propria: a study by the Japanese Society for Cancer of the Colon and Rectum. <i>Human Pathology</i> , 2017, 66, 230-237.	1.1	12
86	Current status of prophylactic surgical treatment for familial adenomatous polyposis in Japan. <i>Surgery Today</i> , 2017, 47, 690-696.	0.7	13
87	The role of periodic serum CA19-9 test in surveillance after colorectal cancer surgery. <i>International Journal of Clinical Oncology</i> , 2017, 22, 96-101.	1.0	20
88	Clinical outcomes of stage IV colorectal cancer after R0 resection: a multi-institutional retrospective analysis. <i>International Journal of Clinical Oncology</i> , 2017, 22, 297-306.	1.0	5
89	Indications for Laparoscopic Surgery for Colorectal Cancer in Japan – A Questionnaire Survey of the 85th Meeting of the Japanese Society for Cancer of the Colon and Rectum –. <i>Nihon Daicho Komonbyo Gakkai Zasshi</i> , 2017, 70, 205-213.	0.1	0
90	Prognostic impact of tumor budding in stage II colon cancer: A prospective study (SACURA trial).. <i>Journal of Clinical Oncology</i> , 2017, 35, 3609-3609.	0.8	2



#	ARTICLE	IF	CITATIONS
91	Safety and efficacy of regorafenib post-marketing surveillance (PMS) in Japanese patients with metastatic colorectal cancer (mCRC).. Journal of Clinical Oncology, 2017, 35, 721-721.	0.8	10
92	A phase II study of panitumumab with FOLFOX or FOLFIRI as first-line chemotherapy for KRAS-wild type metastatic colorectal cancer: The PaFF-J study.. Journal of Clinical Oncology, 2017, 35, 722-722.	0.8	1
93	Clinical Significance of Methylation and Reduced Expression of the Quaking Gene in Colorectal Cancer. Anticancer Research, 2017, 37, 489-498.	0.5	12
94	Prognostic impact of MSI in stage II colon cancers: An additional translational study of the SACURA trial.. Journal of Clinical Oncology, 2017, 35, e15155-e15155.	0.8	0
95	Recurrence risk factors and outcome stratification in stage II colon cancer patients: A subanalysis of the SACURA trial.. Journal of Clinical Oncology, 2017, 35, 3611-3611.	0.8	0
96	Neuroendocrine Tumors of the Large Intestine: Clinicopathological Features and Predictive Factors of Lymph Node Metastasis. Frontiers in Oncology, 2016, 6, 173.	1.3	39
97	Risk Factors for the Development of Desmoid Tumor After Colectomy in Patients with Familial Adenomatous Polyposis: Multicenter Retrospective Cohort Study in Japan. Annals of Surgical Oncology, 2016, 23, 559-565.	0.7	33
98	Impact of age on the prognostic value of number of lymph nodes retrieved in patients with stage II colorectal cancer. International Journal of Colorectal Disease, 2016, 31, 1307-1313.	1.0	5
99	Adjuvant chemotherapy for colon cancer: the difference between Japanese and western strategies. Expert Opinion on Pharmacotherapy, 2016, 17, 783-790.	0.9	6
100	Prognostic impact of lymph node dissection is different for male and female colon cancer patients: a propensity score analysis in a multicenter retrospective study. International Journal of Colorectal Disease, 2016, 31, 1149-1155.	1.0	9
101	Reply to D.J. Sargent et al. Journal of Clinical Oncology, 2016, 34, 3713-3714.	0.8	0
102	Clinicopathological relevance of kinesin family member 18A expression in invasive breast cancer. Oncology Letters, 2016, 12, 1909-1914.	0.8	35
103	Oncological benefit of lateral pelvic lymph node dissection for rectal cancer treated without preoperative chemoradiotherapy: a multicenter retrospective study using propensity score analysis. International Journal of Colorectal Disease, 2016, 31, 1315-1321.	1.0	18
104	Therapeutic approaches for patients with coexisting familial adenomatous polyposis and colorectal cancer. Japanese Journal of Clinical Oncology, 2016, 46, 819-824.	0.6	9
105	Nomogram for predicting recurrence in stage II colorectal cancer. Acta Oncologica, 2016, 55, 1414-1417.	0.8	31
106	Comparison of Targeted vs Random Biopsies for Surveillance of Ulcerative Colitis-Associated Colorectal Cancer. Gastroenterology, 2016, 151, 1122-1130.	0.6	171
107	The important risk factor for lateral pelvic lymph node metastasis of lower rectal cancer is node-positive status on magnetic resonance imaging: study of the Lymph Node Committee of Japanese Society for Cancer of the Colon and Rectum. International Journal of Colorectal Disease, 2016, 31, 1719-1728.	1.0	32
108	Prevalence of laparoscopic surgical treatment and its clinical outcomes in patients with familial adenomatous polyposis in Japan. International Journal of Clinical Oncology, 2016, 21, 713-722.	1.0	20

#	ARTICLE	IF	CITATIONS
109	Clinicopathological predictive factors for ipsilateral and contralateral events following initial surgery to treat ductal carcinoma in situ. <i>Breast Cancer</i> , 2016, 23, 510-518.	1.3	7
110	Selection of Lymph Node-Positive Cases Based on Perirectal and Lateral Pelvic Lymph Nodes Using Magnetic Resonance Imaging: Study of the Japanese Society for Cancer of the Colon and Rectum. <i>Annals of Surgical Oncology</i> , 2016, 23, 1187-1194.	0.7	67
111	Current status of the histopathological assessment, diagnosis, and reporting of colorectal neuroendocrine tumors: A Japanese survey from the Japanese Society for Cancer of the Colon and Rectum. <i>Pathology International</i> , 2016, 66, 94-101.	0.6	10
112	Should the Benefit of Adjuvant Chemotherapy in Colon Cancer Be Re-Evaluated?. <i>Journal of Clinical Oncology</i> , 2016, 34, 1297-1299.	0.8	65
113	Impact of Lateral Pelvic Lymph Node Dissection on the Survival of Patients with T3 and T4 Low Rectal Cancer. <i>World Journal of Surgery</i> , 2016, 40, 1492-1499.	0.8	28
114	Factors affecting recurrence and prognosis after R0 resection for colorectal cancer with peritoneal metastasis. <i>Journal of Gastroenterology</i> , 2016, 51, 465-472.	2.3	19
115	Current status of local treatment for early rectal cancer in Japan: a questionnaire survey by the 81st Congress of the Japanese Society for Cancer of the Colon and Rectum (JSCCR) in 2014. <i>International Journal of Clinical Oncology</i> , 2016, 21, 320-328.	1.0	2
116	A randomized phase III trial of 1-year adjuvant chemotherapy with oral tegafur-uracil (UFT) vs. surgery alone in stage II colon cancer: SACURA trial. <i>Journal of Clinical Oncology</i> , 2016, 34, 3617-3617.	0.8	3
117	Planned safety analysis of the ACTS-CC 02 trial: A randomized phase III trial of S-1/oxaliplatin (SOX) versus UFT/LV as adjuvant chemotherapy for high-risk stage III colon cancer. <i>Journal of Clinical Oncology</i> , 2016, 34, 3622-3622.	0.8	1
118	Safety and efficacy of regorafenib in Japanese patients with metastatic colorectal cancer (mCRC) in clinical practice: Interim result from postmarketing surveillance (PMS). <i>Journal of Clinical Oncology</i> , 2016, 34, 680-680.	0.8	4
119	The ATOM trial: A multicenter, randomized phase II study of modified FOLFOX6 plus bevacizumab and modified FOLFOX6 plus cetuximab for colorectal cancer with liver-limited metastases. <i>Journal of Clinical Oncology</i> , 2016, 34, TPS777-TPS777.	0.8	1
120	A multicenter phase II trial of mFOLFOX6 plus bevacizumab as treatment for liver-only metastases from colorectal cancer unsuitable for upfront resection (TRICC0808): Final analysis for survival. <i>Journal of Clinical Oncology</i> , 2016, 34, 704-704.	0.8	0
121	Cetuximab observational study as first-line therapy in patients with metastatic colorectal cancer. <i>Journal of Clinical Oncology</i> , 2016, 34, e15022-e15022.	0.8	0
122	Genome-wide DNA Copy-number Analysis in ACTS-CC Trial of Adjuvant Chemotherapy for Stage III Colonic Cancer. <i>Anticancer Research</i> , 2016, 36, 853-60.	0.5	3
123	Causes of Cancer Death Among First-Degree Relatives in Japanese Families with Lynch Syndrome. <i>Anticancer Research</i> , 2016, 36, 1985-9.	0.5	6
124	Identification of SATB1 as a Specific Biomarker for Lymph Node Metastasis in Colorectal Cancer. <i>Anticancer Research</i> , 2016, 36, 4069-76.	0.5	5
125	Prognostic significance of Traf2- and Nck- interacting kinase (TNIK) in colorectal cancer. <i>BMC Cancer</i> , 2015, 15, 794.	1.1	33
126	Successful management of rectovaginal fistula treated by endorectal advancement flap: report of two cases and literature review. <i>SpringerPlus</i> , 2015, 4, 21.	1.2	6



#	ARTICLE	IF	CITATIONS
127	Comparison of clinical features between suspected familial colorectal cancer type X and Lynch syndrome in Japanese patients with colorectal cancer: a cross-sectional study conducted by the Japanese Society for Cancer of the Colon and Rectum. <i>Japanese Journal of Clinical Oncology</i> , 2015, 45, 153-159.	0.6	28
128	Benefit of primary tumor resection in stage IV colorectal cancer with unresectable metastasis: a multicenter retrospective study using a propensity score analysis. <i>International Journal of Colorectal Disease</i> , 2015, 30, 807-812.	1.0	21
129	A three-tier classification system based on the depth of submucosal invasion and budding/sprouting can improve the treatment strategy for T1 colorectal cancer: a retrospective multicenter study. <i>Modern Pathology</i> , 2015, 28, 872-879.	2.9	107
130	Validation and Modification of the Japanese Classification System for Liver Metastases from Colorectal Cancer: A Multi-institutional Study. <i>Annals of Surgical Oncology</i> , 2015, 22, 3888-3895.	0.7	5
131	Oncological benefit of primary tumor resection with high tie lymph node dissection in unresectable colorectal cancer with synchronous peritoneal metastasis: a propensity score analysis of data from a multi-institute database. <i>International Journal of Clinical Oncology</i> , 2015, 20, 922-927.	1.0	6
132	Relationship between smoking and multiple colorectal cancers in patients with Japanese Lynch syndrome: a cross-sectional study conducted by the Japanese Society for Cancer of the Colon and Rectum. <i>Japanese Journal of Clinical Oncology</i> , 2015, 45, 307-310.	0.6	9
133	Local Recurrence After Endoscopic Resection for Large Colorectal Neoplasia: A Multicenter Prospective Study in Japan. <i>American Journal of Gastroenterology</i> , 2015, 110, 697-707.	0.2	244
134	Prognostic Impact of Histologic Type in Curatively Resected Stage IV Colorectal Cancer: A Japanese Multicenter Retrospective Study. <i>Annals of Surgical Oncology</i> , 2015, 22, 621-629.	0.7	10
135	S-1 as adjuvant chemotherapy for stage III colon cancer: Updated outcomes of ACTS-CC trial.. <i>Journal of Clinical Oncology</i> , 2015, 33, 3570-3570.	0.8	1
136	A randomized controlled trial to evaluate laparoscopic versus open complete mesocolic excision (CME) for stage II, III colorectal cancer (CRC): First efficacy results from Japan Clinical Oncology Group Study JCOG0404.. <i>Journal of Clinical Oncology</i> , 2015, 33, 656-656.	0.8	7
137	Changes in expression levels of ERCC1, DPYD, and VEGFA mRNA after first-line chemotherapy of metastatic colorectal cancer: results of a multicenter study. <i>Oncotarget</i> , 2015, 6, 34004-34013.	0.8	13
138	Clinical significance of platelet derived growth factor-C and -D in gastric cancer. <i>Oncology Letters</i> , 2015, 10, 3495-3501.	0.8	27
139	Collagen Disease Manifesting as Gastrointestinal Perforations. <i>Nihon Gekakei Rengo Gakkaishi (Journal of Japanese College of Surgeons)</i> , 2015, 40, 13-19.	0.0	2
140	Observational study of first-line therapy, including cetuximab in cases of nonresectable colorectal cancer: CORAL (interim report).. <i>Journal of Clinical Oncology</i> , 2015, 33, 681-681.	0.8	0
141	Age-specific prognostic factors in patients treated surgically for pulmonary metastases of colorectal cancer: A multi-institutional cumulative follow-up study.. <i>Journal of Clinical Oncology</i> , 2015, 33, 773-773.	0.8	38
142	A randomized controlled trial to evaluate laparoscopic versus open with Japanese D3 dissection for stage II,III colorectal cancer (CRC): First efficacy results from Japan Clinical Oncology Group Study JCOG0404.. <i>Journal of Clinical Oncology</i> , 2015, 33, 3577-3577.	0.8	2
143	Intra-abdominal Desmoid Tumor after Resection for Gastrointestinal Stromal Tumor of the Small Intestine: Case Report. <i>Japanese Journal of Clinical Oncology</i> , 2014, 44, 982-985.	0.6	6
144	Enhancing the Objectivity of the Japanese Classification of Peritoneal Metastases from Colorectal Cancer. <i>Japanese Journal of Clinical Oncology</i> , 2014, 44, 898-902.	0.6	11

#	ARTICLE	IF	CITATIONS
145	Severe Infusion Reactions to Cetuximab Occur within 1 h in Patients with Metastatic Colorectal Cancer: Results of a Nationwide, Multicenter, Prospective Registry Study of 2126 Patients in Japan. <i>Japanese Journal of Clinical Oncology</i> , 2014, 44, 541-546.	0.6	23
146	Potential Causes of Stage Migration and Their Prognostic Implications in Colon Cancer: A Nationwide Survey of Specialist Institutions in Japan. <i>Japanese Journal of Clinical Oncology</i> , 2014, 44, 547-555.	0.6	16
147	Risk Stratification of 7,732 Hepatectomy Cases in 2011 from the National Clinical Database for Japan. <i>Journal of the American College of Surgeons</i> , 2014, 218, 412-422.	0.2	127
148	Quality Control by Photo Documentation for Evaluation of Laparoscopic and Open Colectomy with D3 Resection for Stage II/III Colorectal Cancer: Japan Clinical Oncology Group Study JCOG 0404. <i>Japanese Journal of Clinical Oncology</i> , 2014, 44, 799-806.	0.6	34
149	Incidence and Clinical Features of Drug-induced Lung Injury in Patients with Advanced Colorectal Cancer Receiving Cetuximab: Results of a Prospective Multicenter Registry. <i>Japanese Journal of Clinical Oncology</i> , 2014, 44, 1032-1039.	0.6	28
150	Prognostic impact of tumor location in stage IV colon cancer: A propensity score analysis in a multicenter study. <i>International Journal of Surgery</i> , 2014, 12, 925-930.	1.1	33
151	Changes in Colorectal Cancer Care in Japan before and after Guideline Publication: A Nationwide Survey about D3 Lymph Node Dissection and Adjuvant Chemotherapy. <i>Journal of the American College of Surgeons</i> , 2014, 218, 969-977e1.	0.2	40
152	Prognostic significance of the co-overexpression of fibroblast growth factor receptors 1, 2 and 4 in gastric cancer. <i>Molecular and Clinical Oncology</i> , 2014, 2, 509-517.	0.4	55
153	Updated results of the SOFT study: A randomized phase III trial of S-1/oxaliplatin (SOX) plus bevacizumab versus 5-FU/LV/oxaliplatin (mFOLFOX6) plus bevacizumab in patients with metastatic colorectal cancer (mCRC).. <i>Journal of Clinical Oncology</i> , 2014, 32, 3586-3586.	0.8	2
154	Over-the-scope-clipping system for anastomotic leak after colorectal surgery: Report of two cases. <i>World Journal of Gastroenterology</i> , 2014, 20, 7984.	1.4	19
155	A new prognostic staging system for pulmonary metastases from colorectal cancer.. <i>Journal of Clinical Oncology</i> , 2014, 32, 454-454.	0.8	0
156	Observational study of the first-line chemotherapy including cetuximab in patients with metastatic colorectal cancer: CORAL trial.. <i>Journal of Clinical Oncology</i> , 2014, 32, 539-539.	0.8	0
157	Prognostic factor of resection of hepatic and pulmonary metastases from colorectal cancer: A multi-institutional questionnaire study.. <i>Journal of Clinical Oncology</i> , 2014, 32, 590-590.	0.8	0
158	Quality control by photograph for evaluation of open (OP) and laparoscopic (LAP) colectomy with D3 resection for stage II/III colorectal cancer: Japan Clinical Oncology Group study JCOG 0404.. <i>Journal of Clinical Oncology</i> , 2014, 32, e14501-e14501.	0.8	0
159	Noninferiority of S-1 to UFT/LV as adjuvant chemotherapy for stage III colon cancer: A randomized phase III trial (ACTS-CC).. <i>Journal of Clinical Oncology</i> , 2013, 31, 3518-3518.	0.8	4
160	A randomized phase III trial of S-1/oxaliplatin (SOX) plus bevacizumab versus 5-FU/LV/oxaliplatin (mFOLFOX6) plus bevacizumab in patients with metastatic colorectal cancer: The SOFT study.. <i>Journal of Clinical Oncology</i> , 2013, 31, 3519-3519.	0.8	2
161	Final report of post-marketing survey of panitumumab in Japanese patients with unresectable advanced or recurrent colorectal cancer.. <i>Journal of Clinical Oncology</i> , 2013, 31, 525-525.	0.8	0
162	A multicenter phase II trial of mFOLFOX6 plus bevacizumab as treatment for liver-only metastases from colorectal cancer unsuitable for upfront resection (TRICC 0808).. <i>Journal of Clinical Oncology</i> , 2013, 31, 543-543.	0.8	0

#	ARTICLE	IF	CITATIONS
163	Number of Lymph Nodes Retrieved is an Important Determinant of Survival of Patients with Stage II and Stage III Colorectal Cancer. Japanese Journal of Clinical Oncology, 2012, 42, 29-35.	0.6	77
164	Therapeutic strategies for hepatic metastasis of colorectal cancer: overview. Journal of Hepato-Biliary-Pancreatic Sciences, 2012, 19, 523-527.	1.4	27
165	Safety Analysis of FOLFOX4 Treatment in Colorectal Cancer Patients: A Comparison Between Two Asian Studies and Four Western Studies. Clinical Colorectal Cancer, 2012, 11, 127-137.	1.0	22
166	The Relationship of Lymph Node Evaluation and Colorectal Cancer Survival After Curative Resection: A Multi-Institutional Study. Annals of Surgical Oncology, 2012, 19, 2169-2177.	0.7	29
167	Japanese Society for Cancer of the Colon and Rectum (JSCCR) guidelines 2010 for the treatment of colorectal cancer. International Journal of Clinical Oncology, 2012, 17, 1-29.	1.0	658
168	Tumor location is a prognostic factor in poorly differentiated adenocarcinoma, mucinous adenocarcinoma, and signet-ring cell carcinoma of the colon. International Journal of Colorectal Disease, 2012, 27, 371-379.	1.0	48
169	A case of jejunal GIST diagnosed by double balloon endoscopy but missed by capsule endoscopy. Progress of Digestive Endoscopy, 2011, 78, 124-125.	0.0	0
170	CURRENT STATUS AND EVALUATION OF LAPAROSCOPIC SURGERY FOR GASTRIC CANCER. Digestive Endoscopy, 2008, 20, 1-5.	1.3	3
171	Indication and Benefit of Pelvic Sidewall Dissection for Rectal Cancer. Diseases of the Colon and Rectum, 2006, 49, 1663-1672.	0.7	364
172	A case of an early gastric carcinoma prolapsed into the duodenum. Progress of Digestive Endoscopy, 2004, 64, 72-73.	0.0	0
173	Changes in colorectal cancer during a 20-year period: an extended report from the multi-institutional registry of large bowel cancer, Japan. Diseases of the Colon and Rectum, 2003, 46, S32-43.	0.7	71
174	Technique of Vagus-Nerve Sparing Laparoscopy-Assisted Distal Gastrectomy. Digestive Endoscopy, 2002, 14, 103-106.	1.3	7
175	Depth of invasion parallels increased cyclooxygenase-2 levels in patients with gastric carcinoma. Cancer, 2001, 91, 1876-1881.	2.0	131
176	Depth of invasion parallels increased cyclooxygenase-2 levels in patients with gastric carcinoma. , 2001, 91, 1876.		2
177	Quantification of telomerase activity in sporadic colorectal carcinoma. , 2000, 88, 1304-1309.		27
178	c-erbB-2 protein overexpression and p53 immunoreaction in primary and recurrent breast cancer tissues. , 2000, 73, 17-20.		90
179	Distinction of differentiated type early gastric carcinoma with gastric type mucin expression. Cancer, 2000, 89, 724-732.	2.0	131
180	Endorectal Ultrasonography and Treatment of Early Stage Rectal Cancer. World Journal of Surgery, 2000, 24, 1061-1068.	0.8	155

#	ARTICLE	IF	CITATIONS
181	c-erbB-2 protein overexpression and p53 immunoreaction in primary and recurrent breast cancer tissues. <i>Journal of Surgical Oncology</i> , 2000, 73, 17.	0.8	2
182	Distinction of differentiated type early gastric carcinoma with gastric type mucin expression. , 2000, 89, 724.		21
183	ONE-HUNDRED AND NINE CASES OF TENSION-FREE HERNIA REPAIR FOR ADULT INGUINAL AND FEMORAL HERNIA. <i>Nihon Rinsho Geka Gakkai Zasshi (Journal of Japan Surgical Association)</i> , 1999, 60, 1684-1687.	0.0	0
184	A simple method to avoid contamination while performing an immediate mucocutaneous suture of the intestinal stoma. <i>Surgery Today</i> , 1998, 28, 475-477.	0.7	2
185	Resection of both hepatic and pulmonary metastases in patients with colorectal carcinoma. <i>Cancer</i> , 1998, 83, 1086-1093.	2.0	129