List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/942409/publications.pdf Version: 2024-02-01



RINTADO LIEU

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Crystallographic features of lath martensite in low-carbon steel. Acta Materialia, 2006, 54, 1279-1288. | 3.8 | 781 |
| 2 | Tensile properties and twinning behavior of high manganese austenitic steel with fine-grained structure. Scripta Materialia, 2008, 59, 963-966. | 2.6 | 377 |
| 3 | Ultragrain refinement of plain low carbon steel by cold-rolling and annealing of martensite. Acta Materialia, 2002, 50, 4177-4189. | 3.8 | 322 |
| 4 | Flow stress analysis of TWIP steel via the XRD measurement of dislocation density. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2010, 527, 2759-2763. | 2.6 | 265 |
| 5 | A new and simple process to obtain nano-structured bulk low-carbon steel with superior mechanical property. Scripta Materialia, 2002, 46, 305-310. | 2.6 | 237 |
| 6 | Tensile deformation behavior of high manganese austenitic steel: The role of grain size. Materials & Design, 2010, 31, 3395-3402. | 5.1 | 198 |
| 7 | Crystallographic analysis of plate martensite in Fe–28.5 at.% Ni by FE-SEM/EBSD. Materials Characterization, 2005, 54, 378-386. | 1.9 | 146 |
| 8 | Nanoscale crystallographic analysis of ultrafine grained IF steel fabricated by ARB process. Scripta Materialia, 2002, 47, 69-76. | 2.6 | 141 |
| 9 | Managing Both Strength and Ductility in Ultrafine Grained Steels. ISIJ International, 2008, 48, 1114-1121. | 0.6 | 126 |
| 10 | Friction stir welding of high carbon steel with excellent toughness and ductility. Scripta Materialia, 2010, 63, 223-226. | 2.6 | 123 |
| 11 | Friction stir welding of ultrafine grained plain low-carbon steel formed by the martensite process. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2006, 423, 324-330. | 2.6 | 115 |
| 12 | Improved tensile properties of partially recrystallized submicron grained TWIP steel. Materials Letters, 2010, 64, 15-18. | 1.3 | 114 |
| 13 | Fully recrystallized nanostructure fabricated without severe plastic deformation in high-Mn austenitic steel. Scripta Materialia, 2013, 68, 813-816. | 2.6 | 112 |
| 14 | Effect of rolling reduction on ultrafine grained structure and mechanical properties of low-carbon steel thermomechanically processed from martensite starting structure. Science and Technology of Advanced Materials, 2004, 5, 153-162. | 2.8 | 100 |
| 15 | Stress-Induced Martensitic Transformation Behaviors at Various Temperatures and Their TRIP Effects in SUS304 Metastable Austenitic Stainless Steel. ISIJ International, 2011, 51, 124-129. | 0.6 | 97 |
| 16 | Structure and strength after large strain deformation. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2004, 387-389, 191-194. | 2.6 | 92 |
| 17 | Friction Stir Welding of Ultrafine Grained Interstitial Free Steels. Materials Transactions, 2006, 47, 239-242. | 0.4 | 87 |
| 18 | Fine grained Mg–3Al–1Zn alloy with randomized texture in the double-sided friction stir welded joints. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2013, 580, 83-91. | 2.6 | 71 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Enhanced mechanical properties of 70/30 brass joint by rapid cooling friction stir welding. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2014, 610, 132-138. | 2.6 | 64 |
| 20 | Modification of mechanical properties of friction stir welded Cu joint by additional liquid CO2 cooling. Materials & Design, 2014, 56, 20-25. | 5.1 | 62 |
| 21 | Grain Size Effect on the Martensite Formation in a High-Manganese TWIP Steel by the Rietveld Method. Journal of Materials Science and Technology, 2010, 26, 181-186. | 5.6 | 61 |
| 22 | Effect of rotation rate on microstructure and texture evolution during friction stir welding of Ti–6Al–4V plates. Materials Characterization, 2015, 106, 352-358. | 1.9 | 61 |
| 23 | High strength and ductility of friction-stir-welded steel joints due to mechanically stabilized metastable austenite. Scripta Materialia, 2014, 70, 39-42. | 2.6 | 56 |
| 24 | Microstructure and texture distribution of Ti–6Al–4V alloy joints friction stir welded below β-transus temperature. Journal of Materials Processing Technology, 2016, 229, 390-397. | 3.1 | 53 |
| 25 | Effect of initial microstructure on Ti–6Al–4V joint by friction stir welding. Materials and Design, 2015, 88, 1269-1276. | 3.3 | 52 |
| 26 | Double-sided friction-stir welding of magnesium alloy with concave–convex tools for texture control. Materials & Design, 2015, 76, 181-189. | 5.1 | 49 |
| 27 | Effects of Temperature and Strain Rate on TRIP Effect in SUS301L Metastable Austenitic Stainless Steel. ISIJ International, 2013, 53, 1881-1887. | 0.6 | 47 |
| 28 | Investigation into feasibility of FSW process for welding 1600 MPa quenched and tempered steel. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2016, 651, 904-913. | 2.6 | 45 |
| 29 | Enhanced tensile properties of Fe–Ni–C steel resulting from stabilization of austenite by friction stir welding. Journal of Materials Processing Technology, 2015, 216, 216-222. | 3.1 | 44 |
| 30 | Friction powder compaction process for fabricating open-celled Cu foam by sintering-dissolution process route using NaCl space holder. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2013, 585, 468-474. | 2.6 | 42 |
| 31 | Dynamic and static change of grain size and texture of copper during friction stir welding. Journal of Materials Processing Technology, 2016, 232, 90-99. | 3.1 | 42 |
| 32 | Friction stir welding of hypereutectoid steel (SK5) below eutectoid temperature. Science and Technology of Welding and Joining, 2009, 14, 233-238. | 1.5 | 39 |
| 33 | Microstructures and mechanical properties evolution during friction stir welding of SK4 high carbon steel alloy. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2012, 558, 572-578. | 2.6 | 38 |
| 34 | Microstructural control and mechanical properties in friction stir welding of medium carbon low alloy S45C steel. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2015, 636, 24-34. | 2.6 | 38 |
| 35 | Effect of online rapid cooling on microstructure and mechanical properties of friction stir welded medium carbon steel. Journal of Materials Processing Technology, 2016, 230, 62-71. | 3.1 | 37 |
| 36 | Effect of oxygen on weld shape and crystallographic orientation of duplex stainless steel weld using advanced A-TIG (AA-TIG) welding method. Materials Characterization, 2014, 91, 42-49. | 1.9 | 35 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Crystallographic orientation dependence of ε martensite transformation during tensile deformation of polycrystalline 30% Mn austenitic steel. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2013, 576, 14-20. | 2.6 | 34 |
| 38 | Formation Mechanism of Ultrafine Grained Microstructures: Various Possibilities for Fabricating Bulk Nanostructured Metals and Alloys. Materials Transactions, 2019, 60, 1518-1532. | 0.4 | 34 |
| 39 | Enhanced mechanical properties in friction stir welded low alloy steel joints via structure refining. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2014, 606, 322-329. | 2.6 | 28 |
| 40 | Stabilization of austenite in low carbon Cr–Mo steel by high speed deformation during friction stir welding. Materials and Design, 2016, 90, 915-921. | 3.3 | 27 |
| 41 | Enhanced mechanical properties of 70/30 brass joint by multi-pass friction stir welding with rapid cooling. Science and Technology of Welding and Joining, 2015, 20, 91-99. | 1.5 | 26 |
| 42 | Increase of bending fatigue resistance for tungsten inert gas welded SS400 steel plates using friction stir processing. Materials & Design, 2014, 61, 275-280. | 5.1 | 24 |
| 43 | Improvement of strength, toughness and ductility in ultrafine-grained low-carbon steel processed by warm bi-axial rolling. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2020, 786, 139415. | 2.6 | 24 |
| 44 | Effect of Grain Size on Tensile Properties of TWIP Steel. Nippon Kinzoku Gakkaishi/Journal of the Japan Institute of Metals, 2007, 71, 815-821. | 0.2 | 23 |
| 45 | Role of Stress-Induced Martensitic Transformation in TRIP Effect of Metastable Austenitic Stainless Steels. Nippon Kinzoku Gakkaishi/Journal of the Japan Institute of Metals, 2008, 72, 769-775. | 0.2 | 23 |
| 46 | Relations between Dewetting of Polymer Thin Films and Phase-Separation of Encompassed Quantum Dots. Journal of Physical Chemistry C, 2008, 112, 8184-8191. | 1.5 | 22 |
| 47 | Fabrication of a quantum dot-polymer matrix by layer-by-layer conjugation. Journal of Photochemistry and Photobiology A: Chemistry, 2006, 183, 285-291. | 2.0 | 21 |
| 48 | Mechanical properties of advanced active-TIG welded duplex stainless steel and ferrite steel. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2015, 620, 140-148. | 2.6 | 21 |
| 49 | Effects of the Grain Size and Volume Fraction of Second Hard Phase on Mechanical Properties of Dual Phase Steel. Tetsu-To-Hagane/Journal of the Iron and Steel Institute of Japan, 2006, 92, 457-463. | 0.1 | 20 |
| 50 | Ductile-to-Brittle Transition and Brittle Fracture Stress of Ultrafine-Grained Low-Carbon Steel. Materials, 2021, 14, 1634. | 1.3 | 20 |
| 51 | High Speed Deformation of Ultrafine Grained TWIP Steel. Materials Science Forum, 0, 561-565, 107-110. | 0.3 | 19 |
| 52 | Influence of Strain Rate on TRIP Effect in SUS301L Metastable Austenite Steel. Tetsu-To-Hagane/Journal of the Iron and Steel Institute of Japan, 2011, 97, 450-456. | 0.1 | 18 |
| 53 | Effect of Grain Size and Grain Orientation on Dislocations Structure in Tensile Strained TWIP Steel During Initial Stages of Deformation. Steel Research International, 2012, 83, 374-378. | 1.0 | 16 |
| 54 | Grain size effect on high-speed deformation of Hadfield steel. Journal of Materials Science, 2012, 47, 7946-7953. | 1.7 | 15 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Ultra-Fine Grains in Ultra Low Carbon IF Steel Highly Strained by ARB. Materia Japan, 2000, 39, 961-961. | 0.1 | 15 |
| 56 | Experimental measurement of the variables of Lüders deformation in hot-rolled steel via digital image correlation. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2020, 790, 139756. | 2.6 | 14 |
| 57 | In-Situ Observation of Lüders Band Formation in Hot-Rolled Steel via Digital Image Correlation. Metals, 2020, 10, 530. | 1.0 | 12 |
| 58 | Grain Size Dependence of the Flow Stress of TWIP Steel. Materials Science Forum, 2010, 654-656, 294-297. | 0.3 | 11 |
| 59 | Stability of the retained austenite in low-alloyed transformation induced plasticity-aided steels during friction stir welding. Science and Technology of Welding and Joining, 2016, 21, 281-286. | 1.5 | 11 |
| 60 | Bainite Transformation and Resultant Tensile Properties of 0.6%C Low Alloyed Steels with Different Prior Austenite Grain Sizes. ISIJ International, 2021, 61, 582-590. | 0.6 | 11 |
| 61 | Static strength of hot-stamped spot welded joints. Yosetsu Gakkai Ronbunshu/Quarterly Journal of the Japan Welding Society, 2015, 33, 144-152. | 0.1 | 10 |
| 62 | Improvement of Fatigue Properties of Resistance Spot Welded Joints in High Strength Steel Sheets by Shot Blast Processing. ISIJ International, 2016, 56, 1276-1284. | 0.6 | 10 |
| 63 | Effect of Cementite Volume Fraction on Static Tensile Properties in Ultrafine-grained Ferrite–Cementite Steels. Tetsu-To-Hagane/Journal of the Iron and Steel Institute of Japan, 2010, 96, 42-50. | 0.1 | 8 |
| 64 | Role of stress-induced martensitic transformation in TRIP effect of metastable austenitic steels. Journal of Alloys and Compounds, 2013, 577, S525-S527. | 2.8 | 8 |
| 65 | Improvement of toughness and strength of thick structural steel weld by friction stir welding conditions. Science and Technology of Welding and Joining, 2013, 18, 287-292. | 1.5 | 8 |
| 66 | Optimization of microstructure at Ni-C steel joint by friction stir welding with CO2 cooling. Welding International, 2018, 32, 338-344. | 0.3 | 8 |
| 67 | Improvement of toughness and strength balance in low-carbon steel bars with cube texture processed by warm bi-axial rolling. Materials Letters, 2019, 240, 172-175. | 1.3 | 8 |
| 68 | Strain Rate Sensitivity of 31Mn-3Al-3Si TWIP Steel with Partially Recrystallized Fine Grained Structure. Materials Science Forum, 0, 584-586, 673-678. | 0.3 | 7 |
| 69 | Through-Thickness Microstructure and Strain Distribution in Steel Sheets Rolled in a Large-Diameter Rolling Process. Metals, 2020, 10, 91. | 1.0 | 7 |
| 70 | Structural Analyses of Fractional Monolayer (GaAs)m/(AlAs)nSuperlattices by X-ray Resonant/Off-Resonant Scattering. Japanese Journal of Applied Physics, 2006, 45, 3548-3551. | 0.8 | 6 |
| 71 | Effects of Carbon and Silicon on Static/Dynamic Mechanical Properties of 780 MPa Grade Dual Phase Steel. Tetsu-To-Hagane/Journal of the Iron and Steel Institute of Japan, 2008, 94, 305-312. | 0.1 | 6 |
| 72 | Effect of Si Content on Fracture Behaviour Change by Strain Rate in Si Steels. Materials Science Forum, 2010, 654-656, 1303-1306. | 0.3 | 6 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Effect of initial grain size on inhomogeneous plastic deformation and twinning behavior in high manganese austenitic steel with a polycrystalline microstructure. IOP Conference Series: Materials Science and Engineering, 2015, 89, 012045. | 0.3 | 6 |
| 74 | Heterogeneous Distribution of Microstrain Evolved During Tensile Deformation of Polycrystalline Plain Low Carbon Steel. Metals, 2020, 10, 774. | 1.0 | 6 |
| 75 | GaNAs/GaAs multiple quantum well grown by modulated N radical beam sequence of RF-MBE: Effect of growth interruption. Journal of Crystal Growth, 2007, 301-302, 583-587. | 0.7 | 5 |
| 76 | High Cycle Fatigue Behavior of Cold Forging Die Steel. Key Engineering Materials, 0, 417-418, 225-228. | 0.4 | 5 |
| 77 | Numerical Homogenization Methods Based on Heterogeneous Microstructure in Multi-Constituent Steels. Tetsu-To-Hagane/Journal of the Iron and Steel Institute of Japan, 2012, 98, 283-289. | 0.1 | 5 |
| 78 | Fatigue strength of hot-stamped spot welded joints. Yosetsu Gakkai Ronbunshu/Quarterly Journal of the Japan Welding Society, 2015, 33, 253-261. | 0.1 | 5 |
| 79 | Strain-Rate and Temperature Dependences of Deformation Behavior of AZ61Mg Alloy Processed by Multi-directional Forging Under Decreasing Temperature Conditions. Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science, 2017, 48, 5368-5375. | 1.1 | 5 |
| 80 | Crystallographic orientation dependence of deformation-induced martensitic transformation of 1.3 GPa-class 0.6 %C bainitic steel with retained austenite. Scripta Materialia, 2021, 194, 113666. | 2.6 | 5 |
| 81 | Effect of Temperature on Stress–Strain Curve in SUS316L Metastable Austenitic Stainless Steel Studied by <i>In Situ</i> Neutron Diffraction Experiments. ISIJ International, 2021, 61, 632-640. | 0.6 | 5 |
| 82 | Deformation behavior of pure titanium at a wide range of strain rates. Journal of Physics: Conference Series, 2010, 240, 012021. | 0.3 | 4 |
| 83 | Development of small sized friction stir welding equipment for hand operated welding. Science and Technology of Welding and Joining, 2015, 20, 249-253. | 1.5 | 4 |
| 84 | Static strength of hot-stamped spot welded joints: study on spot welding tailored blank technology. Welding International, 2017, 31, 681-691. | 0.3 | 4 |
| 85 | Preferable Resistance against Hydrogen Embrittlement of Pearlitic Steel Deformed by Caliber Rolling. ISIJ International, 2022, 62, 368-376. | 0.6 | 4 |
| 86 | Phase transformation in Fe–Mn–C alloys by severe plastic deformation under high pressure. Materials Letters, 2016, 185, 109-111. | 1.3 | 3 |
| 87 | Study on static and fatigue strength of structural adhesive-bonded joints of steel sheets for automotive application. Welding International, 2018, 32, 353-362. | 0.3 | 3 |
| 88 | Acceleration of pearlite transformation in a high-carbon steel by uniaxial compressive stress confirmed by volume measurements. Materials Letters, 2019, 256, 126637. | 1.3 | 3 |
| 89 | Effect of Niobium or Vanadium on Mechanical Properties of Hot Rolled High Strength Steel Sheets for Automotive Use. Tetsu-To-Hagane/Journal of the Iron and Steel Institute of Japan, 2007, 93, 451-458. | 0.1 | 2 |
| 90 | Enantiomorph identification and stacking faults in κ-(BEDT-TTF)2Cu(NCS)2by convergent-beam electron diffraction. Journal of Applied Crystallography, 2009, 42, 433-441. | 1.9 | 2 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Fracture Behavior Transition by Change of Strain Rate in Dislocation-Induced Si Steels. Materials Science Forum, 0, 706-709, 2187-2192. | 0.3 | 2 |
| 92 | Acceleration of diffusional transformation in a high-carbon steel layer composed of a sandwich-like clad steel sheet. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2019, 764, 138217. | 2.6 | 2 |
| 93 | Stabilization of the Retained Austenite in Steel by Friction Stir Welding. , 2015, , 47-54. | | 2 |
| 94 | Deformation behaviour of novel medium carbon bainitic steels with different retained austenite characteristics designed by the sparse mixed regression model. Journal of Materials Research and Technology, 2022, 19, 2179-2190. | 2.6 | 2 |
| 95 | Internal Stress Field in Ultrafine Grained Aluminium Fabricated by Accumulative Roll-Bonding. Materials Science Forum, 2006, 512, 123-128. | 0.3 | 1 |
| 96 | Structural and optical studies of (AlAs)m/(GaAs)n type-I ultra short-period superlattices with fractional monolayer. Journal of Crystal Growth, 2007, 301-302, 168-171. | 0.7 | 1 |
| 97 | Morphology-Change of Mg_2Si and Strength-Change in Boron-Added Al-Mg-Si Alloys. Nihon Kikai Gakkai Ronbunshu, A Hen/Transactions of the Japan Society of Mechanical Engineers, Part A, 2009, 75, 896-900. | 0.2 | 1 |
| 98 | Nanocrystalline Twinning Induced Plasticity Steel with Superior Mechanical Properties Fabricated by Cold Rolling and Annealing. Materials Science Forum, 0, 753, 518-521. | 0.3 | 1 |
| 99 | Optimization of Microstructure at Ni-C steel joint by friction stir welding with CO ₂ cooling. Yosetsu Gakkai Ronbunshu/Quarterly Journal of the Japan Welding Society, 2015, 33, 358-364. | 0.1 | 1 |
| 100 | Study on static and fatigue strength of structural adhesive bonded joints of steel sheets for automotive application. Yosetsu Gakkai Ronbunshu/Quarterly Journal of the Japan Welding Society, 2016, 34, 93-101. | 0.1 | 1 |
| 101 | Effect of Layer Construction on Tensile Deformation Behavior of Japanese-Sword-Type Steel Sheet. Journal of the Japan Society for Technology of Plasticity, 2017, 58, 323-329. | 0.0 | 1 |
| 102 | Strength and Ductility at High-speed Tensile Deformation of Low-carbon Steel with Ultrafine Grains. Materials Transactions, 2017, 58, 1487-1492. | 0.4 | 1 |
| 103 | Fatigue strength of hot-stamped spot welded joints*—study on spot welding tailored blank technology. Welding International, 2018, 32, 264-273. | 0.3 | 1 |
| 104 | Effect of Interface Morphology on Tensile Properties of Carbon Steel Sheet with Sandwich Structure. Steel Research International, 2019, 90, 1900015. | 1.0 | 1 |
| 105 | Effect of strain and deformation mode on cube texture formation in warm bi-axial rolled low-carbon steel. Finite Elements in Analysis and Design, 2021, 183-184, 103491. | 1.7 | 1 |
| 106 | Grain-to-Grain Interaction Effect in Polycrystalline Plain Low-Carbon Steel within Elastic Deformation Region. Materials, 2021, 14, 1865. | 1.3 | 1 |
| 107 | Plastic Instability in Medium-Carbon Tempered Martensite Steel. Materials, 2021, 14, 4609. | 1.3 | 1 |
| 108 | Pressure-induced Phase Transformation Behavior in ^ ^alpha;-Mn Steels by High-pressure Torsion Straining. Tetsu-To-Hagane/Journal of the Iron and Steel Institute of Japan, 2012, 98, 541-547. | 0.1 | 1 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | Measurement of Internal Stress in Ultrafine Grained Aluminium by CBED. Materia Japan, 2005, 44, 985-985. | 0.1 | 0 |
| 110 | Mechanical properties of 15%Mn steel with fine lamellar structure consisting of ferrite and austenite phases. Journal of Physics: Conference Series, 2010, 240, 012029. | 0.3 | 0 |
| 111 | Development of Small sized Friction Stir Welding Equipment for Hand-operated Welding. Yosetsu Gakkai Ronbunshu/Quarterly Journal of the Japan Welding Society, 2014, 32, 52-56. | 0.1 | 0 |
| 112 | Nitriding Effect on Corrosion Fatigue Strength of Low Alloy Steel in 1% HCl Aqueous Solution. Advanced Materials Research, 0, 891-892, 674-678. | 0.3 | 0 |
| 113 | Effect of Temperature on Stress–Strain Curve in SUS316L Metastable Austenitic Stainless Steel studied by <i>In Situ</i> Neutron Diffraction Experiments. Tetsu-To-Hagane/Journal of the Iron and Steel Institute of Japan, 2021, 107, 741-750. | 0.1 | 0 |
| 114 | Crystallographic Features of Lath Martensite in 0.20%C Steel Analyzed by FE-SEM/EBSD. Materia Japan, 2005, 44, 982-982. | 0.1 | 0 |
| 115 | OS0115 Ductility of Hadfield steel at high speed or warm temperature deformation. The Proceedings of the Materials and Mechanics Conference, 2012, 2012, _OS0115-1OS0115-2 | 0.0 | 0 |
| 116 | True Stress–True Strain Relationship up to the Plastic Deformation Limit in Ferrite–Pearlite Steel at Various Temperatures. ISIJ International, 2022, 62, 361-367. | 0.6 | 0 |