

# Anja Zembic

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9425163/publications.pdf>

Version: 2024-02-01

9  
papers

2,304  
citations

1163117

8  
h-index

1474206

9  
g-index

9  
all docs

9  
docs citations

9  
times ranked

1855  
citing authors

#	ARTICLE	IF	CITATIONS
1	Systematic review of the survival rate and the incidence of biological, technical, and aesthetic complications of single crowns on implants reported in longitudinal studies with a mean follow-up of 5 years. <i>Clinical Oral Implants Research</i> , 2012, 23, 2-21.	4.5	709
2	A systematic review of the survival and complication rates of implant-supported fixed dental prostheses (FDPs) after a mean observation period of at least 5 years. <i>Clinical Oral Implants Research</i> , 2012, 23, 22-38.	4.5	655
3	A systematic review of the performance of ceramic and metal implant abutments supporting fixed implant reconstructions. <i>Clinical Oral Implants Research</i> , 2009, 20, 4-31.	4.5	290
4	Randomized-controlled clinical trial of customized zirconia and titanium implant abutments for single-tooth implants in canine and posterior regions: 3-year results. <i>Clinical Oral Implants Research</i> , 2009, 20, 802-808.	4.5	220
5	Five-year results of a randomized controlled clinical trial comparing zirconia and titanium abutments supporting single-implant crowns in canine and posterior regions. <i>Clinical Oral Implants Research</i> , 2013, 24, 384-390.	4.5	145
6	Systematic Review of the Survival Rate and Incidence of Biologic, Technical, and Esthetic Complications of Single Implant Abutments Supporting Fixed Prostheses. <i>International Journal of Oral and Maxillofacial Implants</i> , 2014, 29, 99-116.	1.4	139
7	Eleven-Year Follow-Up of a Prospective Study of Zirconia Implant Abutments Supporting Single All-Ceramic Crowns in Anterior and Premolar Regions. <i>Clinical Implant Dentistry and Related Research</i> , 2015, 17, e417-26.	3.7	74
8	A systematic review of the influence of the implant-abutment connection on the clinical outcomes of ceramic and metal implant abutments supporting fixed implant reconstructions. <i>Clinical Oral Implants Research</i> , 2018, 29, 160-183.	4.5	68
9	Dentin hypersensitivity monitored by cold air quantitative sensory testing. <i>Journal of Oral Rehabilitation</i> , 2019, 46, 549-555.	3.0	4