

James Wetzel

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9425453/james-wetzel-publications-by-year.pdf>

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

462
papers

14,087
citations

57
h-index

93
g-index

483
ext. papers

16,200
ext. citations

4.9
avg, IF

1.47
L-index

#	Paper	IF	Citations
462	Study of dijet events with large rapidity separation in proton-proton collisions at $\sqrt{s} = 2.76$ TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	
461	Search for low-mass dilepton resonances in Higgs boson decays to four-lepton final states in proton-proton collisions at .. <i>European Physical Journal C</i> , 2022 , 82, 290	4.2	0
460	Measurements of production cross sections and constraints on anomalous triple gauge couplings at. <i>European Physical Journal C</i> , 2021 , 81, 200	4.2	5
459	Development and validation of HERWIG7 tunes from CMS underlying-event measurements. <i>European Physical Journal C</i> , 2021 , 81, 312	4.2	1
458	Measurement of the Higgs boson production rate in association with top quarks in final states with electrons, muons, and hadronically decaying tau leptons at. <i>European Physical Journal C</i> , 2021 , 81, 378	4.2	5
457	Measurements of production cross sections of the Higgs boson in the four-lepton final state in proton-proton collisions at. <i>European Physical Journal C</i> , 2021 , 81, 488	4.2	5
456	Search for dark matter produced in association with a leptonically decaying boson in proton-proton collisions at. <i>European Physical Journal C</i> , 2021 , 81, 13	4.2	7
455	Search for top squark pair production using dilepton final states in collision data collected at. <i>European Physical Journal C</i> , 2021 , 81, 3	4.2	5
454	MUSiC: a model-unspecific search for new physics in proton-proton collisions at. <i>European Physical Journal C</i> , 2021 , 81, 629	4.2	4
453	Search for a heavy vector resonance decaying to a W boson and a Higgs boson in proton-proton collisions at. <i>European Physical Journal C</i> , 2021 , 81, 688	4.2	0
452	Measurements of angular distance and momentum ratio distributions in three-jet and + two-jet final states in collisions. <i>European Physical Journal C</i> , 2021 , 81, 852	4.2	0
451	Precision luminosity measurement in proton-proton collisions at in 2015 and 2016 at CMS. <i>European Physical Journal C</i> , 2021 , 81, 800	4.2	7
450	Performance of the CMS Level-1 trigger in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of Instrumentation</i> , 2020 , 15, P10017-P10017	1	23
449	Search for direct top squark pair production in events with one lepton, jets, and missing transverse momentum at 13 TeV with the CMS experiment. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	12
448	Measurement of top quark pair production in association with a Z boson in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	8
447	Search for direct pair production of supersymmetric partners to the lepton in proton-proton collisions at. <i>European Physical Journal C</i> , 2020 , 80, 189	4.2	3
446	Mixed higher-order anisotropic flow and nonlinear response coefficients of charged particles in collisions at and 5.02. <i>European Physical Journal C</i> , 2020 , 80, 534	4.2	6

445	Measurement of electroweak production of a boson in association with two jets in proton-proton collisions at. <i>European Physical Journal C</i> , 2020 , 80, 43	4.2	6
444	Evidence for $(W)W$ production from double-parton interactions in proton-proton collisions at $(\sqrt{s} = 13, \text{TeV})$. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	4
443	Search for production of four top quarks in final states with same-sign or multiple leptons in proton-proton collisions at. <i>European Physical Journal C</i> , 2020 , 80, 75	4.2	24
442	Searches for physics beyond the standard model with the variable in hadronic final states with and without disappearing tracks in proton-proton collisions at. <i>European Physical Journal C</i> , 2020 , 80, 3	4.2	16
441	Extraction and validation of a new set of CMS pythia8 tunes from underlying-event measurements. <i>European Physical Journal C</i> , 2020 , 80, 4	4.2	61
440	Search for dark matter particles produced in association with a Higgs boson in proton-proton collisions at $(\sqrt{\text{mathrm{s}}}) = 13 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	7
439	A multi-dimensional search for new heavy resonances decaying to boosted γ , W , or boson pairs in the dijet final state at 13 TeV . <i>European Physical Journal C</i> , 2020 , 80, 237	4.2	10
438	Measurement of single-diffractive dijet production in proton-proton collisions at with the CMS and TOTEM experiments. <i>European Physical Journal C</i> , 2020 , 80, 1164	4.2	0
437	Measurement of differential cross sections and charge ratios for s -channel single top quark production in proton-proton collisions at. <i>European Physical Journal C</i> , 2020 , 80, 370	4.2	4
436	Measurement of $(\text{hbox } \{t\} \{ \bar{\text{hbox } \{t\}} \})$ normalised multi-differential cross sections in $(\text{p})\text{p}$ collisions at $(\sqrt{s}=13, \text{TeV})$, and simultaneous determination of the strong coupling strength, top quark pole mass, and parton distribution functions. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	13
435	Scintillation timing characteristics of common plastics for radiation detection excited with 120 GeV protons. <i>Turkish Journal of Physics</i> , 2020 , 44, 437-441	1.6	2
434	A Deep Neural Network for Simultaneous Estimation of b Jet Energy and Resolution. <i>Computing and Software for Big Science</i> , 2020 , 4, 10	6	3
433	Performance of the reconstruction and identification of high-momentum muons in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. <i>Journal of Instrumentation</i> , 2020 , 15, P02027-P02027	1	11
432	Calibration of the CMS hadron calorimeters using proton-proton collision data at $\sqrt{s} = 13 \text{ TeV}$. <i>Journal of Instrumentation</i> , 2020 , 15, P05002-P05002	1	
431	Study of central exclusive production in proton-proton collisions at and 13 TeV . <i>European Physical Journal C</i> , 2020 , 80, 718	4.2	2
430	Search for physics beyond the standard model in events with jets and two same-sign or at least three charged leptons in proton-proton collisions at. <i>European Physical Journal C</i> , 2020 , 80, 752	4.2	2
429	Azimuthal separation in nearly back-to-back jet topologies in inclusive 2- and 3-jet events in collisions at. <i>European Physical Journal C</i> , 2019 , 79, 773	4.2	0
428	Search for charged Higgs bosons in the $H \rightarrow \tau\tau$ decay channel in proton-proton collisions at $(\sqrt{s}=13) \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	24

427	Search for resonant production of second-generation sleptons with same-sign dimuon events in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 305	4.2	2
426	Search for supersymmetry with a compressed mass spectrum in the vector boson fusion topology with 1-lepton and 0-lepton final states in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	8
425	Search for a low-mass χ resonance in association with a bottom quark in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	4
424	Search for the associated production of the Higgs boson and a vector boson in proton-proton collisions at $(\sqrt{s}) = 13$ TeV via Higgs boson decays to $\ell\bar{\ell}$ leptons. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	3
423	Search for the pair production of light top squarks in the $e\bar{e}\chi$ final state in proton-proton collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	4
422	Combined measurements of Higgs boson couplings in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 421	4.2	153
421	Search for supersymmetry in events with a photon, jets, \cancel{E}_T , and missing transverse momentum in proton-proton collisions at 13. <i>European Physical Journal C</i> , 2019 , 79, 444	4.2	1
420	Measurements of the $pp \rightarrow WZ$ inclusive and differential production cross sections and constraints on charged anomalous triple gauge couplings at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	10
419	Measurement of the production cross section, the top quark mass, and the strong coupling constant using dilepton events in pp collisions at. <i>European Physical Journal C</i> , 2019 , 79, 368	4.2	27
418	Measurement of the energy density as a function of pseudorapidity in proton-proton collisions at $(\sqrt{s} = 13, \text{TeV})$. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	7
417	Search for nonresonant Higgs boson pair production in the $(\overline{b}b\overline{b}b)$ final state at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	4
416	Search for dark matter produced in association with a Higgs boson decaying to a pair of bottom quarks in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 280	4.2	12
415	Search for contact interactions and large extra dimensions in the dilepton mass spectra from proton-proton collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	8
414	Search for vector-like quarks in events with two oppositely charged leptons and jets in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 364	4.2	18
413	Search for single production of vector-like quarks decaying to a top quark and a boson in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 90	4.2	6
412	Study of the underlying event in top quark pair production in collisions at 13. <i>European Physical Journal C</i> , 2019 , 79, 123	4.2	4
411	Search for rare decays of H and Higgs bosons to $\tau\tau$ and a photon in proton-proton collisions at $\sqrt{s} = 13$. <i>European Physical Journal C</i> , 2019 , 79, 94	4.2	7
410	Search for new physics in final states with a single photon and missing transverse momentum in proton-proton collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	9

409	Measurements of $(\overline{\mathbf{t}})$ differential cross sections in proton-proton collisions at $(\sqrt{s}=13)$ TeV using events containing two leptons. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5-4	15
408	Search for $(\overline{\mathbf{H}})$ production in the (\mathbf{H}) to $\mathbf{b}\overline{\mathbf{b}}$ decay channel with leptonic $(\overline{\mathbf{t}})$ decays in proton-proton collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5-4	17
407	Search for supersymmetry in events with a photon, a lepton, and missing transverse momentum in proton-proton collisions at $(\sqrt{s} = 13)$ TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5-4	2
406	Measurement of inclusive and differential Higgs boson production cross sections in the diphoton decay channel in proton-proton collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5-4	8
405	Search for resonant $(\overline{\mathbf{t}})$ production in proton-proton collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5-4	13
404	Search for production of Higgs boson pairs in the four b quark final state using large-area jets in proton-proton collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5-4	7
403	Search for heavy resonances decaying into two Higgs bosons or into a Higgs boson and a W or Z boson in proton-proton collisions at 13 TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5-4	7
402	Search for heavy Majorana neutrinos in same-sign dilepton channels in proton-proton collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5-4	14
401	Measurement of differential cross sections for inclusive isolated-photon and photon+jet production in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 20	4-2	4
400	Search for heavy neutrinos and third-generation leptoquarks in hadronic states of two \mathbf{e} leptons and two jets in proton-proton collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5-4	18
399	Search for a W' boson decaying to a vector-like quark and a top or bottom quark in the all-jets final state. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5-4	4
398	Search for top quark partners with charge 5/3 in the same-sign dilepton and single-lepton final states in proton-proton collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5-4	9
397	Inclusive search for supersymmetry in pp collisions at $(\sqrt{s}=13)$ TeV using razor variables and boosted object identification in zero and one lepton final states. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5-4	2
396	Search for dark matter produced in association with a single top quark or a top quark pair in proton-proton collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5-4	8
395	Search for excited leptons in \mathbf{e} final states in proton-proton collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5-4	2
394	Search for new particles decaying to a jet and an emerging jet. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5-4	15
393	Search for a heavy resonance decaying to a top quark and a vector-like top quark in the lepton + jets final state in pp collisions at $(\sqrt{s} = 13, \text{TeV})$. <i>European Physical Journal C</i> , 2019 , 79, 1	4-2	6
392	Measurement of exclusive \mathbf{e} photoproduction in ultraperipheral pPb collisions at. <i>European Physical Journal C</i> , 2019 , 79, 702	4-2	13

391	Measurement of exclusive photoproduction from protons in Pb collisions at. <i>European Physical Journal C</i> , 2019 , 79, 277	4.2	19
390	Search for a heavy pseudoscalar boson decaying to a Z and a Higgs boson at. <i>European Physical Journal C</i> , 2019 , 79, 564	4.2	20
389	Search for supersymmetry in final states with photons and missing transverse momentum in proton-proton collisions at 13 TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	5
388	Measurement of the top quark mass in the all-jets final state at and combination with the lepton+jets channel. <i>European Physical Journal C</i> , 2019 , 79, 313	4.2	13
387	Measurements of differential Z boson production cross sections in proton-proton collisions at (\sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	11
386	Search for resonances decaying to a pair of Higgs bosons in the $b(\overline{\text{b}})q(\overline{\text{q}})$ final state in proton-proton collisions at (\sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	5
385	Measurements of triple-differential cross sections for inclusive isolated-photon+jet events in collisions at. <i>European Physical Journal C</i> , 2019 , 79, 969	4.2	1
384	Measurement of the differential Drell-Yan cross section in proton-proton collisions at ($\sqrt{\text{mathrm{s}}}$) = 13 TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	6
383	Measurement of the average very forward energy as a function of the track multiplicity at central pseudorapidities in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 893	4.2	6
382	Search for supersymmetry in proton-proton collisions at 13 TeV in final states with jets and missing transverse momentum. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	21
381	Search for new physics in top quark production in dilepton final states in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 886	4.2	6
380	Development of radiation-hard scintillators and wavelength-shifting fibers. <i>Journal of Instrumentation</i> , 2018 , 13, C02052-C02052	1	1
379	Study of dijet events with a large rapidity gap between the two leading jets in pp collisions at. <i>European Physical Journal C</i> , 2018 , 78, 242	4.2	4
378	Pseudorapidity distributions of charged hadrons in proton-lead collisions at ($\sqrt{s_{\text{mathrm{NN}}}}$)=5.02) and 8.16 TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	4
377	Search for resonant and nonresonant Higgs boson pair production in the ($\text{b}\overline{\text{b}}\text{mathit{ell nu ell nu}$) final state in proton-proton collisions at (\sqrt{s})=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	19
376	Search for new physics in events with a leptonically decaying Z boson and a large transverse momentum imbalance in proton-proton collisions at = 13. <i>European Physical Journal C</i> , 2018 , 78, 291	4.2	17
375	Measurements of the production cross section and the branching fraction, and constraints on anomalous triple gauge couplings at. <i>European Physical Journal C</i> , 2018 , 78, 165	4.2	29
374	Measurement of associated Z + charm production in proton-proton collisions at. <i>European Physical Journal C</i> , 2018 , 78, 287	4.2	11

373	Measurement of the inclusive ($\overline{\sigma}$) cross section in pp collisions at ($\sqrt{s}=5.02$) TeV using final states with at least one charged lepton. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	3
372	Search for natural supersymmetry in events with top quark pairs and photons in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	
371	Search for new phenomena in final states with two opposite-charge, same-flavor leptons, jets, and missing transverse momentum in pp collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	2
370	Search for supersymmetry in events with at least three electrons or muons, jets, and missing transverse momentum in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	4
369	Combined search for electroweak production of charginos and neutralinos in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	45
368	Search for electroweak production of charginos and neutralinos in multilepton final states in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	40
367	Measurement of differential cross sections in the kinematic angular variable θ^* for inclusive Z boson production in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	2
366	Comparing transverse momentum balance of b jet pairs in pp and PbPb collisions at ($\sqrt{s_{\text{NN}}}=5.02$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	8
365	Measurement of normalized differential ($\overline{\sigma}$) cross sections in the dilepton channel from pp collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	12
364	Constraints on the double-parton scattering cross section from same-sign W boson pair production in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	13
363	Search for ZZ resonances in the $2\ell\ell$ final state in proton-proton collisions at 13 TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	3
362	Jet properties in PbPb and pp collisions at ($\sqrt{s_{\text{NN}}}=5.02$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	7
361	Search for a new scalar resonance decaying to a pair of Z bosons in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	22
360	Search for standard model production of four top quarks with same-sign and multilepton final states in proton-proton collisions at. <i>European Physical Journal C</i> , 2018 , 78, 140	4-2	20
359	Measurement of b hadron lifetimes in pp collisions at. <i>European Physical Journal C</i> , 2018 , 78, 457	4-2	9
358	Measurements of the ($p\bar{p}\rightarrow Z\bar{Z}$) production cross section and the ($Z\rightarrow 4\ell$) branching fraction, and constraints on anomalous triple gauge couplings at ($\sqrt{s}=13$,text {TeV}) 2018 , 78, 1		3
357	Search for ($\overline{\sigma}\text{H}$) production in the all-jet final state in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	13
356	Search for resonances in the mass spectrum of muon pairs produced in association with b quark jets in proton-proton collisions at ($\sqrt{s}=8$) and 13 TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	7

355	Measurement of the groomed jet mass in PbPb and pp collisions at ($\sqrt{s_{\mathrm{NN}}}=5.02$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	5
354	Search for heavy resonances decaying into a vector boson and a Higgs boson in final states with charged leptons, neutrinos and b quarks at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	7
353	Search for new phenomena in final states with two opposite-charge, same-flavor leptons, jets, and missing transverse momentum in pp collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	14
352	Search for natural and split supersymmetry in proton-proton collisions at ($\sqrt{s}=13$) TeV in final states with jets and missing transverse momentum. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	39
351	Search for decays of stopped exotic long-lived particles produced in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	6
350	Search for an exotic decay of the Higgs boson to a pair of light pseudoscalars in the final state of two muons and two τ leptons in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	14
349	Search for a charged Higgs boson decaying to charm and bottom quarks in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	16
348	Search for top squarks decaying via four-body or chargino-mediated modes in single-lepton final states in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	6
347	Charged-particle nuclear modification factors in XeXe collisions at ($\sqrt{s_{\mathrm{NN}}}=5.44$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	11
346	Measurement of the top quark mass with lepton+jets final states using collisions at. <i>European Physical Journal C</i> , 2018 , 78, 891	4-2	13
345	Measurements of the differential jet cross section as a function of the jet mass in dijet events from proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	14
344	Measurements of Higgs boson properties in the diphoton decay channel in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	37
343	Event shape variables measured using multijet final states in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	3
342	Searches for pair production of charginos and top squarks in final states with two oppositely charged leptons in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	12
341	Search for narrow and broad dijet resonances in proton-proton collisions at ($\sqrt{s}=13$) TeV and constraints on dark matter mediators and other new particles. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	50
340	Search for $Z\tau$ resonances using leptonic and hadronic final states in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	11
339	Measurement of the production cross section for single top quarks in association with W bosons in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	5
338	Search for black holes and sphalerons in high-multiplicity final states in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	9

337	Search for supersymmetry in events with a Δ lepton pair and missing transverse momentum in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	14
336	Search for the decay of a Higgs boson in the Δ channel in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	11
335	Search for third-generation scalar leptoquarks decaying to a top quark and a lepton at. <i>European Physical Journal C</i> , 2018 , 78, 707	4.2	23
334	Measurement of differential cross sections for boson production in association with jets in proton-proton collisions at. <i>European Physical Journal C</i> , 2018 , 78, 965	4.2	19
333	Studies of Δ and mesons including the observation of the decay in proton-proton collisions at. <i>European Physical Journal C</i> , 2018 , 78, 939	4.2	12
332	Search for a heavy resonance decaying into a Z boson and a Z or W boson in $2\Delta q$ final states at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	7
331	Measurement of charged particle spectra in minimum-bias events from proton-proton collisions at. <i>European Physical Journal C</i> , 2018 , 78, 697	4.2	9
330	Search for lepton-flavor violating decays of heavy resonances and quantum black holes to $e\Delta$ final states in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	3
329	Search for new physics in dijet angular distributions using proton-proton collisions at and constraints on dark matter and other models. <i>European Physical Journal C</i> , 2018 , 78, 789	4.2	19
328	Azimuthal correlations for inclusive 2-jet, 3-jet, and 4-jet events in pp collisions at ($\sqrt{s}=13$) TeV. <i>European Physical Journal C</i> , 2018 , 78, 1	4.2	4
327	Search for high-mass resonances in final states with a lepton and missing transverse momentum at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	15
326	Measurement of the underlying event activity in inclusive Z boson production in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	8
325	Search for resonant pair production of Higgs bosons decaying to bottom quark-antiquark pairs in proton-proton collisions at 13 TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	10
324	Measurement of the cross section in pp collisions at and validation of lepton analysis techniques. <i>European Physical Journal C</i> , 2018 , 78, 708	4.2	5
323	Search for vector-like T and B quark pairs in final states with leptons at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	29
322	Search for dark matter produced in association with a Higgs boson decaying to $\Delta\Delta$ ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	7
321	Search for additional neutral MSSM Higgs bosons in the $\Delta\Delta$ final state in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	42
320	Search for a heavy resonance decaying to a pair of vector bosons in the lepton plus merged jet final state at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	7

319	Search for a heavy right-handed W boson and a heavy neutrino in events with two same-flavor leptons and two jets at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	20
318	Search for a heavy resonance decaying into a Z boson and a vector boson in the (ν $\overline{\nu}$) final state. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	6
317	Measurement of the cross section for top quark pair production in association with a W or Z boson in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	18
316	Search for beyond the standard model Higgs bosons decaying into a ($\mathbf{b}\overline{\mathbf{b}}$) pair in pp collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	11
315	Measurement of the weak mixing angle using the forward-backward asymmetry of Drell-Yan events in collisions at 8. <i>European Physical Journal C</i> , 2018 , 78, 701	4.2	25
314	Measurement of prompt and nonprompt charmonium suppression in collisions at 5.02. <i>European Physical Journal C</i> , 2018 , 78, 509	4.2	37
313	Search for lepton flavour violating decays of the Higgs boson to μ and e in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	19
312	Evidence for associated production of a Higgs boson with a top quark pair in final states with electrons, muons, and hadronically decaying τ leptons at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	23
311	Electroweak production of two jets in association with a Z boson in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>European Physical Journal C</i> , 2018 , 78, 1	4.2	12
310	Observation of proton-tagged, central (semi)exclusive production of high-mass lepton pairs in pp collisions at 13 TeV with the CMS-TOTEM precision proton spectrometer. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	14
309	Search for dark matter in events with energetic, hadronically decaying top quarks and missing transverse momentum at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	16
308	Search for single production of vector-like quarks decaying to a b quark and a Higgs boson. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	12
307	Search for a singly produced third-generation scalar leptoquark decaying to a τ lepton and a bottom quark in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	9
306	Measurements of differential cross sections of top quark pair production as a function of kinematic event variables in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	10
305	Measurement of the inelastic proton-proton cross section at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	41
304	Search for disappearing tracks as a signature of new long-lived particles in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	24
303	Search for high-mass resonances in dilepton final states in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	63
302	Search for low mass vector resonances decaying into quark-antiquark pairs in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	28

301	Measurements of the [Formula: see text] production cross section in lepton+jets final states in pp collisions at 8 [Formula: see text] and ratio of 8 to 7 [Formula: see text] cross sections. <i>European Physical Journal C</i> , 2017 , 77, 15	4.2	19
300	Using LEDs to stimulate the recovery of radiation damage to plastic scintillators. <i>Nuclear Instruments & Methods in Physics Research B</i> , 2017 , 395, 13-16	1.2	2
299	Measurement of the [Formula: see text] production cross section using events in the [Formula: see text] final state in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2017 , 77, 172	4.2	22
298	Measurement and QCD analysis of double-differential inclusive jet cross sections in pp collisions at ($\sqrt{s}=8$) TeV and cross section ratios to 2.76 and 7 TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	34
297	Search for electroweak production of charginos in final states with two leptons in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	7
296	Measurement of the production cross section of a W boson in association with two b jets in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2017 , 77, 92	4.2	7
295	Measurement of the WZ production cross section in pp collisions at [Formula: see text] and 8 [Formula: see text] and search for anomalous triple gauge couplings at [Formula: see text]. <i>European Physical Journal C</i> , 2017 , 77, 236	4.2	21
294	Measurement of prompt and nonprompt [Formula: see text] production in [Formula: see text] and [Formula: see text] collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2017 , 77, 269	4.2	26
293	A search for new phenomena in pp collisions at [Formula: see text] in final states with missing transverse momentum and at least one jet using the [Formula: see text] variable. <i>European Physical Journal C</i> , 2017 , 77, 294	4.2	21
292	Search for new physics in the monophoton final state in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	11
291	Measurement of double-differential cross sections for top quark pair production in pp collisions at [Formula: see text][Formula: see text] and impact on parton distribution functions. <i>European Physical Journal C</i> , 2017 , 77, 459	4.2	16
290	Measurement of the jet mass in highly boosted [Formula: see text] events from pp collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2017 , 77, 467	4.2	14
289	Measurements of the associated production of a Z boson and b jets in pp collisions at. <i>European Physical Journal C</i> , 2017 , 77, 751	4.2	15
288	Measurement of the transverse momentum spectrum of the Higgs boson produced in pp collisions at ($\sqrt{s}=8$) TeV using $H \rightarrow WW$ decays. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	10
287	Charged-particle nuclear modification factors in PbPb and pPb collisions at ($\sqrt{s_{\mathrm{NN}}}=5.02$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	64
286	Search for ($\overline{\mathrm{t}}\mathrm{t}$) resonances in highly boosted lepton+jets and fully hadronic final states in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	17
285	Search for associated production of dark matter with a Higgs boson decaying to ($\overline{\mathrm{b}}\mathrm{b}$) or $\tau\tau$ ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	9
284	Observation of $Y(1S)$ pair production in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	29

283	Search for anomalous Wtb couplings and flavour-changing neutral currents in t-channel single top quark production in pp collisions at ($\sqrt{s}=7$) and 8 TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	26
282	Search for single production of vector-like quarks decaying to a Z boson and a top or a bottom quark in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	8
281	Measurement of the semileptonic ($\overline{t}t$) + $\bar{b}b$ production cross section in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	7
280	Measurements of the $pp \rightarrow W\bar{b}$ and $pp \rightarrow Z\bar{b}$ cross sections and limits on anomalous quartic gauge couplings at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	2
279	Search for new phenomena with the variable in the all-hadronic final state produced in proton-proton collisions at. <i>European Physical Journal C</i> , 2017 , 77, 710	4.2	54
278	Measurements of differential production cross sections for a Z boson in association with jets in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	11
277	Search for heavy resonances decaying to tau lepton pairs in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	19
276	Search for electroweak production of a vector-like quark decaying to a top quark and a Higgs boson using boosted topologies in fully hadronic final states. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	9
275	Measurement of the transverse momentum spectra of weak vector bosons produced in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	15
274	Suppression and azimuthal anisotropy of prompt and nonprompt [Formula: see text] production in PbPb collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2017 , 77, 252	4.2	58
273	Searches for pair production of third-generation squarks in [Formula: see text][Formula: see text] pp collisions. <i>European Physical Journal C</i> , 2017 , 77, 327	4.2	17
272	Measurement of the top quark mass using single top quark events in proton-proton collisions at [Formula: see text] TeV. <i>European Physical Journal C</i> , 2017 , 77, 354	4.2	8
271	Searches for invisible decays of the Higgs boson in pp collisions at (\sqrt{s}) = 7, 8, and 13 TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	74
270	Search for massive resonances decaying into WW, WZ or ZZ bosons in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	19
269	Search for dark matter produced in association with heavy-flavor quark pairs in proton-proton collisions at. <i>European Physical Journal C</i> , 2017 , 77, 845	4.2	22
268	Measurement of electroweak-induced production of $W\bar{b}$ with two jets in pp collisions at ($\sqrt{s}=8$) TeV and constraints on anomalous quartic gauge couplings. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	9
267	Searches for $W\bar{b}$ bosons decaying to a top quark and a bottom quark in proton-proton collisions at 13 TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	7
266	Measurement of the inclusive energy spectrum in the very forward direction in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	5

265	Search for direct production of supersymmetric partners of the top quark in the all-jets final state in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	18
264	Search for electroweak production of charginos and neutralinos in WH events in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	11
263	Search for pair production of vector-like T and B quarks in single-lepton final states using boosted jet substructure in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	20
262	Search for top squark pair production in pp collisions at ($\sqrt{s}=13$) TeV using single lepton events. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	25
261	Search for top quark decays via Higgs-boson-mediated flavor-changing neutral currents in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	12
260	Measurement of the ($\overline{\text{t}}\text{t}$) production cross section using events with one lepton and at least one jet in pp collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	14
259	Search for a heavy resonance decaying to a top quark and a vector-like top quark at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	4
258	Search for physics beyond the standard model in events with two leptons of same sign, missing transverse momentum, and jets in proton-proton collisions at. <i>European Physical Journal C</i> , 2017 , 77, 578	4.2	21
257	Search for top quark partners with charge 5/3 in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	3
256	Search for light bosons in decays of the 125 GeV Higgs boson in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	21
255	Measurements of jet charge with dijet events in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	10
254	Search for associated production of a Z boson with a single top quark and for tZ flavour-changing interactions in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	10
253	Search for new physics with dijet angular distributions in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	11
252	Search for dark matter produced with an energetic jet or a hadronically decaying W or Z boson at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	46
251	Search for third-generation scalar leptoquarks and heavy right-handed neutrinos in final states with two tau leptons and two jets in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	35
250	Search for new phenomena with multiple charged leptons in proton-proton collisions at ($\sqrt{s}=13$) (,text {TeV}). <i>European Physical Journal C</i> , 2017 , 77, 1	4.2	2
249	Search for heavy resonances that decay into a vector boson and a Higgs boson in hadronic final states at. <i>European Physical Journal C</i> , 2017 , 77, 636	4.2	20
248	Search for high-mass Z resonances in $e+e$ and $\mu+\mu$ final states in proton-proton collisions at ($\sqrt{s}=8$) and 13 TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	4

247	Search for heavy neutrinos or third-generation leptoquarks in final states with two hadronically decaying τ leptons and two jets in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	18
246	Search for CP violation in (\overline{t}) production and decay in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	4
245	Measurement of the triple-differential dijet cross section in proton-proton collisions at and constraints on parton distribution functions. <i>European Physical Journal C</i> , 2017 , 77, 746	4.2	8
244	Search for a light pseudoscalar Higgs boson produced in association with bottom quarks in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	7
243	Search for supersymmetry in events with at least one photon, missing transverse momentum, and large transverse event activity in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	10
242	Measurements of properties of the Higgs boson decaying into the four-lepton final state in pp collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	77
241	Search for dark matter and unparticles in events with a Z boson and missing transverse momentum in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	16
240	Forward-backward asymmetry of Drell-Yan lepton pairs in pp collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 325	4.2	13
239	Search for new physics in same-sign dilepton events in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 439	4.2	34
238	Measurement of dijet azimuthal decorrelation in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 536	4.2	6
237	Search for dark matter particles in proton-proton collisions at ($\sqrt{s}=8$) TeV using the razor variables. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	2
236	Search for s channel single top quark production in pp collisions at ($\sqrt{s}=7$) and 8 TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	8
235	Measurement of inclusive jet production and nuclear modifications in pPb collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 372	4.2	24
234	Measurement of differential and integrated fiducial cross sections for Higgs boson production in the four-lepton decay channel in pp collisions at ($\sqrt{s}=7$) and 8 TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	15
233	Measurement of the (\overline{t}) production cross section in the $e\overline{t}$ channel in proton-proton collisions at ($\sqrt{s}=7$) and 8 TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	30
232	Search for new physics with the M_{T2} variable in all-jets final states produced in pp collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	16
231	Radiation damage and recovery properties of common plastics PEN (Polyethylene Naphthalate) and PET (Polyethylene Terephthalate) using a ^{137}Cs gamma ray source up to 1.4 Mrad and 14 Mrad. <i>Journal of Instrumentation</i> , 2016 , 11, P08023-P08023	1	3
230	Search for dark matter in proton-proton collisions at 8 TeV with missing transverse momentum and vector boson tagged jets. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	9

229	Evidence for exclusive $\bar{W} + W$ production and constraints on anomalous quartic gauge couplings in pp collisions at ($\sqrt{s}=7$) and 8 TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5-4	27
228	Search for supersymmetry in pp collisions at ($\sqrt{s}=13$) TeV in the single-lepton final state using the sum of masses of large-radius jets. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5-4	7
227	Search for direct pair production of supersymmetric top quarks decaying to all-hadronic final states in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 460	4-2	14
226	Azimuthal decorrelation of jets widely separated in rapidity in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5-4	9
225	Phenomenological MSSM interpretation of CMS searches in pp collisions at ($\sqrt{s}=7$) and 8 TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5-4	11
224	Measurement of the mass of the top quark in decays with a J/ψ meson in pp collisions at 8 TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5-4	5
223	Measurement of the inclusive jet cross section in pp collisions at ($\sqrt{s} = 2.76, \text{text {TeV}}$). <i>European Physical Journal C</i> , 2016 , 76, 1	4-2	17
222	Measurement of [Formula: see text] production with additional jet activity, including [Formula: see text] quark jets, in the dilepton decay channel using pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 379	4-2	20
221	Measurement of the differential cross section and charge asymmetry for inclusive [Formula: see text] production at [Formula: see text] TeV. <i>European Physical Journal C</i> , 2016 , 76, 469	4-2	37
220	Observation of top quark pairs produced in association with a vector boson in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5-4	18
219	Search for $W \rightarrow \tau b$ in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5-4	2
218	Correlations between jets and charged particles in PbPb and pp collisions at ($\sqrt{s_{\text{NN}}}=2.76$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5-4	21
217	Search for the production of an excited bottom quark decaying to tW in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5-4	2
216	Search for excited leptons in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5-4	10
215	Measurement of the [Formula: see text] production cross section in the all-jets final state in pp collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 128	4-2	21
214	Event generator tunes obtained from underlying event and multiparton scattering measurements. <i>European Physical Journal C</i> , 2016 , 76, 155	4-2	25 ⁰
213	Search for massive WH resonances decaying into the [Formula: see text] final state at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 237	4-2	19
212	Search for a massive resonance decaying into a Higgs boson and a W or Z boson in hadronic final states in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5-4	14

211	Measurement of top quark polarisation in t-channel single top quark production. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5-4	7
210	Search for heavy Majorana neutrinos in $e\bar{e}\mu^+\mu^+$ jets and $e\bar{e}\tau^+\tau^+$ jets events in proton-proton collisions at $(\sqrt{s}=8)$ TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5-4	28
209	Search for a very light NMSSM Higgs boson produced in decays of the 125 GeV scalar boson and decaying into τ leptons in pp collisions at $(\sqrt{s}=8)$ TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5-4	16
208	Measurement of differential cross sections for Higgs boson production in the diphoton decay channel in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 13	4-2	35
207	Search for new physics in final states with two opposite-sign, same-flavor leptons, jets, and missing transverse momentum in pp collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5-4	7
206	New radiation-hard wavelength shifting fibers 2016 ,		1
205	Decomposing transverse momentum balance contributions for quenched jets in PbPb collisions at $(\sqrt{s_{\mathrm{N}};\mathrm{N}})=2.76)$ TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5-4	13
204	Liquid scintillator tiles for calorimetry. <i>Journal of Instrumentation</i> , 2016 , 11, P11018-P11018	1	
203	Measurement of the double-differential inclusive jet cross section in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 451	4-2	36
202	Measurement of the [Formula: see text] cross section in pp collisions at [Formula: see text] TeV and limits on anomalous gauge couplings. <i>European Physical Journal C</i> , 2016 , 76, 401	4-2	38
201	Search for heavy resonances decaying to two Higgs bosons in final states containing four b quarks. <i>European Physical Journal C</i> , 2016 , 76, 371	4-2	25
200	Search for Higgs boson off-shell production in proton-proton collisions at 7 and 8 TeV and derivation of constraints on its total decay width. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5-4	14
199	Search for lepton flavour violating decays of heavy resonances and quantum black holes to an [Formula: see text] pair in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 317	4-2	9
198	Characterization of photomultiplier tubes in a novel operation mode for Secondary Emission Ionization Calorimetry. <i>Journal of Instrumentation</i> , 2016 , 11, P10004-P10004	1	2
197	Measurement of electroweak production of a W boson and two forward jets in proton-proton collisions at $(\sqrt{s}=8)$ TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5-4	4
196	Measurement of transverse momentum relative to dijet systems in PbPb and pp collisions at $(\sqrt{s_{\mathrm{NN}}}=2.76)$ TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5-4	21
195	Search for anomalous single top quark production in association with a photon in pp collisions at $(\sqrt{s}=8)$ TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5-4	20
194	Search for direct pair production of scalar top quarks in the single- and dilepton channels in proton-proton collisions at $(\sqrt{s}=8)$ TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5-4	6

193	A Neutron Detector Based on Boron-10 Enriched Scintillating Glasses. <i>Ceramic Transactions</i> , 2016 , 57-68.	0.1	1
192	Search for the associated production of a Higgs boson with a single top quark in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	10
191	Search for a standard model Higgs boson produced in association with a top-quark pair and decaying to bottom quarks using a matrix element method. <i>European Physical Journal C</i> , 2015 , 75, 251	4.2	55
190	Measurement of electroweak production of two jets in association with a Z boson in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 66	4.2	21
189	Measurements of differential and double-differential Drell-Yan cross sections in proton-proton collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 147	4.2	50
188	Search for decays of stopped long-lived particles produced in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 151	4.2	33
187	Measurement of the W boson helicity in events with a single reconstructed top quark in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	19
186	Measurement of the ratio of the production cross sections times branching fractions of $B \rightarrow c \rightarrow \mu \mu$ and $B \rightarrow \mu \mu$ and $(\mathcal{B}(\mathcal{B} \rightarrow \mu \mu) / \mathcal{B}(\mathcal{B} \rightarrow \mu \mu)) / (\mathcal{B}(\mathcal{B} \rightarrow \mu \mu) / \mathcal{B}(\mathcal{B} \rightarrow \mu \mu))$ in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	13
185	Search for disappearing tracks in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	35
184	Study of Z production in PbPb and pp collisions at ($\sqrt{s_{\text{NN}}}=2.76$) TeV in the dimuon and dielectron decay channels. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	18
183	Search for physics beyond the standard model in dilepton mass spectra in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	69
182	Measurement of the underlying event activity using charged-particle jets in proton-proton collisions at ($\sqrt{s}=2.76$) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	6
181	Search for dark matter, extra dimensions, and unparticles in monojet events in proton-proton collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 235	4.2	250
180	Constraints on parton distribution functions and extraction of the strong coupling constant from the inclusive jet cross section in pp collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 288	4.2	37
179	Nuclear effects on the transverse momentum spectra of charged particles in pPb collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 237	4.2	48
178	Distributions of topological observables in inclusive three- and four-jet events in pp collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 302	4.2	4
177	Constraints on the pMSSM, AMSB model and on other models from the search for long-lived charged particles in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 325	4.2	24
176	Search for physics beyond the standard model in events with two leptons, jets, and missing transverse momentum in pp collisions at ($\sqrt{s} = 8$) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	22

175	Search for third-generation scalar leptoquarks in the $t\bar{t}$ channel in proton-proton collisions at $(\sqrt{s}=8)$ TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5-4	19
174	Searches for supersymmetry using the M_{T2} variable in hadronic events produced in pp collisions at 8 TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5-4	26
173	Searches for third-generation squark production in fully hadronic final states in proton-proton collisions at $(\sqrt{s}=8)$ TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5-4	33
172	Search for the production of dark matter in association with top-quark pairs in the single-lepton final state in proton-proton collisions at $(\sqrt{s}=8)$ TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5-4	17
171	Search for a charged Higgs boson in pp collisions at $(\sqrt{s}=8)$ TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5-4	61
170	Search for supersymmetry in the vector-boson fusion topology in proton-proton collisions at $(\sqrt{s}=8)$ TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5-4	11
169	Search for a light charged Higgs boson decaying to $(\overline{\text{charm}})$ in pp collisions at $(\sqrt{s}=8)$ TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1-37	5-4	33
168	Search for vector-like T quarks decaying to top quarks and Higgs bosons in the all-hadronic channel using jet substructure. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5-4	16
167	Search for neutral color-octet weak-triplet scalar particles in proton-proton collisions at $(\sqrt{s}=8)$ TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5-4	
166	Search for a Higgs boson in the mass range from 145 to 1000 GeV decaying to a pair of W or Z bosons. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5-4	73
165	Precise determination of the mass of the Higgs boson and tests of compatibility of its couplings with the standard model predictions using proton collisions at 7 and 8 [Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 212	4-2	399
164	Measurement of the $Z/\bar{\nu}$ production cross section in pp collisions at 8 TeV and search for anomalous triple gauge boson couplings. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5-4	7
163	Measurement of the inclusive 3-jet production differential cross section in proton-proton collisions at 7 TeV and determination of the strong coupling constant in the TeV range. <i>European Physical Journal C</i> , 2015 , 75, 186	4-2	41
162	Measurement of the differential cross section for top quark pair production in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 542	4-2	98
161	Measurements of the [Formula: see text][Formula: see text] production cross sections in the [Formula: see text] channel in proton-proton collisions at [Formula: see text] and [Formula: see text] and combined constraints on triple gauge couplings. <i>European Physical Journal C</i> , 2015 , 75, 511	4-2	25
160	Comparison of the $Z/\bar{\nu} + \text{jets}$ to $\bar{\nu} + \text{jets}$ cross sections in pp collisions at $(\sqrt{s}=8)$ TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5-4	5
159	Search for neutral MSSM Higgs bosons decaying into a pair of bottom quarks. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5-4	18
158	Measurement of the (\overline{t}) production cross section in the dilepton channel in pp collisions at $(\sqrt{s}) = 8$ TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5-4	43

157	Studies of azimuthal dihadron correlations in ultra-central PbPb collisions at ($\sqrt{s_{NN}}$) = 2.76 TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	60
156	Measurement of associated W + charm production in pp collisions at (\sqrt{s}) = 7 TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	37
155	Search for new physics in events with same-sign dileptons and jets in pp collisions at (\sqrt{s}) = 8 TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	38
154	Studies of dijet transverse momentum balance and pseudorapidity distributions in pPb collisions at ($\sqrt{s_{\text{NN}}} = 5.02$) (TeV). <i>European Physical Journal C</i> , 2014 , 74, 1	4.2	67
153	Measurement of WZ and ZZ production in pp collisions at [Formula: see text] in final states with b-tagged jets. <i>European Physical Journal C</i> , 2014 , 74, 2973	4.2	16
152	Search for invisible decays of Higgs bosons in the vector boson fusion and associated ZH production modes. <i>European Physical Journal C</i> , 2014 , 74, 2980	4.2	131
151	Measurement of jet multiplicity distributions in [Formula: see text] production in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2014 , 74, 3014	4.2	11
150	Study of double parton scattering using W + 2-jet events in proton-proton collisions at (\sqrt{s}) = 7 TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	61
149	Event activity dependence of (Υ)(nS) production in ($\sqrt{s_{NN}}$) = 5.02 TeV pPb and (\sqrt{s}) = 2.76 TeV pp collisions. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	42
148	. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	18
147	Evidence for the 125 GeV Higgs boson decaying to a pair of τ leptons. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	101
146	Search for $W \rightarrow \tau b$ decays in the lepton + jets final state in pp collisions at (\sqrt{s}) = 8 TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	23
145	Measurement of the triple-differential cross section for photon + jets production in proton-proton collisions at (\sqrt{s}) = 7 TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	15
144	Search for new physics in the multijet and missing transverse momentum final state in proton-proton collisions at (\sqrt{s}) = 8 TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	81
143	Measurement of the t-channel single-top-quark production cross section and of the $ V_{tb} $ CKM matrix element in pp collisions at (\sqrt{s}) = 8 TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	48
142	Measurement of the production cross sections for a Z boson and one or more b jets in pp collisions at (\sqrt{s}) = 7 TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	21
141	Search for pair production of excited top quarks in the lepton + jets final state. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	3
140	Search for massive resonances in dijet systems containing jets tagged as W or Z boson decays in pp collisions at (\sqrt{s}) = 8 TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	74

139	Search for massive resonances decaying into pairs of boosted bosons in semi-leptonic final states at $(\sqrt{s}) = 8$ TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5-4	59
138	Measurement of the top-quark mass in all-jets [Formula: see text] events in pp collisions at [Formula: see text] TeV. <i>European Physical Journal C</i> , 2014 , 74, 2758	4-2	21
137	Study of the production of charged pions, kaons, and protons in pPb collisions at [Formula: see text]5.02[Formula: see text]. <i>European Physical Journal C</i> , 2014 , 74, 2847	4-2	71
136	Probing color coherence effects in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2014 , 74, 2901	4-2	13
135	Search for heavy neutrinos and [Formula: see text] bosons with right-handed couplings in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2014 , 74, 3149	4-2	149
134	Measurement of top quark-antiquark pair production in association with a W or Z boson in pp collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2014 , 74, 3060	4-2	29
133	Measurement of differential cross sections for the production of a pair of isolated photons in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2014 , 74, 3129	4-2	29
132	Search for neutral MSSM Higgs bosons decaying to a pair of tau leptons in pp collisions. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5-4	70
131	Measurement of pseudorapidity distributions of charged particles in proton-proton collisions at $(\sqrt{s}) = 8$ TeV by the CMS and TOTEM experiments. <i>European Physical Journal C</i> , 2014 , 74, 1	4-2	37
130	Searches for electroweak production of charginos, neutralinos, and sleptons decaying to leptons and W, Z, and Higgs bosons in pp collisions at 8 TeV. <i>European Physical Journal C</i> , 2014 , 74, 3036	4-2	183
129	Measurement of prompt J/ψ pair production in pp collisions at $(\sqrt{s}) = 7$ TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5-4	41
128	Observation of the diphoton decay of the Higgs boson and measurement of its properties. <i>European Physical Journal C</i> , 2014 , 74, 3076	4-2	239
127	Search for the associated production of the Higgs boson with a top-quark pair. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5-4	45
126	Study of hadronic event-shape variables in multijet final states in pp collisions at $(\sqrt{s}) = 7$ TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5-4	3
125	Search for standard model production of four top quarks in the lepton + jets channel in pp collisions at $(\sqrt{s}) = 8$ TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5-4	15
124	Identification techniques for highly boosted W bosons that decay into hadrons. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5-4	32
123	Measurement of Higgs boson production and properties in the WW decay channel with leptonic final states. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5-4	144
122	Measurement of the $(\overline{t}t)$ production cross section in the dilepton channel in pp collisions at $(\sqrt{s}) = 8$ TeV 2014 , 2014, 1		3

121	Search for the associated production of the Higgs boson with a top-quark pair 2014 , 2014, 1		6
120	Search for microscopic black holes in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5-4	38
119	Measurement of the (Λ_{b}^0) lifetime in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5-4	14
118	Searches for long-lived charged particles in pp collisions at (\sqrt{s}) =7 and 8 TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5-4	96
117	Study of exclusive two-photon production of $W+W$ in pp collisions at ($\sqrt{s}=7$) TeV and constraints on anomalous quartic gauge couplings. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5-4	56
116	Observation of a new boson with mass near 125 GeV in pp collisions at ($\sqrt{s}=7$) and 8 TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5-4	261
115	Search for the standard model Higgs boson produced in association with a top-quark pair in pp collisions at the LHC. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5-4	35
114	Studies of jet mass in dijet and W/Z + jet events. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5-4	39
113	Measurement of the ($\overline{\text{t}}\text{t}$) production cross section in the all-jet final state in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5-4	14
112	Measurement of the $X(3872)$ production cross section via decays to J/ψ in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5-4	44
111	Study of the underlying event at forward rapidity in pp collisions at ($\sqrt{s}=0.9, 2.76, \text{and } 7$ TeV). <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5-4	39
110	Search for new physics in events with photons, jets, and missing transverse energy in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5-4	15
109	Search for new physics in events with same-sign dileptons and b jets in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5-4	33
108	Search in leptonic channels for heavy resonances decaying to long-lived neutral particles. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5-4	30
107	Search for exotic resonances decaying into WZ/ZZ in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5-4	16
106	Search for supersymmetry in pp collisions at [Formula: see text] TeV in events with a single lepton, jets, and missing transverse momentum. <i>European Physical Journal C</i> , 2013 , 73, 2404	4-2	15
105	Search for a standard-model-like Higgs boson with a mass in the range 145 to 1000 GeV at the LHC. <i>European Physical Journal C</i> , 2013 , 73, 2469	4-2	49
104	Measurement of the W-boson helicity in top-quark decays from ($\overline{\text{t}}\text{t}$) production in lepton+jets events in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5-4	25

103	Search for supersymmetry in hadronic final states with missing transverse energy using the variables and b-quark multiplicity in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2013 , 73, 2568	4.2	82
102	Measurement of the hadronic activity in events with a Z and two jets and extraction of the cross section for the electroweak production of a Z with two jets in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	10
101	Measurement of masses in the [Formula: see text] system by kinematic endpoints in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2013 , 73, 2494	4.2	37
100	Search for physics beyond the standard model in events with leptons, jets, and large transverse momentum imbalance in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2013 , 73, 2493	4.2	10
99	Measurement of the $(\bar{t}t)$ production cross section in the μ jets channel in pp collisions at ($\sqrt{s}=7$ TeV). <i>European Physical Journal C</i> , 2013 , 73, 1	4.2	21
98	Jet and underlying event properties as a function of charged-particle multiplicity in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2013 , 73, 2674	4.2	24
97	Search for top-squark pair production in the single-lepton final state in pp collisions at ($\sqrt{s}=8$ TeV). <i>European Physical Journal C</i> , 2013 , 73, 1	4.2	162
96	Measurement of the differential and double-differential Drell-Yan cross sections in proton-proton collisions at ($\sqrt{s}) = 7$ TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	43
95	Measurement of the cross section and angular correlations for associated production of a Z boson with b hadrons in pp collisions at ($\sqrt{s}) = 7$ TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	26
94	Measurement of the ratio of the inclusive 3-jet cross section to the inclusive 2-jet cross section in pp collisions at ($\sqrt{s} = 7$ TeV) and first determination of the strong coupling constant in the TeV range. <i>European Physical Journal C</i> , 2013 , 73, 1	4.2	50
93	Measurement of the $W+W$ cross section in pp collisions at ($\sqrt{s} = 7$ TeV) and limits on anomalous WW and WWZ couplings. <i>European Physical Journal C</i> , 2013 , 73, 1	4.2	56
92	Search for narrow resonances and quantum black holes in inclusive and b-tagged dijet mass spectra from pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	37
91	Measurement of the ZZ production cross section and search for anomalous couplings in $2\mu\mu$ final states in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	39
90	Search for supersymmetry in final states with missing transverse energy and 0, 1, 2, or 3 b-quark jets in 7 TeV pp collisions using the variable β . <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	29
89	Search for heavy quarks decaying into a top quark and a W or Z boson using lepton + jets events in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	12
88	Measurement of the sum of WW and WZ production with W+dijet events in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2013 , 73, 2283	4.2	45
87	Measurement of differential top-quark-pair production cross sections in pp collisions at ($\sqrt{s} = 7$ TeV). <i>European Physical Journal C</i> , 2013 , 73, 1	4.2	102
86	Search for new physics in events with same-sign dileptons and b jets in pp collisions at ($\sqrt{s}=8$) TeV 2013 , 2013, 1		2

85	Study of high-p T charged particle suppression in PbPb compared to pp collisions at ($\sqrt{s_{\text{NN}}}=2.76\text{~TeV}$). <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	316
84	Centrality dependence of dihadron correlations and azimuthal anisotropy harmonics in PbPb collisions at ($\sqrt{s_{\text{NN}}}=2.76\text{ TeV}$). <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	158
83	Jet production rates in association with W and Z bosons in pp collisions at ($\sqrt{s}=7\text{ TeV}$). <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	37
82	Exclusive $\bar{b}b$ production in proton-proton collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	45
81	Measurement of the production cross section for pairs of isolated photons in pp collisions at ($\sqrt{s}=7\text{ TeV}$). <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	20
80	Inclusive b-jet production in pp collisions at ($\sqrt{s}=7\text{ TeV}$). <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	30
79	Search for quark compositeness in dijet angular distributions from pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	12
78	Suppression of non-prompt J/ψ and (Υ) (1S) in PbPb collisions at ($\sqrt{s_{\text{NN}}}=2.76$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	184
77	Search for heavy bottom-like quarks in 4.9 fb $^{-1}$ of pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	44
76	Measurement of the cross section for production of ($\bar{b}X$) decaying to muons in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	3
75	Measurement of the $Z/\bar{b} + b$ -jet cross section in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	24
74	Shape, transverse size, and charged-hadron multiplicity of jets in pp collisions at ($\sqrt{s}=7\text{ TeV}$). <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	27
73	Search for anomalous production of multilepton events in pp collisions at ($\sqrt{s}=7\text{ TeV}$). <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	65
72	Search for a light charged Higgs boson in top quark decays in pp collisions at ($\sqrt{s}=7\text{ TeV}$). <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	101
71	Search for leptonic decays of W^\pm bosons in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	43
70	Search for stopped long-lived particles produced in pp collisions at ($\sqrt{s}=7\text{ TeV}$). <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	17
69	Search for new physics in events with same-sign dileptons and b-tagged jets in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	24
68	Measurement of the underlying event activity in pp collisions at ($\sqrt{s}=0.9$) and 7 TeV with the novel jet-area/median approach. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	11

67	Search for anomalous ($\overline{t}t$) production in the highly-boosted all-hadronic final state. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	57
66	Search for dark matter and large extra dimensions in monojet events in pp collisions at ($\sqrt{s} = 7$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	155
65	Search for a fermiophobic Higgs boson in pp collisions at ($\sqrt{s} = 7$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	13
64	Search for supersymmetry in hadronic final states using M T2 in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	92
63	Measurement of jet fragmentation into charged particles in pp and PbPb collisions at ($\sqrt{s_{\mathrm{NN}}}=2.76$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	73
62	Measurement of the ($\overline{t}t$) production cross section in the dilepton channel in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	64
61	Search for exclusive or semi-exclusive $\mu\mu$ production and observation of exclusive and semi-exclusive $e+e\mu$ production in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	45
60	Search for the standard model Higgs boson produced in association with W and Z bosons in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	6
59	Search for electroweak production of charginos and neutralinos using leptonic final states in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	41
58	Search for new physics with long-lived particles decaying to photons and missing energy in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	10
57	Search for resonant ($\overline{t}t$) production in lepton+jets events in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	25
56	Observation of Z decays to four leptons with the CMS detector at the LHC. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	30
55	Measurement of the single-top-quark t-channel cross section in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	70
54	Search for third-generation leptoquarks and scalar bottom quarks in pp collisions at ($\sqrt{s}=7$;TeV). <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	12
53	Measurement of the top-quark mass in ($\overline{t}t$) events with lepton+jets final states in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	30
52	Measurement of the underlying event in the Drell-Yan process in proton-proton collisions at ($\sqrt{s} = 7\sim\text{TeV}$). <i>European Physical Journal C</i> , 2012 , 72, 1	4-2	30
51	Study of the inclusive production of charged pions, kaons, and protons in pp collisions at ($\sqrt{s} = 0.9, 2.76, \text{ and } 7\sim\text{TeV}$). <i>European Physical Journal C</i> , 2012 , 72, 1	4-2	133
50	A search for a doubly-charged Higgs boson in pp collisions at ($\sqrt{s} = 7\text{ TeV}$). <i>European Physical Journal C</i> , 2012 , 72, 1	4-2	111

49	Measurement of the top-quark mass in $(\overline{\text{t}}\text{t})$ events with dilepton final states in pp collisions at $(\sqrt{s}=7 \text{ TeV})$. <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	36
48	Ratios of dijet production cross sections as a function of the absolute difference in rapidity between jets in proton-proton collisions at $(\sqrt{s} = 7 \text{ TeV})$. <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	17
47	Measurement of the relative prompt production rate of J/ψ and $\psi(2S)$ in pp collisions at $(\sqrt{s} = 7 \text{ TeV})$. <i>European Physical Journal C</i> , 2012 , 72, 2251	4.2	46
46	Forward energy flow, central charged-particle multiplicities, and pseudorapidity gaps in W and Z boson events from pp collisions at $(\sqrt{s}= 7) \text{ TeV}$. <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	11
45	J/ψ and $\psi(2S)$ production in pp collisions at $(\sqrt{s} = 7 \text{ TeV})$. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	69
44	Search for the standard model Higgs boson in the $\text{H} \rightarrow \text{ZZ} \rightarrow 4\ell$ channel in pp collisions at $(\sqrt{s} = 7 \text{ TeV})$. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	24
43	Search for the standard model Higgs boson in the $\text{H} \rightarrow \text{ZZ} \rightarrow 2\ell 2\tau$ decay channel in pp collisions at $(\sqrt{s} = 7 \text{ TeV})$. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	11
42	Search for $(\text{B}^0 \rightarrow \text{J}/\psi \text{K}^0)$ and $\text{B}^0 \rightarrow \text{J}/\psi \text{K}^*$ decays. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	52
41	Search for a Higgs boson in the decay channel $\text{H} \rightarrow \text{ZZ}^* \rightarrow \text{q}(\overline{\text{q}}) \text{bb}$ in pp collisions at $(\sqrt{s} = 7) \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	21
40	Search for microscopic black holes in pp collisions at $(\sqrt{s} = 7 \text{ TeV})$. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	34
39	Measurement of the inclusive production cross sections for forward jets and for dijet events with one forward and one central jet in pp collisions at $(\sqrt{s} = 7) \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	13
38	Measurement of the mass difference between top and antitop quarks. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	13
37	Quartz plate calorimeter prototype with wavelength shifting fibers. <i>Journal of Instrumentation</i> , 2012 , 7, P07004-P07004	1	4
36	Prompt and non-prompt J/ψ production in pp collisions at $(\sqrt{s} = 7) \text{ TeV}$. <i>European Physical Journal C</i> , 2011 , 71, 1	4.2	118
35	Measurement of the $(\overline{\text{t}}\text{t})$ production cross section in pp collisions at $(\sqrt{s}=7) \text{ TeV}$ using the kinematic properties of events with leptons and jets. <i>European Physical Journal C</i> , 2011 , 71, 1	4.2	35
34	Charged particle multiplicities in pp interactions at $(\sqrt{s} = 0.9, 2.36, \text{ and } 7 \text{ TeV})$. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	89
33	Measurements of inclusive W and Z cross sections in pp collisions at $(\sqrt{s} = 7) \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	104
32	Search for heavy stable charged particles in pp collisions at $(\sqrt{s} = 7 \text{ TeV})$. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	34

31	Inclusive b-hadron production cross section with muons in pp collisions at ($\sqrt{s} = 7; \text{TeV}$). <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5-4	21
30	Measurement of ($\overline{B}B$) angular correlations based on secondary vertex reconstruction at ($\sqrt{s} = 7; \text{TeV}$). <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5-4	27
29	Measurement of the lepton charge asymmetry in inclusive W production in pp collisions at ($\sqrt{s} = 7; \text{TeV}$). <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5-4	38
28	Measurement of Bose-Einstein correlations in pp collisions at ($\sqrt{s} = 0.9$) and 7 TeV. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5-4	22
27	Strange particle production in pp collisions at ($\sqrt{s} = 0.9$) and 7 TeV. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5-4	78
26	Search for large extra dimensions in the diphoton final state at the Large Hadron Collider. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5-4	21
25	Search for resonances in the dilepton mass distribution in pp collisions at ($\sqrt{s} = 7$) TeV. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5-4	32
24	Search for physics beyond the standard model in opposite-sign dilepton events in pp collisions at ($\sqrt{s} = 7; \text{TeV}$). <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5-4	26
23	Search for new physics with same-sign isolated dilepton events with jets and missing transverse energy at the LHC. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5-4	46
22	Search for supersymmetry in events with a lepton, a photon, and large missing transverse energy in pp collisions at ($\sqrt{s} = 7$) TeV. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5-4	10
21	Measurement of the ($\bar{t}t$) production cross section and the top quark mass in the dilepton channel in pp collisions at ($\sqrt{s} = 7$) TeV. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5-4	48
20	Long-range and short-range dihadron angular correlations in central PbPb collisions at ($\sqrt{s_{NN}} = 2.76$ TeV). <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5-4	56
19	Search for light resonances decaying into pairs of muons as a signal of new physics. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5-4	12
18	Search for supersymmetry in events with b jets and missing transverse momentum at the LHC. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5-4	28
17	Search for same-sign top-quark pair production at ($\sqrt{s} = 7$) TeV and limits on flavour changing neutral currents in the top sector. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5-4	39
16	Charged particle transverse momentum spectra in pp collisions at ($\sqrt{s} = 0.9$) and 7 TeV. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5-4	44
15	Measurement of the inclusive Z cross section via decays to tau pairs in pp collisions at ($\sqrt{s} = 7$) TeV. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5-4	17
14	Dependence on pseudorapidity and on centrality of charged hadron production in PbPb collisions at ($\sqrt{s_{NN}} = 2.76$) TeV. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5-4	87

13	Search for new physics with jets and missing transverse momentum in pp collisions at ($\sqrt{s} = 7$) TeV. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5-4	46
12	Search for supersymmetry in pp collisions at ($\sqrt{s} = 7$) TeV in events with a single lepton, jets, and missing transverse momentum. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5-4	32
11	Measurement of the underlying event activity at the LHC with ($\sqrt{s} = 7$) TeV and comparison with ($\sqrt{s} = 0.9$) TeV. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5-4	70
10	Measurement of the Drell-Yan cross section in pp collisions at ($\sqrt{s} = 7$) TeV. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5-4	32
9	Measurement of the inclusive W and Z production cross sections in pp collisions at ($\sqrt{s} = 7$) TeV with the CMS experiment. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5-4	121
8	Measurement of energy flow at large pseudorapidities in pp collisions at ($\sqrt{s} = 0.9$) and 7 TeV. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5-4	19
7	Measurement of energy flow at large pseudorapidities in pp collisions at ($\sqrt{s} = 0.9$) and 7 TeV 2011 , 2011, 1		5
6	CMS Hadronic Endcap Calorimeter Upgrade Studies for SLHC B-Terphenyl Deposited Quartz Plate Calorimeter Prototype <i>IEEE Transactions on Nuclear Science</i> , 2010 , 57, 754-759	1-7	7
5	First measurement of the underlying event activity at the LHC with ($\sqrt{s} = 0.9$) TeV. <i>European Physical Journal C</i> , 2010 , 70, 555-572	4-2	36
4	CMS tracking performance results from early LHC operation. <i>European Physical Journal C</i> , 2010 , 70, 1165-1192	4-1	99
3	Transverse-momentum and pseudorapidity distributions of charged hadrons in pp collisions at ($\sqrt{s} = 0.9$) and 2.36 TeV. <i>Journal of High Energy Physics</i> , 2010 , 2010, 1	5-4	201
2	Observation of long-range, near-side angular correlations in proton-proton collisions at the LHC. <i>Journal of High Energy Physics</i> , 2010 , 2010, 1	5-4	389
1	P-Terphenyl deposited quartz plate calorimeter prototype 2008 ,		1