

Heraldo L Vasconcelos

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/942613/heraldo-l-vasconcelos-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

160
papers

7,667
citations

43
h-index

84
g-index

164
ext. papers

8,853
ext. citations

3.9
avg, IF

5.91
L-index

#	Paper	IF	Citations
160	Revisiting florivory: an integrative review and global patterns of a neglected interaction. <i>New Phytologist</i> , 2022 , 233, 132-144	9.8	3
159	Historical biogeography shapes functional ecology: Inter-continental contrasts in responses of savanna ant communities to stress and disturbance. <i>Journal of Biogeography</i> , 2022 , 49, 590-599	4.1	1
158	ATLANTIC ANTS: a data set of ants in Atlantic Forests of South America. <i>Ecology</i> , 2021 , e03580	4.6	3
157	How much leaf area do insects eat? A data set of insect herbivory sampled globally with a standardized protocol. <i>Ecology</i> , 2021 , 102, e03301	4.6	2
156	Trophic ecology of the arboreal and ground ant communities in forests and savannas of central Brazil. <i>Ecological Entomology</i> , 2021 , 46, 936-945	2.1	1
155	Active modification of cavity nest-entrances is a common strategy in arboreal ants. <i>Biotropica</i> , 2021 , 53, 857-867	2.3	3
154	The effects of high-severity fires on the arboreal ant community of a Neotropical savanna. <i>Oecologia</i> , 2021 , 196, 951-961	2.9	0
153	Ecosystem engineering in the arboreal realm: heterogeneity of wood-boring beetle cavities and their use by cavity-nesting ants. <i>Oecologia</i> , 2021 , 196, 427-439	2.9	5
152	Dung beetle functions in tropical planted pastures were barely explained by management variables and not at all by community metrics. <i>Ecological Indicators</i> , 2021 , 125, 107598	5.8	1
151	Patterns of Ant Diversity in the Natural Grasslands of Southern Brazil. <i>Neotropical Entomology</i> , 2021 , 50, 725-735	1.2	0
150	Multi-population seedling and soil transplants show possible responses of a common tropical montane tree species (<i>Weinmannia bangii</i>) to climate change. <i>Journal of Ecology</i> , 2021 , 109, 62-73	6	3
149	The Program for Biodiversity Research in Brazil: The role of regional networks for biodiversity knowledge, dissemination, and conservation. <i>Anais Da Academia Brasileira De Ciencias</i> , 2021 , 93, e20201604	1.4	5
148	Assessing the fire resilience of the savanna tree component through a functional approach. <i>Acta Oecologica</i> , 2021 , 111, 103728	1.7	2
147	Ecology of <i>Pheidole oxyops</i> Forel, 1908, a dominant ant in neotropical savannas. <i>Insectes Sociaux</i> , 2021 , 68, 69-75	1.5	
146	Extranuptial nectaries in flowers: ants increase the reproductive success of the ant-plant <i>Miconia tocoa</i> (Melastomataceae). <i>Plant Biology</i> , 2020 , 22, 917-923	3.7	1
145	Mountain Ecosystems as Natural Laboratories for Climate Change Experiments. <i>Frontiers in Forests and Global Change</i> , 2020 , 3,	3.7	24
144	No Net Loss of Species Diversity After Prescribed Fires in the Brazilian Savanna. <i>Frontiers in Forests and Global Change</i> , 2020 , 3,	3.7	18

143	Ant diversity in Neotropical savannas: Hierarchical processes acting at multiple spatial scales. <i>Journal of Animal Ecology</i> , 2020 , 89, 412-422	4.7	2
142	Annual litter production in a Brazilian Cerrado woodland savanna. <i>Southern Forests</i> , 2020 , 82, 65-69	0.6	2
141	Effects of experimental nitrogen enrichment on soil properties and litter decomposition in a Neotropical savanna. <i>Austral Ecology</i> , 2020 , 45, 1093	1.5	2
140	Severe fires alter the outcome of the mutualism between ants and a Neotropical savanna tree. <i>Biological Journal of the Linnean Society</i> , 2020 , 131, 476-486	1.9	2
139	Revisiting ecological dominance in arboreal ants: how dominant usage of nesting resources shapes community assembly. <i>Oecologia</i> , 2020 , 194, 151-163	2.9	6
138	Understanding what bioindicators are actually indicating: Linking disturbance responses to ecological traits of dung beetles and ants. <i>Ecological Indicators</i> , 2020 , 108, 105764	5.8	14
137	The molecular phylogenetics of Trachymyrmex Forel ants and their fungal cultivars provide insights into the origin and coevolutionary history of higher-attine ant agriculture. <i>Systematic Entomology</i> , 2019 , 44, 939-956	3.4	26
136	Macroecological patterns and correlates of ant-tree interaction networks in Neotropical savannas. <i>Global Ecology and Biogeography</i> , 2019 , 28, 1283-1294	6.1	11
135	Congruent spatial patterns of ant and tree diversity in Neotropical savannas. <i>Biodiversity and Conservation</i> , 2019 , 28, 1075-1089	3.4	11
134	Why do Pheidole oxyops (Forel, 1908) ants place feathers around their nests?. <i>Ecological Entomology</i> , 2019 , 44, 451-456	2.1	2
133	FragSAD: A database of diversity and species abundance distributions from habitat fragments. <i>Ecology</i> , 2019 , 100, e02861	4.6	3
132	Functional richness shows spatial scale dependency in ant assemblages from Neotropical savannas. <i>Ecology and Evolution</i> , 2019 , 9, 11734-11741	2.8	2
131	Adaptive foraging of leaf-cutter ants to spatiotemporal changes in resource availability in Neotropical savannas. <i>Ecological Entomology</i> , 2019 , 44, 227-238	2.1	6
130	Geographical and socioeconomic determinants of species discovery trends in a biodiversity hotspot. <i>Biological Conservation</i> , 2018 , 220, 237-244	6.2	13
129	Global climate change increases risk of crop yield losses and food insecurity in the tropical Andes. <i>Global Change Biology</i> , 2018 , 24, e592-e602	11.4	58
128	Neotropical savanna ants show a reversed latitudinal gradient of species richness, with climatic drivers reflecting the forest origin of the fauna. <i>Journal of Biogeography</i> , 2018 , 45, 248-258	4.1	48
127	Habitat disturbance selects against both small and large species across varying climates. <i>Ecography</i> , 2018 , 41, 1184-1193	6.5	28
126	Discovery and defense define the social foraging strategy of Neotropical arboreal ants. <i>Behavioral Ecology and Sociobiology</i> , 2018 , 72, 1	2.5	12

125	Do an ecosystem engineer and environmental gradient act independently or in concert to shape juvenile plant communities? Tests with the leaf-cutter ant in a Neotropical savanna. <i>PeerJ</i> , 2018 , 6, e56122	3.1	3
124	From species to individuals: does the variation in ant-plant networks scale result in structural and functional changes?. <i>Population Ecology</i> , 2018 , 60, 309-318	2.1	8
123	Dominance-diversity relationships in ant communities differ with invasion. <i>Global Change Biology</i> , 2018 , 24, 4614-4625	11.4	23
122	Effects of land-use changes on ecosystem services: decrease in ant predation in human-dominated landscapes in central Brazil. <i>Entomologia Experimentalis Et Applicata</i> , 2017 , 162, 302-308	2.1	4
121	Biology of the relict fungus-farming ant <i>Apterostigma megacephala</i> Lattke, including descriptions of the male, gyne, and larva. <i>Insectes Sociaux</i> , 2017 , 64, 329-346	1.5	6
120	Seed removal patterns of pioneer trees in an agricultural landscape. <i>Plant Ecology</i> , 2017 , 218, 737-748	1.7	7
119	A global database of ant species abundances. <i>Ecology</i> , 2017 , 98, 883-884	4.6	20
118	GlobalAnts: a new database on the geography of ant traits (Hymenoptera: Formicidae). <i>Insect Conservation and Diversity</i> , 2017 , 10, 5-20	3.8	63
117	The database of the PREDICTS (Projecting Responses of Ecological Diversity In Changing Terrestrial Systems) project. <i>Ecology and Evolution</i> , 2017 , 7, 145-188	2.8	101
116	Rediscovery of the enigmatic fungus-farming ant "Mycetosoritis" asper Mayr (Hymenoptera: Formicidae): Implications for taxonomy, phylogeny, and the evolution of agriculture in ants. <i>PLoS ONE</i> , 2017 , 12, e0176498	3.7	13
115	The biodiversity cost of carbon sequestration in tropical savanna. <i>Science Advances</i> , 2017 , 3, e1701284	14.3	164
114	Biogeography of mutualistic fungi cultivated by leafcutter ants. <i>Molecular Ecology</i> , 2017 , 26, 6921-6937	5.7	31
113	Biotic drivers of seedling establishment in Neotropical savannas: selective granivory and seedling herbivory by leaf-cutter ants as an ecological filter. <i>Journal of Ecology</i> , 2017 , 105, 132-141	6	20
112	Effects of fire disturbance on ant abundance and diversity: a global meta-analysis. <i>Biodiversity and Conservation</i> , 2017 , 26, 177-188	3.4	24
111	From over to undercompensation: Variable responses to herbivory during ontogeny of a Neotropical monocarpic plant. <i>Biotropica</i> , 2016 , 48, 608-617	2.3	15
110	New distribution records of the savanna specialist fungus-farming ant <i>Sosa-Calvo</i> et al. (Hymenoptera: Formicidae: Myrmicinae). <i>Biodiversity Data Journal</i> , 2016 , e10673	1.8	2
109	Plant Ontogeny as a Conditionality Factor in the Protective Effect of Ants on a Neotropical Tree. <i>Biotropica</i> , 2016 , 48, 198-205	2.3	19
108	Roads increase population growth rates of a native leaf-cutter ant in Neotropical savannahs. <i>Journal of Applied Ecology</i> , 2016 , 53, 983-992	5.8	18

107	Co-occurrence patterns in a diverse arboreal ant community are explained more by competition than habitat requirements. <i>Ecology and Evolution</i> , 2016 , 6, 8907-8918	2.8	33
106	Amphibians on Amazonian Land-Bridge Islands are Affected More by Area Than Isolation. <i>Biotropica</i> , 2015 , 47, 369-376	2.3	16
105	Climate mediates the effects of disturbance on ant assemblage structure. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2015 , 282, 20150418	4.4	45
104	The most relictual fungus-farming ant species cultivates the most recently evolved and highly domesticated fungal symbiont species. <i>American Naturalist</i> , 2015 , 185, 693-703	3.7	30
103	Geographic variation in the protective effects of ants and trichomes in a Neotropical ant-plant. <i>Plant Ecology</i> , 2015 , 216, 1083-1090	1.7	4
102	Long-term ecology of orchid bees in an urban forest remnant. <i>Apidologie</i> , 2015 , 46, 359-368	2.3	12
101	Inter-generic and inter-habitat variation in the demand for sodium by Neotropical ants. <i>Insectes Sociaux</i> , 2015 , 62, 133-140	1.5	3
100	Extrafloral nectaries have a limited effect on the structure of arboreal ant communities in a Neotropical savanna. <i>Ecology</i> , 2015 , 96, 231-40	4.6	26
99	BIOFRAG - a new database for analyzing BIOdiversity responses to forest FRAGmentation. <i>Ecology and Evolution</i> , 2014 , 4, 1524-37	2.8	24
98	Stability and phylogenetic correlation in gut microbiota: lessons from ants and apes. <i>Molecular Ecology</i> , 2014 , 23, 1268-83	5.7	168
97	Revisiting the pyrodiversity hypothesis: long-term fire regimes and the structure of ant communities in a Neotropical savanna hotspot. <i>Journal of Applied Ecology</i> , 2014 , 51, 1661-1668	5.8	52
96	Fauna in decline: meek shall inherit. <i>Science</i> , 2014 , 345, 1129	33.3	12
95	Evaluating sampling sufficiency and the use of surrogates for assessing ant diversity in a Neotropical biodiversity hotspot. <i>Ecological Indicators</i> , 2014 , 46, 286-292	5.8	11
94	Effectiveness of two sampling protocols to survey orchid bees (Hymenoptera: Apidae) in the Neotropics. <i>Journal of Insect Conservation</i> , 2014 , 18, 197-202	2.1	16
93	Effect of mutualist partner identity on plant demography. <i>Ecology</i> , 2014 , 95, 3237-3243	4.6	10
92	The Potential Role of Scattered Trees for Ant Conservation in an Agriculturally Dominated Neotropical Landscape. <i>Biotropica</i> , 2013 , 45, 644-651	2.3	18
91	Beta diversity of orchid bees in a tropical biodiversity hotspot. <i>Biodiversity and Conservation</i> , 2013 , 22, 1647-1661	3.4	25
90	Nest architecture, fungus gardens, queen, males and larvae of the fungus-growing ant <i>Brachymyrmex</i> & <i>Mayrius</i> . <i>Insectes Sociaux</i> , 2013 , 60, 531-542	1.5	7

89	The public perception of animal diversity: what do postage stamps tell us?. <i>Frontiers in Ecology and the Environment</i> , 2013 , 11, 9-10	5.5	14
88	The importance of remnants of natural vegetation for maintaining ant diversity in Brazilian agricultural landscapes. <i>Biodiversity and Conservation</i> , 2013 , 22, 983-997	3.4	26
87	Strength of the modular pattern in Amazonian symbiotic ant-plant networks. <i>Arthropod-Plant Interactions</i> , 2013 , 7, 455-461	2.2	24
86	Fire drives the reproductive responses of herbaceous plants in a Neotropical swamp. <i>Plant Ecology</i> , 2013 , 214, 1479-1484	1.7	18
85	Cyatta abscondita: taxonomy, evolution, and natural history of a new fungus-farming ant genus from Brazil. <i>PLoS ONE</i> , 2013 , 8, e80498	3.7	25
84	Habitat diversity enhances ant diversity in a naturally heterogeneous Brazilian landscape. <i>Biodiversity and Conservation</i> , 2012 , 21, 797-809	3.4	46
83	Attack frequency and the tolerance to herbivory of Neotropical savanna trees. <i>Oecologia</i> , 2012 , 168, 405-14	2.9	27
82	Searching for Euglossa cyanochlora Moure, 1996 (Hymenoptera: Apidae), one of the rarest bees in the world. <i>Journal of Insect Conservation</i> , 2012 , 16, 745-755	2.1	18
81	Resilient networks of ant-plant mutualists in Amazonian forest fragments. <i>PLoS ONE</i> , 2012 , 7, e40803	3.7	23
80	Arthropod responses to the experimental isolation of Amazonian forest fragments. <i>Zoologia</i> , 2012 , 29, 515-530	2	16
79	Contrasting Effects of Fire on Arboreal and Ground-Dwelling Ant Communities of a Neotropical Savanna. <i>Biotropica</i> , 2012 , 44, 254-261	2.3	36
78	Subterranean Pitfall Traps: Is It Worth Including Them in Your Ant Sampling Protocol?. <i>Psyche: Journal of Entomology</i> , 2012 , 2012, 1-9	0.2	11
77	Short-term effects of elevated precipitation and nitrogen on soil fertility and plant growth in a Neotropical savanna. <i>Ecosphere</i> , 2012 , 3, art31	3.1	12
76	Nesting biology and fungiculture of the fungus-growing ant, <i>Mycetogonius cerradensis</i> : new light on the origin of higher attine agriculture. <i>Journal of Insect Science</i> , 2011 , 11, 12	2	16
75	The fate of Amazonian forest fragments: A 32-year investigation. <i>Biological Conservation</i> , 2011 , 144, 56-67	6.2	562
74	Asymmetric dispersal and colonization success of Amazonian plant-ants queens. <i>PLoS ONE</i> , 2011 , 6, e22937	3.7	11
73	Plant palatability to leaf-cutter ants (<i>Atta laevigata</i>) and litter decomposability in a Neotropical woodland savanna. <i>Austral Ecology</i> , 2011 , 36, 504-510	1.5	7
72	Canopy connectivity and the availability of diverse nesting resources affect species coexistence in arboreal ants. <i>Journal of Animal Ecology</i> , 2011 , 80, 352-60	4.7	85

71	Global diversity in light of climate change: the case of ants. <i>Diversity and Distributions</i> , 2011 , 17, 652-662	5	66
70	Fire Increases Insect Herbivory in a Neotropical Savanna. <i>Biotropica</i> , 2011 , 43, 612-618	2.3	24
69	Seed predators limit plant recruitment in Neotropical savannas. <i>Oikos</i> , 2011 , 120, 1013-1022	4	59
68	Multi-scale ant diversity in savanna woodlands: an intercontinental comparison. <i>Austral Ecology</i> , 2011 , 36, 983-992	1.5	27
67	Fuzzy parameters in a partial differential equation model for population dispersal of leaf-cutting ants. <i>Nonlinear Analysis: Real World Applications</i> , 2011 , 12, 3397-3412	2.1	17
66	REVISÃO DOS EFEITOS DO FOGO SOBRE A FAUNA DE FORMIGAS SAVANICAS DO BRASIL. <i>Oecologia Australis</i> , 2011 , 15, 365-379	1.6	22
65	Developmental changes in factors limiting colony survival and growth of the leaf-cutter ant <i>Atta laevigata</i> . <i>Ecography</i> , 2010 ,	6.5	3
64	Patterns of ant species diversity and turnover across 2000 km of Amazonian floodplain forest. <i>Journal of Biogeography</i> , 2010 , 37, 432-440	4.1	55
63	Canopy and litter ant assemblages share similar climate-species density relationships. <i>Biology Letters</i> , 2010 , 6, 769-72	3.6	19
62	A new method based on taxonomic sufficiency to simplify studies on Neotropical ant assemblages. <i>Biological Conservation</i> , 2010 , 143, 2832-2839	6.2	39
61	Mammalia, Esta Lista Ecológica do Panga, a Cerrado protected area in Minas Gerais state, Brazil. <i>Check List</i> , 2010 , 6, 668	1	9
60	Dynamics of the leaf-litter arthropod fauna following fire in a neotropical woodland savanna. <i>PLoS ONE</i> , 2009 , 4, e7762	3.7	67
59	Cooperative colony founding alters the outcome of interspecific competition between Amazonian plant-ants. <i>Insectes Sociaux</i> , 2009 , 56, 341-345	1.5	11
58	Recognition of Host Plant Volatiles by <i>Pheidole minutula</i> Mayr (Myrmicinae), an Amazonian Ant-Plant Specialist. <i>Biotropica</i> , 2009 , 41, 642-646	2.3	18
57	Leaf nutrient content and host plant selection by leaf-cutter ants, <i>Atta laevigata</i> , in a Neotropical savanna. <i>Entomologia Experimentalis Et Applicata</i> , 2009 , 130, 47-54	2.1	33
56	Climatic drivers of hemispheric asymmetry in global patterns of ant species richness. <i>Ecology Letters</i> , 2009 , 12, 324-33	10	191
55	Long-term persistence of a neotropical ant-plant population in the absence of obligate plant-ants. <i>Ecology</i> , 2009 , 90, 2375-83	4.6	21
54	Interspecific variation in the defensive responses of ant mutualists to plant volatiles. <i>Biological Journal of the Linnean Society</i> , 2008 , 94, 241-249	1.9	10

53	Ant diversity in an Amazonian savanna: Relationship with vegetation structure, disturbance by fire, and dominant ants. <i>Austral Ecology</i> , 2008 , 33, 221-231	1.5	61
52	Global decomposition experiment shows soil animal impacts on decomposition are climate-dependent. <i>Global Change Biology</i> , 2008 , 14, 2661-2677	11.4	307
51	Effects of Amazonian forest fragmentation on the interaction between plants, insect herbivores, and their natural enemies. <i>Journal of Tropical Ecology</i> , 2008 , 24, 57-64	1.3	50
50	Estratificaç�o vertical de formigas em cerrado strictu sensu no Parque Estadual da Serra de Caldas Novas, Goi�a, Brasil. <i>Iheringia - Serie Zoologia</i> , 2008 , 98, 311-316	0.9	13
49	Patterns of diversity and abundance of fungus-growing ants (Formicidae: Attini) in areas of the Brazilian Cerrado. <i>Revista Brasileira De Zoologia</i> , 2008 , 25, 445-450		12
48	Evaluation of three methods for sampling ground-dwelling Ants in the Brazilian Cerrado. <i>Neotropical Entomology</i> , 2008 , 37, 399-405	1.2	38
47	Do herbivores exert top-down effects in Neotropical savannas? Estimates of biomass consumption by leaf-cutter ants. <i>Journal of Vegetation Science</i> , 2008 , 19, 849-854	3.1	91
46	Invertebrate conservation in urban areas: Ants in the Brazilian Cerrado. <i>Landscape and Urban Planning</i> , 2007 , 81, 193-199	7.7	53
45	Hitchhiking behaviour in leaf-cutter ants: An experimental evaluation of three hypotheses. <i>Insectes Sociaux</i> , 2006 , 53, 326-332	1.5	25
44	Relationship between tree size and insect assemblages associated with <i>Anadenanthera macrocarpa</i> . <i>Ecography</i> , 2006 , 29, 442-450	6.5	73
43	Roads Alter the Colonization Dynamics of a Keystone Herbivore in Neotropical Savannas1. <i>Biotropica</i> , 2006 , 38, 661-665	2.3	53
42	Long-term effects of forest fragmentation on Amazonian ant communities. <i>Journal of Biogeography</i> , 2006 , 33, 1348-1356	4.1	49
41	The effect of habitat fragmentation on communities of mutualists: Amazonian ants and their host plants. <i>Biological Conservation</i> , 2005 , 124, 209-216	6.2	49
40	Leaf-litter decomposition in Amazonian forest fragments. <i>Journal of Tropical Ecology</i> , 2005 , 21, 699-702	1.3	11
39	Species Turnover and Vertical Partitioning of Ant Assemblages in the Brazilian Amazon: A Comparison of Forests and Savannas1. <i>Biotropica</i> , 2005 , 38, 051207072004005	2.3	10
38	Ants and plant size shape the structure of the arthropod community of <i>Hirtella myrmecophila</i> , an Amazonian ant-plant. <i>Ecological Entomology</i> , 2005 , 30, 650-656	2.1	19
37	Influence of habitat, litter type, and soil invertebrates on leaf-litter decomposition in a fragmented Amazonian landscape. <i>Oecologia</i> , 2005 , 144, 456-62	2.9	76
36	Deforestation in Amazonia. <i>Science</i> , 2004 , 304, 1109-11	33.3	109

35	The Azteca-Cecropia Association: Are Ants Always Necessary for Their Host Plants?1. <i>Biotropica</i> , 2004 , 36, 641	2.3	
34	The Azteca-Cecropia Association: Are Ants Always Necessary for Their Host Plants?. <i>Biotropica</i> , 2004 , 36, 641-646	2.3	13
33	Interspecific variation in the defensive responses of obligate plant-ants: experimental tests and consequences for herbivory. <i>Oecologia</i> , 2004 , 138, 558-65	2.9	43
32	Nesting biology of the fungus growing ants Mycetarotes Emery (Attini, Formicidae). <i>Insectes Sociaux</i> , 2004 , 51, 333-338	1.5	19
31	LITTER PRODUCTION AND LITTER NUTRIENT CONCENTRATIONS IN A FRAGMENTED AMAZONIAN LANDSCAPE 2004 , 14, 884-892		68
30	Distribution of sandflies (Diptera: Phlebotominae) in forest remnants and adjacent matrix habitats in Brazilian Amazonia. <i>Brazilian Journal of Biology</i> , 2003 , 63, 401-10	1.5	12
29	Contrasting Responses to Induction Cues by Ants Inhabiting <i>Maieta guianensis</i> (Melastomataceae). <i>Biotropica</i> , 2003 , 35, 295-300	2.3	22
28	Influence of Topography on the Distribution of Ground-Dwelling Ants in an Amazonian Forest. <i>Studies on Neotropical Fauna and Environment</i> , 2003 , 38, 115-124	0.6	32
27	Rain-forest fragmentation and the phenology of Amazonian tree communities. <i>Journal of Tropical Ecology</i> , 2003 , 19, 343-347	1.3	30
26	Contrasting Responses to Induction Cues by Ants Inhabiting <i>Maieta guianensis</i> (Melastomataceae)1. <i>Biotropica</i> , 2003 , 35, 295	2.3	16
25	Variaç�es espaço-temporal na atividade forrageira da Saua (<i>Atta laevigata</i>). <i>Acta Amazonica</i> , 2002 , 32, 141-154	0.8	3
24	Comunidade de formigas que nidificam em pequenos galhos da serrapilheira em floresta da Amaznia Central, Brasil. <i>Revista Brasileira De Entomologia</i> , 2002 , 46, 115-121	0.9	19
23	Cheating the cheater: domatia loss minimizes the effects of ant castration in an Amazonian ant-plant. <i>Oecologia</i> , 2002 , 133, 200-205	2.9	77
22	Ecosystem Decay of Amazonian Forest Fragments: a 22-Year Investigation. <i>Conservation Biology</i> , 2002 , 16, 605-618	6	1157
21	Forest loss and fragmentation in the Amazon: implications for wildlife conservation. <i>Oryx</i> , 2000 , 34, 39	1.5	69
20	Responses of ants to selective logging of a central Amazonian forest. <i>Journal of Applied Ecology</i> , 2000 , 37, 508-514	5.8	92
19	Rainforest fragmentation kills big trees. <i>Nature</i> , 2000 , 404, 836	50.4	413
18	Relationship between Plant Size and Ant Associates in Two Amazonian Ant-Plants1. <i>Biotropica</i> , 2000 , 32, 100-111	2.3	33

17	Forest loss and fragmentation in the Amazon: implications for wildlife conservation. <i>Oryx</i> , 2000 , 34, 39-45	5	111
16	Relationship between Plant Size and Ant Associates in Two Amazonian Ant-Plants1. <i>Biotropica</i> , 2000 , 32, 100	2.3	
15	Effects of forest disturbance on the structure of ground-foraging ant communities in central Amazonia. <i>Biodiversity and Conservation</i> , 1999 , 8, 407-418	3.4	100
14	Contributions of C and C plants to higher trophic levels in an Amazonian savanna. <i>Oecologia</i> , 1999 , 119, 91-96	2.9	16
13	Forest fragmentation in central Amazonia and its effects on litter-dwelling ants. <i>Biological Conservation</i> , 1999 , 91, 151-157	6.2	150
12	Matrix habitat and species richness in tropical forest remnants. <i>Biological Conservation</i> , 1999 , 91, 223-228	2	556
11	Levels of leaf Herbivory in Amazonian trees from different stages In forest regeneration. <i>Acta Amazonica</i> , 1999 , 29, 615-623	0.8	11
10	Contributions of C. <i>Oecologia</i> , 1999 , 119, 91	2.9	25
9	Leaf-cutting ants and early forest regeneration in central Amazonia: effects of herbivory on tree seedling establishment. <i>Journal of Tropical Ecology</i> , 1997 , 13, 357-370	1.3	62
8	Influence of Azteca alfari Ants on the Exploitation of Cecropia Trees by a Leaf-Cutting Ant. <i>Biotropica</i> , 1997 , 29, 84-92	2.3	35
7	Foraging activity of an Amazonian leaf-cutting ant: responses to changes in the availability of woody plants and to previous plant damage. <i>Oecologia</i> , 1997 , 112, 370-378	2.9	18
6	The effect of wilting on the selection of leaves by the leaf-cutting ant <i>Atta laevigata</i> . <i>Entomologia Experimentalis Et Applicata</i> , 1996 , 78, 215-220	2.1	20
5	Changes in leaf-cutting ant populations (Formicidae: Attini) after the clearing of mature forest in Brazilian Amazonia. <i>Studies on Neotropical Fauna and Environment</i> , 1995 , 30, 107-113	0.6	56
4	Ant colonization of <i>Maieta guianensis</i> seedlings, an Amazon ant-plant. <i>Oecologia</i> , 1993 , 95, 439-443	2.9	50
3	Mutualism between <i>Maieta guianensis</i> Aubl., a myrmecophytic melastome, and one of its ant inhabitants: ant protection against insect herbivores. <i>Oecologia</i> , 1991 , 87, 295-298	2.9	95
2	Foraging activity of two species of leaf-cutting ants (<i>Atta</i>) in a primary forest of the Central Amazon. <i>Insectes Sociaux</i> , 1990 , 37, 131-145	1.5	43
1	A pest is a pest is a pest? The dilemma of neotropical leaf-cutting ants: Keystone taxa of natural ecosystems. <i>Environmental Management</i> , 1989 , 13, 671-675	3.1	60