Clara K Chow

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9427976/publications.pdf

Version: 2024-02-01

184 papers 11,840 citations

⁷⁶³²⁶
40
h-index

30922 102 g-index

202 all docs 202 docs citations

times ranked

202

15573 citing authors

#	Article	IF	CITATIONS
1	Prevalence, Awareness, Treatment, and Control of Hypertension in Rural and Urban Communities in High-, Middle-, and Low-Income Countries. JAMA - Journal of the American Medical Association, 2013, 310, 959.	7.4	1,422
2	Association Between Postoperative Troponin Levels and 30-Day Mortality Among Patients Undergoing Noncardiac Surgery. JAMA - Journal of the American Medical Association, 2012, 307, 2295.	7.4	821
3	Use of secondary prevention drugs for cardiovascular disease in the community in high-income, middle-income, and low-income countries (the PURE Study): a prospective epidemiological survey. Lancet, The, 2011, 378, 1231-1243.	13.7	803
4	Myocardial Injury after Noncardiac Surgery. Anesthesiology, 2014, 120, 564-578.	2.5	740
5	Mobile Telephone Text Messaging for Medication Adherence in Chronic Disease. JAMA Internal Medicine, 2016, 176, 340.	5.1	580
6	Association of Postoperative High-Sensitivity Troponin Levels With Myocardial Injury and 30-Day Mortality Among Patients Undergoing Noncardiac Surgery. JAMA - Journal of the American Medical Association, 2017, 317, 1642.	7.4	579
7	Effect of Lifestyle-Focused Text Messaging on Risk Factor Modification in Patients With Coronary Heart Disease. JAMA - Journal of the American Medical Association, 2015, 314, 1255.	7.4	561
8	Association of Diet, Exercise, and Smoking Modification With Risk of Early Cardiovascular Events After Acute Coronary Syndromes. Circulation, 2010, 121, 750-758.	1.6	556
9	The Prospective Urban Rural Epidemiology (PURE) study: Examining the impact of societal influences on chronic noncommunicable diseases in low-, middle-, and high-income countries. American Heart Journal, 2009, 158, 1-7.e1.	2.7	495
10	Availability, affordability, and consumption of fruits and vegetables in 18 countries across income levels: findings from the Prospective Urban Rural Epidemiology (PURE) study. The Lancet Global Health, 2016, 4, e695-e703.	6.3	287
11	Availability and affordability of cardiovascular disease medicines and their effect on use in high-income, middle-income, and low-income countries: an analysis of the PURE study data. Lancet, The, 2016, 387, 61-69.	13.7	272
12	Mobile Phone Apps to Improve Medication Adherence: A Systematic Stepwise Process to Identify High-Quality Apps. JMIR MHealth and UHealth, 2016, 4, e132.	3.7	217
13	Variations between women and men in risk factors, treatments, cardiovascular disease incidence, and death in 27 high-income, middle-income, and low-income countries (PURE): a prospective cohort study. Lancet, The, 2020, 396, 97-109.	13.7	194
14	mHealth in Cardiovascular Health Care. Heart Lung and Circulation, 2016, 25, 802-807.	0.4	147
15	Availability and affordability of blood pressure-lowering medicines and the effect on blood pressure control in high-income, middle-income, and low-income countries: an analysis of the PURE study data. Lancet Public Health, The, 2017, 2, e411-e419.	10.0	134
16	eHealth Literacy: Predictors in a Population With Moderate-to-High Cardiovascular Risk. JMIR Human Factors, 2017, 4, e4.	2.0	121
17	Parental History and Myocardial Infarction Risk Across the World. Journal of the American College of Cardiology, 2011, 57, 619-627.	2.8	116
18	Availability and affordability of essential medicines for diabetes across high-income, middle-income, and low-income countries: a prospective epidemiological study. Lancet Diabetes and Endocrinology,the, 2018, 6, 798-808.	11.4	116

#	Article	IF	CITATIONS
19	Prospective Urban Rural Epidemiology (PURE) study: Baseline characteristics of the household sample and comparative analyses with national data in 17 countries. American Heart Journal, 2013, 166, 636-646.e4.	2.7	113
20	Quarter-dose quadruple combination therapy for initial treatment of hypertension: placebo-controlled, crossover, randomised trial and systematic review. Lancet, The, 2017, 389, 1035-1042.	13.7	102
21	Preoperative <i>N</i> -Terminal Pro–B-Type Natriuretic Peptide and Cardiovascular Events After Noncardiac Surgery. Annals of Internal Medicine, 2020, 172, 96.	3.9	99
22	Smartphone and social media-based cardiac rehabilitation and secondary prevention in China (SMART-CR/SP): a parallel-group, single-blind, randomised controlled trial. The Lancet Digital Health, 2019, 1, e363-e374.	12.3	92
23	Prescription of secondary prevention medications, lifestyle advice, and referral to rehabilitation among acute coronary syndrome inpatients: results from a large prospective audit in Australia and New Zealand. Heart, 2014, 100, 1281-1288.	2.9	91
24	Factors Influencing Engagement, Perceived Usefulness and Behavioral Mechanisms Associated with a Text Message Support Program. PLoS ONE, 2016, 11, e0163929.	2.5	78
25	Initial treatment with a single pill containing quadruple combination of quarter doses of blood pressure medicines versus standard dose monotherapy in patients with hypertension (QUARTET): a phase 3, randomised, double-blind, active-controlled trial. Lancet, The, 2021, 398, 1043-1052.	13.7	74
26	Environmental Profile of a Community's Health (EPOCH): An Instrument to Measure Environmental Determinants of Cardiovascular Health in Five Countries. PLoS ONE, 2010, 5, e14294.	2.5	70
27	Medication reminder applications to improve adherence in coronary heart disease: a randomised clinical trial. Heart, 2019, 105, 323-329.	2.9	68
28	Wealth and cardiovascular health: a cross-sectional study of wealth-related inequalities in the awareness, treatment and control of hypertension in high-, middle- and low-income countries. International Journal for Equity in Health, 2016, 15, 199.	3.5	67
29	Mobile phone text messaging in improving glycaemic control for patients with type 2 diabetes mellitus: A systematic review and meta-analysis. Diabetes Research and Clinical Practice, 2019, 150, 27-37.	2.8	66
30	Cardiac Troponin and its Relationship to Cardiovascular Outcomes in Community Populations – A Systematic Review and Meta-analysis. Heart Lung and Circulation, 2016, 25, 217-228.	0.4	65
31	Myocardial Injury After Noncardiac Surgery (MINS) in Vascular Surgical Patients. Annals of Surgery, 2018, 268, 357-363.	4.2	65
32	Socio-economic distribution of cardiovascular risk factors and knowledge in rural India. International Journal of Epidemiology, 2012, 41, 1302-1314.	1.9	63
33	Mobile phone text-messaging interventions aimed to prevent cardiovascular diseases (Text2PreventCVD): systematic review and individual patient data meta-analysis. Open Heart, 2019, 6, e001017.	2.3	56
34	Global and national high blood pressure burden and control. Lancet, The, 2021, 398, 932-933.	13.7	55
35	Cardiovascular disease and <scp>COVID</scp> â€19: Australian and New Zealand consensus statement. Medical Journal of Australia, 2020, 213, 182-187.	1.7	54
36	Cost-effectiveness of a text message programme for the prevention of recurrent cardiovascular events. Heart, 2017, 103, 893.1-894.	2.9	53

#	Article	IF	CITATIONS
37	The effects of a lifestyle-focused text-messaging intervention on adherence to dietary guideline recommendations in patients with coronary heart disease: an analysis of the TEXT ME study. International Journal of Behavioral Nutrition and Physical Activity, 2018, 15, 45.	4.6	51
38	Integrated Guidance for Enhancing the Care of Familial Hypercholesterolaemia in Australia. Heart Lung and Circulation, 2021, 30, 324-349.	0.4	51
39	Personalized mobile technologies for lifestyle behavior change: A systematic review, meta-analysis, and meta-regression. Preventive Medicine, 2021, 148, 106532.	3.4	50
40	A Smartphone App to Assist Smoking Cessation Among Aboriginal Australians: Findings From a Pilot Randomized Controlled Trial. JMIR MHealth and UHealth, 2019, 7, e12745.	3.7	50
41	MEDication reminder APPs to improve medication adherence in Coronary Heart Disease (MedApp-CHD) Study: a randomised controlled trial protocol. BMJ Open, 2017, 7, e017540.	1.9	49
42	Efficacy and Safety of Quarter-Dose Blood Pressure–Lowering Agents. Hypertension, 2017, 70, 85-93.	2.7	48
43	Sex Disparities in Myocardial Infarction: Biology or Bias?. Heart Lung and Circulation, 2021, 30, 18-26.	0.4	46
44	Tobacco control environment: cross-sectional survey of policy implementation, social unacceptability, knowledge of tobacco health harms and relationship to quit ratio in 17 low-income, middle-income and high-income countries. BMJ Open, 2017, 7, e013817.	1.9	44
45	Troponin T monitoring to detect myocardial injury after noncardiac surgery: a cost–consequence analysis. Canadian Journal of Surgery, 2018, 61, 185-194.	1.2	44
46	Interventions to improve medication adherence in coronary disease patients: A systematic review and meta-analysis of randomised controlled trials. European Journal of Preventive Cardiology, 2016, 23, 1065-1076.	1.8	43
47	A digital health intervention for cardiovascular disease management in primary care (CONNECT) randomized controlled trial. Npj Digital Medicine, 2020, 3, 117.	10.9	43
48	The impact of type 2 diabetes on health related quality of life in Bangladesh: results from a matched study comparing treated cases with non-diabetic controls. Health and Quality of Life Outcomes, 2016, 14, 129.	2.4	41
49	Effectiveness of a scalable group-based education and monitoring program, delivered by health workers, to improve control of hypertension in rural India: A cluster randomised controlled trial. PLoS Medicine, 2020, 17, e1002997.	8.4	41
50	Blood pressure control: a challenge to global health systems. Lancet, The, 2019, 394, 613-615.	13.7	40
51	Validation and Acceptability of a Cuffless Wrist-Worn Wearable Blood Pressure Monitoring Device Among Users and Health Care Professionals: Mixed Methods Study. JMIR MHealth and UHealth, 2019, 7, e14706.	3.7	40
52	Effect of Text Messaging on Risk Factor Management in Patients With Coronary Heart Disease. Circulation: Cardiovascular Quality and Outcomes, 2019, 12, e005616.	2.2	39
53	Biobanking for discovery of novel cardiovascular biomarkers using imaging-quantified disease burden: protocol for the longitudinal, prospective, BioHEART-CT cohort study. BMJ Open, 2019, 9, e028649.	1.9	36
54	Comparability of HbA1c and lipids measured with dried blood spot versus venous samples: a systematic review and meta-analysis. BMC Clinical Pathology, 2014, 14, 21.	1.8	33

#	Article	IF	CITATIONS
55	Patterns, predictors and effects of texting intervention on physical activity in CHD – insights from the TEXT ME randomized clinical trial. European Journal of Preventive Cardiology, 2016, 23, 1894-1902.	1.8	33
56	Programmed Ventricular Stimulation to Risk Stratify for Early Cardioverter-Defibrillator Implantation to Prevent Tachyarrhythmias following Acute Myocardial Infarction (PROTECT-ICD): Trial Protocol, Background and Significance. Heart Lung and Circulation, 2016, 25, 1055-1062.	0.4	32
57	Breaking Barriers: Mobile Health Interventions for Cardiovascular Disease. Canadian Journal of Cardiology, 2018, 34, 905-913.	1.7	31
58	Examining Development Processes for Text Messaging Interventions to Prevent Cardiovascular Disease: Systematic Literature Review. JMIR MHealth and UHealth, 2019, 7, e12191.	3.7	31
59	External validation of the Revised Cardiac Risk Index and update of its renal variable to predict 30-day risk of major cardiac complications after non-cardiac surgery: rationale and plan for analyses of the VISION study. BMJ Open, 2017, 7, e013510.	1.9	30
60	Cardiac Society of Australia and New Zealand Position Statement: Coronary Artery Calcium Scoring. Heart Lung and Circulation, 2017, 26, 1239-1251.	0.4	29
61	Assessment of Community Interventions for Bystander Cardiopulmonary Resuscitation in Out-of-Hospital Cardiac Arrest. JAMA Network Open, 2020, 3, e209256.	5.9	29
62	Objective Risk Assessment vs Standard Care for Acute Coronary Syndromes. JAMA Cardiology, 2021, 6, 304.	6.1	29
63	The Impact of Frailty on the Effectiveness and Safety of Intensive Glucose Control and Blood Pressure–Lowering Therapy for People With Type 2 Diabetes: Results From the ADVANCE Trial. Diabetes Care, 2021, 44, 1622-1629.	8.6	29
64	Predicting Myocardial Injury and Other Cardiac Complications After Elective Noncardiac Surgery with the Revised Cardiac Risk Index: The VISION Study. Canadian Journal of Cardiology, 2021, 37, 1215-1224.	1.7	29
65	The environmental profile of a community's health: a cross-sectional study on tobacco marketing in 16 countries. Bulletin of the World Health Organization, 2015, 93, 851-861G.	3.3	29
66	Gender Difference in Secondary Prevention of Cardiovascular Disease and Outcomes Following the Survival of Acute Coronary Syndrome. Heart Lung and Circulation, 2021, 30, 121-127.	0.4	28
67	Smartphone-Delivered Ecological Momentary Interventions Based on Ecological Momentary Assessments to Promote Health Behaviors: Systematic Review and Adapted Checklist for Reporting Ecological Momentary Assessment and Intervention Studies. JMIR MHealth and UHealth, 2021, 9, e22890.	3.7	28
68	Machine Learning Approaches for Predicting Hypertension and Its Associated Factors Using Population-Level Data From Three South Asian Countries. Frontiers in Cardiovascular Medicine, 2022, 9, 839379.	2.4	28
69	A Pilot Randomised Controlled Trial of a Text Messaging Intervention with Customisation Using Linked Data from Wireless Wearable Activity Monitors to Improve Risk Factors Following Gestational Diabetes. Nutrients, 2019, 11, 590.	4.1	27
70	Effect of text messaging on depression in patients with coronary heart disease: a substudy analysis from the TEXT ME randomised controlled trial. BMJ Open, 2019, 9, e022637.	1.9	27
71	Text Messages to Improve Medication Adherence and Secondary Prevention After Acute Coronary Syndrome: The TEXTMEDS Randomized Clinical Trial. Circulation, 2022, 145, 1443-1455.	1.6	27
72	Polypills for primary prevention of cardiovascular disease. Nature Reviews Cardiology, 2019, 16, 602-611.	13.7	26

#	Article	IF	Citations
73	Diagnostic accuracy of handheld electrocardiogram devices in detecting atrial fibrillation in adults in community versus hospital settings: a systematic review and meta-analysis. Heart, 2020, 106, 1211-1217.	2.9	26
74	Mobile Apps for Dental Caries Prevention: Systematic Search and Quality Evaluation. JMIR MHealth and UHealth, 2021, 9, e19958.	3.7	26
75	Cardiac Society of Australia and New Zealand position statement executive summary: coronary artery calcium scoring. Medical Journal of Australia, 2017, 207, 357-361.	1.7	25
76	Catheter Ablation Versus Medical Therapy for Atrial Fibrillation in Patients With Heart Failure: A Meta-Analysis of Randomised Controlled Trials. Heart Lung and Circulation, 2019, 28, 707-718.	0.4	24
77	Environmental Profile of a Community's Health (EPOCH): An Ecometric Assessment of Measures of the Community Environment Based on Individual Perception. PLoS ONE, 2012, 7, e44410.	2.5	23
78	A cluster randomized trial of objective risk assessment versus standard care for acute coronary syndromes: Rationale and design of the Australian GRACE Risk score Intervention Study (AGRIS). American Heart Journal, 2015, 170, 995-1004.e1.	2.7	23
79	Catheter ablation versus medical therapy for treatment of ventricular tachycardia associated with structural heart disease: Systematic review and meta-analysis of randomized controlled trials and comparison with observational studies. Heart Rhythm, 2019, 16, 1484-1491.	0.7	23
80	Cost-effectiveness of a mobile-phone text messaging intervention on type 2 diabetes—A randomized-controlled trial. Health Policy and Technology, 2020, 9, 79-85.	2.5	23
81	Improving patient adherence to secondary prevention medications 6 months after an acute coronary syndrome: observational cohort study. Internal Medicine Journal, 2018, 48, 541-549.	0.8	22
82	Rapidâ€access cardiology services: can these reduce the burden of acute chest pain on Australian and New Zealand health services?. Internal Medicine Journal, 2017, 47, 986-991.	0.8	20
83	Design Considerations in Development of a Mobile Health Intervention Program: The TEXT ME and TEXTMEDS Experience. JMIR MHealth and UHealth, 2016, 4, e127.	3.7	20
84	TEXT messages to improve MEDication adherence and Secondary prevention (TEXTMEDS) after acute coronary syndrome: a randomised clinical trial protocol. BMJ Open, 2018, 8, e019463.	1.9	19
85	Secondary prevention therapies in acute coronary syndrome and relation to outcomes: observational study. Heart Asia, 2019, 11, e011122.	1.1	19
86	Rapid Access Cardiology (RAC) Services Within a Large Tertiary Referral Centreâ€"First Year in Review. Heart Lung and Circulation, 2018, 27, 1381-1387.	0.4	18
87	A Novel Method to Evaluate the Community Built Environment Using Photographs – Environmental Profile of a Community Health (EPOCH) Photo Neighbourhood Evaluation Tool. PLoS ONE, 2014, 9, e110042.	2.5	18
88	Association Between Myocardial Injury and Cardiovascular Outcomes of Orthopaedic Surgery. Journal of Bone and Joint Surgery - Series A, 2020, 102, 880-888.	3.0	18
89	Wearable cuffless blood pressure monitoring devices: a systematic review and meta-analysis. European Heart Journal Digital Health, 2022, 3, 323-337.	1.7	18
90	Cluster randomised feasibility trial to improve the Control of Hypertension In Rural India (CHIRI): a study protocol. BMJ Open, 2016, 6, e012404.	1.9	17

#	Article	IF	CITATIONS
91	Evaluating Reach, Acceptability, Utility, and Engagement with An App-Based Intervention to Improve Medication Adherence in Patients with Coronary Heart Disease in the MedApp-CHD Study: A Mixed-Methods Evaluation. Medical Sciences (Basel, Switzerland), 2019, 7, 68.	2.9	17
92	COVID-19 and Acute Heart Failure: Screening the Critically III $\hat{a} \in$ A Position Statement of the Cardiac Society of Australia and New Zealand (CSANZ). Heart Lung and Circulation, 2020, 29, e94-e98.	0.4	17
93	The Use of Mobile Apps for Heart Failure Self-management: Systematic Review of Experimental and Qualitative Studies. JMIR Cardio, 2022, 6, e33839.	1.7	17
94	Text2PreventCVD: protocol for a systematic review and individual participant data meta-analysis of text message-based interventions for the prevention of cardiovascular diseases. BMJ Open, 2016, 6, e012723.	1.9	16
95	Implementation of a consumer-focused eHealth intervention for people with moderate-to-high cardiovascular disease risk: protocol for a mixed-methods process evaluation. BMJ Open, 2017, 7, e014353.	1.9	16
96	Periodontal Therapy for Improving Lipid Profiles in Patients with Type 2 Diabetes Mellitus: A Systematic Review and Meta-Analysis. International Journal of Molecular Sciences, 2019, 20, 3826.	4.1	16
97	Co-designing a Lifestyle-Focused Text Message Intervention for Women After Breast Cancer Treatment: Mixed Methods Study. Journal of Medical Internet Research, 2021, 23, e27076.	4.3	16
98	Patients' preferences for new versus old anticoagulants: a mixed-method vignette-based study. European Journal of Cardiovascular Nursing, 2018, 17, 429-438.	0.9	15
99	Targeted, structured text messaging to improve dietary and lifestyle behaviours for people on maintenance haemodialysis (KIDNEYTEXT): study protocol for a randomised controlled trial. BMJ Open, 2019, 9, e023545.	1.9	15
100	Design and rationale of the MyHeartMate study: a randomised controlled trial of a game-based app to promote behaviour change in patients with cardiovascular disease. BMJ Open, 2019, 9, e024269.	1.9	15
101	Hypertension in Rural India: The Contribution of Socioeconomic Position. Journal of the American Heart Association, 2020, 9, e014486.	3.7	15
102	Smartphone Cardiac Rehabilitation, Assisted Self-Management Versus Usual Care: Protocol for a Multicenter Randomized Controlled Trial to Compare Effects and Costs Among People With Coronary Heart Disease. JMIR Research Protocols, 2020, 9, e15022.	1.0	15
103	Ultra-low-dose quadruple combination blood pressure–lowering therapy in patients with hypertension: The QUARTET randomized controlled trial protocol. American Heart Journal, 2021, 231, 56-67.	2.7	14
104	Development of macaronic Hindi-English â€~Hinglish' text message content for a coronary heart disease secondary prevention programme. Heart Asia, 2016, 8, 32-38.	1.1	13
105	A Text Messaging Intervention for Dietary Behaviors for People Receiving Maintenance Hemodialysis: A Feasibility Study of KIDNEYTEXT. American Journal of Kidney Diseases, 2021, 78, 85-95.e1.	1.9	13
106	National drug policy reform for noncommunicable diseases in low-resource countries: an example from Bangladesh. Bulletin of the World Health Organization, 2017, 95, 382-384.	3.3	13
107	Low-Dose Combination Therapy for Initial Treatment of Hypertension. Current Hypertension Reports, 2020, 22, 65.	3.5	12
108	Text messages for primary prevention of cardiovascular disease: The TextMe2 randomized clinical trial. American Heart Journal, 2021, 242, 33-44.	2.7	12

#	Article	IF	Citations
109	Kidney Function Alters the Relationship between Postoperative Troponin T Level and Death. Journal of the American Society of Nephrology: JASN, 2015, 26, 2571-2577.	6.1	11
110	Use of cardiovascular prevention treatments after acute coronary syndrome in China and associated factors. International Journal of Cardiology, 2017, 241, 444-449.	1.7	11
111	ITM support for patients with chronic respiratory and cardiovascular diseases: a protocol for a randomised controlled trial. BMJ Open, 2019, 9, e023863.	1.9	11
112	Model for integrated care for chronic disease in the Australian context: Western Sydney Integrated Care Program. Australian Health Review, 2019, 43, 565-571.	1.1	11
113	Supporting women's health outcomes after breast cancer treatment comparing a text message intervention to usual care: the EMPOWER-SMS randomised clinical trial. Journal of Cancer Survivorship, 2023, 17, 1533-1545.	2.9	11
114	Contemporary utilization of antithrombotic therapy for stroke prevention in patients with atrial fibrillation: an audit in an Australian hospital setting. Therapeutic Advances in Drug Safety, 2018, 9, 97-111.	2.4	10
115	Cardiac Complications in Patients Hospitalised With COVID-19 in Australia. Heart Lung and Circulation, 2021, 30, 1834-1840.	0.4	10
116	Supporting breast cancer survivors via text messages: reach, acceptability, and utility of EMPOWER-SMS. Journal of Cancer Survivorship, 2022, 16, 1165-1175.	2.9	10
117	Text messaging support for patients with diabetes or coronary artery disease (SupportMe): protocol for a pragmatic randomised controlled trial. BMJ Open, 2019, 9, e025923.	1.9	9
118	Quality improvement in primary care to prevent hospitalisations and improve Effectiveness and efficiency of care for people Living with coronary heart disease (QUEL): protocol for a 24-month cluster randomised controlled trial in primary care. BMC Family Practice, 2020, 21, 36.	2.9	9
119	Cardiovascular and Logistic Issues Associated With COVID-19 Pandemic. Heart Lung and Circulation, 2020, 29, 655-656.	0.4	9
120	EXamining ouTcomEs in chroNic Disease in the 45 and Up Study (the EXTEND45 Study): Protocol for an Australian Linked Cohort Study. JMIR Research Protocols, 2020, 9, e15646.	1.0	9
121	The Optimal Timing of Smoking Cessation Before Surgery. Archives of Internal Medicine, 2011, 171, 989-90.	3.8	8
122	Economic evaluation protocol for a multicentre randomised controlled trial to compare Smartphone Cardiac Rehabilitation, Assisted self-Management (SCRAM) versus usual care cardiac rehabilitation among people with coronary heart disease. BMJ Open, 2020, 10, e038178.	1.9	8
123	Predictors of Smoking Cessation in a Lifestyle-Focused Text-Message Support Programme Delivered to People with Coronary Heart Disease: An Analysis From the Tobacco Exercise and Diet Messages (TEXTME) Randomised Clinical Trial. Tobacco Use Insights, 2020, 13, 1179173X2090148.	1.6	8
124	An Enhanced SMS Text Message–Based Support and Reminder Program for Young Adults With Type 2 Diabetes (TEXT2U): Randomized Controlled Trial. Journal of Medical Internet Research, 2021, 23, e27263.	4.3	8
125	TEXT4myBACK – The Development Process of a Self-Management Intervention Delivered Via Text Message for Low Back Pain. Archives of Rehabilitation Research and Clinical Translation, 2021, 3, 100128.	0.9	8
126	Use of Mobile Apps in Heart Failure Self-management: Qualitative Study Exploring the Patient and Primary Care Clinician Perspective. JMIR Cardio, 2022, 6, e33992.	1.7	8

#	Article	IF	Citations
127	Lost in translation: the gap between what we know and what we do about cardiovascular disease. Medical Journal of Australia, 2016, 204, 291-292.	1.7	7
128	The Role of Text Messaging in Cardiovascular Risk Factor Optimization. Current Cardiology Reports, 2017, 19, 4.	2.9	7
129	TEXT4myBACK: A Text Message Intervention to Improve Function in People With Low Back Painâ€"Protocol of a Randomized Controlled Trial. Physical Therapy, 2021, 101, .	2.4	7
130	2020 Asian Pacific Society of Cardiology Consensus Recommendations on Antithrombotic Management for High-risk Chronic Coronary Syndrome. European Cardiology Review, 2021, 16, e26.	2.2	7
131	Education on cardiac risk and CPR in cardiology clinic waiting rooms: a randomised clinical trial. Heart, 2021, 107, 1637-1643.	2.9	7
132	Effectiveness of a customised mobile phone text messaging intervention supported by data from activity monitors for improving lifestyle factors related to the risk of type 2 diabetes among women after gestational diabetes: protocol for a multicentre randomised controlled trial (SMART MUMS) Tj ETQq0 0 0 rg	gB 1 /Overl	ock 10 Tf 50
133	Text Message Behavioral Intervention for Teens on Eating, Physical Activity and Social Wellbeing (TEXTBITES): Protocol for a Randomized Controlled Trial. JMIR Research Protocols, 2020, 9, e16481.	1.0	7
134	Use of a Machine Learning Program to Correctly Triage Incoming Text Messaging Replies From a Cardiovascular Text–Based Secondary Prevention Program: Feasibility Study. JMIR MHealth and UHealth, 2020, 8, e19200.	3.7	7
135	Clinician-Created Educational Video Resources for Shared Decision-making in the Outpatient Management of Chronic Disease: Development and Evaluation Study. Journal of Medical Internet Research, 2021, 23, e26732.	4.3	7
136	Prevalence, incidence and risk factors of diabetes in Australian adults aged ≥45Âyears: A cohort study using linked routinely-collected data. Journal of Clinical and Translational Endocrinology, 2020, 22, 100240.	1.4	6
137	Cardiac Rehabilitation and Secondary Prevention Roundtable: Australian Implementation and Research Priorities. Heart Lung and Circulation, 2020, 29, 319-323.	0.4	6
138	Dyslipidemia and Cardiovascular Disease Prevention in South Asians: A Review and Discussion of Causes, Challenges and Management Strategies. Current Diabetes Reviews, 2021, 17, e011221190238.	1.3	6
139	Additive association of knowledge and awareness on control of hypertension: a cross-sectional survey in rural India. Journal of Hypertension, 2021, 39, 107-116.	0.5	6
140	Text Message Analysis Using Machine Learning to Assess Predictors of Engagement With Mobile Health Chronic Disease Prevention Programs: Content Analysis. JMIR MHealth and UHealth, 2021, 9, e27779.	3.7	6
141	Developing indicators of age-friendly neighbourhood environments for urban and rural communities across 20 low-, middle-, and high-income countries. BMC Public Health, 2022, 22, 87.	2.9	6
142	Pregnancy-related cardiovascular conditions and outcomes in a United States Medicaid population. Heart, 2022, 108, 1524-1529.	2.9	6
143	Integrated guidance to enhance the care of children and adolescents with familial hypercholesterolaemia: Practical advice for the community clinician. Journal of Paediatrics and Child Health, 2022, 58, 1297-1312.	0.8	6
144	Text messages promoting healthy lifestyle and linked with activity monitors stimulate an immediate increase in physical activity among women after gestational diabetes. Diabetes Research and Clinical Practice, 2022, 190, 109991.	2.8	6

#	Article	IF	Citations
145	Tenâ€year trends in catheter ablation for ventricular tachycardia vs other interventional procedures in Australia. Journal of Cardiovascular Electrophysiology, 2019, 30, 2353-2361.	1.7	5
146	Rapid access clinics for patients with chest pain: will they work in Australia?. Medical Journal of Australia, 2019, 210, 307-308.	1.7	5
147	While you're waiting, a waiting room-based, cardiovascular disease-focused educational program: protocol for a randomised controlled trial. BMJ Open, 2020, 10, e036780.	1.9	5
148	Text messages for primary prevention of cardiovascular disease: the TextMe2 randomised controlled trial protocol. BMJ Open, 2020, 10, e036767.	1.9	5
149	Protocol for the Stimulating \hat{l}^2 (sub) 3 (sub)-Adrenergic Receptors for Peripheral Artery Disease (STAR-PAD) trial: a double-blinded, randomised, placebo-controlled study evaluating the effects of mirabegron on functional performance in patients with peripheral arterial disease. BMJ Open, 2021, 11, e049858.	1.9	5
150	Strengthening Preventive Cardiology. Heart Lung and Circulation, 2015, 24, 427-429.	0.4	4
151	Clinical consequences of poor adherence to lipid-lowering therapy in patients with cardiovascular disease: can we do better?. Heart Asia, 2019, 11, e011200.	1.1	4
152	Screening for atrial fibrillation and other arrhythmias in primary care. BMC Family Practice, 2020, 21, 79.	2.9	4
153	Impact of medical consultation frequency on risk factors and medications 6 months after acute coronary syndrome. Public Health Research and Practice, 2016, 26, e2611606.	1.5	4
154	Association of hypertension with mortality in patients hospitalised with COVID-19. Open Heart, 2021, 8, e001853.	2.3	4
155	A Study of Patient Satisfaction and Uncertainty in a Rapid Access Chest PainÂClinic. Heart Lung and Circulation, 2020, 29, e210-e216.	0.4	3
156	Abstract 293: Effect of Cardiovascular Health and Text Messaging (CHAT) on Risk Factor Management in Patients with Coronary Heart Disease: A Randomized Clinical Trial. Circulation: Cardiovascular Quality and Outcomes, 2019, 12, .	2.2	3
157	Comparison of Cardiovascular Safety for Smoking Cessation Pharmacotherapies in a Population-Based Cohort in Australia. JAMA Network Open, 2021, 4, e2136372.	5.9	3
158	Triple Therapy Prevention of Recurrent Intracerebral Disease Events Trial: Rationale, design and progress. International Journal of Stroke, 2022, 17, 1156-1162.	5.9	3
159	Out-of-hospital cardiac arrests and bystander response by socioeconomic disadvantage in communities of New South Wales, Australia. Resuscitation Plus, 2022, 9, 100205.	1.7	3
160	Is it safe to use a proton pump inhibitor with clopidogrel?., 2009, 119, 564-8.		3
161	Coordinating Health Care With Artificial Intelligence–Supported Technology for Patients With Atrial Fibrillation: Protocol for a Randomized Controlled Trial. JMIR Research Protocols, 2022, 11, e34470.	1.0	3
162	Remote magnetic navigation compared to contemporary manual techniques for the catheter ablation of ventricular arrhythmias in structural heart disease. Heliyon, 2021, 7, e08538.	3.2	3

#	Article	IF	Citations
163	Right Ventricular Dysfunction Predisposes to Inducible Ventricular Tachycardia at Electrophysiology Studies in Patients With Acute ST-Segment–Elevation Myocardial Infarction and Reduced Left Ventricular Ejection Fraction. Circulation: Arrhythmia and Electrophysiology, 2014, 7, 898-905.	4.8	2
164	Text Messaging and Medication Adherence—Do We Have a Missed Call?—Reply. JAMA Internal Medicine, 2016, 176, 1227.	5.1	2
165	STâ€elevation myocardial infarction in a migrant population: a registryâ€based study of patient treatment and outcomes. Internal Medicine Journal, 2019, 49, 502-512.	0.8	2
166	Characterisation of recent trends in cardiovascular risk factors in young and middle-aged patients with ischaemic stroke and/or transient ischaemic attack. Journal of the Neurological Sciences, 2020, 418, 117115.	0.6	2
167	Rapid Access Arrhythmia Clinics (RAACs) Versus Usual Care: Improving Efficiency and Safety of Arrhythmia Management. Heart Lung and Circulation, 2021, 30, 665-673.	0.4	2
168	User Perceptions and Experiences of a Handheld 12-Lead Electrocardiographic Device in a Clinical Setting: Usability Evaluation. JMIR Cardio, 2021, 5, e21186.	1.7	2
169	Rapid Access Chest Pain Clinics: An Australian Cost-Benefit Study. Heart Lung and Circulation, 2022, 31, 177-182.	0.4	2
170	Automatic data extraction from 24 hour blood pressure measurement reports of a large multicenter clinical trial. Computer Methods and Programs in Biomedicine, 2022, 214, 106588.	4.7	2
171	Patient-Led Mass Screening for Atrial Fibrillation in the Older Population Using Handheld Electrocardiographic Devices Integrated With a Clinician-Coordinated Remote Central Monitoring System: Protocol for a Randomized Controlled Trial and Process Evaluation. JMIR Research Protocols. 2022. 11. e34778.	1.0	2
172	Adding omeprazole to clopidogrel reduced GI events and did not increase CV events. Annals of Internal Medicine, 2011, 154, JC3.	3.9	1
173	Patient selection essential for computed tomography coronary angiography. Scandinavian Cardiovascular Journal, 2016, 50, 206-212.	1.2	1
174	A personalised or procrustean approach to treating hypertension? – Authors' reply. Lancet, The, 2017, 390, 27-28.	13.7	1
175	Are we behind the times on cardiovascular risk assessment in Australia?. Medical Journal of Australia, 2020, 213, 168-169.	1.7	1
176	Therapy Escalation Following an Elevated HbA1c in Adults Aged 45 Years and Older Living With Diabetes in Australia: A Real-World Observational Analysis. Diabetes Care, 2020, 43, e185-e187.	8.6	1
177	Heart Disease in Women: Where Are We Now and What is The Future?. Heart Lung and Circulation, 2021, 30, 1-2.	0.4	1
178	Are Digital Health Services the Key to Bridging the Gap in Medication Adherence and Optimisation?. Heart Lung and Circulation, 2021, 30, 943-946.	0.4	1
179	Socioâ€demographic and familial factors associated with hospital admissions and repeat admission for dental caries in early childhood: A populationâ€based study. Community Dentistry and Oral Epidemiology, 2021, , .	1.9	1
180	Prior Cardiovascular Treatmentsâ€"A Key Characteristic in Determining Medication Adherence After an Acute Myocardial Infarction. Frontiers in Pharmacology, 2022, 13, 834898.	3.5	1

#	Article	IF	CITATIONS
181	The development and feasibility of a composite score of echocardiographic indices that may stratify outcome in patients with diabetes mellitus. International Journal of Cardiology, 2015, 182, 244-249.	1.7	0
182	Computed Tomography in Heart Failure. Current Cardiovascular Imaging Reports, 2019, 12, 1.	0.6	0
183	Can existing electronic medical records be used to quantify cardiovascular risk at point of care?. Internal Medicine Journal, 2021, , .	0.8	O
184	Developing robust indicators of age-friendly neighborhood environments across urban-rural and socioeconomic gradients in 20 countries from five continents. ISEE Conference Abstracts, 2021, 2021, .	0.0	0