Clara K Chow

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9427976/publications.pdf

Version: 2024-02-01

184 papers 11,840 citations

40 h-index

76322

30920 102 g-index

202 all docs $\begin{array}{c} 202 \\ \\ \text{docs citations} \end{array}$

times ranked

202

15573 citing authors

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Prevalence, Awareness, Treatment, and Control of Hypertension in Rural and Urban Communities in High-, Middle-, and Low-Income Countries. JAMA - Journal of the American Medical Association, 2013, 310, 959. | 7.4 | 1,422 |
| 2 | Association Between Postoperative Troponin Levels and 30-Day Mortality Among Patients Undergoing Noncardiac Surgery. JAMA - Journal of the American Medical Association, 2012, 307, 2295. | 7.4 | 821 |
| 3 | Use of secondary prevention drugs for cardiovascular disease in the community in high-income, middle-income, and low-income countries (the PURE Study): a prospective epidemiological survey. Lancet, The, 2011, 378, 1231-1243. | 13.7 | 803 |
| 4 | Myocardial Injury after Noncardiac Surgery. Anesthesiology, 2014, 120, 564-578. | 2.5 | 740 |
| 5 | Mobile Telephone Text Messaging for Medication Adherence in Chronic Disease. JAMA Internal Medicine, 2016, 176, 340. | 5.1 | 580 |
| 6 | Association of Postoperative High-Sensitivity Troponin Levels With Myocardial Injury and 30-Day Mortality Among Patients Undergoing Noncardiac Surgery. JAMA - Journal of the American Medical Association, 2017, 317, 1642. | 7.4 | 579 |
| 7 | Effect of Lifestyle-Focused Text Messaging on Risk Factor Modification in Patients With Coronary Heart Disease. JAMA - Journal of the American Medical Association, 2015, 314, 1255. | 7.4 | 561 |
| 8 | Association of Diet, Exercise, and Smoking Modification With Risk of Early Cardiovascular Events After Acute Coronary Syndromes. Circulation, 2010, 121, 750-758. | 1.6 | 556 |
| 9 | The Prospective Urban Rural Epidemiology (PURE) study: Examining the impact of societal influences on chronic noncommunicable diseases in low-, middle-, and high-income countries. American Heart Journal, 2009, 158, 1-7.e1. | 2.7 | 495 |
| 10 | Availability, affordability, and consumption of fruits and vegetables in 18 countries across income levels: findings from the Prospective Urban Rural Epidemiology (PURE) study. The Lancet Global Health, 2016, 4, e695-e703. | 6.3 | 287 |
| 11 | Availability and affordability of cardiovascular disease medicines and their effect on use in high-income, middle-income, and low-income countries: an analysis of the PURE study data. Lancet, The, 2016, 387, 61-69. | 13.7 | 272 |
| 12 | Mobile Phone Apps to Improve Medication Adherence: A Systematic Stepwise Process to Identify High-Quality Apps. JMIR MHealth and UHealth, 2016, 4, e132. | 3.7 | 217 |
| 13 | Variations between women and men in risk factors, treatments, cardiovascular disease incidence, and death in 27 high-income, middle-income, and low-income countries (PURE): a prospective cohort study. Lancet, The, 2020, 396, 97-109. | 13.7 | 194 |
| 14 | mHealth in Cardiovascular Health Care. Heart Lung and Circulation, 2016, 25, 802-807. | 0.4 | 147 |
| 15 | Availability and affordability of blood pressure-lowering medicines and the effect on blood pressure control in high-income, middle-income, and low-income countries: an analysis of the PURE study data. Lancet Public Health, The, 2017, 2, e411-e419. | 10.0 | 134 |
| 16 | eHealth Literacy: Predictors in a Population With Moderate-to-High Cardiovascular Risk. JMIR Human Factors, 2017, 4, e4. | 2.0 | 121 |
| 17 | Parental History and Myocardial Infarction Risk Across the World. Journal of the American College of Cardiology, 2011, 57, 619-627. | 2.8 | 116 |
| 18 | Availability and affordability of essential medicines for diabetes across high-income, middle-income, and low-income countries: a prospective epidemiological study. Lancet Diabetes and Endocrinology,the, 2018, 6, 798-808. | 11.4 | 116 |

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 19 | Prospective Urban Rural Epidemiology (PURE) study: Baseline characteristics of the household sample and comparative analyses with national data in 17 countries. American Heart Journal, 2013, 166, 636-646.e4. | 2.7 | 113 |
| 20 | Quarter-dose quadruple combination therapy for initial treatment of hypertension: placebo-controlled, crossover, randomised trial and systematic review. Lancet, The, 2017, 389, 1035-1042. | 13.7 | 102 |
| 21 | Preoperative <i>N</i> -Terminal Pro–B-Type Natriuretic Peptide and Cardiovascular Events After Noncardiac Surgery. Annals of Internal Medicine, 2020, 172, 96. | 3.9 | 99 |
| 22 | Smartphone and social media-based cardiac rehabilitation and secondary prevention in China (SMART-CR/SP): a parallel-group, single-blind, randomised controlled trial. The Lancet Digital Health, 2019, 1, e363-e374. | 12.3 | 92 |
| 23 | Prescription of secondary prevention medications, lifestyle advice, and referral to rehabilitation among acute coronary syndrome inpatients: results from a large prospective audit in Australia and New Zealand. Heart, 2014, 100, 1281-1288. | 2.9 | 91 |
| 24 | Factors Influencing Engagement, Perceived Usefulness and Behavioral Mechanisms Associated with a Text Message Support Program. PLoS ONE, 2016, 11, e0163929. | 2.5 | 78 |
| 25 | Initial treatment with a single pill containing quadruple combination of quarter doses of blood pressure medicines versus standard dose monotherapy in patients with hypertension (QUARTET): a phase 3, randomised, double-blind, active-controlled trial. Lancet, The, 2021, 398, 1043-1052. | 13.7 | 74 |
| 26 | Environmental Profile of a Community's Health (EPOCH): An Instrument to Measure Environmental Determinants of Cardiovascular Health in Five Countries. PLoS ONE, 2010, 5, e14294. | 2.5 | 70 |
| 27 | Medication reminder applications to improve adherence in coronary heart disease: a randomised clinical trial. Heart, 2019, 105, 323-329. | 2.9 | 68 |
| 28 | Wealth and cardiovascular health: a cross-sectional study of wealth-related inequalities in the awareness, treatment and control of hypertension in high-, middle- and low-income countries. International Journal for Equity in Health, 2016, 15, 199. | 3.5 | 67 |
| 29 | Mobile phone text messaging in improving glycaemic control for patients with type 2 diabetes mellitus: A systematic review and meta-analysis. Diabetes Research and Clinical Practice, 2019, 150, 27-37. | 2.8 | 66 |
| 30 | Cardiac Troponin and its Relationship to Cardiovascular Outcomes in Community Populations – A Systematic Review and Meta-analysis. Heart Lung and Circulation, 2016, 25, 217-228. | 0.4 | 65 |
| 31 | Myocardial Injury After Noncardiac Surgery (MINS) in Vascular Surgical Patients. Annals of Surgery, 2018, 268, 357-363. | 4.2 | 65 |
| 32 | Socio-economic distribution of cardiovascular risk factors and knowledge in rural India. International Journal of Epidemiology, 2012, 41, 1302-1314. | 1.9 | 63 |
| 33 | Mobile phone text-messaging interventions aimed to prevent cardiovascular diseases (Text2PreventCVD): systematic review and individual patient data meta-analysis. Open Heart, 2019, 6, e001017. | 2.3 | 56 |
| 34 | Global and national high blood pressure burden and control. Lancet, The, 2021, 398, 932-933. | 13.7 | 55 |
| 35 | Cardiovascular disease and <scp>COVID</scp> â€19: Australian and New Zealand consensus statement. Medical Journal of Australia, 2020, 213, 182-187. | 1.7 | 54 |
| 36 | Cost-effectiveness of a text message programme for the prevention of recurrent cardiovascular events. Heart, 2017, 103, 893.1-894. | 2.9 | 53 |

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 37 | The effects of a lifestyle-focused text-messaging intervention on adherence to dietary guideline recommendations in patients with coronary heart disease: an analysis of the TEXT ME study. International Journal of Behavioral Nutrition and Physical Activity, 2018, 15, 45. | 4.6 | 51 |
| 38 | Integrated Guidance for Enhancing the Care of Familial Hypercholesterolaemia in Australia. Heart Lung and Circulation, 2021, 30, 324-349. | 0.4 | 51 |
| 39 | Personalized mobile technologies for lifestyle behavior change: A systematic review, meta-analysis, and meta-regression. Preventive Medicine, 2021, 148, 106532. | 3.4 | 50 |
| 40 | A Smartphone App to Assist Smoking Cessation Among Aboriginal Australians: Findings From a Pilot Randomized Controlled Trial. JMIR MHealth and UHealth, 2019, 7, e12745. | 3.7 | 50 |
| 41 | MEDication reminder APPs to improve medication adherence in Coronary Heart Disease (MedApp-CHD) Study: a randomised controlled trial protocol. BMJ Open, 2017, 7, e017540. | 1.9 | 49 |
| 42 | Efficacy and Safety of Quarter-Dose Blood Pressure–Lowering Agents. Hypertension, 2017, 70, 85-93. | 2.7 | 48 |
| 43 | Sex Disparities in Myocardial Infarction: Biology or Bias?. Heart Lung and Circulation, 2021, 30, 18-26. | 0.4 | 46 |
| 44 | Tobacco control environment: cross-sectional survey of policy implementation, social unacceptability, knowledge of tobacco health harms and relationship to quit ratio in 17 low-income, middle-income and high-income countries. BMJ Open, 2017, 7, e013817. | 1.9 | 44 |
| 45 | Troponin T monitoring to detect myocardial injury after noncardiac surgery: a cost–consequence analysis. Canadian Journal of Surgery, 2018, 61, 185-194. | 1.2 | 44 |
| 46 | Interventions to improve medication adherence in coronary disease patients: A systematic review and meta-analysis of randomised controlled trials. European Journal of Preventive Cardiology, 2016, 23, 1065-1076. | 1.8 | 43 |
| 47 | A digital health intervention for cardiovascular disease management in primary care (CONNECT) randomized controlled trial. Npj Digital Medicine, 2020, 3, 117. | 10.9 | 43 |
| 48 | The impact of type 2 diabetes on health related quality of life in Bangladesh: results from a matched study comparing treated cases with non-diabetic controls. Health and Quality of Life Outcomes, 2016, 14, 129. | 2.4 | 41 |
| 49 | Effectiveness of a scalable group-based education and monitoring program, delivered by health workers, to improve control of hypertension in rural India: A cluster randomised controlled trial. PLoS Medicine, 2020, 17, e1002997. | 8.4 | 41 |
| 50 | Blood pressure control: a challenge to global health systems. Lancet, The, 2019, 394, 613-615. | 13.7 | 40 |
| 51 | Validation and Acceptability of a Cuffless Wrist-Worn Wearable Blood Pressure Monitoring Device Among Users and Health Care Professionals: Mixed Methods Study. JMIR MHealth and UHealth, 2019, 7, e14706. | 3.7 | 40 |
| 52 | Effect of Text Messaging on Risk Factor Management in Patients With Coronary Heart Disease. Circulation: Cardiovascular Quality and Outcomes, 2019, 12, e005616. | 2.2 | 39 |
| 53 | Biobanking for discovery of novel cardiovascular biomarkers using imaging-quantified disease burden: protocol for the longitudinal, prospective, BioHEART-CT cohort study. BMJ Open, 2019, 9, e028649. | 1.9 | 36 |
| 54 | Comparability of HbA1c and lipids measured with dried blood spot versus venous samples: a systematic review and meta-analysis. BMC Clinical Pathology, 2014, 14, 21. | 1.8 | 33 |

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 55 | Patterns, predictors and effects of texting intervention on physical activity in CHD – insights from the TEXT ME randomized clinical trial. European Journal of Preventive Cardiology, 2016, 23, 1894-1902. | 1.8 | 33 |
| 56 | Programmed Ventricular Stimulation to Risk Stratify for Early Cardioverter-Defibrillator Implantation to Prevent Tachyarrhythmias following Acute Myocardial Infarction (PROTECT-ICD): Trial Protocol, Background and Significance. Heart Lung and Circulation, 2016, 25, 1055-1062. | 0.4 | 32 |
| 57 | Breaking Barriers: Mobile Health Interventions for Cardiovascular Disease. Canadian Journal of Cardiology, 2018, 34, 905-913. | 1.7 | 31 |
| 58 | Examining Development Processes for Text Messaging Interventions to Prevent Cardiovascular Disease: Systematic Literature Review. JMIR MHealth and UHealth, 2019, 7, e12191. | 3.7 | 31 |
| 59 | External validation of the Revised Cardiac Risk Index and update of its renal variable to predict 30-day risk of major cardiac complications after non-cardiac surgery: rationale and plan for analyses of the VISION study. BMJ Open, 2017, 7, e013510. | 1.9 | 30 |
| 60 | Cardiac Society of Australia and New Zealand Position Statement: Coronary Artery Calcium Scoring. Heart Lung and Circulation, 2017, 26, 1239-1251. | 0.4 | 29 |
| 61 | Assessment of Community Interventions for Bystander Cardiopulmonary Resuscitation in Out-of-Hospital Cardiac Arrest. JAMA Network Open, 2020, 3, e209256. | 5.9 | 29 |
| 62 | Objective Risk Assessment vs Standard Care for Acute Coronary Syndromes. JAMA Cardiology, 2021, 6, 304. | 6.1 | 29 |
| 63 | The Impact of Frailty on the Effectiveness and Safety of Intensive Glucose Control and Blood Pressure–Lowering Therapy for People With Type 2 Diabetes: Results From the ADVANCE Trial. Diabetes Care, 2021, 44, 1622-1629. | 8.6 | 29 |
| 64 | Predicting Myocardial Injury and Other Cardiac Complications After Elective Noncardiac Surgery with the Revised Cardiac Risk Index: The VISION Study. Canadian Journal of Cardiology, 2021, 37, 1215-1224. | 1.7 | 29 |
| 65 | The environmental profile of a community's health: a cross-sectional study on tobacco marketing in 16 countries. Bulletin of the World Health Organization, 2015, 93, 851-861G. | 3.3 | 29 |
| 66 | Gender Difference in Secondary Prevention of Cardiovascular Disease and Outcomes Following the Survival of Acute Coronary Syndrome. Heart Lung and Circulation, 2021, 30, 121-127. | 0.4 | 28 |
| 67 | Smartphone-Delivered Ecological Momentary Interventions Based on Ecological Momentary Assessments to Promote Health Behaviors: Systematic Review and Adapted Checklist for Reporting Ecological Momentary Assessment and Intervention Studies. JMIR MHealth and UHealth, 2021, 9, e22890. | 3.7 | 28 |
| 68 | Machine Learning Approaches for Predicting Hypertension and Its Associated Factors Using Population-Level Data From Three South Asian Countries. Frontiers in Cardiovascular Medicine, 2022, 9, 839379. | 2.4 | 28 |
| 69 | A Pilot Randomised Controlled Trial of a Text Messaging Intervention with Customisation Using Linked Data from Wireless Wearable Activity Monitors to Improve Risk Factors Following Gestational Diabetes. Nutrients, 2019, 11, 590. | 4.1 | 27 |
| 70 | Effect of text messaging on depression in patients with coronary heart disease: a substudy analysis from the TEXT ME randomised controlled trial. BMJ Open, 2019, 9, e022637. | 1.9 | 27 |
| 71 | Text Messages to Improve Medication Adherence and Secondary Prevention After Acute Coronary Syndrome: The TEXTMEDS Randomized Clinical Trial. Circulation, 2022, 145, 1443-1455. | 1.6 | 27 |
| 72 | Polypills for primary prevention of cardiovascular disease. Nature Reviews Cardiology, 2019, 16, 602-611. | 13.7 | 26 |

| # | Article | IF | Citations |
|----|---|-----|-----------|
| 73 | Diagnostic accuracy of handheld electrocardiogram devices in detecting atrial fibrillation in adults in community versus hospital settings: a systematic review and meta-analysis. Heart, 2020, 106, 1211-1217. | 2.9 | 26 |
| 74 | Mobile Apps for Dental Caries Prevention: Systematic Search and Quality Evaluation. JMIR MHealth and UHealth, 2021, 9, e19958. | 3.7 | 26 |
| 75 | Cardiac Society of Australia and New Zealand position statement executive summary: coronary artery calcium scoring. Medical Journal of Australia, 2017, 207, 357-361. | 1.7 | 25 |
| 76 | Catheter Ablation Versus Medical Therapy for Atrial Fibrillation in Patients With Heart Failure: A Meta-Analysis of Randomised Controlled Trials. Heart Lung and Circulation, 2019, 28, 707-718. | 0.4 | 24 |
| 77 | Environmental Profile of a Community's Health (EPOCH): An Ecometric Assessment of Measures of the Community Environment Based on Individual Perception. PLoS ONE, 2012, 7, e44410. | 2.5 | 23 |
| 78 | A cluster randomized trial of objective risk assessment versus standard care for acute coronary syndromes: Rationale and design of the Australian GRACE Risk score Intervention Study (AGRIS). American Heart Journal, 2015, 170, 995-1004.e1. | 2.7 | 23 |
| 79 | Catheter ablation versus medical therapy for treatment of ventricular tachycardia associated with structural heart disease: Systematic review and meta-analysis of randomized controlled trials and comparison with observational studies. Heart Rhythm, 2019, 16, 1484-1491. | 0.7 | 23 |
| 80 | Cost-effectiveness of a mobile-phone text messaging intervention on type 2 diabetes—A randomized-controlled trial. Health Policy and Technology, 2020, 9, 79-85. | 2.5 | 23 |
| 81 | Improving patient adherence to secondary prevention medications 6 months after an acute coronary syndrome: observational cohort study. Internal Medicine Journal, 2018, 48, 541-549. | 0.8 | 22 |
| 82 | Rapidâ€access cardiology services: can these reduce the burden of acute chest pain on Australian and New Zealand health services?. Internal Medicine Journal, 2017, 47, 986-991. | 0.8 | 20 |
| 83 | Design Considerations in Development of a Mobile Health Intervention Program: The TEXT ME and TEXTMEDS Experience. JMIR MHealth and UHealth, 2016, 4, e127. | 3.7 | 20 |
| 84 | TEXT messages to improve MEDication adherence and Secondary prevention (TEXTMEDS) after acute coronary syndrome: a randomised clinical trial protocol. BMJ Open, 2018, 8, e019463. | 1.9 | 19 |
| 85 | Secondary prevention therapies in acute coronary syndrome and relation to outcomes: observational study. Heart Asia, 2019, 11, e011122. | 1.1 | 19 |
| 86 | Rapid Access Cardiology (RAC) Services Within a Large Tertiary Referral Centreâ€"First Year in Review. Heart Lung and Circulation, 2018, 27, 1381-1387. | 0.4 | 18 |
| 87 | A Novel Method to Evaluate the Community Built Environment Using Photographs – Environmental Profile of a Community Health (EPOCH) Photo Neighbourhood Evaluation Tool. PLoS ONE, 2014, 9, e110042. | 2.5 | 18 |
| 88 | Association Between Myocardial Injury and Cardiovascular Outcomes of Orthopaedic Surgery. Journal of Bone and Joint Surgery - Series A, 2020, 102, 880-888. | 3.0 | 18 |
| 89 | Wearable cuffless blood pressure monitoring devices: a systematic review and meta-analysis. European Heart Journal Digital Health, 2022, 3, 323-337. | 1.7 | 18 |
| 90 | Cluster randomised feasibility trial to improve the Control of Hypertension In Rural India (CHIRI): a study protocol. BMJ Open, 2016, 6, e012404. | 1.9 | 17 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Evaluating Reach, Acceptability, Utility, and Engagement with An App-Based Intervention to Improve Medication Adherence in Patients with Coronary Heart Disease in the MedApp-CHD Study: A Mixed-Methods Evaluation. Medical Sciences (Basel, Switzerland), 2019, 7, 68. | 2.9 | 17 |
| 92 | COVID-19 and Acute Heart Failure: Screening the Critically III $\hat{a} \in$ A Position Statement of the Cardiac Society of Australia and New Zealand (CSANZ). Heart Lung and Circulation, 2020, 29, e94-e98. | 0.4 | 17 |
| 93 | The Use of Mobile Apps for Heart Failure Self-management: Systematic Review of Experimental and Qualitative Studies. JMIR Cardio, 2022, 6, e33839. | 1.7 | 17 |
| 94 | Text2PreventCVD: protocol for a systematic review and individual participant data meta-analysis of text message-based interventions for the prevention of cardiovascular diseases. BMJ Open, 2016, 6, e012723. | 1.9 | 16 |
| 95 | Implementation of a consumer-focused eHealth intervention for people with moderate-to-high cardiovascular disease risk: protocol for a mixed-methods process evaluation. BMJ Open, 2017, 7, e014353. | 1.9 | 16 |
| 96 | Periodontal Therapy for Improving Lipid Profiles in Patients with Type 2 Diabetes Mellitus: A Systematic Review and Meta-Analysis. International Journal of Molecular Sciences, 2019, 20, 3826. | 4.1 | 16 |
| 97 | Co-designing a Lifestyle-Focused Text Message Intervention for Women After Breast Cancer Treatment: Mixed Methods Study. Journal of Medical Internet Research, 2021, 23, e27076. | 4.3 | 16 |
| 98 | Patients' preferences for new versus old anticoagulants: a mixed-method vignette-based study. European Journal of Cardiovascular Nursing, 2018, 17, 429-438. | 0.9 | 15 |
| 99 | Targeted, structured text messaging to improve dietary and lifestyle behaviours for people on maintenance haemodialysis (KIDNEYTEXT): study protocol for a randomised controlled trial. BMJ Open, 2019, 9, e023545. | 1.9 | 15 |
| 100 | Design and rationale of the MyHeartMate study: a randomised controlled trial of a game-based app to promote behaviour change in patients with cardiovascular disease. BMJ Open, 2019, 9, e024269. | 1.9 | 15 |
| 101 | Hypertension in Rural India: The Contribution of Socioeconomic Position. Journal of the American Heart Association, 2020, 9, e014486. | 3.7 | 15 |
| 102 | Smartphone Cardiac Rehabilitation, Assisted Self-Management Versus Usual Care: Protocol for a Multicenter Randomized Controlled Trial to Compare Effects and Costs Among People With Coronary Heart Disease. JMIR Research Protocols, 2020, 9, e15022. | 1.0 | 15 |
| 103 | Ultra-low-dose quadruple combination blood pressure–lowering therapy in patients with hypertension: The QUARTET randomized controlled trial protocol. American Heart Journal, 2021, 231, 56-67. | 2.7 | 14 |
| 104 | Development of macaronic Hindi-English â€~Hinglish' text message content for a coronary heart disease secondary prevention programme. Heart Asia, 2016, 8, 32-38. | 1.1 | 13 |
| 105 | A Text Messaging Intervention for Dietary Behaviors for People Receiving Maintenance Hemodialysis: A Feasibility Study of KIDNEYTEXT. American Journal of Kidney Diseases, 2021, 78, 85-95.e1. | 1.9 | 13 |
| 106 | National drug policy reform for noncommunicable diseases in low-resource countries: an example from Bangladesh. Bulletin of the World Health Organization, 2017, 95, 382-384. | 3.3 | 13 |
| 107 | Low-Dose Combination Therapy for Initial Treatment of Hypertension. Current Hypertension Reports, 2020, 22, 65. | 3.5 | 12 |
| 108 | Text messages for primary prevention of cardiovascular disease: The TextMe2 randomized clinical trial. American Heart Journal, 2021, 242, 33-44. | 2.7 | 12 |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 109 | Kidney Function Alters the Relationship between Postoperative Troponin T Level and Death. Journal of the American Society of Nephrology: JASN, 2015, 26, 2571-2577. | 6.1 | 11 |
| 110 | Use of cardiovascular prevention treatments after acute coronary syndrome in China and associated factors. International Journal of Cardiology, 2017, 241, 444-449. | 1.7 | 11 |
| 111 | ITM support for patients with chronic respiratory and cardiovascular diseases: a protocol for a randomised controlled trial. BMJ Open, 2019, 9, e023863. | 1.9 | 11 |
| 112 | Model for integrated care for chronic disease in the Australian context: Western Sydney Integrated Care Program. Australian Health Review, 2019, 43, 565-571. | 1.1 | 11 |
| 113 | Supporting women's health outcomes after breast cancer treatment comparing a text message intervention to usual care: the EMPOWER-SMS randomised clinical trial. Journal of Cancer Survivorship, 2023, 17, 1533-1545. | 2.9 | 11 |
| 114 | Contemporary utilization of antithrombotic therapy for stroke prevention in patients with atrial fibrillation: an audit in an Australian hospital setting. Therapeutic Advances in Drug Safety, 2018, 9, 97-111. | 2.4 | 10 |
| 115 | Cardiac Complications in Patients Hospitalised With COVID-19 in Australia. Heart Lung and Circulation, 2021, 30, 1834-1840. | 0.4 | 10 |
| 116 | Supporting breast cancer survivors via text messages: reach, acceptability, and utility of EMPOWER-SMS. Journal of Cancer Survivorship, 2022, 16, 1165-1175. | 2.9 | 10 |
| 117 | Text messaging support for patients with diabetes or coronary artery disease (SupportMe): protocol for a pragmatic randomised controlled trial. BMJ Open, 2019, 9, e025923. | 1.9 | 9 |
| 118 | Quality improvement in primary care to prevent hospitalisations and improve Effectiveness and efficiency of care for people Living with coronary heart disease (QUEL): protocol for a 24-month cluster randomised controlled trial in primary care. BMC Family Practice, 2020, 21, 36. | 2.9 | 9 |
| 119 | Cardiovascular and Logistic Issues Associated With COVID-19 Pandemic. Heart Lung and Circulation, 2020, 29, 655-656. | 0.4 | 9 |
| 120 | EXamining ouTcomEs in chroNic Disease in the 45 and Up Study (the EXTEND45 Study): Protocol for an Australian Linked Cohort Study. JMIR Research Protocols, 2020, 9, e15646. | 1.0 | 9 |
| 121 | The Optimal Timing of Smoking Cessation Before Surgery. Archives of Internal Medicine, 2011, 171, 989-90. | 3.8 | 8 |
| 122 | Economic evaluation protocol for a multicentre randomised controlled trial to compare Smartphone Cardiac Rehabilitation, Assisted self-Management (SCRAM) versus usual care cardiac rehabilitation among people with coronary heart disease. BMJ Open, 2020, 10, e038178. | 1.9 | 8 |
| 123 | Predictors of Smoking Cessation in a Lifestyle-Focused Text-Message Support Programme Delivered to People with Coronary Heart Disease: An Analysis From the Tobacco Exercise and Diet Messages (TEXTME) Randomised Clinical Trial. Tobacco Use Insights, 2020, 13, 1179173X2090148. | 1.6 | 8 |
| 124 | An Enhanced SMS Text Message–Based Support and Reminder Program for Young Adults With Type 2 Diabetes (TEXT2U): Randomized Controlled Trial. Journal of Medical Internet Research, 2021, 23, e27263. | 4.3 | 8 |
| 125 | TEXT4myBACK – The Development Process of a Self-Management Intervention Delivered Via Text Message for Low Back Pain. Archives of Rehabilitation Research and Clinical Translation, 2021, 3, 100128. | 0.9 | 8 |
| 126 | Use of Mobile Apps in Heart Failure Self-management: Qualitative Study Exploring the Patient and Primary Care Clinician Perspective. JMIR Cardio, 2022, 6, e33992. | 1.7 | 8 |

| # | Article | IF | Citations |
|-----|--|------------------------|--------------|
| 127 | Lost in translation: the gap between what we know and what we do about cardiovascular disease. Medical Journal of Australia, 2016, 204, 291-292. | 1.7 | 7 |
| 128 | The Role of Text Messaging in Cardiovascular Risk Factor Optimization. Current Cardiology Reports, 2017, 19, 4. | 2.9 | 7 |
| 129 | TEXT4myBACK: A Text Message Intervention to Improve Function in People With Low Back Painâ€"Protocol of a Randomized Controlled Trial. Physical Therapy, 2021, 101, . | 2.4 | 7 |
| 130 | 2020 Asian Pacific Society of Cardiology Consensus Recommendations on Antithrombotic Management for High-risk Chronic Coronary Syndrome. European Cardiology Review, 2021, 16, e26. | 2.2 | 7 |
| 131 | Education on cardiac risk and CPR in cardiology clinic waiting rooms: a randomised clinical trial. Heart, 2021, 107, 1637-1643. | 2.9 | 7 |
| 132 | Effectiveness of a customised mobile phone text messaging intervention supported by data from activity monitors for improving lifestyle factors related to the risk of type 2 diabetes among women after gestational diabetes: protocol for a multicentre randomised controlled trial (SMART MUMS) Tj ETQq0 0 0 rg | gB 1 /Overl | ock 10 Tf 50 |
| 133 | Text Message Behavioral Intervention for Teens on Eating, Physical Activity and Social Wellbeing (TEXTBITES): Protocol for a Randomized Controlled Trial. JMIR Research Protocols, 2020, 9, e16481. | 1.0 | 7 |
| 134 | Use of a Machine Learning Program to Correctly Triage Incoming Text Messaging Replies From a Cardiovascular Text–Based Secondary Prevention Program: Feasibility Study. JMIR MHealth and UHealth, 2020, 8, e19200. | 3.7 | 7 |
| 135 | Clinician-Created Educational Video Resources for Shared Decision-making in the Outpatient Management of Chronic Disease: Development and Evaluation Study. Journal of Medical Internet Research, 2021, 23, e26732. | 4.3 | 7 |
| 136 | Prevalence, incidence and risk factors of diabetes in Australian adults aged ≥45Âyears: A cohort study using linked routinely-collected data. Journal of Clinical and Translational Endocrinology, 2020, 22, 100240. | 1.4 | 6 |
| 137 | Cardiac Rehabilitation and Secondary Prevention Roundtable: Australian Implementation and Research Priorities. Heart Lung and Circulation, 2020, 29, 319-323. | 0.4 | 6 |
| 138 | Dyslipidemia and Cardiovascular Disease Prevention in South Asians: A Review and Discussion of Causes, Challenges and Management Strategies. Current Diabetes Reviews, 2021, 17, e011221190238. | 1.3 | 6 |
| 139 | Additive association of knowledge and awareness on control of hypertension: a cross-sectional survey in rural India. Journal of Hypertension, 2021, 39, 107-116. | 0.5 | 6 |
| 140 | Text Message Analysis Using Machine Learning to Assess Predictors of Engagement With Mobile Health Chronic Disease Prevention Programs: Content Analysis. JMIR MHealth and UHealth, 2021, 9, e27779. | 3.7 | 6 |
| 141 | Developing indicators of age-friendly neighbourhood environments for urban and rural communities across 20 low-, middle-, and high-income countries. BMC Public Health, 2022, 22, 87. | 2.9 | 6 |
| 142 | Pregnancy-related cardiovascular conditions and outcomes in a United States Medicaid population. Heart, 2022, 108, 1524-1529. | 2.9 | 6 |
| 143 | Integrated guidance to enhance the care of children and adolescents with familial hypercholesterolaemia: Practical advice for the community clinician. Journal of Paediatrics and Child Health, 2022, 58, 1297-1312. | 0.8 | 6 |
| 144 | Text messages promoting healthy lifestyle and linked with activity monitors stimulate an immediate increase in physical activity among women after gestational diabetes. Diabetes Research and Clinical Practice, 2022, 190, 109991. | 2.8 | 6 |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 145 | Tenâ€year trends in catheter ablation for ventricular tachycardia vs other interventional procedures in Australia. Journal of Cardiovascular Electrophysiology, 2019, 30, 2353-2361. | 1.7 | 5 |
| 146 | Rapid access clinics for patients with chest pain: will they work in Australia?. Medical Journal of Australia, 2019, 210, 307-308. | 1.7 | 5 |
| 147 | While you're waiting, a waiting room-based, cardiovascular disease-focused educational program: protocol for a randomised controlled trial. BMJ Open, 2020, 10, e036780. | 1.9 | 5 |
| 148 | Text messages for primary prevention of cardiovascular disease: the TextMe2 randomised controlled trial protocol. BMJ Open, 2020, 10, e036767. | 1.9 | 5 |
| 149 | Protocol for the Stimulating \hat{l}^2 (sub) 3 (sub)-Adrenergic Receptors for Peripheral Artery Disease (STAR-PAD) trial: a double-blinded, randomised, placebo-controlled study evaluating the effects of mirabegron on functional performance in patients with peripheral arterial disease. BMJ Open, 2021, 11, e049858. | 1.9 | 5 |
| 150 | Strengthening Preventive Cardiology. Heart Lung and Circulation, 2015, 24, 427-429. | 0.4 | 4 |
| 151 | Clinical consequences of poor adherence to lipid-lowering therapy in patients with cardiovascular disease: can we do better?. Heart Asia, 2019, 11, e011200. | 1.1 | 4 |
| 152 | Screening for atrial fibrillation and other arrhythmias in primary care. BMC Family Practice, 2020, 21, 79. | 2.9 | 4 |
| 153 | Impact of medical consultation frequency on risk factors and medications 6 months after acute coronary syndrome. Public Health Research and Practice, 2016, 26, e2611606. | 1.5 | 4 |
| 154 | Association of hypertension with mortality in patients hospitalised with COVID-19. Open Heart, 2021, 8, e001853. | 2.3 | 4 |
| 155 | A Study of Patient Satisfaction and Uncertainty in a Rapid Access Chest PainÂClinic. Heart Lung and Circulation, 2020, 29, e210-e216. | 0.4 | 3 |
| 156 | Abstract 293: Effect of Cardiovascular Health and Text Messaging (CHAT) on Risk Factor Management in Patients with Coronary Heart Disease: A Randomized Clinical Trial. Circulation: Cardiovascular Quality and Outcomes, 2019, 12, . | 2.2 | 3 |
| 157 | Comparison of Cardiovascular Safety for Smoking Cessation Pharmacotherapies in a Population-Based Cohort in Australia. JAMA Network Open, 2021, 4, e2136372. | 5.9 | 3 |
| 158 | Triple Therapy Prevention of Recurrent Intracerebral Disease Events Trial: Rationale, design and progress. International Journal of Stroke, 2022, 17, 1156-1162. | 5.9 | 3 |
| 159 | Out-of-hospital cardiac arrests and bystander response by socioeconomic disadvantage in communities of New South Wales, Australia. Resuscitation Plus, 2022, 9, 100205. | 1.7 | 3 |
| 160 | Is it safe to use a proton pump inhibitor with clopidogrel?. , 2009, 119, 564-8. | | 3 |
| 161 | Coordinating Health Care With Artificial Intelligence–Supported Technology for Patients With Atrial Fibrillation: Protocol for a Randomized Controlled Trial. JMIR Research Protocols, 2022, 11, e34470. | 1.0 | 3 |
| 162 | Remote magnetic navigation compared to contemporary manual techniques for the catheter ablation of ventricular arrhythmias in structural heart disease. Heliyon, 2021, 7, e08538. | 3.2 | 3 |

| # | Article | IF | Citations |
|-----|--|------|-----------|
| 163 | Right Ventricular Dysfunction Predisposes to Inducible Ventricular Tachycardia at Electrophysiology Studies in Patients With Acute ST-Segment–Elevation Myocardial Infarction and Reduced Left Ventricular Ejection Fraction. Circulation: Arrhythmia and Electrophysiology, 2014, 7, 898-905. | 4.8 | 2 |
| 164 | Text Messaging and Medication Adherence—Do We Have a Missed Call?—Reply. JAMA Internal Medicine, 2016, 176, 1227. | 5.1 | 2 |
| 165 | STâ€elevation myocardial infarction in a migrant population: a registryâ€based study of patient treatment and outcomes. Internal Medicine Journal, 2019, 49, 502-512. | 0.8 | 2 |
| 166 | Characterisation of recent trends in cardiovascular risk factors in young and middle-aged patients with ischaemic stroke and/or transient ischaemic attack. Journal of the Neurological Sciences, 2020, 418, 117115. | 0.6 | 2 |
| 167 | Rapid Access Arrhythmia Clinics (RAACs) Versus Usual Care: Improving Efficiency and Safety of Arrhythmia Management. Heart Lung and Circulation, 2021, 30, 665-673. | 0.4 | 2 |
| 168 | User Perceptions and Experiences of a Handheld 12-Lead Electrocardiographic Device in a Clinical Setting: Usability Evaluation. JMIR Cardio, 2021, 5, e21186. | 1.7 | 2 |
| 169 | Rapid Access Chest Pain Clinics: An Australian Cost-Benefit Study. Heart Lung and Circulation, 2022, 31, 177-182. | 0.4 | 2 |
| 170 | Automatic data extraction from 24 hour blood pressure measurement reports of a large multicenter clinical trial. Computer Methods and Programs in Biomedicine, 2022, 214, 106588. | 4.7 | 2 |
| 171 | Patient-Led Mass Screening for Atrial Fibrillation in the Older Population Using Handheld Electrocardiographic Devices Integrated With a Clinician-Coordinated Remote Central Monitoring System: Protocol for a Randomized Controlled Trial and Process Evaluation. JMIR Research Protocols. 2022. 11. e34778. | 1.0 | 2 |
| 172 | Adding omeprazole to clopidogrel reduced GI events and did not increase CV events. Annals of Internal Medicine, 2011, 154, JC3. | 3.9 | 1 |
| 173 | Patient selection essential for computed tomography coronary angiography. Scandinavian Cardiovascular Journal, 2016, 50, 206-212. | 1.2 | 1 |
| 174 | A personalised or procrustean approach to treating hypertension? – Authors' reply. Lancet, The, 2017, 390, 27-28. | 13.7 | 1 |
| 175 | Are we behind the times on cardiovascular risk assessment in Australia?. Medical Journal of Australia, 2020, 213, 168-169. | 1.7 | 1 |
| 176 | Therapy Escalation Following an Elevated HbA1c in Adults Aged 45 Years and Older Living With Diabetes in Australia: A Real-World Observational Analysis. Diabetes Care, 2020, 43, e185-e187. | 8.6 | 1 |
| 177 | Heart Disease in Women: Where Are We Now and What is The Future?. Heart Lung and Circulation, 2021, 30, 1-2. | 0.4 | 1 |
| 178 | Are Digital Health Services the Key to Bridging the Gap in Medication Adherence and Optimisation?. Heart Lung and Circulation, 2021, 30, 943-946. | 0.4 | 1 |
| 179 | Socioâ€demographic and familial factors associated with hospital admissions and repeat admission for dental caries in early childhood: A populationâ€based study. Community Dentistry and Oral Epidemiology, 2021, , . | 1.9 | 1 |
| 180 | Prior Cardiovascular Treatmentsâ€"A Key Characteristic in Determining Medication Adherence After an Acute Myocardial Infarction. Frontiers in Pharmacology, 2022, 13, 834898. | 3.5 | 1 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 181 | The development and feasibility of a composite score of echocardiographic indices that may stratify outcome in patients with diabetes mellitus. International Journal of Cardiology, 2015, 182, 244-249. | 1.7 | 0 |
| 182 | Computed Tomography in Heart Failure. Current Cardiovascular Imaging Reports, 2019, 12, 1. | 0.6 | 0 |
| 183 | Can existing electronic medical records be used to quantify cardiovascular risk at point of care?. Internal Medicine Journal, 2021, , . | 0.8 | O |
| 184 | Developing robust indicators of age-friendly neighborhood environments across urban-rural and socioeconomic gradients in 20 countries from five continents. ISEE Conference Abstracts, 2021, 2021, . | 0.0 | 0 |