

Giacomo Novara

List of Publications by Citations

Source: <https://exaly.com/author-pdf/9428210/giacomo-novara-publications-by-citations.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

337
papers

17,412
citations

69
h-index

118
g-index

429
ext. papers

20,483
ext. citations

5
avg. IF

6.24
L-index

#	Paper	IF	Citations
337	Systematic review and meta-analysis of studies reporting urinary continence recovery after robot-assisted radical prostatectomy. <i>European Urology</i> , 2012 , 62, 405-17	10.2	715
336	Retropubic, laparoscopic, and robot-assisted radical prostatectomy: a systematic review and cumulative analysis of comparative studies. <i>European Urology</i> , 2009 , 55, 1037-63	10.2	686
335	Preoperative aspects and dimensions used for an anatomical (PADUA) classification of renal tumours in patients who are candidates for nephron-sparing surgery. <i>European Urology</i> , 2009 , 56, 786-93	10.2	624
334	Systematic review and meta-analysis of studies reporting potency rates after robot-assisted radical prostatectomy. <i>European Urology</i> , 2012 , 62, 418-30	10.2	494
333	A Systematic Review and Meta-analysis of Functional Outcomes and Complications Following Transurethral Procedures for Lower Urinary Tract Symptoms Resulting from Benign Prostatic Obstruction: An Update. <i>European Urology</i> , 2015 , 67, 1066-1096	10.2	406
332	Systematic review and meta-analysis of studies reporting oncologic outcome after robot-assisted radical prostatectomy. <i>European Urology</i> , 2012 , 62, 382-404	10.2	334
331	Systematic review and meta-analysis of perioperative outcomes and complications after robot-assisted radical prostatectomy. <i>European Urology</i> , 2012 , 62, 431-52	10.2	300
330	Evidence from robot-assisted laparoscopic radical prostatectomy: a systematic review. <i>European Urology</i> , 2007 , 51, 45-55; discussion 56	10.2	282
329	Prognostic factors in upper urinary tract urothelial carcinomas: a comprehensive review of the current literature. <i>European Urology</i> , 2012 , 62, 100-14	10.2	276
328	Systematic review and cumulative analysis of perioperative outcomes and complications after robot-assisted radical cystectomy. <i>European Urology</i> , 2015 , 67, 376-401	10.2	260
327	Updated systematic review and meta-analysis of the comparative data on colposuspensions, pubovaginal slings, and midurethral tapes in the surgical treatment of female stress urinary incontinence. <i>European Urology</i> , 2010 , 58, 218-38	10.2	257
326	Complication rates of tension-free midurethral slings in the treatment of female stress urinary incontinence: a systematic review and meta-analysis of randomized controlled trials comparing tension-free midurethral tapes to other surgical procedures and different devices. <i>European Urology</i> , 2008 , 53, 288-308	10.2	233
325	Best practices in robot-assisted radical prostatectomy: recommendations of the Pasadena Consensus Panel. <i>European Urology</i> , 2012 , 62, 368-81	10.2	206
324	A systematic review and meta-analysis of randomized controlled trials with antimuscarinic drugs for overactive bladder. <i>European Urology</i> , 2008 , 54, 740-63	10.2	184
323	A prospective, non-randomized trial comparing robot-assisted laparoscopic and retropubic radical prostatectomy in one European institution. <i>BJU International</i> , 2009 , 104, 534-9	5.6	168
322	Complications and mortality after radical cystectomy for bladder transitional cell cancer. <i>Journal of Urology</i> , 2009 , 182, 914-21	2.5	165
321	Validation of the 2009 TNM version in a large multi-institutional cohort of patients treated for renal cell carcinoma: are further improvements needed?. <i>European Urology</i> , 2010 , 58, 588-95	10.2	164

320	Soft tissue surgical margin status is a powerful predictor of outcomes after radical cystectomy: a multicenter study of more than 4,400 patients. <i>Journal of Urology</i> , 2010 , 183, 2165-70	2.5	159
319	Systematic review and cumulative analysis of oncologic and functional outcomes after robot-assisted radical cystectomy. <i>European Urology</i> , 2015 , 67, 402-22	10.2	158
318	The role of chronic prostatic inflammation in the pathogenesis and progression of benign prostatic hyperplasia (BPH). <i>BJU International</i> , 2013 , 112, 432-41	5.6	156
317	Predicting clinical outcomes after radical nephroureterectomy for upper tract urothelial carcinoma. <i>European Urology</i> , 2012 , 61, 818-25	10.2	153
316	Contemporary management of postprostatectomy incontinence. <i>European Urology</i> , 2011 , 59, 985-96	10.2	152
315	Independent predictors of cancer-specific survival in transitional cell carcinoma of the upper urinary tract: multi-institutional dataset from 3 European centers. <i>Cancer</i> , 2007 , 110, 1715-22	6.4	152
314	Impact of distal ureter management on oncologic outcomes following radical nephroureterectomy for upper tract urothelial carcinoma. <i>European Urology</i> , 2014 , 65, 210-7	10.2	150
313	Discrepancy between clinical and pathological stage: external validation of the impact on prognosis in an international radical cystectomy cohort. <i>BJU International</i> , 2011 , 107, 898-904	5.6	136
312	The impact of tumor multifocality on outcomes in patients treated with radical nephroureterectomy. <i>European Urology</i> , 2012 , 61, 245-53	10.2	135
311	Urology practice during the COVID-19 pandemic. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2020 , 72, 369-375	4.4	131
310	Prognostic role of lymphovascular invasion in patients with urothelial carcinoma of the upper urinary tract: an international validation study. <i>European Urology</i> , 2010 , 57, 1064-71	10.2	129
309	Best practices in robot-assisted radical cystectomy and urinary reconstruction: recommendations of the Pasadena Consensus Panel. <i>European Urology</i> , 2015 , 67, 363-75	10.2	128
308	Characteristics and outcomes of patients with clinical T1 grade 3 urothelial carcinoma treated with radical cystectomy: results from an international cohort. <i>European Urology</i> , 2010 , 57, 300-9	10.2	127
307	Updated Systematic Review and Meta-analysis of the Comparative Data on Colposuspensions, Pubovaginal Slings, and Midurethral Tapes in the Surgical Treatment of Female Stress Urinary Incontinence. <i>European Urology</i> , 2017 , 72, 567-591	10.2	125
306	Nomogram predictive of pathological inguinal lymph node involvement in patients with squamous cell carcinoma of the penis. <i>Journal of Urology</i> , 2006 , 175, 1700-4; discussion 1704-5	2.5	124
305	An updated systematic review and statistical comparison of standardised mean outcomes for the use of botulinum toxin in the management of lower urinary tract disorders. <i>European Urology</i> , 2014 , 65, 981-90	10.2	122
304	Prediction of cancer specific survival after radical nephroureterectomy for upper tract urothelial carcinoma: development of an optimized postoperative nomogram using decision curve analysis. <i>Journal of Urology</i> , 2013 , 189, 1662-9	2.5	117
303	Simple enucleation is equivalent to traditional partial nephrectomy for renal cell carcinoma: results of a nonrandomized, retrospective, comparative study. <i>Journal of Urology</i> , 2011 , 185, 1604-10	2.5	117

302	Tension-free midurethral slings in the treatment of female stress urinary incontinence: a systematic review and meta-analysis of randomized controlled trials of effectiveness. <i>European Urology</i> , 2007 , 52, 663-78	10.2	117
301	Original and reviewed nuclear grading according to the Fuhrman system: a multivariate analysis of 388 patients with conventional renal cell carcinoma. <i>Cancer</i> , 2005 , 103, 68-75	6.4	117
300	Correlation between clinical and pathological staging in a series of radical cystectomies for bladder carcinoma. <i>BJU International</i> , 2005 , 95, 786-90	5.6	116
299	International validation of the prognostic value of lymphovascular invasion in patients treated with radical cystectomy. <i>BJU International</i> , 2010 , 105, 1402-12	5.6	114
298	External validation of the Mayo Clinic Stage, Size, Grade and Necrosis (SSIGN) score to predict cancer specific survival using a European series of conventional renal cell carcinoma. <i>Journal of Urology</i> , 2006 , 175, 1235-9	2.5	113
297	Pilot Validation Study of the European Association of Urology Robotic Training Curriculum. <i>European Urology</i> , 2015 , 68, 292-9	10.2	112
296	Gender differences in radical nephroureterectomy for upper tract urothelial carcinoma. <i>World Journal of Urology</i> , 2011 , 29, 481-6	4	108
295	The effectiveness of off-protocol adjuvant chemotherapy for patients with urothelial carcinoma of the urinary bladder. <i>Clinical Cancer Research</i> , 2010 , 16, 4461-7	12.9	107
294	The role of robot-assisted radical prostatectomy and pelvic lymph node dissection in the management of high-risk prostate cancer: a systematic review. <i>European Urology</i> , 2014 , 65, 918-27	10.2	106
293	Nomogram predictive of cancer specific survival in patients undergoing partial or total amputation for squamous cell carcinoma of the penis. <i>Journal of Urology</i> , 2006 , 175, 2103-8; discussion 2108	2.5	101
292	Prospective evaluation with standardised criteria for postoperative complications after robotic-assisted laparoscopic radical prostatectomy. <i>European Urology</i> , 2010 , 57, 363-70	10.2	99
291	Impact of renal function on eligibility for chemotherapy and survival in patients who have undergone radical nephro-ureterectomy. <i>BJU International</i> , 2013 , 112, 453-61	5.6	97
290	Prediction of intravesical recurrence after radical nephroureterectomy: development of a clinical decision-making tool. <i>European Urology</i> , 2014 , 65, 650-8	10.2	94
289	Grading systems in renal cell carcinoma. <i>Journal of Urology</i> , 2007 , 177, 430-6	2.5	94
288	Chromophobe renal cell carcinoma (RCC): oncological outcomes and prognostic factors in a large multicentre series. <i>BJU International</i> , 2012 , 110, 76-83	5.6	93
287	Downsides of robot-assisted laparoscopic radical prostatectomy: limitations and complications. <i>European Urology</i> , 2010 , 57, 735-46	10.2	90
286	Impact of smoking and smoking cessation on oncologic outcomes in primary non-muscle-invasive bladder cancer. <i>European Urology</i> , 2013 , 63, 724-32	10.2	87
285	Prognostic factors for upper urinary tract urothelial carcinoma. <i>Nature Reviews Urology</i> , 2011 , 8, 440-7	5.5	81

284	Telehealth in Urology: A Systematic Review of the Literature. How Much Can Telemedicine Be Useful During and After the COVID-19 Pandemic?. <i>European Urology</i> , 2020 , 78, 786-811	10.2	77
283	Independent predictors of metachronous bladder transitional cell carcinoma (TCC) after nephroureterectomy for TCC of the upper urinary tract. <i>BJU International</i> , 2008 , 101, 1368-74	5.6	77
282	Proposal for reclassification of the TNM staging system in patients with locally advanced (pT3-4) renal cell carcinoma according to the cancer-related outcome. <i>European Urology</i> , 2007 , 51, 722-9; discussion 729-31	10.2	76
281	Impact of tumour location versus multifocality in patients with upper tract urothelial carcinoma treated with nephroureterectomy and bladder cuff excision: a homogeneous series without perioperative chemotherapy. <i>BJU International</i> , 2012 , 110, E7-13	5.6	75
280	Impact of smoking and smoking cessation on outcomes in bladder cancer patients treated with radical cystectomy. <i>European Urology</i> , 2013 , 64, 456-64	10.2	75
279	Stage-specific impact of tumor location on oncologic outcomes in patients with upper and lower tract urothelial carcinoma following radical surgery. <i>European Urology</i> , 2012 , 62, 677-84	10.2	74
278	Impact of medical treatments for male lower urinary tract symptoms due to benign prostatic hyperplasia on ejaculatory function: a systematic review and meta-analysis. <i>Journal of Sexual Medicine</i> , 2014 , 11, 1554-66	1.1	73
277	Trans-rectal versus trans-perineal saturation rebiopsy of the prostate: is there a difference in cancer detection rate?. <i>Urology</i> , 2011 , 77, 921-5	1.6	73
276	Prognostic and therapeutic impact of the histopathologic definition of parenchymal epithelial renal tumors. <i>European Urology</i> , 2010 , 58, 655-68	10.2	73
275	Loss of chromosome 9p is an independent prognostic factor in patients with clear cell renal cell carcinoma. <i>Modern Pathology</i> , 2008 , 21, 1-6	9.8	73
274	Learning curve and preliminary experience with da Vinci-assisted laparoscopic radical prostatectomy. <i>Urologia Internationalis</i> , 2008 , 80, 237-44	1.9	72
273	Prognostic factors in squamous cell carcinoma of the penis. <i>Nature Reviews Urology</i> , 2007 , 4, 140-6		72
272	Risks from Deferring Treatment for Genitourinary Cancers: A Collaborative Review to Aid Triage and Management During the COVID-19 Pandemic. <i>European Urology</i> , 2020 , 78, 29-42	10.2	71
271	Elective partial nephrectomy is equivalent to radical nephrectomy in patients with clinical T1 renal cell carcinoma: results of a retrospective, comparative, multi-institutional study. <i>BJU International</i> , 2012 , 109, 1013-8	5.6	70
270	Disease-free survival at 2 or 3 years correlates with 5-year overall survival of patients undergoing radical cystectomy for muscle invasive bladder cancer. <i>Journal of Urology</i> , 2011 , 185, 456-61	2.5	70
269	Female gender is associated with a worse survival after radical cystectomy for urothelial carcinoma of the bladder: a competing risk analysis. <i>Urology</i> , 2014 , 83, 863-7	1.6	69
268	Partial Nephrectomy in Clinical T1b Renal Tumors: Multicenter Comparative Study of Open, Laparoscopic and Robot-assisted Approach (the RECORD Project). <i>Urology</i> , 2016 , 89, 45-51	1.6	68
267	Oncological outcomes after laparoscopic and open radical nephroureterectomy: results from an international cohort. <i>BJU International</i> , 2011 , 108, 406-12	5.6	68

266	Systematic review of combination drug therapy for non-neurogenic male lower urinary tract symptoms. <i>European Urology</i> , 2013 , 64, 228-43	10.2	67
265	Prognostic role of the histologic subtypes of renal cell carcinoma after slide revision. <i>European Urology</i> , 2006 , 50, 786-93; discussion 793-4	10.2	67
264	Systematic review of methods for reporting combined outcomes after radical prostatectomy and proposal of a novel system: the survival, continence, and potency (SCP) classification. <i>European Urology</i> , 2012 , 61, 541-8	10.2	65
263	Is robotically assisted laparoscopic radical prostatectomy less invasive than retropubic radical prostatectomy? Results from a prospective, unrandomized, comparative study. <i>BJU International</i> , 2008 , 101, 1145-9	5.6	65
262	Concomitant carcinoma in situ as an independent prognostic parameter for recurrence and survival in upper tract urothelial carcinoma: a multicenter analysis of 772 patients. <i>World Journal of Urology</i> , 2011 , 29, 487-94	4	64
261	Impact of histologic subtype on cancer-specific survival in patients with renal cell carcinoma and tumor thrombus. <i>European Urology</i> , 2014 , 66, 577-83	10.2	63
260	Surgical treatment for female stress urinary incontinence: what is the gold-standard procedure?. <i>International Urogynecology Journal</i> , 2009 , 20, 619-21	2	63
259	Anticholinergic drugs in patients with bladder outlet obstruction and lower urinary tract symptoms: A systematic review. <i>European Urology</i> , 2006 , 50, 675-83	10.2	63
258	The potential impact of prostate volume in the planning of optimal number of cores in the systematic transperineal prostate biopsy. <i>European Urology</i> , 2005 , 48, 932-7	10.2	63
257	Obesity is associated with worse oncological outcomes in patients treated with radical cystectomy. <i>BJU International</i> , 2013 , 111, 249-55	5.6	61
256	Features associated with recurrence beyond 5 years after nephrectomy and nephron-sparing surgery for renal cell carcinoma: development and internal validation of a risk model (PRELANE score) to predict late recurrence based on a large multicenter database (CORONA/SATURN Project). <i>European Urology</i> , 2013 , 64, 472-7	10.2	61
255	Collecting duct renal cell carcinoma: a matched analysis of 41 cases. <i>European Urology</i> , 2007 , 52, 1140-5	10.2	61
254	Multifocal carcinoma in situ of the upper tract is associated with high risk of bladder cancer recurrence. <i>European Urology</i> , 2012 , 61, 1069-70	10.2	60
253	Predictors of cancer-specific mortality after disease recurrence following radical cystectomy. <i>BJU International</i> , 2013 , 111, E30-6	5.6	60
252	Multiinstitutional European validation of the 2002 TNM staging system in conventional and papillary localized renal cell carcinoma. <i>Cancer</i> , 2005 , 104, 968-74	6.4	60
251	Clinical pathways for urology patients during the COVID-19 pandemic. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2020 , 72, 376-383	4.4	60
250	Characteristics and outcomes of patients with clinical carcinoma in situ only treated with radical cystectomy: an international study of 243 patients. <i>Journal of Urology</i> , 2010 , 183, 1757-63	2.5	59
249	Proposal for revision of the TNM classification system for renal cell carcinoma. <i>Cancer</i> , 2005 , 104, 2116-23	4	59

248	The 'Stage, Size, Grade and Necrosis' score is more accurate than the University of California Los Angeles Integrated Staging System for predicting cancer-specific survival in patients with clear cell renal cell carcinoma. <i>BJU International</i> , 2009 , 103, 165-70	5.6	58
247	Predictors of positive surgical margins after laparoscopic robot assisted radical prostatectomy. <i>Journal of Urology</i> , 2009 , 182, 2682-8	2.5	56
246	Is laparoscopic radical prostatectomy better than traditional retropubic radical prostatectomy? An analysis of peri-operative morbidity in two contemporary series in Italy. <i>European Urology</i> , 2003 , 44, 401-6	10.2	56
245	Procedure-specific Risks of Thrombosis and Bleeding in Urological Cancer Surgery: Systematic Review and Meta-analysis. <i>European Urology</i> , 2018 , 73, 242-251	10.2	55
244	Structured and Modular Training Pathway for Robot-assisted Radical Prostatectomy (RARP): Validation of the RARP Assessment Score and Learning Curve Assessment. <i>European Urology</i> , 2016 , 69, 526-35	10.2	55
243	α-Blockers Improve Benign Prostatic Obstruction in Men with Lower Urinary Tract Symptoms: A Systematic Review and Meta-analysis of Urodynamic Studies. <i>European Urology</i> , 2016 , 69, 1091-101	10.2	54
242	Clinical nodal staging scores for bladder cancer: a proposal for preoperative risk assessment. <i>European Urology</i> , 2012 , 61, 237-42	10.2	54
241	Conditional survival after radical nephroureterectomy for upper tract carcinoma. <i>European Urology</i> , 2015 , 67, 803-12	10.2	54
240	Short-term outcome after high-intensity focused ultrasound in the treatment of patients with high-risk prostate cancer. <i>BJU International</i> , 2006 , 98, 1193-8	5.6	53
239	Treatment of the Primary Tumor in Metastatic Prostate Cancer: Current Concepts and Future Perspectives. <i>European Urology</i> , 2016 , 69, 775-87	10.2	52
238	Time to recurrence is a significant predictor of cancer-specific survival after recurrence in patients with recurrent renal cell carcinoma--results from a comprehensive multi-centre database (CORONA/SATURN-Project). <i>BJU International</i> , 2013 , 112, 909-16	5.6	52
237	Stage pT0 at radical cystectomy confers improved survival: an international study of 4,430 patients. <i>Journal of Urology</i> , 2010 , 184, 888-94	2.5	52
236	Male Lower Urinary Tract Symptoms and Cardiovascular Events: A Systematic Review and Meta-analysis. <i>European Urology</i> , 2016 , 70, 788-796	10.2	52
235	Prognostic factors and predictive tools for upper tract urothelial carcinoma: a systematic review. <i>World Journal of Urology</i> , 2017 , 35, 337-353	4	50
234	Robot-assisted Radical Prostatectomy and Extended Pelvic Lymph Node Dissection in Patients with Locally-advanced Prostate Cancer. <i>European Urology</i> , 2017 , 71, 249-256	10.2	50
233	Characteristics and outcomes of patients with pT4 urothelial carcinoma at radical cystectomy: a retrospective international study of 583 patients. <i>Journal of Urology</i> , 2010 , 183, 87-93	2.5	50
232	Independent predictors of contralateral metachronous upper urinary tract transitional cell carcinoma after nephroureterectomy: multi-institutional dataset from three European centers. <i>International Journal of Urology</i> , 2009 , 16, 187-91	2.3	50
231	PADUA and R.E.N.A.L. nephrometry scores correlate with perioperative outcomes of robot-assisted partial nephrectomy: analysis of the Vattikuti Global Quality Initiative in Robotic Urologic Surgery (GQI-RUS) database. <i>BJU International</i> , 2017 , 119, 456-463	5.6	48

230	Postoperative nomogram to predict cancer-specific survival after radical nephroureterectomy in patients with localised and/or locally advanced upper tract urothelial carcinoma without metastasis. <i>BJU International</i> , 2014 , 114, 733-40	5.6	48
229	Complications and outcomes of salvage robot-assisted radical prostatectomy: a single-institution experience. <i>BJU International</i> , 2014 , 113, 769-76	5.6	48
228	Standardized comparison of robot-assisted limited and extended pelvic lymphadenectomy for prostate cancer. <i>BJU International</i> , 2013 , 112, 81-8	5.6	48
227	Extranodal extension is a powerful prognostic factor in bladder cancer patients with lymph node metastasis. <i>European Urology</i> , 2013 , 64, 837-45	10.2	47
226	Robot-assisted radical cystectomy and urinary diversion: technical recommendations from the Pasadena Consensus Panel. <i>European Urology</i> , 2015 , 67, 423-31	10.2	47
225	Lessons learned from the International Renal Cell Carcinoma-Venous Thrombus Consortium (IRCC-VTC). <i>Current Urology Reports</i> , 2014 , 15, 404	2.9	46
224	Macroscopic sessile tumor architecture is a pathologic feature of biologically aggressive upper tract urothelial carcinoma. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2012 , 30, 666-72	2.8	46
223	Obesity adversely impacts disease specific outcomes in patients with upper tract urothelial carcinoma. <i>Journal of Urology</i> , 2011 , 186, 66-72	2.5	46
222	No overt influence of lymphadenectomy on cancer-specific survival in organ-confined versus locally advanced upper urinary tract urothelial carcinoma undergoing radical nephroureterectomy: a retrospective international, multi-institutional study. <i>World Journal of Urology</i> , 2011 , 29, 465-72	4	46
221	Association of tumor necrosis with pathological features and clinical outcome in 754 patients undergoing radical nephroureterectomy for upper tract urothelial carcinoma: an international validation study. <i>Journal of Urology</i> , 2010 , 184, 1895-900	2.5	46
220	Preoperative criteria to select patients for bilateral nerve-sparing robotic-assisted radical prostatectomy. <i>Journal of Sexual Medicine</i> , 2010 , 7, 839-45	1.1	46
219	Scintigraphic renal function after unilateral pyeloplasty in children: a systematic review. <i>BJU International</i> , 2008 , 102, 862-8	5.6	45
218	Expanding utilization of robotic partial nephrectomy for clinical T1b and complex T1a renal masses. <i>World Journal of Urology</i> , 2013 , 31, 499-504	4	44
217	A new staging system for locally advanced (pT3-4) renal cell carcinoma: a multicenter European study including 2,000 patients. <i>Journal of Urology</i> , 2007 , 178, 418-24; discussion 423-4	2.5	44
216	Predicting the risk of bone metastasis in prostate cancer. <i>Cancer Treatment Reviews</i> , 2014 , 40, 3-11	14.4	43
215	Efficacy and Safety of Sacral and Percutaneous Tibial Neuromodulation in Non-neurogenic Lower Urinary Tract Dysfunction and Chronic Pelvic Pain: A Systematic Review of the Literature. <i>European Urology</i> , 2018 , 73, 406-418	10.2	42
214	Early Catheter Removal after Robot-assisted Radical Prostatectomy: Surgical Technique and Outcomes for the Aalst Technique (ECaRemA Study). <i>European Urology</i> , 2016 , 69, 917-23	10.2	42
213	Robot-assisted simple prostatectomy for treatment of lower urinary tract symptoms secondary to benign prostatic enlargement: surgical technique and outcomes in a high-volume robotic centre. <i>European Urology</i> , 2015 , 68, 451-7	10.2	42

212	Prognostic value of extranodal extension and other lymph node parameters in patients with upper tract urothelial carcinoma. <i>Journal of Urology</i> , 2012 , 187, 845-51	2.5	42
211	Risk of cancer-specific mortality following recurrence after radical nephroureterectomy. <i>Annals of Surgical Oncology</i> , 2012 , 19, 4337-44	3.1	42
210	Varicocele repair for infertility: what is the evidence?. <i>Current Opinion in Urology</i> , 2012 , 22, 489-94	2.8	42
209	Robot-assisted partial nephrectomy for renal tumors larger than 4 cm: results of a multicenter, international series. <i>World Journal of Urology</i> , 2012 , 30, 665-70	4	41
208	Chronological age is not an independent predictor of clinical outcomes after radical nephroureterectomy. <i>World Journal of Urology</i> , 2011 , 29, 473-80	4	41
207	Forecasting the Future of Urology Practice: A Comprehensive Review of the Recommendations by International and European Associations on Priority Procedures During the COVID-19 Pandemic. <i>European Urology Focus</i> , 2020 , 6, 1032-1048	5.1	40
206	Mathematical models for prognostic prediction in patients with renal cell carcinoma. <i>Urologia Internationalis</i> , 2008 , 80, 113-23	1.9	40
205	Current applications of near-infrared fluorescence imaging in robotic urologic surgery: a systematic review and critical analysis of the literature. <i>Urology</i> , 2014 , 84, 751-9	1.6	39
204	Pathologic nodal staging score for bladder cancer: a decision tool for adjuvant therapy after radical cystectomy. <i>European Urology</i> , 2013 , 63, 371-8	10.2	39
203	Efficacy and Safety of Hexanic Lipidosterolic Extract of <i>Serenoa repens</i> (Permixon) in the Treatment of Lower Urinary Tract Symptoms Due to Benign Prostatic Hyperplasia: Systematic Review and Meta-analysis of Randomized Controlled Trials. <i>European Urology Focus</i> , 2016 , 2, 553-561	5.1	38
202	Predictive factors of recurrence and survival of upper tract urothelial carcinomas. <i>World Journal of Urology</i> , 2011 , 29, 495-501	4	38
201	Systematic reviews of observational studies of risk of thrombosis and bleeding in urological surgery (ROTBUS): introduction and methodology. <i>Systematic Reviews</i> , 2014 , 3, 150	3	37
200	Trifecta outcomes after robot-assisted laparoscopic radical prostatectomy. <i>BJU International</i> , 2011 , 107, 100-4	5.6	37
199	Functional results following vesica ileale Padovana (VIP) neobladder: midterm follow-up analysis with validated questionnaires. <i>European Urology</i> , 2010 , 57, 1045-51	10.2	37
198	Validation of the AJCC TNM substaging of pT2 bladder cancer: deep muscle invasion is associated with significantly worse outcome. <i>European Urology</i> , 2010 , 58, 112-7	10.2	37
197	Risk stratification and prognostication of renal cell carcinoma. <i>World Journal of Urology</i> , 2008 , 26, 115-254	4	36
196	Twelve-month self-reported quality of life after retropubic radical prostatectomy: a prospective study with Rand 36-Item Health Survey (Short Form-36). <i>BJU International</i> , 2006 , 97, 274-8	5.6	36
195	Impact of surgical and medical castration on serum testosterone level in prostate cancer patients. <i>Urologia Internationalis</i> , 2009 , 82, 249-55	1.9	35

194	Surgical treatment of recurrent stress urinary incontinence in women: a systematic review and meta-analysis of randomised controlled trials. <i>European Urology</i> , 2013 , 64, 323-36	10.2	34
193	Application of TNM, 2002 version, in localized renal cell carcinoma: is it able to predict different cancer-specific survival probability?. <i>Urology</i> , 2004 , 63, 1050-4	1.6	34
192	Validation of the preoperative aspects and dimensions used for an anatomical (PADUA) score in a robot-assisted partial nephrectomy series. <i>World Journal of Urology</i> , 2013 , 31, 799-804	4	33
191	Tumor-size breakpoint for prognostic stratification of localized renal cell carcinoma. <i>Urology</i> , 2004 , 63, 235-9; discussion 239-40	1.6	33
190	Prognostic role of ECOG performance status in patients with urothelial carcinoma of the upper urinary tract: an international study. <i>BJU International</i> , 2012 , 109, 1155-61	5.6	32
189	Long-term evaluation of survival, continence and potency (SCP) outcomes after robot-assisted radical prostatectomy (RARP). <i>BJU International</i> , 2013 , 112, 338-45	5.6	32
188	Development and validation of a tool for non-technical skills evaluation in robotic surgery-the ICARS system. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2017 , 31, 5403-5410	5.2	32
187	Prediction of true nodal status in patients with pathological lymph node negative upper tract urothelial carcinoma at radical nephroureterectomy. <i>Journal of Urology</i> , 2013 , 189, 468-73	2.5	31
186	Critical analysis of phase II and III randomised control trials (RCTs) evaluating efficacy and tolerability of a β -adrenoceptor agonist (Mirabegron) for overactive bladder (OAB). <i>BJU International</i> , 2015 , 115, 32-40	5.6	31
185	Racial differences in the outcome of patients with urothelial carcinoma of the upper urinary tract: an international study. <i>BJU International</i> , 2011 , 108, E304-9	5.6	31
184	Unclassified renal cell carcinoma: an analysis of 85 cases. <i>BJU International</i> , 2007 , 100, 802-8	5.6	31
183	Procedure-specific Risks of Thrombosis and Bleeding in Urological Non-cancer Surgery: Systematic Review and Meta-analysis. <i>European Urology</i> , 2018 , 73, 236-241	10.2	30
182	A 3-month preclinical trial to assess the performance of a new TVT-like mesh (TVT _x) in a sheep model. <i>International Urogynecology Journal</i> , 2007 , 18, 183-7	2	30
181	Pain assessment after original transperineal prostate biopsy using a coaxial needle. <i>Urology</i> , 2003 , 62, 689-92	1.6	30
180	Neoplasm staging and organ-confined renal cell carcinoma: a systematic review. <i>European Urology</i> , 2004 , 46, 559-64	10.2	29
179	Role of Clinical and Surgical Factors for the Prediction of Immediate, Early and Late Functional Results, and its Relationship with Cardiovascular Outcome after Partial Nephrectomy: Results from the Prospective Multicenter RECORD 1 Project. <i>Journal of Urology</i> , 2018 , 199, 927-932	2.5	28
178	Combining smoking information and molecular markers improves prognostication in patients with urothelial carcinoma of the bladder. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2014 , 32, 433-40	2.8	28
177	Needle core length is a quality indicator of systematic transperineal prostate biopsy. <i>European Urology</i> , 2006 , 50, 266-71	10.2	28

176	Disease-free survival as a surrogate for overall survival in upper tract urothelial carcinoma. <i>World Journal of Urology</i> , 2013 , 31, 5-11	4	27
175	Prognostic risk stratification of pathological stage T3N0 bladder cancer after radical cystectomy. <i>Journal of Urology</i> , 2011 , 185, 1216-21	2.5	27
174	Critical Review of Guidelines for BPH Diagnosis and Treatment Strategy. <i>European Urology Supplements</i> , 2006 , 5, 418-429	0.9	27
173	The role of adjuvant chemotherapy for lymph node-positive upper tract urothelial carcinoma following radical nephroureterectomy: a retrospective study. <i>BJU International</i> , 2015 , 116, 72-8	5.6	26
172	The European Association of Urology Robotic Urology Section (ERUS) survey of robot-assisted radical prostatectomy (RARP). <i>BJU International</i> , 2013 , 111, 596-603	5.6	26
171	Detection rate and factors predictive the presence of prostate cancer in patients undergoing ultrasonography-guided transperineal saturation biopsies of the prostate. <i>BJU International</i> , 2010 , 105, 1242-6	5.6	26
170	Predictive pathological factors of lymph nodes involvement in the squamous cell carcinoma of the penis. <i>International Urology and Nephrology</i> , 2002 , 34, 245-50	2.3	26
169	Critical analysis and validation of lymph node density as prognostic variable in urothelial carcinoma of bladder. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2013 , 31, 480-6	2.8	25
168	pT3 Substaging is a prognostic indicator for lymph node negative urothelial carcinoma of the bladder. <i>Journal of Urology</i> , 2010 , 184, 470-4	2.5	25
167	Varicocele is associated with an increase of connective tissue of the pampiniform plexus vein wall. <i>World Journal of Urology</i> , 2009 , 27, 363-9	4	25
166	Surgery for pelvic organ prolapse: current status and future perspectives. <i>Current Opinion in Urology</i> , 2005 , 15, 256-62	2.8	25
165	Impact of enhanced recovery after surgery protocols versus standard of care on perioperative outcomes of radical cystectomy: a systematic review and meta-analysis of comparative studies. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2019 , 71, 309-323	4.4	25
164	Predictive Value of Nephrometry Scores in Nephron-sparing Surgery: A Systematic Review and Meta-analysis. <i>European Urology Focus</i> , 2020 , 6, 490-504	5.1	25
163	TriMatch comparison of the efficacy of FloSeal versus TachoSil versus no hemostatic agents for partial nephrectomy: results from a large multicenter dataset. <i>International Journal of Urology</i> , 2015 , 22, 47-52	2.3	24
162	Prognostic factors in a large multi-institutional series of papillary renal cell carcinoma. <i>BJU International</i> , 2012 , 109, 1140-6	5.6	24
161	Outcomes and prognostic factors in patients with a single lymph node metastasis at time of radical cystectomy. <i>BJU International</i> , 2013 , 111, 74-84	5.6	24
160	Impact of clinical and histopathological parameters on disease specific survival in patients with collecting duct renal cell carcinoma: development of a disease specific risk model. <i>Journal of Urology</i> , 2013 , 190, 458-63	2.5	24
159	Postoperative Nomogram for Relapse-Free Survival in Patients with High Grade Upper Tract Urothelial Carcinoma. <i>Journal of Urology</i> , 2017 , 197, 580-589	2.5	23

158	Multicenter validation of the prognostic value of patient age in patients treated with radical cystectomy. <i>World Journal of Urology</i> , 2012 , 30, 753-9	4	23
157	New Antiandrogen Compounds Compared to Docetaxel for Metastatic Hormone Sensitive Prostate Cancer: Results from a Network Meta-Analysis. <i>Journal of Urology</i> , 2020 , 203, 751-759	2.5	23
156	The Simplified PADUA REnal (SPARE) nephrometry system: a novel classification of parenchymal renal tumours suitable for partial nephrectomy. <i>BJU International</i> , 2019 , 124, 621	5.6	22
155	Cardiopulmonary Bypass has No Significant Impact on Survival in Patients Undergoing Nephrectomy and Level III-IV Inferior Vena Cava Thrombectomy: Multi-Institutional Analysis. <i>Journal of Urology</i> , 2015 , 194, 304-308	2.5	22
154	Systematic review and meta-analysis of randomized controlled trials evaluating silodosin in the treatment of non-neurogenic male lower urinary tract symptoms suggestive of benign prostatic enlargement. <i>World Journal of Urology</i> , 2013 , 31, 997-1008	4	22
153	Predictors of survival in patients with soft tissue surgical margin involvement at radical cystectomy. <i>Annals of Surgical Oncology</i> , 2013 , 20, 1027-34	3.1	22
152	Gonadotropin-releasing hormone agonists and acute kidney injury in patients with prostate cancer. <i>European Urology</i> , 2014 , 66, 1125-32	10.2	21
151	Impact of synchronous metastasis distribution on cancer specific survival in renal cell carcinoma after radical nephrectomy with tumor thrombectomy. <i>Journal of Urology</i> , 2015 , 193, 436-42	2.5	21
150	Outcomes and limitations of laparoscopic and robotic partial nephrectomy. <i>Current Opinion in Urology</i> , 2014 , 24, 441-7	2.8	21
149	Effect of statin use on outcomes of non-muscle-invasive bladder cancer. <i>BJU International</i> , 2013 , 112, E4-12	5.6	21
148	Accuracy of on-bench biopsies in the evaluation of the histological subtype, grade, and necrosis of renal tumours. <i>Pathology</i> , 2011 , 43, 149-55	1.6	21
147	Robot-Assisted Radical Cystectomy for Bladder Cancer in Octogenarians. <i>Journal of Endourology</i> , 2016 , 30, 792-8	2.7	21
146	Robot-assisted partial nephrectomy. <i>International Journal of Surgery</i> , 2016 , 36, 554-559	7.5	21
145	Risk of Virus Contamination Through Surgical Smoke During Minimally Invasive Surgery: A Systematic Review of the Literature on a Neglected Issue Revived in the COVID-19 Pandemic Era. <i>European Urology Focus</i> , 2020 , 6, 1058-1069	5.1	20
144	Oncologic Outcomes of Kidney Sparing Surgery versus Radical Nephroureterectomy for the Elective Treatment of Clinically Organ Confined Upper Tract Urothelial Carcinoma of the Distal Ureter. <i>Journal of Urology</i> , 2016 , 195, 1354-1361	2.5	20
143	Smoking reduces the efficacy of intravesical bacillus Calmette-Guérin immunotherapy in non-muscle-invasive bladder cancer. <i>European Urology</i> , 2012 , 62, 1204-6	10.2	20
142	Prolapse surgery: an update. <i>Current Opinion in Urology</i> , 2007 , 17, 237-41	2.8	20
141	Robotic radical prostatectomy: a critical analysis of the impact on cancer control. <i>Current Opinion in Urology</i> , 2011 , 21, 179-84	2.8	19

140	Prognostic risk stratification of pathological stage T2N0 bladder cancer after radical cystectomy. <i>BJU International</i> , 2011 , 108, 687-92	5.6	19
139	How accurately do Solsona and European Association of Urology risk groups predict for risk of lymph node metastases in patients with squamous cell carcinoma of the penis?. <i>Urology</i> , 2008 , 71, 328-331 ⁶	1.6	19
138	Anatomical study of renal arterial vasculature and its potential impact on partial nephrectomy. <i>BJU International</i> , 2017 , 120, 83-91	5.6	18
137	Impact of the COVID-19 pandemic on urological practice in emergency departments in Italy. <i>BJU International</i> , 2020 , 126, 245-247	5.6	18
136	Balancing continence function and oncological outcomes during robot-assisted radical prostatectomy (RARP). <i>BJU International</i> , 2011 , 108, 999-1006	5.6	18
135	Factors predicting health-related quality of life recovery in patients undergoing surgical treatment for renal tumors: prospective evaluation using the RAND SF-36 Health Survey. <i>European Urology</i> , 2010 , 57, 112-20	10.2	18
134	Prostate Biopsy: The Transperineal Approach. <i>EAU-EBU Update Series</i> , 2007 , 5, 241-249		18
133	Inflammation, Apoptosis, and BPH: What is the Evidence?. <i>European Urology Supplements</i> , 2006 , 5, 401-409		18
132	Radiolabeled choline PET/CT before salvage lymphadenectomy dissection: a systematic review and meta-analysis. <i>Nuclear Medicine Communications</i> , 2016 , 37, 1223-1231	1.6	18
131	Renal cell carcinoma with inferior vena cava involvement: Prognostic effect of tumor thrombus consistency on cancer specific survival. <i>Journal of Surgical Oncology</i> , 2016 , 114, 764-768	2.8	17
130	The European Association of Urology Robotic Training Curriculum: An Update. <i>European Urology Focus</i> , 2016 , 2, 105-108	5.1	17
129	Oncologic Outcomes of Robot-Assisted Radical Cystectomy: Results of a High-Volume Robotic Center. <i>Journal of Endourology</i> , 2016 , 30, 75-82	2.7	17
128	Predictors of survival in patients with disease recurrence after radical nephroureterectomy. <i>BJU International</i> , 2014 , 113, 911-7	5.6	17
127	Concomitant carcinoma in situ in cystectomy specimens is not associated with clinical outcomes after surgery. <i>Urologia Internationalis</i> , 2011 , 87, 42-8	1.9	17
126	Psycho-social well-being and general health status after surgical treatment for localized renal cell carcinoma. <i>International Urology and Nephrology</i> , 2002 , 34, 441-6	2.3	17
125	Development and external validation of nomograms predicting disease-free and cancer-specific survival after radical cystectomy. <i>World Journal of Urology</i> , 2015 , 33, 1419-28	4	16
124	Cognitive training for technical and non-technical skills in robotic surgery: a randomised controlled trial. <i>BJU International</i> , 2018 , 122, 1075-1081	5.6	16
123	International validation of the prognostic value of subclassification for AJCC stage pT3 upper tract urothelial carcinoma of the renal pelvis. <i>BJU International</i> , 2012 , 110, 674-81	5.6	16

122	Cost-utility analysis of radical nephrectomy versus partial nephrectomy in the management of small renal masses: Adjusting for the burden of ensuing chronic kidney disease. <i>Canadian Urological Association Journal</i> , 2013 , 7, 108-13	1.2	16
121	Surgical outcomes after modified antegrade scrotal sclerotherapy: a prospective analysis of 700 consecutive patients with idiopathic varicocele. <i>Journal of Urology</i> , 2008 , 179, 1933-7	2.5	16
120	Low Pressure Robot-assisted Radical Prostatectomy With the AirSeal System at OLV Hospital: Results From a Prospective Study. <i>Clinical Genitourinary Cancer</i> , 2017 , 15, e1029-e1037	3.3	15
119	A pooled analysis of individual patient data from registrational trials of silodosin in the treatment of non-neurogenic male lower urinary tract symptoms (LUTS) suggestive of benign prostatic hyperplasia (BPH). <i>BJU International</i> , 2014 , 114, 427-33	5.6	15
118	The Role of Radiolabeled Prostate-specific Membrane Antigen Positron Emission Tomography/Computed Tomography for the Evaluation of Renal Cancer. <i>European Urology Focus</i> , 2020 , 6, 146-150	5.1	15
117	Individual patient data from registrational trials of silodosin in the treatment of non-neurogenic male lower urinary tract symptoms (LUTS) associated with benign prostatic hyperplasia (BPH): subgroup analyses of efficacy and safety data. <i>BJU International</i> , 2015 , 115, 802-14	5.6	14
116	Risk of SARS-CoV-2 Diffusion when Performing Minimally Invasive Surgery During the COVID-19 Pandemic. <i>European Urology</i> , 2020 , 78, e12-e13	10.2	14
115	Clinical impact of body mass index on the outcome of the SPARC-sling system for the treatment of female stress urinary incontinence. <i>World Journal of Urology</i> , 2013 , 31, 875-80	4	14
114	Trends from 1999 to 2007 in the surgical treatments of kidney cancer in Europe: data from the Veneto Region, Italy. <i>BJU International</i> , 2010 , 105, 1255-9	5.6	14
113	The diagnosis of benign prostatic obstruction: Development of a clinical nomogram. <i>Neurourology and Urodynamics</i> , 2016 , 35, 235-40	2.3	13
112	Tolterodine extended release in the treatment of male OAB/storage LUTS: a systematic review. <i>BMC Urology</i> , 2014 , 14, 84	2.2	13
111	Does increasing the nodal yield improve outcomes in patients without nodal metastasis at radical cystectomy?. <i>World Journal of Urology</i> , 2012 , 30, 807-14	4	13
110	Robot-assisted partial nephrectomy in cystic tumours: analysis of the Vattikuti Global Quality Initiative in Robotic Urologic Surgery (GQI-RUS) database. <i>BJU International</i> , 2016 , 117, 642-7	5.6	13
109	Tumour contact surface area as a predictor of postoperative complications and renal function in patients undergoing partial nephrectomy for renal tumours. <i>BJU International</i> , 2019 , 123, 639-645	5.6	13
108	Training Modalities in Robot-assisted Urologic Surgery: A Systematic Review. <i>European Urology Focus</i> , 2017 , 3, 102-116	5.1	12
107	EVIDENCE-BASED GENDER RELATED OUTCOMES AFTER RADICAL CYSTECTOMY: RESULTS OF A LARGE MULTICENTER STUDY. <i>Journal of Urology</i> , 2009 , 181, 629	2.5	12
106	Systematic Review of Combination Drug Therapy for Non-neurogenic Lower Urinary Tract Symptoms. <i>European Urology</i> , 2019 , 75, 129-168	10.2	12
105	Detection Rate of Prostate Specific Membrane Antigen Tracers for Positron Emission Tomography/Computerized Tomography in Prostate Cancer Biochemical Recurrence: A Systematic Review and Network Meta-Analysis. <i>Journal of Urology</i> , 2021 , 205, 356-369	2.5	12

104	Outcomes of Laparoscopic and Robotic Partial Nephrectomy for Large (>4 Cm) Kidney Tumors: Systematic Review and Meta-Analysis. <i>Annals of Surgical Oncology</i> , 2017 , 24, 2420-2428	3.1	11
103	Prognostic value of prior history of urothelial carcinoma of the bladder in patients with upper urinary tract urothelial carcinoma: results from a retrospective multicenter study. <i>World Journal of Urology</i> , 2015 , 33, 1005-13	4	11
102	Modified antegrade scrotal sclerotherapy in adolescent patients with varicocele. <i>Journal of Pediatric Surgery</i> , 2004 , 39, 1034-6	2.6	11
101	Many facets of chromosome 3p cytogenetic findings in clear cell renal carcinoma: the need for agreement in assessment FISH analysis to avoid diagnostic errors. <i>Histology and Histopathology</i> , 2011 , 26, 1207-13	1.4	11
100	Use of Main Renal Artery Clamping Predominates Over Minimal Clamping Techniques During Robotic Partial Nephrectomy for Complex Tumors. <i>Journal of Endourology</i> , 2017 , 31, 149-152	2.7	10
99	Time of catheterization as an independent predictor of early urinary continence recovery after radical prostatectomy. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2018 , 70, 401-407	4.4	10
98	Why and How to Evaluate Chronic Prostatic Inflammation. <i>European Urology Supplements</i> , 2013 , 12, 110-115	1.5	10
97	Population-based analyses of radical cystectomy and urinary diversion for bladder cancer in northern Italy. <i>BJU International</i> , 2011 , 108, E266-71	5.6	10
96	Prognostic role of tumour multifocality in renal cell carcinoma. <i>BJU International</i> , 2012 , 110, E443-8	5.6	9
95	Anatomic and Radiologic Study of Renal Avascular Plane (Brödel's Line) and Its Potential Relevance on Percutaneous and Surgical Approaches to the Kidney. <i>Journal of Endourology</i> , 2018 , 32, 154-159	2.7	9
94	Impact of lymph node dissection at the time of radical nephrectomy with tumor thrombectomy on oncological outcomes: Results from the International Renal Cell Carcinoma-Venous Thrombus Consortium (IRCC-VTC). <i>Urologic Oncology: Seminars and Original Investigations</i> , 2018 , 36, 79.e11-79.e17	2.8	9
93	Zero ischaemia partial nephrectomy: a call for standardized nomenclature and functional outcomes. <i>Nature Reviews Urology</i> , 2016 , 13, 674-683	5.5	8
92	Antegrade scrotal sclerotherapy of internal spermatic veins for varicocele treatment: technique, complications, and results. <i>Asian Journal of Andrology</i> , 2016 , 18, 292-5	2.8	8
91	Antegrade scrotal sclerotherapy and varicocele. <i>Asian Journal of Andrology</i> , 2002 , 4, 221-4	2.8	8
90	Urethral-fixation technique improves early urinary continence recovery in patients who undergo retropubic radical prostatectomy. <i>BJU International</i> , 2017 , 119, 245-253	5.6	7
89	Modular Training for Robot-Assisted Radical Prostatectomy: Where to Begin?. <i>Journal of Surgical Education</i> , 2017 , 74, 486-494	3.4	7
88	Predicting survival in node-positive prostate cancer after open, laparoscopic or robotic radical prostatectomy: A competing risk analysis of a multi-institutional database. <i>International Journal of Urology</i> , 2016 , 23, 1000-1008	2.3	7
87	Improvement of seminal parameters and pregnancy rates after antegrade sclerotherapy of internal spermatic veins. <i>Fertility and Sterility</i> , 2009 , 91, 1085-9	4.8	7

86	Myoblasts and fibroblasts in stress urinary incontinence. <i>Lancet, The</i> , 2007 , 369, 2139-2140	4.0	7
85	The International Continence Society terminology for the lower urinary tract: the importance of standardization. <i>Nature Reviews Urology</i> , 2005 , 2, 576-7		7
84	Prognostic factors in a recent series of patients treated with radical cystectomy for bladder cancer. <i>Urologia Internationalis</i> , 2005 , 75, 10-6	1.9	7
83	Perioperative Outcomes and Early Survival in Octogenarians Who Underwent Radical Cystectomy for Bladder Cancer. <i>Urologia Internationalis</i> , 2018 , 100, 13-17	1.9	7
82	Impact of DNA repair gene polymorphisms on the risk of biochemical recurrence after radiotherapy and overall survival in prostate cancer. <i>Oncotarget</i> , 2017 , 8, 22863-22875	3.3	6
81	Kidney cancer: Characterizing late recurrence of renal cell carcinoma. <i>Nature Reviews Urology</i> , 2013 , 10, 687-9	5.5	5
80	Reply to Stefano C.M. Picozzi, Cristian Ricci and Luca Carmignani's letter to the editor re: Giacomo Novara, Vincenzo Ficarra, Simone Mocellin, et al. Systematic review and meta-analysis of studies reporting oncologic outcome after robot-assisted radical prostatectomy. <i>Eur Urol</i> 2012;62:382-404. <i>European Urology</i> , 2013 , 63, e29-31	10.2	5
79	Recourse to radical prostatectomy and associated short-term outcomes in Italy: a country-wide study over the last decade. <i>BJU International</i> , 2015 , 116, 862-7	5.6	5
78	Advanced kidney cancer: treating the elderly. <i>Expert Review of Anticancer Therapy</i> , 2013 , 13, 1389-98	3.5	5
77	Utility of racemase and other immunomarkers in the detection of adenocarcinoma in prostatic tissue damaged by high intensity focused ultrasound therapy. <i>Pathology</i> , 2010 , 42, 1-5	1.6	5
76	Editorial comment on: does physiotherapist-guided pelvic floor muscle training reduce urinary incontinence after radical prostatectomy? A randomised clinical trial. <i>European Urology</i> , 2008 , 54, 447	10.2	5
75	Optimal Dissemination of Scientific Manuscripts via Social Media: A Prospective Trial Comparing Visual Abstracts Versus Key Figures in Consecutive Original Manuscripts Published in European Urology.. <i>European Urology</i> , 2022 ,	10.2	5
74	Positive Surgical Margins After Partial Nephrectomy: A Systematic Review and Meta-Analysis of Comparative Studies. <i>Kidney Cancer</i> , 2018 , 2, 133-145	0.6	4
73	External validation of the preoperative Karakiewicz nomogram in a large multicentre series of patients with renal cell carcinoma. <i>World Journal of Urology</i> , 2013 , 31, 1285-90	4	4
72	Prognostic Model for Predicting Survival in Patients with Disease Recurrence Following Radical Cystectomy. <i>European Urology Focus</i> , 2015 , 1, 75-81	5.1	4
71	Computed tomography features predicting aggressiveness of malignant parenchymal renal tumors suitable for partial nephrectomy. <i>Minerva Urology and Nephrology</i> , 2021 , 73, 17-31	2.3	4
70	Tolterodine in the Treatment of Male LUTS. <i>Current Urology Reports</i> , 2015 , 16, 60	2.9	3
69	An International Survey on the Use of Thromboprophylaxis in Urological Surgery. <i>European Urology Focus</i> , 2021 , 7, 653-658	5.1	3

68	The Impact of Centralised Services on Metric Reflecting High-quality Performance: Outcomes from 1110 Consecutive Radical Cystectomies at a Single Centre. <i>European Urology Focus</i> , 2021 , 7, 554-565	5.1	3
67	MP75-18 PARTIAL NEPHRECTOMY VERSUS RADICAL NEPHRECTOMY FOR CLINICAL T1B AND T2 RENAL MASS: A META-ANALYSIS OF OVER 9000 CASES. <i>Journal of Urology</i> , 2016 , 195,	2.5	3
66	MP20-13 DEVELOPMENT AND CONTENT VALIDATION OF THE ASSESSMENT TOOL FOR ROBOT-ASSISTED PARTIAL NEPHRECTOMY. <i>Journal of Urology</i> , 2016 , 195,	2.5	3
65	1907 LEVEL OF THROMBOUS ACCORDING TO MAYO CLINIC CLASSIFICATION IS AN INDEPENDENT PREDICTOR OF PERIOPERATIVE COMPLICATIONS AND CANCER-RELATED OUTCOME: DATA OF THE IRCVT RCC VENOUS THROMBUS CONSORTIUM. <i>Journal of Urology</i> , 2013 , 189,	2.5	3
64	742 FEATURES ASSOCIATED WITH RECURRENCE BEYOND 5 YEARS AFTER NEPHRECTOMY AND NEPHRON-SPARING SURGERY FOR RENAL CELL CARCINOMA: DEVELOPMENT AND INTERNAL VALIDATION OF A RISK-MODEL TO PREDICT LATE RECURRENCE BASED ON A LARGE MULTI-CENTER DATABASE (CORONA/SATURN-PROJECT). <i>Journal of Urology</i> , 2013 , 189,	2.5	3
63	Slings in surgery of genuine stress incontinence. <i>World Journal of Urology</i> , 2012 , 30, 465-70	4	3
62	Critical Assessment of Pelvic Floor Surgical Reconstruction Outcome. <i>EAU-EBU Update Series</i> , 2006 , 4, 202-213		3
61	Nomograms in Urologic Oncology: Lights and Shadows. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	3
60	Medical Treatment of LUTS/BPH 2014 , 67-87		3
59	Evaluating the predictive accuracy and the clinical benefit of a nomogram aimed to predict survival in node-positive prostate cancer patients: External validation on a multi-institutional database. <i>International Journal of Urology</i> , 2018 , 25, 574-581	2.3	2
58	741 TIME TO RECURRENCE IS A SIGNIFICANT PREDICTOR OF CANCER-SPECIFIC SURVIVAL IN PATIENTS WITH RECURRENT RENAL CELL CARCINOMA - RESULTS FROM A COMPREHENSIVE MULTI-CENTER DATABASE (CORONA/SATURN-PROJECT). <i>Journal of Urology</i> , 2013 , 189,	2.5	2
57	Quantitative score modulation of HSP90 and HSP27 in clear cell renal cell carcinoma. <i>Pathology</i> , 2014 , 46, 523-6	1.6	2
56	MP55-11 DEVELOPMENT AND EXTERNAL VALIDATION OF NOMOGRAMS PREDICTING DISEASE-FREE AND CANCER SPECIFIC SURVIVAL AFTER RADICAL CYSTETCOMY. <i>Journal of Urology</i> , 2014 , 191,	2.5	2
55	MP57-11 DOES THE USE OF CARDIOPULMONARY BY-PASS (CPB) IMPACT SURVIVAL IN PATIENTS UNDERGOING NEPHRECTOMY/LEVEL III-IV TUMOR THROMBECTOMY? A MULTI-INSTITUTIONAL ANALYSIS. <i>Journal of Urology</i> , 2014 , 191,	2.5	2
54	Words of wisdom. Re: A randomized trial of urodynamic testing before stress-incontinence surgery. <i>European Urology</i> , 2012 , 62, 730-1	10.2	2
53	Words of wisdom. Re: Adverse effects of robotic-assisted laparoscopic versus open retropubic radical prostatectomy among a nationwide random sample of Medicare-age men. <i>European Urology</i> , 2012 , 62, 933-5	10.2	2
52	Editorial comment on: Treatment with propiverine in children suffering from nonneurogenic overactive bladder and urinary incontinence: results of a randomized placebo-controlled phase 3 clinical trial. <i>European Urology</i> , 2009 , 55, 737	10.2	2
51	Editorial comment on: Systematic review and meta-analysis of robotic-assisted versus conventional laparoscopic pyeloplasty for patients with ureteropelvic junction obstruction: effect on operative time, length of hospital stay, postoperative complications, and success rate. <i>European Urology</i> , 2009 , 56, 857-8	10.2	2

50	Re: Kyu-Sing Lee, Myung-Soo Choo, Chin Kyung Doo, et al. The long term (5-Years) objective TVT success rate does not depend on predictive factors at multivariate analysis. A multicentre retrospective study. <i>Eur Urol</i> 2008; 53:176-83. <i>European Urology</i> , 2008 , 54, 692-3	10.2	2
49	Imaging for urinary incontinence: a contemporary perspective. <i>Current Opinion in Urology</i> , 2006 , 16, 219-23		2
48	Robot-assisted vs open radical prostatectomy: the day after. <i>BJU International</i> , 2017 , 120, 308-309	5.6	1
47	Re: Giorgio Ivan Russo, Carmen Scandura, Marina Di Mauro, et al. Clinical Efficacy of Serenoa repens Versus Placebo Versus Alpha-blockers for the Treatment of Lower Urinary Tract Symptoms/Benign Prostatic Enlargement: A Systematic Review and Network Meta-analysis of Randomized	5.1	1
46	Reply to Wael Agur and Jawad Freites' Letter to the Editor re: Ferdinando Fusco, Mohamed Abdel-Fattah, Christopher R. Chapple, et al. Updated Systematic Review and Meta-analysis of the Comparative Data on Colposuspensions, Pubovaginal Slings, and Midurethral Tapes in the Surgical Treatment of Female Urinary Incontinence. <i>Eur Urol</i> 2017;72:567-91. <i>European Urology</i> , 2018 , 74, 1830-1831	10.2	1
45	1830 IMPACT OF HISTOLOGIC SUBTYPE ON TUMOR THROMBUS LEVEL AND CANCER-SPECIFIC SURVIVAL IN PATIENTS WITH RENAL CELL CARCINOMA AND VENA CAVA THROMBUS. <i>Journal of Urology</i> , 2013 , 189,	2.5	1
44	Reply to Robert P. Myers' letter to the editor re: Francesco Montorsi, Timothy G. Wilson, Raymond C. Rosen, et al. best practices in robot-assisted radical prostatectomy: recommendations of the Pasadena consensus panel. <i>Eur Urol</i> 2012;62:368-81. <i>European Urology</i> , 2013 , 63, e42-3	10.2	1
43	MP51-16 DEVELOPMENT AND CONTENT VALIDATION OF A TRAINING AND ASSESSMENT TOOL FOR RAPN. <i>Journal of Urology</i> , 2017 , 197,	2.5	1
42	Risk stratification for benign prostatic hyperplasia. <i>Urologia</i> , 2017 , 84, 153-157	1.2	1
41	Histopathological characteristics of microfocal prostate cancer detected during systematic prostate biopsy. <i>BJU International</i> , 2015 , 116, 202-6	5.6	1
40	650 COMPARATIVE OUTCOME ANALYSIS OF OPEN VERSUS ROBOTIC-ASSISTED RADICAL PROSTATECTOMY MATCHED BY D'AMICO RISK CATEGORY. <i>Journal of Urology</i> , 2011 , 185,	2.5	1
39	350 OUTCOMES OF OPEN VERSUS ROBOTIC-ASSISTED RADICAL PROSTATECTOMY FOR HIGH-RISK PROSTATE CANCER: A MULTI-INSTITUTION STUDY ON 13,567 MEN. <i>Journal of Urology</i> , 2011 , 185,	2.5	1
38	Editorial comment on: Impact of C-reactive protein kinetics on survival of patients with metastatic renal cell carcinoma. <i>European Urology</i> , 2009 , 55, 1153-4	10.2	1
37	Editorial comment on: surveillance study in Europe and Brazil on clinical aspects and Antimicrobial Resistance Epidemiology in Females with Cystitis (ARESC): implications for empiric therapy. <i>European Urology</i> , 2008 , 54, 1175-6	10.2	1
36	An unusual inguino-scrotal presentation of disseminated peritoneal adenomucinosis. <i>Urologia Internationalis</i> , 2006 , 76, 189-91	1.9	1
35	Is Previous eGFR a Reliable Risk Factor for COVID-19 Death? Single Centre Analysis in Chronic Kidney Disease Patients in Northern Italy. <i>BioMed</i> , 2022 , 2, 82-87		1
34	A Contemporary Case Series of Complex Surgical Repair of Surgical/Endoscopic Injuries to the Abdominal Ureter. <i>European Urology Focus</i> , 2021 , 7, 1476-1484	5.1	1
33	Re: Michael S. Hofman, Nathan Lawrentschuk, Roslyn J. Francis, et al. Prostate-specific Membrane Antigen PET-CT in Patients with High-risk Cancer Before Curative-intent Surgery or Radiotherapy (proPSMA): A Prospective, Randomized, Multicenter Study. <i>Lancet</i> 2020;395:1208-16. <i>European Urology Oncology</i> , 2020 , 3, 713	6.7	1

32	Analysis of the Clinical and Epidemiological Meaning of Screening Test for SARS-CoV-2: Considerations in the Chronic Kidney Disease Patients during the COVID-19 Pandemic. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	1
31	Risks and Benefits of Live Surgical Broadcast: A Systematic Review. <i>European Urology Focus</i> , 2021 ,	5.1	1
30	Robot-Assisted Partial Nephrectomy 2018 , 107-117		1
29	Robot-assisted Simple Prostatectomy 2018 , 443-450		1
28	Evaluation of lymphovascular invasion as a prognostic predictor of overall survival after radical prostatectomy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021 , 39, 495.e1-495.e6	2.8	1
27	Relative position of bladder neck to pubic symphysis on cystogram is a strong and reproducible predictor of early urinary continence recovery following radical prostatectomy. <i>Urologia</i> , 2021 , 88, 115-121	1.2	0
26	Impact of Lymphovascular Invasion on Overall Survival in Patients With Prostate Cancer Following Radical Prostatectomy: Stage-per-Stage Analysis. <i>Clinical Genitourinary Cancer</i> , 2021 , 19, e319-e325	3.3	0
25	Reply to Michael Froehner and Manfred P. Wirth's letter to the editor re: Vincenzo Ficarra, Giacomo Novara, Raymond C. Rosen, et al. systematic review and meta-analysis of studies reporting urinary continence recovery after robot-assisted radical prostatectomy. <i>Eur Urol</i> 2012;62:405-17. <i>European Urology</i> , 2013 , 63, e39-40	10.2	
24	Painless Scrotal Lumps: Classification and Clinics. <i>Medical Radiology</i> , 2011 , 139-149	0.2	
23	Editorial comment on: Urinary nerve growth factor levels are elevated in patients with detrusor overactivity and decreased in responders to detrusor botulinum toxin-A injection. <i>European Urology</i> , 2009 , 56, 706-7	10.2	
22	Editorial comment on: Mode-of-action, efficacy, and safety of a homologous multi-epitope vaccine in a murine model for adjuvant treatment of renal cell carcinoma. <i>European Urology</i> , 2009 , 56, 131-2	10.2	
21	Reply to David R. Staskin and Michael G. Oefelein's Letter to the Editor re: Giacomo Novara, Antonio Galfano, Silvia Secco, et al. A Systematic Review and Meta-Analysis of Randomized Controlled Trials with Antimuscarinic Drugs for Overactive bladder. <i>Eur Urol</i> 2008;54:740-4. <i>European Urology</i> , 2009 , 55, 86-87	10.2	
20	Editorial comment on: Basic mechanisms of urgency: preclinical and clinical evidence. <i>European Urology</i> , 2009 , 56, 307	10.2	
19	Author reply: Neoadjuvant targeted therapy in renal cell carcinoma. <i>Nature Reviews Urology</i> , 2010 , 7, 1-1	5.5	
18	Editorial comment on: TVT-O for the treatment of female stress urinary incontinence: results of a prospective study after a 3-year minimum follow-up. <i>European Urology</i> , 2008 , 53, 408-9	10.2	
17	Editorial comment on: Botulinum toxin A detrusor injections in patients with neurogenic detrusor overactivity significantly decrease the incidence of symptomatic urinary tract infections. <i>European Urology</i> , 2008 , 53, 618-9	10.2	
16	Editorial comment on: symptom bother and health care-seeking behavior among individuals with overactive bladder. <i>European Urology</i> , 2008 , 53, 1038-9	10.2	
15	Editorial comment on: placebo-controlled dose-ranging phase 2 study of subcutaneously administered LHRH antagonist cetrorelix in patients with symptomatic benign prostatic hyperplasia. <i>European Urology</i> , 2008 , 54, 178	10.2	

14	Editorial comment on: treatment of bladder pain syndrome/interstitial cystitis 2008: can we make evidence-based decisions?. <i>European Urology</i> , 2008 , 54, 76	10.2
13	Editorial comment on: The impact of temporal presentation on clinical and pathological outcomes for patients with sporadic bilateral renal masses. <i>European Urology</i> , 2008 , 54, 864-5	10.2
12	Editorial comment on: Anatomical mapping of lymphatic drainage in penile carcinoma with SPECT-CT: implications for the extent of inguinal lymph node dissection. <i>European Urology</i> , 2008 , 54, 891	10.2
11	Editorial comment on: Is botulinum neurotoxin type A (BoNT-A) a novel therapy for lower urinary tract symptoms due to benign prostatic enlargement? A review of the literature. <i>European Urology</i> , 2008 , 54, 775-6	10.2
10	Reply to Benedict T. Blake-James and Mark Emberton Letter to the Editor re: Giacomo Novara, Antonio Galfano, Vincenzo Ficarra and Walter Artibani. Anticholinergic Drugs in Patients with Bladder Outlet Obstruction and Lower Urinary Tract Symptoms: A Systematic Review. <i>Eur Urol</i> 2006 ;50:675-83. <i>European Urology</i> , 2007 , 51, 1145	10.2
9	Asymptomatic Bacteriuria or Urinary Tract Infection? New and Old Biomarkers. <i>International Journal of Translational Medicine</i> , 2022 , 2, 52-65	
8	Prognostics Factors, Molecular Markers, and Predictive Tools in Upper Tract Urothelial Carcinoma 2015 , 91-117	
7	Prognostic Indicators in Penile Cancer 2016 , 245-263	
6	Surgical Mesh Reconstruction for Post-hysterectomy Vaginal Vault Prolapse 2011 , 163-170	
5	Prognostic Indicators in Penile Cancer 2011 , 215-235	
4	Digital rectal examination and prostate biopsy at the time of COVID-19 outbreak: are there risks of contamination for the urologist?. <i>Minerva Urology and Nephrology</i> , 2021 , 73, 268-269	2.3
3	Urology practice during the COVID-19 vaccination campaign. <i>Urologia</i> , 2021 , 88, 298-305	1.2
2	Minimally invasive surgery or nephron preservation for small renal tumours?. <i>BJU International</i> , 2016 , 117, 10-1	5.6
1	Identification of a gene signature for the prediction of recurrence and progression in non-muscle-invasive bladder cancer.. <i>Molecular Biomedicine</i> , 2022 , 3, 9	3.1