

# Pei-Jian Shi

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/9429399/pei-jian-shi-publications-by-citations.pdf>

**Version:** 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

92  
papers

1,278  
citations

20  
h-index

28  
g-index

97  
ext. papers

1,637  
ext. citations

3.1  
avg, IF

4.99  
L-index

#	Paper	IF	Citations
92	A comparison of different thermal performance functions describing temperature-dependent development rates. <i>Journal of Thermal Biology</i> , <b>2010</b> , 35, 225-231	2.9	66
91	A simple model for describing the effect of temperature on insect developmental rate. <i>Journal of Asia-Pacific Entomology</i> , <b>2011</b> , 14, 15-20	1.4	54
90	Leaf Fresh Weight Versus Dry Weight: Which is Better for Describing the Scaling Relationship between Leaf Biomass and Leaf Area for Broad-Leaved Plants?. <i>Forests</i> , <b>2019</b> , 10, 256	2.8	46
89	Exploring key cellular processes and candidate genes regulating the primary thickening growth of Moso underground shoots. <i>New Phytologist</i> , <b>2017</b> , 214, 81-96	9.8	45
88	A Modified Program for Estimating the Parameters of the SSI Model. <i>Environmental Entomology</i> , <b>2011</b> , 40, 462-469	2.1	43
87	A General Leaf Area Geometric Formula Exists for Plants Evidence from the Simplified Gielis Equation. <i>Forests</i> , <b>2018</b> , 9, 714	2.8	37
86	Comparison of Thermal Performance Equations in Describing Temperature-Dependent Developmental Rates of Insects: (I) Empirical Models. <i>Annals of the Entomological Society of America</i> , <b>2016</b> , 109, 211-215	2	36
85	Comparison of dwarf bamboos ( <i>Indocalamus</i> sp.) leaf parameters to determine relationship between spatial density of plants and total leaf area per plant. <i>Ecology and Evolution</i> , <b>2015</b> , 5, 4578-89	2.8	35
84	Capturing spiral radial growth of conifers using the superellipse to model tree-ring geometric shape. <i>Frontiers in Plant Science</i> , <b>2015</b> , 6, 856	6.2	33
83	Applications of the Bootstrap to Insect Physiology. <i>Florida Entomologist</i> , <b>2011</b> , 94, 1036-1041	1	30
82	Leaf area length allometry and its implications in leaf shape evolution. <i>Trees - Structure and Function</i> , <b>2019</b> , 33, 1073-1085	2.6	29
81	Confidence interval of intrinsic optimum temperature estimated using thermodynamic SSI model. <i>Insect Science</i> , <b>2013</b> , 20, 420-8	3.6	29
80	A geometrical model for testing bilateral symmetry of bamboo leaf with a simplified Gielis equation. <i>Ecology and Evolution</i> , <b>2016</b> , 6, 6798-6806	2.8	26
79	Proportional Relationship between Leaf Area and the Product of Leaf Length and Width of Four Types of Special Leaf Shapes. <i>Forests</i> , <b>2019</b> , 10, 178	2.8	25
78	Weakening density dependence from climate change and agricultural intensification triggers pest outbreaks: a 37-year observation of cotton bollworms. <i>Ecology and Evolution</i> , <b>2014</b> , 4, 3362-74	2.8	25
77	Timing of cherry tree blooming: Contrasting effects of rising winter low temperatures and early spring temperatures. <i>Agricultural and Forest Meteorology</i> , <b>2017</b> , 240-241, 78-89	5.8	22
76	Capture the time when plants reach their maximum body size by using the beta sigmoid growth equation. <i>Ecological Modelling</i> , <b>2016</b> , 320, 177-181	3	22

75	Lamina shape does not correlate with lamina surface area: An analysis based on the simplified Gielis equation. <i>Global Ecology and Conservation</i> , <b>2019</b> , 19, e00666	2.8	21
74	Leaf shape influences the scaling of leaf dry mass vs. area: a test case using bamboos. <i>Annals of Forest Science</i> , <b>2020</b> , 77, 1	3.1	21
73	Nondestructive estimation of leaf area for 15 species of vines with different leaf shapes. <i>American Journal of Botany</i> , <b>2020</b> , 107, 1481-1490	2.7	21
72	Why Does Not the Leaf Weight-Area Allometry of Bamboos Follow the 3/2-Power Law?. <i>Frontiers in Plant Science</i> , <b>2018</b> , 9, 583	6.2	20
71	The general ontogenetic growth model is inapplicable to crop growth. <i>Ecological Modelling</i> , <b>2013</b> , 266, 1-9	3	20
70	Comparison of Thermal Performance Equations in Describing Temperature-Dependent Developmental Rates of Insects: (II) Two Thermodynamic Models. <i>Annals of the Entomological Society of America</i> , <b>2017</b> , 110, 113-120	2	19
69	Influence of temperature on the northern distribution limits of <i>Scirpophaga incertulas</i> Walker (Lepidoptera: Pyralidae) in China. <i>Journal of Thermal Biology</i> , <b>2012</b> , 37, 130-137	2.9	19
68	Effect of temperature on the development of <i>Laodelphax striatellus</i> (Homoptera: Delphacidae). <i>Journal of Economic Entomology</i> , <b>2013</b> , 106, 107-14	2.2	19
67	Dispersal distance determines the exponent of the spatial Taylor power law. <i>Ecological Modelling</i> , <b>2016</b> , 335, 48-53	3	19
66	A Simple Method for Measuring the Bilateral Symmetry of Leaves. <i>Symmetry</i> , <b>2018</b> , 10, 118	2.7	18
65	The scaling relationships of leaf biomass vs. leaf surface area of 12 bamboo species. <i>Global Ecology and Conservation</i> , <b>2019</b> , 20, e00793	2.8	17
64	Scaling Relationships between Leaf Shape and Area of 12 Rosaceae Species. <i>Symmetry</i> , <b>2019</b> , 11, 1255	2.7	17
63	Solving the pitfalls of pitfall trapping: a two-circle method for density estimation of ground-dwelling arthropods. <i>Methods in Ecology and Evolution</i> , <b>2013</b> , 4, 865-871	7.7	16
62	Precipitation is the most crucial factor determining the distribution of moso bamboo in Mainland China. <i>Global Ecology and Conservation</i> , <b>2020</b> , 22, e00924	2.8	15
61	Does the size-density relationship developed for bamboo species conform to the self-thinning rule?. <i>Forest Ecology and Management</i> , <b>2016</b> , 361, 339-345	3.9	15
60	Could the intrinsic rate of increase represent the fitness in terrestrial ectotherms?. <i>Journal of Thermal Biology</i> , <b>2013</b> , 38, 148-151	2.9	15
59	How to compare the lower developmental thresholds. <i>Environmental Entomology</i> , <b>2010</b> , 39, 2033-8	2.1	15
58	Comparison of five methods for parameter estimation under Taylor power law. <i>Ecological Complexity</i> , <b>2017</b> , 32, 121-130	2.6	14

57	Comparison of the Scaling Relationships of Leaf Biomass versus Surface Area between Spring and Summer for Two Deciduous Tree Species. <i>Forests</i> , <b>2020</b> , 11, 1010	2.8	14
56	Taylor's Power Law for Leaf Bilateral Symmetry. <i>Forests</i> , <b>2018</b> , 9, 500	2.8	14
55	Leaf Bilateral Symmetry and the Scaling of the Perimeter vs. the Surface Area in 15 Vine Species. <i>Forests</i> , <b>2020</b> , 11, 246	2.8	13
54	On the 3/4-exponent von Bertalanffy equation for ontogenetic growth. <i>Ecological Modelling</i> , <b>2014</b> , 276, 23-28	3	13
53	Testing the rate isomorphy hypothesis using five statistical methods. <i>Insect Science</i> , <b>2012</b> , 19, 121-128	3.6	13
52	Intrinsic optimum temperature of the diamondback moth and its ecological meaning. <i>Environmental Entomology</i> , <b>2012</b> , 41, 714-22	2.1	13
51	Does the law of diminishing returns in leaf scaling apply to vines? Evidence from 12 species of climbing plants. <i>Global Ecology and Conservation</i> , <b>2020</b> , 21, e00830	2.8	13
50	The effect of temperature on the developmental rates of seedling emergence and leaf-unfolding in two dwarf bamboo species. <i>Trees - Structure and Function</i> , <b>2018</b> , 32, 751-763	2.6	12
49	A New Flexible Sigmoidal Growth Model. <i>Symmetry</i> , <b>2019</b> , 11, 204	2.7	12
48	Comparison of two ontogenetic growth equations for animals and plants. <i>Ecological Modelling</i> , <b>2017</b> , 349, 1-10	3	11
47	A general formula for calculating surface area of the similarly shaped leaves: Evidence from six Magnoliaceae species. <i>Global Ecology and Conservation</i> , <b>2020</b> , 23, e01129	2.8	11
46	Early eclosion of overwintering cotton bollworm moths from warming temperatures accentuates yield loss in wheat. <i>Agriculture, Ecosystems and Environment</i> , <b>2016</b> , 217, 89-98	5.7	11
45	Cascade effects of crop species richness on the diversity of pest insects and their natural enemies. <i>Science China Life Sciences</i> , <b>2014</b> , 57, 718-25	8.5	11
44	The Generalized Gielis Geometric Equation and Its Application. <i>Symmetry</i> , <b>2020</b> , 12, 645	2.7	10
43	The seesaw effect of winter temperature change on the recruitment of cotton bollworms <i>Helicoverpa armigera</i> through mismatched phenology. <i>Ecology and Evolution</i> , <b>2015</b> , 5, 5652-61	2.8	10
42	Common-intersection hypothesis of development rate lines of ectotherms within a taxon revisited. <i>Journal of Thermal Biology</i> , <b>2011</b> , 36, 422-429	2.9	10
41	Increase in Absolute Leaf Water Content Tends to Keep Pace with That of Leaf Dry Mass Evidence from Bamboo Plants. <i>Symmetry</i> , <b>2020</b> , 12, 1345	2.7	10
40	Comparison of Thermal Performance Equations in Describing Temperature-Dependent Developmental Rates of Insects: (III) Phenological Applications. <i>Annals of the Entomological Society of America</i> , <b>2017</b> , 110, 558-564	2	9

39	Internode morphometrics and allometry of Tonkin Cane. <i>Ecology and Evolution</i> , <b>2017</b> , 7, 9651-9660	2.8	9
38	Population decrease of <i>Scirpophaga incertulas</i> Walker (Lepidoptera Pyralidae) under climate warming. <i>Ecology and Evolution</i> , <b>2012</b> , 2, 58-64	2.8	9
37	Leaf size estimation based on leaf length, width and shape. <i>Annals of Botany</i> , <b>2021</b> , 128, 395-406	4.1	9
36	Seed handling by primary frugivores differentially influence post-dispersal seed removal of Chinese yew by ground-dwelling animals. <i>Integrative Zoology</i> , <b>2016</b> , 11, 191-8	1.9	9
35	A Superellipse with Deformation and Its Application in Describing the Cross-Sectional Shapes of a Square Bamboo. <i>Symmetry</i> , <b>2020</b> , 12, 2073	2.7	8
34	Comparison of seed morphology of two ginkgo cultivars. <i>Journal of Forestry Research</i> , <b>2020</b> , 31, 751-758 <sub>2</sub>		8
33	Influence of leaf shape on the scaling of leaf surface area and length in bamboo plants. <i>Trees - Structure and Function</i> , <b>2021</b> , 35, 709-715	2.6	8
32	Effects of Salt Stress on the Leaf Shape and Scaling of <i>Pyrus betulifolia</i> Bunge. <i>Symmetry</i> , <b>2019</b> , 11, 991	2.7	7
31	Plant Age Has a Minor Effect on Non-Destructive Leaf Area Calculations in Moso Bamboo ( <i>Phyllostachys edulis</i> ). <i>Symmetry</i> , <b>2021</b> , 13, 369	2.7	7
30	An optimal proportion of mixing broad-leaved forest for enhancing the effective productivity of moso bamboo. <i>Ecology and Evolution</i> , <b>2015</b> , 5, 1576-84	2.8	6
29	A Note on Spirals and Curvature <b>2020</b> , 1, 1		5
28	Can Leaf Shape be Represented by the Ratio of Leaf Width to Length? Evidence from Nine Species of <i>Magnolia</i> and <i>Michelia</i> (Magnoliaceae). <i>Forests</i> , <b>2021</b> , 12, 41	2.8	5
27	Mean-variance relationships of leaf bilateral asymmetry for 35 species of plants and their implications. <i>Global Ecology and Conservation</i> , <b>2020</b> , 23, e01152	2.8	5
26	Taylor's power law in the Wenchuan earthquake sequence with fluctuation scaling. <i>Natural Hazards and Earth System Sciences</i> , <b>2019</b> , 19, 1119-1127	3.9	4
25	Comparison of the intrinsic optimum temperatures for seed germination between two bamboo species based on a thermodynamic model. <i>Global Ecology and Conservation</i> , <b>2019</b> , 17, e00568	2.8	4
24	"Diminishing returns" for leaves of five age-groups of <i>Phyllostachys edulis</i> culms. <i>American Journal of Botany</i> , <b>2021</b> , 108, 1662-1672	2.7	4
23	Influence of the physical dimension of leaf size measures on the goodness of fit for Taylor's power law using 101 bamboo taxa. <i>Global Ecology and Conservation</i> , <b>2019</b> , 19, e00657	2.8	3
22	Nonparametric Estimation of Interspecific Spatio-Temporal Niche Separation Between Two Lady Beetles (Coleoptera: Coccinellidae) in Bt Cotton Fields. <i>Annals of the Entomological Society of America</i> , <b>2015</b> , 108, 807-813	2	3

21	Simulation of crop growth, time to maturity and yield by an improved sigmoidal model. <i>Scientific Reports</i> , <b>2018</b> , 8, 7030	4.9	3
20	Influence of air temperature on the first flowering date of <i>Prunus yedoensis</i> Matsum. <i>Ecology and Evolution</i> , <b>2014</b> , 4, 292-9	2.8	3
19	An elliptical blade is not a true ellipse, but a superellipse—Evidence from two <i>Michelia</i> species. <i>Journal of Forestry Research</i> , 1	2	3
18	A general method for parameter estimation in light-response models. <i>Scientific Reports</i> , <b>2016</b> , 6, 27905	4.9	2
17	An Optimization Approach to the Two-Circle Method of Estimating Ground-Dwelling Arthropod Densities. <i>Florida Entomologist</i> , <b>2014</b> , 97, 644-652	1	2
16	Spatial Segregation Facilitates the Coexistence of Tree Species in Temperate Forests. <i>Forests</i> , <b>2018</b> , 9, 768	2.8	2
15	Spatial distribution characteristics of stomata at the areole level in <i>Michelia cavaleriei</i> var. <i>platypetala</i> (Magnoliaceae). <i>Annals of Botany</i> , <b>2021</b> , 128, 875-886	4.1	2
14	A General Model for Describing the Ovate Leaf Shape. <i>Symmetry</i> , <b>2021</b> , 13, 1524	2.7	2
13	Scaling relationships of leaf vein and areole traits versus leaf size for nine Magnoliaceae species differing in venation density.. <i>American Journal of Botany</i> , <b>2022</b> ,	2.7	2
12	Ellipticalness index $\mathcal{E}$ a simple measure of the complexity of oval leaf shape. <i>Pakistan Journal of Botany</i> , <b>2022</b> , 54,	2	2
11	A Commensal Consumer-Induced Mediation Effects on Resource-Consumer Interactions. <i>Proceedings of the National Academy of Sciences India Section B - Biological Sciences</i> , <b>2013</b> , 83, 385-404	1.4	1
10	Diminishing returns among lamina fresh and dry mass, surface area, and petiole fresh mass among nine Lauraceae species.. <i>American Journal of Botany</i> , <b>2022</b> ,	2.7	1
9	Capturing the interaction types of two Bt toxins Cry1Ac and Cry2Ab on suppressing the cotton bollworm by using multi-exponential equations. <i>Insect Science</i> , <b>2016</b> , 23, 649-54	3.6	1
8	Variation in individual biomass decreases faster than mean biomass with increasing density of bamboo stands. <i>Journal of Forestry Research</i> , <b>2020</b> , 31, 981-987	2	1
7	Evidence That Supertriangles Exist in Nature from the Vertical Projections of <i>Koelreuteria paniculata</i> Fruit. <i>Symmetry</i> , <b>2022</b> , 14, 23	2.7	1
6	Application of an Ovate Leaf Shape Model to Evaluate Leaf Bilateral Asymmetry and Calculate Lamina Centroid Location.. <i>Frontiers in Plant Science</i> , <b>2021</b> , 12, 822907	6.2	0
5	Investigating the Shape of the Shoot Apical Meristem in Bamboo Using a Superellipse Equation. <i>Bio-protocol</i> , <b>2017</b> , 7, e2644	0.9	0
4	A nondestructive method of calculating the wing area of insects.. <i>Ecology and Evolution</i> , <b>2022</b> , 12, e87922.8	0	0

- |   |   |     |   |
|---|---|-----|---|
| 3 | Influence of Leaf Age on the Scaling Relationships of Lamina Mass vs. Area.. <i>Frontiers in Plant Science</i> , <b>2022</b> , 13, 860206                                     | 6.2 | o |
| 2 | Comparison of a universal (but complex) model for avian egg shape with a simpler model. <i>Annals of the New York Academy of Sciences</i> ,                                   | 6.5 | o |
| 1 | Peer review report 2 on Drought explains variation in the radial growth of white spruce in western Canada <i>Agricultural and Forest Meteorology</i> , <b>2016</b> , 217, 536 | 5.8 |   |