

Andreas Tsakalof

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9432312/andreas-tsakalof-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

63

papers

2,084

citations

27

h-index

44

g-index

71

ext. papers

2,341

ext. citations

4

avg, IF

4.68

L-index

#	Paper	IF	Citations
63	Comparison of Targeted and Untargeted Approaches in Breath Analysis for the Discrimination of Lung Cancer from Benign Pulmonary Diseases and Healthy Persons. <i>Molecules</i> , 2021 , 26,	4.8	6
62	Inhibition of calcitriol inactivating enzyme CYP24A1 gene expression by flavonoids in hepatocellular carcinoma cells under normoxia and hypoxia. <i>Archives of Biochemistry and Biophysics</i> , 2021 , 704, 108889	4.1	0
61	Association of Vitamin D Receptor Gene Polymorphisms with Serum Vitamin D Levels in a Greek Rural Population (Velestino Study). <i>Lifestyle Genomics</i> , 2021 , 14, 81-90	2	6
60	Calcitriol Suppresses HIF-1 and HIF-2 Transcriptional Activity by Reducing HIF-1/2 β Protein Levels via a VDR-Independent Mechanism. <i>Cells</i> , 2020 , 9,	7.9	5
59	Target Analysis of Volatile Organic Compounds in Exhaled Breath for Lung Cancer Discrimination from Other Pulmonary Diseases and Healthy Persons. <i>Metabolites</i> , 2020 , 10,	5.6	18
58	Spatial and temporal distribution of p,p'-DDE (1-dichloro-2,2-bis (p-chlorophenyl) ethylene) blood levels across the globe. A systematic review and meta-analysis. <i>Science of the Total Environment</i> , 2019 , 686, 440-451	10.2	10
57	Chemical Properties, Fatty-Acid Composition, and Antioxidant Activity of Goji Berry (L. and Mill.) Fruits. <i>Antioxidants</i> , 2019 , 8,	7.1	31
56	The in vitro antimicrobial activity assessment of ultrasound assisted Lycium barbarum fruit extracts and pomegranate fruit peels. <i>Journal of Food Measurement and Characterization</i> , 2019 , 13, 2017-2031	2.8	22
55	Assessment of the antioxidant and antimutagenic activity of extracts from goji berry of Greek cultivation. <i>Toxicology Reports</i> , 2018 , 5, 251-257	4.8	40
54	Investigation of the chemical profile and cytotoxicity evaluation of organic components eluted from pit and fissure sealants. <i>Food and Chemical Toxicology</i> , 2018 , 120, 536-543	4.7	9
53	On-line SPE sample treatment as a tool for method automatization and detection limits reduction: Quantification of 25-hydroxyvitamin D/D. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2017 , 1043, 219-227	3.2	9
52	Development and validation of a reversed-phase HPLC method for licarbazepine monitoring in serum of patients under oxcarbazepine treatment. <i>Biomedical Chromatography</i> , 2017 , 31, e3950	1.7	5
51	Optimization of ultrasound assisted extraction of of goji berry (Lycium barbarum) fruits and evaluation of extracts' bioactivity. <i>Journal of Food Process Engineering</i> , 2017 , 40, e12522	2.4	32
50	Increased Frequency of Rheumatoid Arthritis and Allergic Rhinitis among Pesticide Sprayers and Associations with Pesticide Use. <i>International Journal of Environmental Research and Public Health</i> , 2017 , 14,	4.6	9
49	Computer-simulation-based selection of optimal monomer for imprinting of tri-O-acetyl adenosine in a polymer matrix: calculations for benzene solution. <i>Journal of Molecular Modeling</i> , 2016 , 22, 154	2	6
48	Protective effect of erythropoietin on myocardial apoptosis in rats exposed to carbon monoxide. <i>Life Sciences</i> , 2016 , 148, 118-24	6.8	15
47	Serum levels of organochlorine pesticides in the general population of Thessaly, Greece, determined by HS-SPME GC-MS method. <i>Environmental Research</i> , 2016 , 148, 318-321	7.9	22

46	Toxicological effects and safety assessment of sulfonylurea type pesticides. <i>Toxicology Letters</i> , 2016 , 258, S222		4.4
45	Relationship between production conditions and milk gross composition in ewe and goat organic and conventional farms in central Greece. <i>Dairy Science and Technology</i> , 2015 , 95, 437-450		6
44	Development and validation of a reversed-phase HPLC method for CYP1A2 phenotyping by use of a caffeine metabolite ratio in saliva. <i>Biomedical Chromatography</i> , 2015 , 29, 1657-63	1.7	12
43	HPLC Analysis of Antipsychotic Asenapine in Alternative Biomatrices: Hair and Nail Clippings. <i>Journal of Liquid Chromatography and Related Technologies</i> , 2015 , 38, 1666-1670	1.3	6
42	Biomonitoring of organophosphate exposure of pesticide sprayers and comparison of exposure levels with other population groups in Thessaly (Greece). <i>Occupational and Environmental Medicine</i> , 2014 , 71, 126-33	2.1	29
41	Simple and reliable HPLC method for the monitoring of methotrexate in osteosarcoma patients. <i>Journal of Chromatographic Science</i> , 2014 , 52, 590-5	1.4	31
40	Increased levels of oxidative DNA damage in pesticide sprayers in Thessaly Region (Greece). Implications of pesticide exposure. <i>Science of the Total Environment</i> , 2014 , 496, 358-364	10.2	33
39	Dermal & inhalation exposure of operators during fungicide application in vineyards. Evaluation of overall performance. <i>Science of the Total Environment</i> , 2014 , 470-471, 282-9	10.2	31
38	Development and application of GC-MS method for monitoring of long-term exposure to the pesticide cypermethrin. <i>Drug Testing and Analysis</i> , 2014 , 6 Suppl 1, 9-16	3.5	12
37	Hypospadias in offspring is associated with chronic exposure of parents to organophosphate and organochlorine pesticides. <i>Toxicology Letters</i> , 2014 , 230, 139-45	4.4	40
36	Investigation of in vivo toxicity of hydroxylamine sulfate and the efficiency of intoxication treatment by tocopherol acetate and methylene blue. <i>Food and Chemical Toxicology</i> , 2013 , 61, 227-32	4.7	2
35	Development and application of LC-APCI-MS method for biomonitoring of animal and human exposure to imidacloprid. <i>Chemosphere</i> , 2013 , 93, 2612-20	8.4	41
34	Molecular Imprinting of Tri-O-Acetyladenosine for the Synthetic Imitation of an ATP-Binding Cleft in Protein Kinases. <i>ChemPlusChem</i> , 2013 , 78, 808-815	2.8	4
33	Monitoring Aflatoxin M1 levels in ewe's and goat's milk in Thessaly, Greece; potential risk factors under organic and conventional production schemes. <i>Food Control</i> , 2013 , 34, 241-248	6.2	15
32	Computer simulation based selection of optimal monomer for imprinting of tri-O-acetyladenosine in polymer matrix: vacuum calculations. <i>Journal of Molecular Modeling</i> , 2013 , 19, 359-69	2	7
31	Assessment of PCBs exposure in human hair using double focusing high resolution mass spectrometry and single quadrupole mass spectrometry. <i>Toxicology Letters</i> , 2012 , 210, 225-31	4.4	18
30	Systematic review of biomonitoring studies to determine the association between exposure to organophosphorus and pyrethroid insecticides and human health outcomes. <i>Toxicology Letters</i> , 2012 , 210, 155-68	4.4	184
29	Operator exposure during fungicide applications in vineyards. <i>Toxicology Letters</i> , 2012 , 211, S174	4.4	4

28	Development of GC-MS/MS method with programmable temperature vaporization large volume injection for monitoring of 17 β -estradiol and 2-methoxyestradiol in plasma. <i>Analytica Chimica Acta</i> , 2012 , 709, 73-80	6.6	20
27	Isolation of hypoxia-inducible factor 1 (HIF-1) inhibitors from frankincense using a molecularly imprinted polymer. <i>Investigational New Drugs</i> , 2011 , 29, 1081-9	4.3	8
26	The dietary flavonoid kaempferol effectively inhibits HIF-1 activity and hepatoma cancer cell viability under hypoxic conditions. <i>Biochemical and Biophysical Research Communications</i> , 2010 , 398, 74-83	3.4	66
25	Fabrication of super-hydrophobic surfaces for enhanced stone protection. <i>Surface and Coatings Technology</i> , 2009 , 203, 1322-1328	4.4	138
24	Superhydrophobic films for the protection of outdoor cultural heritage assets. <i>Applied Physics A: Materials Science and Processing</i> , 2009 , 97, 351-360	2.6	111
23	Surface Properties of Superhydrophobic Coatings for Stone Protection. <i>Journal of Nano Research</i> , 2009 , 8, 23-33	1	12
22	Flavonoids induce HIF-1 α but impair its nuclear accumulation and activity. <i>Free Radical Biology and Medicine</i> , 2008 , 44, 657-70	7.8	65
21	From Byzantine to post-Byzantine art: the painting technique of St Stephen's wall paintings at Meteora, Greece. <i>Journal of Archaeological Science</i> , 2008 , 35, 2474-2485	2.9	36
20	Superhydrophobic composite films produced on various substrates. <i>Langmuir</i> , 2008 , 24, 11225-32	4	225
19	The flavonoid quercetin induces hypoxia-inducible factor-1 α (HIF-1 α) and inhibits cell proliferation by depleting intracellular iron. <i>Free Radical Research</i> , 2007 , 41, 342-56	4	37
18	Polymer-Silica nanoparticles composite films as protective coatings for stone-based monuments. <i>Journal of Physics: Conference Series</i> , 2007 , 61, 1361-1365	0.3	55
17	In vivo evaluation of CYP1A2, CYP2A6, NAT-2 and xanthine oxidase activities in a Greek population sample by the RP-HPLC monitoring of caffeine metabolic ratios. <i>Biomedical Chromatography</i> , 2007 , 21, 190-200	1.7	65
16	Assessment of synthetic polymeric coatings for the protection and preservation of stone monuments. <i>Journal of Cultural Heritage</i> , 2007 , 8, 69-72	2.9	127
15	Risk factors for contamination of hotel water distribution systems by Legionella species. <i>Applied and Environmental Microbiology</i> , 2007 , 73, 1489-92	4.8	51
14	Analytical methods of biological monitoring for exposure to pesticides: recent update. <i>Therapeutic Drug Monitoring</i> , 2007 , 29, 150-63	3.2	48
13	The Byzantine wall paintings from the Protaton Church on Mount Athos, Greece: tradition and science. <i>Journal of Archaeological Science</i> , 2007 , 34, 1971-1984	2.9	28
12	Pitfalls in drying oils identification in art objects by gas chromatography. <i>Journal of Separation Science</i> , 2006 , 29, 1642-6	3.4	15
11	Cobalt induces hypoxia-inducible factor-1 α (HIF-1 α) in HeLa cells by an iron-independent, but ROS-, PI-3K- and MAPK-dependent mechanism. <i>Free Radical Research</i> , 2006 , 40, 847-56	4	86

10	Correlation between Plant Growth Regulator Release Rate and Bioactivity for the Series of Newly Synthesized Phytoactive Polymers. <i>Journal of Plant Growth Regulation</i> , 2006 , 25, 211-218	4-7	4
9	Identification of Red Natural Dyes in Post-Byzantine Icons by HPLC. <i>Journal of Liquid Chromatography and Related Technologies</i> , 2005 , 28, 739-749	1-3	36
8	Evaluation of the bioequivalence and pharmacokinetics of two lisinopril tablet formulations after single oral administration in healthy volunteers. <i>Arzneimittelforschung</i> , 2004 , 54, 15-9		1
7	Impact of biological factors on binding media identification in art objects: identification of animal glue in the presence of <i>Aspergillus niger</i> . <i>Journal of Separation Science</i> , 2004 , 27, 167-73	3-4	4
6	Development of a liquid chromatography-mass spectrometry method for monitoring the angiotensin-converting enzyme inhibitor lisinopril in serum. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2003 , 783, 425-32	3-2	20
5	Hair analysis used to assess chronic exposure to the organophosphate diazinon: a model study with rabbits. <i>Human and Experimental Toxicology</i> , 2003 , 22, 159-64	3-4	33
4	Acute poisoning with carbamate pesticides: the Cretan experience. <i>Science and Justice - Journal of the Forensic Science Society</i> , 1996 , 36, 35-9	2	34
3	The analysis of methomyl, a carbamate pesticide, in post-mortem samples. <i>Science and Justice - Journal of the Forensic Science Society</i> , 1996 , 36, 41-5	2	19
2	Species variation in the metabolism of 15,16-dihydro-11-methylcyclopenta[a]phenanthren-17-one to its 3,4-dihydrodiol, the proximate carcinogen. <i>Carcinogenesis</i> , 1995 , 16, 2351-5	4-6	4
1	Preincisional single-dose ceftriaxone for the prophylaxis of surgical wound infection. <i>American Journal of Surgery</i> , 1995 , 170, 353-5	2-7	14